Sample Monitoring

Michael Rahija 25 February 2016


Warning: package 'ggplot2' was built under R version 3.2.3

Table 1: Interviews completed on 1/2/2015

teams	enumerators	interviews
Team A	interview_1	3
Team A	$interview_2$	2
Team A	$interview_3$	3
Team B	$interview_4$	1
Team B	$interview_5$	1
Team B	$interview_6$	2
Team C	$interview_7$	2
Team C	$interview_8$	2
Team C	$interview_9$	3
Team D	$interview_10$	0
Team D	$interview_11$	2
Team D	${\rm interview}_12$	3

Scale for 'y' is already present. Adding another scale for 'y', which ## will replace the existing scale.

Interviews completed on 1/2/2015



```
## Warning: package 'maptools' was built under R version 3.2.3
```

- ## Loading required package: sp
- ## Warning: package 'sp' was built under R version 3.2.3
- ## Checking rgeos availability: FALSE
- ## Note: when rgeos is not available, polygon geometry computations in maptools depend on gpcl
- ## which has a restricted licence. It is disabled by default;
- ## to enable gpclib, type gpclibPermit()
- ## Warning: package 'ggmap' was built under R version 3.2.3
- ## Warning: package 'XML' was built under R version 3.2.3
- ## Warning: package 'plyr' was built under R version 3.2.3
- ## Map from URL: http://maps.googleapis.com/maps/api/staticmap?center=-7.875125,110.718193&zoom=16&siz

