Michael Nowak

Texas A&M University

Quadratic Equation Solver
Problem
Analysis
Design

Quadratic Equation Solver
Problem
Analysis
Design

Quadratic Equation Solver Problem

Analysis

Problem

 Write a program that calculates the roots of a quadratic equation

Quadratic Equation Solver

Problem

Analysis

► Where do we start?

- ► Where do we start?
- ► What is a quadratic equation?

$$ax^2 + bx + c = 0$$

- ▶ Where do we start?
- ▶ What is a quadratic equation?

$$ax^2 + bx + c = 0$$

▶ What happens when a = 0?

$$bx + c = 0$$

- ► Where do we start?
- ▶ What is a quadratic equation?

$$ax^2 + bx + c = 0$$

▶ What happens when a = 0?

$$bx + c = 0$$

▶ What happens when a = 0, b = 0, and c! = 0?

$$c = 0$$

however,

$$c \neq 0$$

so there is

No Solution

▶ If we have a quadratic equation of the form

$$ax^2 + bx + c = 0$$

▶ If we have a quadratic equation of the form

$$ax^2 + bx + c = 0$$

▶ We can solve for the roots by using the quadratic equation

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

If we have a quadratic equation of the form

$$ax^2 + bx + c = 0$$

▶ We can solve for the roots by using the quadratic equation

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

- ► The discriminant of a quadratic $d = b^2 4ac$ reveals what type of roots the equation has:
 - \rightarrow d > 0 two real roots
 - ightharpoonup d = 0 one real root
 - ► *d* < 0 two imaginary roots

Quadratic Equation Solver

Problem

Analysis

► How does the program flow?

- ► How does the program flow?
 - ► Get values of *a*, *b*, and *c* from standard input

- ▶ How does the program flow?
 - ▶ Get values of *a*, *b*, and *c* from standard input
 - ► Determine whether the input coefficients constitutes a quadratic equation, linear equation, or an equation with no solution

- ▶ How does the program flow?
 - ▶ Get values of *a*, *b*, and *c* from standard input
 - ► Determine whether the input coefficients constitutes a quadratic equation, linear equation, or an equation with no solution
 - Direct program flow to a part of system that solves the respective equation

- ► How does the program flow?
 - ► Get values of *a*, *b*, and *c* from standard input
 - ► Determine whether the input coefficients constitutes a quadratic equation, linear equation, or an equation with no solution
 - Direct program flow to a part of system that solves the respective equation
 - ► For the quadratic equation part, need subparts that deal with positive, negative, and zero valued discriminants, along with means to direct program flow to the respective subpart

- ► How does the program flow?
 - ▶ Get values of *a*, *b*, and *c* from standard input
 - ► Determine whether the input coefficients constitutes a quadratic equation, linear equation, or an equation with no solution
 - Direct program flow to a part of system that solves the respective equation
 - ► For the quadratic equation part, need subparts that deal with positive, negative, and zero valued discriminants, along with means to direct program flow to the respective subpart
 - ▶ Print the result to standard output

Design: Flowchart

► Let's create a flowchart that details the program flow of our quadratic equation solver