

```
1
2
3  CSC 667 {
4
```

```
5      [Term Project ]
6
7
8
```

```
9      < Milestone 2 >
10
11
```

```
12  }
13
14
```

1 UNO



Link to Heroku

<https://mysterious-sea-64551.herokuapp.com/>

Issues we encountered

- Migration set up
 - Kept running into errors that prevented migration
 - Issues with running `npm run db:migrate`
 - “Error: SASL: SCRAM-SERVER-FIRST-MESSAGE: client password must be a string”
 - “Dialect needs to be explicitly supplied as of v4.0.0”
 - Error parsing url

Issues we encountered

- Heroku issues
 - Issue with using “git push heroku master”

```
remote: ----> Building on the Heroku-20 stack
remote: ----> Determining which buildpack to use for this app
remote: !    No default language could be detected for this app.
remote:      HINT: This occurs when Heroku cannot detect the buildpack to use for this
application automatically.
remote:      See https://devcenter.heroku.com/articles/buildpacks
remote:
remote: !    Push failed
remote: !
remote: ! ## Warning - The same version of this code has already been built: 02905114859a83102a42b6ba5688
8d667016100b
remote: !
remote: ! We have detected that you have triggered a build from source code with version 02905114859a8310
2a42b6ba56888d667016100b
remote: ! at least twice. One common cause of this behavior is attempting to deploy code from a different
branch.
remote: !
remote: ! If you are developing on a branch and deploying via git you must run:
remote: !
remote: !     git push heroku <branchname>:main
remote: !
remote: ! This article goes into details on the behavior:
remote: !     https://devcenter.heroku.com/articles/duplicate-build-version
remote:
remote: Verifying deploy...
remote:
remote: !    Push rejected to mysterious-sea-64551.
remote:
To https://git.heroku.com/mysterious-sea-64551.git
! [remote rejected] main -> main (pre-receive hook declined)
error: failed to push some refs to 'https://git.heroku.com/mysterious-sea-64551.git'
PS C:\Users\Public\github\term-project-term-project-667\uno-game>
```