

Rworksheet_simpron#4c

Michael T. Simpron

2025-12-11

```
library(dplyr)
```

```
##  
## Attaching package: 'dplyr'  
  
## The following objects are masked from 'package:stats':  
##  
##   filter, lag  
  
## The following objects are masked from 'package:base':  
##  
##   intersect, setdiff, setequal, union
```

```
library(ggplot2)  
library(RColorBrewer)  
library(readxl)
```

```
##1.
```

```
data(mpg)  
write.csv(mpg, "mpg.csv", row.names = FALSE)  
data
```

```
## function (... , list = character(), package = NULL, lib.loc = NULL,  
##   verbose = getOption("verbose"), envir = .GlobalEnv, overwrite = TRUE)  
## {  
##   fileExt <- function(x) {  
##     db <- grepl("\\.[^.]+\\.(gz|bz2|xz)$", x)  
##     ans <- sub(".*\\.\"", "", x)  
##     ans[db] <- sub(".*\\.([^.]+\\.)(gz|bz2|xz)$", "\\1\\2",  
##       x[db])  
##     ans  
##   }  
##   my_read_table <- function(...) {  
##     lcc <- Sys.getlocale("LC_COLLATE")  
##     on.exit(Sys.setlocale("LC_COLLATE", lcc))  
##     Sys.setlocale("LC_COLLATE", "C")  
##     read.table(...)  
##   }  
##   stopifnot(is.character(list))
```

```

## names <- c(as.character(substitute(list(...))[-1L]), list)
## if (!is.null(package)) {
##   if (!is.character(package))
##     stop("'package' must be a character vector or NULL")
## }
## paths <- find.package(package, lib.loc, verbose = verbose)
## if (is.null(lib.loc))
##   paths <- c(path.package(package, TRUE), if (!length(package)) getwd(),
##             paths)
## paths <- unique(normalizePath(paths[file.exists(paths)]))
## paths <- paths[dir.exists(file.path(paths, "data"))]
## dataExts <- tools:::.make_file_exts("data")
## if (length(names) == 0L) {
##   db <- matrix(character(), nrow = 0L, ncol = 4L)
##   for (path in paths) {
##     entries <- NULL
##     packageName <- if (file_test("-f", file.path(path,
##           "DESCRIPTION")))
##       basename(path)
##     else "."
##     if (file_test("-f", INDEX <- file.path(path, "Meta",
##           "data.rds"))) {
##       entries <- readRDS(INDEX)
##     }
##     else {
##       dataDir <- file.path(path, "data")
##       entries <- tools::list_files_with_type(dataDir,
##             "data")
##       if (length(entries)) {
##         entries <- unique(tools::file_path_sans_ext(basename(entries)))
##         entries <- cbind(entries, "")
##       }
##     }
##     if (NROW(entries)) {
##       if (is.matrix(entries) && ncol(entries) == 2L)
##         db <- rbind(db, cbind(packageName, dirname(path),
##               entries))
##       else warning(gettextf("data index for package %s is invalid and will be ignored",
##             sQuote(packageName)), domain = NA, call. = FALSE)
##     }
##   }
##   colnames(db) <- c("Package", "LibPath", "Item", "Title")
##   footer <- if (missing(package))
##     paste0("Use ", sQuote(paste("data(package = ", ".packages(all.available = TRUE)))"),
##           "\n", "to list the data sets in all *available* packages.")
##   else NULL
##   y <- list(title = "Data sets", header = NULL, results = db,
##             footer = footer)
##   class(y) <- "packageIQR"
##   return(y)
## }
## paths <- file.path(paths, "data")
## for (name in names) {
##   found <- FALSE

```

```

##      for (p in paths) {
##          tmp_env <- if (overwrite)
##              enviro
##          else new.env()
##          if (file_test("-f", file.path(p, "Rdata.rds"))) {
##              rds <- readRDS(file.path(p, "Rdata.rds"))
##              if (name %in% names(rds)) {
##                  found <- TRUE
##                  if (verbose)
##                      message(sprintf("name=%s:\t found in Rdata.rds",
##                                      name), domain = NA)
##                  objs <- rds[[name]]
##                  lazyLoad(file.path(p, "Rdata"), enviro = tmp_env,
##                          filter = function(x) x %in% objs)
##                  break
##              }
##          else if (verbose)
##              message(sprintf("name=%s:\t NOT found in names() of Rdata.rds, i.e.,\n\t%s\n",
##                              name, paste(names(rds), collapse = ",")),
##                      domain = NA)
##      }
##      files <- list.files(p, full.names = TRUE)
##      files <- files[grep(name, files, fixed = TRUE)]
##      if (length(files) > 1L) {
##          o <- match(fileExt(files), dataExts, nomatch = 100L)
##          paths0 <- dirname(files)
##          paths0 <- factor(paths0, levels = unique(paths0))
##          files <- files[order(paths0, o)]
##      }
##      if (length(files)) {
##          for (file in files) {
##              if (verbose)
##                  message("name=", name, ":\t file= ...", .Platform$file.sep,
##                          basename(file), ":\t", appendLF = FALSE,
##                          domain = NA)
##              ext <- fileExt(file)
##              if (basename(file) != paste0(name, ".", ext))
##                  found <- FALSE
##              else {
##                  found <- TRUE
##                  switch(ext, R = , r = {
##                      library("utils")
##                      sys.source(file, chdir = TRUE, enviro = tmp_env)
##                  }, RData = , rdata = , rda = load(file, enviro = tmp_env),
##                  TXT = , txt = , tab = , tab.gz = , tab.bz2 = ,
##                  tab.xz = , txt.gz = , txt.bz2 = , txt.xz = assign(name,
##                          my_read_table(file, header = TRUE, as.is = FALSE),
##                          enviro = tmp_env), CSV = , csv = , csv.gz = ,
##                  csv.bz2 = , csv.xz = assign(name, my_read_table(file,
##                          header = TRUE, sep = ";", as.is = FALSE),
##                          enviro = tmp_env), found <- FALSE)
##              }
##          if (found)
##              break
##      }

```

```

##           }
##           if (verbose)
##             message(if (!found)
##               "*NOT* ", "found", domain = NA)
##         }
##         if (found)
##           break
##       }
##     if (!found) {
##       warning(gettextf("data set %s not found", sQuote(name)),
##         domain = NA)
##     }
##     else if (!overwrite) {
##       for (o in ls(envir = tmp_env, all.names = TRUE)) {
##         if (exists(o, envir = envir, inherits = FALSE))
##           warning(gettextf("an object named %s already exists and will not be overwritten",
##             sQuote(o)))
##         else assign(o, get(o, envir = tmp_env, inherits = FALSE),
##           envir = envir)
##       }
##       rm(tmp_env)
##     }
##   }
##   invisible(names)
## }
## <bytecode: 0x6077a9ff2ea0>
## <environment: namespace:utils>

```

```

#1A.
mpg <- read.csv("mpg.csv", stringsAsFactors = FALSE)

mpg

```

	manufacturer	model	displ	year	cyl	trans	drv	cty	hwy
## 1	audi	a4	1.8	1999	4	auto(l5)	f	18	29
## 2	audi	a4	1.8	1999	4	manual(m5)	f	21	29
## 3	audi	a4	2.0	2008	4	manual(m6)	f	20	31
## 4	audi	a4	2.0	2008	4	auto(av)	f	21	30
## 5	audi	a4	2.8	1999	6	auto(l5)	f	16	26
## 6	audi	a4	2.8	1999	6	manual(m5)	f	18	26
## 7	audi	a4	3.1	2008	6	auto(av)	f	18	27
## 8	audi	a4 quattro	1.8	1999	4	manual(m5)	4	18	26
## 9	audi	a4 quattro	1.8	1999	4	auto(l5)	4	16	25
## 10	audi	a4 quattro	2.0	2008	4	manual(m6)	4	20	28
## 11	audi	a4 quattro	2.0	2008	4	auto(s6)	4	19	27
## 12	audi	a4 quattro	2.8	1999	6	auto(l5)	4	15	25
## 13	audi	a4 quattro	2.8	1999	6	manual(m5)	4	17	25
## 14	audi	a4 quattro	3.1	2008	6	auto(s6)	4	17	25
## 15	audi	a4 quattro	3.1	2008	6	manual(m6)	4	15	25
## 16	audi	a6 quattro	2.8	1999	6	auto(l5)	4	15	24
## 17	audi	a6 quattro	3.1	2008	6	auto(s6)	4	17	25
## 18	audi	a6 quattro	4.2	2008	8	auto(s6)	4	16	23
## 19	chevrolet	c1500 suburban 2wd	5.3	2008	8	auto(l4)	r	14	20
## 20	chevrolet	c1500 suburban 2wd	5.3	2008	8	auto(l4)	r	11	15

## 21	chevrolet	c1500 suburban 2wd	5.3 2008	8	auto(14)	r	14	20
## 22	chevrolet	c1500 suburban 2wd	5.7 1999	8	auto(14)	r	13	17
## 23	chevrolet	c1500 suburban 2wd	6.0 2008	8	auto(14)	r	12	17
## 24	chevrolet	corvette	5.7 1999	8	manual(m6)	r	16	26
## 25	chevrolet	corvette	5.7 1999	8	auto(14)	r	15	23
## 26	chevrolet	corvette	6.2 2008	8	manual(m6)	r	16	26
## 27	chevrolet	corvette	6.2 2008	8	auto(s6)	r	15	25
## 28	chevrolet	corvette	7.0 2008	8	manual(m6)	r	15	24
## 29	chevrolet	k1500 tahoe 4wd	5.3 2008	8	auto(14)	4	14	19
## 30	chevrolet	k1500 tahoe 4wd	5.3 2008	8	auto(14)	4	11	14
## 31	chevrolet	k1500 tahoe 4wd	5.7 1999	8	auto(14)	4	11	15
## 32	chevrolet	k1500 tahoe 4wd	6.5 1999	8	auto(14)	4	14	17
## 33	chevrolet	malibu	2.4 1999	4	auto(14)	f	19	27
## 34	chevrolet	malibu	2.4 2008	4	auto(14)	f	22	30
## 35	chevrolet	malibu	3.1 1999	6	auto(14)	f	18	26
## 36	chevrolet	malibu	3.5 2008	6	auto(14)	f	18	29
## 37	chevrolet	malibu	3.6 2008	6	auto(s6)	f	17	26
## 38	dodge	caravan 2wd	2.4 1999	4	auto(13)	f	18	24
## 39	dodge	caravan 2wd	3.0 1999	6	auto(14)	f	17	24
## 40	dodge	caravan 2wd	3.3 1999	6	auto(14)	f	16	22
## 41	dodge	caravan 2wd	3.3 1999	6	auto(14)	f	16	22
## 42	dodge	caravan 2wd	3.3 2008	6	auto(14)	f	17	24
## 43	dodge	caravan 2wd	3.3 2008	6	auto(14)	f	17	24
## 44	dodge	caravan 2wd	3.3 2008	6	auto(14)	f	11	17
## 45	dodge	caravan 2wd	3.8 1999	6	auto(14)	f	15	22
## 46	dodge	caravan 2wd	3.8 1999	6	auto(14)	f	15	21
## 47	dodge	caravan 2wd	3.8 2008	6	auto(16)	f	16	23
## 48	dodge	caravan 2wd	4.0 2008	6	auto(16)	f	16	23
## 49	dodge	dakota pickup 4wd	3.7 2008	6	manual(m6)	4	15	19
## 50	dodge	dakota pickup 4wd	3.7 2008	6	auto(14)	4	14	18
## 51	dodge	dakota pickup 4wd	3.9 1999	6	auto(14)	4	13	17
## 52	dodge	dakota pickup 4wd	3.9 1999	6	manual(m5)	4	14	17
## 53	dodge	dakota pickup 4wd	4.7 2008	8	auto(15)	4	14	19
## 54	dodge	dakota pickup 4wd	4.7 2008	8	auto(15)	4	14	19
## 55	dodge	dakota pickup 4wd	4.7 2008	8	auto(15)	4	9	12
## 56	dodge	dakota pickup 4wd	5.2 1999	8	manual(m5)	4	11	17
## 57	dodge	dakota pickup 4wd	5.2 1999	8	auto(14)	4	11	15
## 58	dodge	durango 4wd	3.9 1999	6	auto(14)	4	13	17
## 59	dodge	durango 4wd	4.7 2008	8	auto(15)	4	13	17
## 60	dodge	durango 4wd	4.7 2008	8	auto(15)	4	9	12
## 61	dodge	durango 4wd	4.7 2008	8	auto(15)	4	13	17
## 62	dodge	durango 4wd	5.2 1999	8	auto(14)	4	11	16
## 63	dodge	durango 4wd	5.7 2008	8	auto(15)	4	13	18
## 64	dodge	durango 4wd	5.9 1999	8	auto(14)	4	11	15
## 65	dodge	ram 1500 pickup 4wd	4.7 2008	8	manual(m6)	4	12	16
## 66	dodge	ram 1500 pickup 4wd	4.7 2008	8	auto(15)	4	9	12
## 67	dodge	ram 1500 pickup 4wd	4.7 2008	8	auto(15)	4	13	17
## 68	dodge	ram 1500 pickup 4wd	4.7 2008	8	auto(15)	4	13	17
## 69	dodge	ram 1500 pickup 4wd	4.7 2008	8	manual(m6)	4	12	16
## 70	dodge	ram 1500 pickup 4wd	4.7 2008	8	manual(m6)	4	9	12
## 71	dodge	ram 1500 pickup 4wd	5.2 1999	8	auto(14)	4	11	15
## 72	dodge	ram 1500 pickup 4wd	5.2 1999	8	manual(m5)	4	11	16
## 73	dodge	ram 1500 pickup 4wd	5.7 2008	8	auto(15)	4	13	17
## 74	dodge	ram 1500 pickup 4wd	5.9 1999	8	auto(14)	4	11	15

## 75	ford	expedition 2wd	4.6	1999	8	auto(14)	r	11	17
## 76	ford	expedition 2wd	5.4	1999	8	auto(14)	r	11	17
## 77	ford	expedition 2wd	5.4	2008	8	auto(16)	r	12	18
## 78	ford	explorer 4wd	4.0	1999	6	auto(15)	4	14	17
## 79	ford	explorer 4wd	4.0	1999	6	manual(m5)	4	15	19
## 80	ford	explorer 4wd	4.0	1999	6	auto(15)	4	14	17
## 81	ford	explorer 4wd	4.0	2008	6	auto(15)	4	13	19
## 82	ford	explorer 4wd	4.6	2008	8	auto(16)	4	13	19
## 83	ford	explorer 4wd	5.0	1999	8	auto(14)	4	13	17
## 84	ford	f150 pickup 4wd	4.2	1999	6	auto(14)	4	14	17
## 85	ford	f150 pickup 4wd	4.2	1999	6	manual(m5)	4	14	17
## 86	ford	f150 pickup 4wd	4.6	1999	8	manual(m5)	4	13	16
## 87	ford	f150 pickup 4wd	4.6	1999	8	auto(14)	4	13	16
## 88	ford	f150 pickup 4wd	4.6	2008	8	auto(14)	4	13	17
## 89	ford	f150 pickup 4wd	5.4	1999	8	auto(14)	4	11	15
## 90	ford	f150 pickup 4wd	5.4	2008	8	auto(14)	4	13	17
## 91	ford	mustang	3.8	1999	6	manual(m5)	r	18	26
## 92	ford	mustang	3.8	1999	6	auto(14)	r	18	25
## 93	ford	mustang	4.0	2008	6	manual(m5)	r	17	26
## 94	ford	mustang	4.0	2008	6	auto(15)	r	16	24
## 95	ford	mustang	4.6	1999	8	auto(14)	r	15	21
## 96	ford	mustang	4.6	1999	8	manual(m5)	r	15	22
## 97	ford	mustang	4.6	2008	8	manual(m5)	r	15	23
## 98	ford	mustang	4.6	2008	8	auto(15)	r	15	22
## 99	ford	mustang	5.4	2008	8	manual(m6)	r	14	20
## 100	honda	civic	1.6	1999	4	manual(m5)	f	28	33
## 101	honda	civic	1.6	1999	4	auto(14)	f	24	32
## 102	honda	civic	1.6	1999	4	manual(m5)	f	25	32
## 103	honda	civic	1.6	1999	4	manual(m5)	f	23	29
## 104	honda	civic	1.6	1999	4	auto(14)	f	24	32
## 105	honda	civic	1.8	2008	4	manual(m5)	f	26	34
## 106	honda	civic	1.8	2008	4	auto(15)	f	25	36
## 107	honda	civic	1.8	2008	4	auto(15)	f	24	36
## 108	honda	civic	2.0	2008	4	manual(m6)	f	21	29
## 109	hyundai	sonata	2.4	1999	4	auto(14)	f	18	26
## 110	hyundai	sonata	2.4	1999	4	manual(m5)	f	18	27
## 111	hyundai	sonata	2.4	2008	4	auto(14)	f	21	30
## 112	hyundai	sonata	2.4	2008	4	manual(m5)	f	21	31
## 113	hyundai	sonata	2.5	1999	6	auto(14)	f	18	26
## 114	hyundai	sonata	2.5	1999	6	manual(m5)	f	18	26
## 115	hyundai	sonata	3.3	2008	6	auto(15)	f	19	28
## 116	hyundai	tiburon	2.0	1999	4	auto(14)	f	19	26
## 117	hyundai	tiburon	2.0	1999	4	manual(m5)	f	19	29
## 118	hyundai	tiburon	2.0	2008	4	manual(m5)	f	20	28
## 119	hyundai	tiburon	2.0	2008	4	auto(14)	f	20	27
## 120	hyundai	tiburon	2.7	2008	6	auto(14)	f	17	24
## 121	hyundai	tiburon	2.7	2008	6	manual(m6)	f	16	24
## 122	hyundai	tiburon	2.7	2008	6	manual(m5)	f	17	24
## 123	jeep	grand cherokee 4wd	3.0	2008	6	auto(15)	4	17	22
## 124	jeep	grand cherokee 4wd	3.7	2008	6	auto(15)	4	15	19
## 125	jeep	grand cherokee 4wd	4.0	1999	6	auto(14)	4	15	20
## 126	jeep	grand cherokee 4wd	4.7	1999	8	auto(14)	4	14	17
## 127	jeep	grand cherokee 4wd	4.7	2008	8	auto(15)	4	9	12
## 128	jeep	grand cherokee 4wd	4.7	2008	8	auto(15)	4	14	19

## 129	jeep	grand cherokee 4wd	5.7	2008	8	auto(15)	4	13	18
## 130	jeep	grand cherokee 4wd	6.1	2008	8	auto(15)	4	11	14
## 131	land rover	range rover	4.0	1999	8	auto(14)	4	11	15
## 132	land rover	range rover	4.2	2008	8	auto(s6)	4	12	18
## 133	land rover	range rover	4.4	2008	8	auto(s6)	4	12	18
## 134	land rover	range rover	4.6	1999	8	auto(14)	4	11	15
## 135	lincoln	navigator 2wd	5.4	1999	8	auto(14)	r	11	17
## 136	lincoln	navigator 2wd	5.4	1999	8	auto(14)	r	11	16
## 137	lincoln	navigator 2wd	5.4	2008	8	auto(16)	r	12	18
## 138	mercury	mountaineer 4wd	4.0	1999	6	auto(15)	4	14	17
## 139	mercury	mountaineer 4wd	4.0	2008	6	auto(15)	4	13	19
## 140	mercury	mountaineer 4wd	4.6	2008	8	auto(16)	4	13	19
## 141	mercury	mountaineer 4wd	5.0	1999	8	auto(14)	4	13	17
## 142	nissan	altima	2.4	1999	4	manual(m5)	f	21	29
## 143	nissan	altima	2.4	1999	4	auto(14)	f	19	27
## 144	nissan	altima	2.5	2008	4	auto(av)	f	23	31
## 145	nissan	altima	2.5	2008	4	manual(m6)	f	23	32
## 146	nissan	altima	3.5	2008	6	manual(m6)	f	19	27
## 147	nissan	altima	3.5	2008	6	auto(av)	f	19	26
## 148	nissan	maxima	3.0	1999	6	auto(14)	f	18	26
## 149	nissan	maxima	3.0	1999	6	manual(m5)	f	19	25
## 150	nissan	maxima	3.5	2008	6	auto(av)	f	19	25
## 151	nissan	pathfinder 4wd	3.3	1999	6	auto(14)	4	14	17
## 152	nissan	pathfinder 4wd	3.3	1999	6	manual(m5)	4	15	17
## 153	nissan	pathfinder 4wd	4.0	2008	6	auto(15)	4	14	20
## 154	nissan	pathfinder 4wd	5.6	2008	8	auto(s5)	4	12	18
## 155	pontiac	grand prix	3.1	1999	6	auto(14)	f	18	26
## 156	pontiac	grand prix	3.8	1999	6	auto(14)	f	16	26
## 157	pontiac	grand prix	3.8	1999	6	auto(14)	f	17	27
## 158	pontiac	grand prix	3.8	2008	6	auto(14)	f	18	28
## 159	pontiac	grand prix	5.3	2008	8	auto(s4)	f	16	25
## 160	subaru	forester awd	2.5	1999	4	manual(m5)	4	18	25
## 161	subaru	forester awd	2.5	1999	4	auto(14)	4	18	24
## 162	subaru	forester awd	2.5	2008	4	manual(m5)	4	20	27
## 163	subaru	forester awd	2.5	2008	4	manual(m5)	4	19	25
## 164	subaru	forester awd	2.5	2008	4	auto(14)	4	20	26
## 165	subaru	forester awd	2.5	2008	4	auto(14)	4	18	23
## 166	subaru	impreza awd	2.2	1999	4	auto(14)	4	21	26
## 167	subaru	impreza awd	2.2	1999	4	manual(m5)	4	19	26
## 168	subaru	impreza awd	2.5	1999	4	manual(m5)	4	19	26
## 169	subaru	impreza awd	2.5	1999	4	auto(14)	4	19	26
## 170	subaru	impreza awd	2.5	2008	4	auto(s4)	4	20	25
## 171	subaru	impreza awd	2.5	2008	4	auto(s4)	4	20	27
## 172	subaru	impreza awd	2.5	2008	4	manual(m5)	4	19	25
## 173	subaru	impreza awd	2.5	2008	4	manual(m5)	4	20	27
## 174	toyota	4runner 4wd	2.7	1999	4	manual(m5)	4	15	20
## 175	toyota	4runner 4wd	2.7	1999	4	auto(14)	4	16	20
## 176	toyota	4runner 4wd	3.4	1999	6	auto(14)	4	15	19
## 177	toyota	4runner 4wd	3.4	1999	6	manual(m5)	4	15	17
## 178	toyota	4runner 4wd	4.0	2008	6	auto(15)	4	16	20
## 179	toyota	4runner 4wd	4.7	2008	8	auto(15)	4	14	17
## 180	toyota	camry	2.2	1999	4	manual(m5)	f	21	29
## 181	toyota	camry	2.2	1999	4	auto(14)	f	21	27
## 182	toyota	camry	2.4	2008	4	manual(m5)	f	21	31

## 183	toyota	camry	2.4	2008	4	auto(15)	f	21	31
## 184	toyota	camry	3.0	1999	6	auto(14)	f	18	26
## 185	toyota	camry	3.0	1999	6	manual(m5)	f	18	26
## 186	toyota	camry	3.5	2008	6	auto(s6)	f	19	28
## 187	toyota	camry solara	2.2	1999	4	auto(14)	f	21	27
## 188	toyota	camry solara	2.2	1999	4	manual(m5)	f	21	29
## 189	toyota	camry solara	2.4	2008	4	manual(m5)	f	21	31
## 190	toyota	camry solara	2.4	2008	4	auto(s5)	f	22	31
## 191	toyota	camry solara	3.0	1999	6	auto(14)	f	18	26
## 192	toyota	camry solara	3.0	1999	6	manual(m5)	f	18	26
## 193	toyota	camry solara	3.3	2008	6	auto(s5)	f	18	27
## 194	toyota	corolla	1.8	1999	4	auto(13)	f	24	30
## 195	toyota	corolla	1.8	1999	4	auto(14)	f	24	33
## 196	toyota	corolla	1.8	1999	4	manual(m5)	f	26	35
## 197	toyota	corolla	1.8	2008	4	manual(m5)	f	28	37
## 198	toyota	corolla	1.8	2008	4	auto(14)	f	26	35
## 199	toyota	land cruiser wagon 4wd	4.7	1999	8	auto(14)	4	11	15
## 200	toyota	land cruiser wagon 4wd	5.7	2008	8	auto(s6)	4	13	18
## 201	toyota	toyota tacoma 4wd	2.7	1999	4	manual(m5)	4	15	20
## 202	toyota	toyota tacoma 4wd	2.7	1999	4	auto(14)	4	16	20
## 203	toyota	toyota tacoma 4wd	2.7	2008	4	manual(m5)	4	17	22
## 204	toyota	toyota tacoma 4wd	3.4	1999	6	manual(m5)	4	15	17
## 205	toyota	toyota tacoma 4wd	3.4	1999	6	auto(14)	4	15	19
## 206	toyota	toyota tacoma 4wd	4.0	2008	6	manual(m6)	4	15	18
## 207	toyota	toyota tacoma 4wd	4.0	2008	6	auto(15)	4	16	20
## 208	volkswagen	gti	2.0	1999	4	manual(m5)	f	21	29
## 209	volkswagen	gti	2.0	1999	4	auto(14)	f	19	26
## 210	volkswagen	gti	2.0	2008	4	manual(m6)	f	21	29
## 211	volkswagen	gti	2.0	2008	4	auto(s6)	f	22	29
## 212	volkswagen	gti	2.8	1999	6	manual(m5)	f	17	24
## 213	volkswagen	jetta	1.9	1999	4	manual(m5)	f	33	44
## 214	volkswagen	jetta	2.0	1999	4	manual(m5)	f	21	29
## 215	volkswagen	jetta	2.0	1999	4	auto(14)	f	19	26
## 216	volkswagen	jetta	2.0	2008	4	auto(s6)	f	22	29
## 217	volkswagen	jetta	2.0	2008	4	manual(m6)	f	21	29
## 218	volkswagen	jetta	2.5	2008	5	auto(s6)	f	21	29
## 219	volkswagen	jetta	2.5	2008	5	manual(m5)	f	21	29
## 220	volkswagen	jetta	2.8	1999	6	auto(14)	f	16	23
## 221	volkswagen	jetta	2.8	1999	6	manual(m5)	f	17	24
## 222	volkswagen	new beetle	1.9	1999	4	manual(m5)	f	35	44
## 223	volkswagen	new beetle	1.9	1999	4	auto(14)	f	29	41
## 224	volkswagen	new beetle	2.0	1999	4	manual(m5)	f	21	29
## 225	volkswagen	new beetle	2.0	1999	4	auto(14)	f	19	26
## 226	volkswagen	new beetle	2.5	2008	5	manual(m5)	f	20	28
## 227	volkswagen	new beetle	2.5	2008	5	auto(s6)	f	20	29
## 228	volkswagen	passat	1.8	1999	4	manual(m5)	f	21	29
## 229	volkswagen	passat	1.8	1999	4	auto(15)	f	18	29
## 230	volkswagen	passat	2.0	2008	4	auto(s6)	f	19	28
## 231	volkswagen	passat	2.0	2008	4	manual(m6)	f	21	29
## 232	volkswagen	passat	2.8	1999	6	auto(15)	f	16	26
## 233	volkswagen	passat	2.8	1999	6	manual(m5)	f	18	26
## 234	volkswagen	passat	3.6	2008	6	auto(s6)	f	17	26
##	fl	class							
## 1	p	compact							

## 2	p	compact
## 3	p	compact
## 4	p	compact
## 5	p	compact
## 6	p	compact
## 7	p	compact
## 8	p	compact
## 9	p	compact
## 10	p	compact
## 11	p	compact
## 12	p	compact
## 13	p	compact
## 14	p	compact
## 15	p	compact
## 16	p	midsize
## 17	p	midsize
## 18	p	midsize
## 19	r	suv
## 20	e	suv
## 21	r	suv
## 22	r	suv
## 23	r	suv
## 24	p	2seater
## 25	p	2seater
## 26	p	2seater
## 27	p	2seater
## 28	p	2seater
## 29	r	suv
## 30	e	suv
## 31	r	suv
## 32	d	suv
## 33	r	midsize
## 34	r	midsize
## 35	r	midsize
## 36	r	midsize
## 37	r	midsize
## 38	r	minivan
## 39	r	minivan
## 40	r	minivan
## 41	r	minivan
## 42	r	minivan
## 43	r	minivan
## 44	e	minivan
## 45	r	minivan
## 46	r	minivan
## 47	r	minivan
## 48	r	minivan
## 49	r	pickup
## 50	r	pickup
## 51	r	pickup
## 52	r	pickup
## 53	r	pickup
## 54	r	pickup
## 55	e	pickup

```

## 56  r    pickup
## 57  r    pickup
## 58  r      suv
## 59  r      suv
## 60  e      suv
## 61  r      suv
## 62  r      suv
## 63  r      suv
## 64  r      suv
## 65  r    pickup
## 66  e    pickup
## 67  r    pickup
## 68  r    pickup
## 69  r    pickup
## 70  e    pickup
## 71  r    pickup
## 72  r    pickup
## 73  r    pickup
## 74  r    pickup
## 75  r      suv
## 76  r      suv
## 77  r      suv
## 78  r      suv
## 79  r      suv
## 80  r      suv
## 81  r      suv
## 82  r      suv
## 83  r      suv
## 84  r    pickup
## 85  r    pickup
## 86  r    pickup
## 87  r    pickup
## 88  r    pickup
## 89  r    pickup
## 90  r    pickup
## 91  r subcompact
## 92  r subcompact
## 93  r subcompact
## 94  r subcompact
## 95  r subcompact
## 96  r subcompact
## 97  r subcompact
## 98  r subcompact
## 99  p subcompact
## 100 r subcompact
## 101 r subcompact
## 102 r subcompact
## 103 p subcompact
## 104 r subcompact
## 105 r subcompact
## 106 r subcompact
## 107 c subcompact
## 108 p subcompact
## 109 r    midsize

```

```

## 110 r    midsize
## 111 r    midsize
## 112 r    midsize
## 113 r    midsize
## 114 r    midsize
## 115 r    midsize
## 116 r subcompact
## 117 r subcompact
## 118 r subcompact
## 119 r subcompact
## 120 r subcompact
## 121 r subcompact
## 122 r subcompact
## 123 d      suv
## 124 r      suv
## 125 r      suv
## 126 r      suv
## 127 e      suv
## 128 r      suv
## 129 r      suv
## 130 p      suv
## 131 p      suv
## 132 r      suv
## 133 r      suv
## 134 p      suv
## 135 r      suv
## 136 p      suv
## 137 r      suv
## 138 r      suv
## 139 r      suv
## 140 r      suv
## 141 r      suv
## 142 r    compact
## 143 r    compact
## 144 r    midsize
## 145 r    midsize
## 146 p    midsize
## 147 p    midsize
## 148 r    midsize
## 149 r    midsize
## 150 p    midsize
## 151 r      suv
## 152 r      suv
## 153 p      suv
## 154 p      suv
## 155 r    midsize
## 156 p    midsize
## 157 r    midsize
## 158 r    midsize
## 159 p    midsize
## 160 r      suv
## 161 r      suv
## 162 r      suv
## 163 p      suv

```

```

## 164 r      suv
## 165 p      suv
## 166 r subcompact
## 167 r subcompact
## 168 r subcompact
## 169 r subcompact
## 170 p      compact
## 171 r      compact
## 172 p      compact
## 173 r      compact
## 174 r      suv
## 175 r      suv
## 176 r      suv
## 177 r      suv
## 178 r      suv
## 179 r      suv
## 180 r      midsize
## 181 r      midsize
## 182 r      midsize
## 183 r      midsize
## 184 r      midsize
## 185 r      midsize
## 186 r      midsize
## 187 r      compact
## 188 r      compact
## 189 r      compact
## 190 r      compact
## 191 r      compact
## 192 r      compact
## 193 r      compact
## 194 r      compact
## 195 r      compact
## 196 r      compact
## 197 r      compact
## 198 r      compact
## 199 r      suv
## 200 r      suv
## 201 r      pickup
## 202 r      pickup
## 203 r      pickup
## 204 r      pickup
## 205 r      pickup
## 206 r      pickup
## 207 r      pickup
## 208 r      compact
## 209 r      compact
## 210 p      compact
## 211 p      compact
## 212 r      compact
## 213 d      compact
## 214 r      compact
## 215 r      compact
## 216 p      compact
## 217 p      compact

```

```
## 218 r compact
## 219 r compact
## 220 r compact
## 221 r compact
## 222 d subcompact
## 223 d subcompact
## 224 r subcompact
## 225 r subcompact
## 226 r subcompact
## 227 r subcompact
## 228 p midsize
## 229 p midsize
## 230 p midsize
## 231 p midsize
## 232 p midsize
## 233 p midsize
## 234 p midsize
```

```
#1B.
str(mpg)
```

```
## 'data.frame': 234 obs. of 11 variables:
## $ manufacturer: chr "audi" "audi" "audi" "audi" ...
## $ model : chr "a4" "a4" "a4" "a4" ...
## $ displ : num 1.8 1.8 2 2 2.8 2.8 3.1 1.8 1.8 2 ...
## $ year : int 1999 1999 2008 2008 1999 1999 2008 1999 1999 2008 ...
## $ cyl : int 4 4 4 4 6 6 6 4 4 4 ...
## $ trans : chr "auto(l5)" "manual(m5)" "manual(m6)" "auto(av)" ...
## $ drv : chr "f" "f" "f" "f" ...
## $ cty : int 18 21 20 21 16 18 18 18 16 20 ...
## $ hwy : int 29 29 31 30 26 26 27 26 25 28 ...
## $ fl : chr "p" "p" "p" "p" ...
## $ class : chr "compact" "compact" "compact" "compact" ...
```

```
#All characters and factors are categorical
```

```
#1C.
str(mpg)
```

```
## 'data.frame': 234 obs. of 11 variables:
## $ manufacturer: chr "audi" "audi" "audi" "audi" ...
## $ model : chr "a4" "a4" "a4" "a4" ...
## $ displ : num 1.8 1.8 2 2 2.8 2.8 3.1 1.8 1.8 2 ...
## $ year : int 1999 1999 2008 2008 1999 1999 2008 1999 1999 2008 ...
## $ cyl : int 4 4 4 4 6 6 6 4 4 4 ...
## $ trans : chr "auto(l5)" "manual(m5)" "manual(m6)" "auto(av)" ...
## $ drv : chr "f" "f" "f" "f" ...
## $ cty : int 18 21 20 21 16 18 18 18 16 20 ...
## $ hwy : int 29 29 31 30 26 26 27 26 25 28 ...
## $ fl : chr "p" "p" "p" "p" ...
## $ class : chr "compact" "compact" "compact" "compact" ...
```

```
#All numeric are continous
```

```
##2.1
```

```
mpg %>%  
  group_by(manufacturer) %>%  
  summarise(models = n_distinct(model))
```

```
## # A tibble: 15 x 2  
##   manufacturer models  
##   <chr>         <int>  
## 1 audi          3  
## 2 chevrolet     4  
## 3 dodge         4  
## 4 ford          4  
## 5 honda         1  
## 6 hyundai       2  
## 7 jeep          1  
## 8 land rover    1  
## 9 lincoln       1  
## 10 mercury      1  
## 11 nissan        3  
## 12 pontiac      1  
## 13 subaru       2  
## 14 toyota       6  
## 15 volkswagen   4
```


```
#2.1A.  
unique_models <- mpg %>%  
  group_by(manufacturer) %>%  
  summarise(unique_models = n_distinct(model)) %>%  
  arrange(desc(unique_models))
```

```
unique_models
```

```
## # A tibble: 15 x 2  
##   manufacturer unique_models  
##   <chr>             <int>  
## 1 toyota             6  
## 2 chevrolet          4  
## 3 dodge              4  
## 4 ford               4  
## 5 volkswagen         4  
## 6 audi               3  
## 7 nissan              3  
## 8 hyundai            2  
## 9 subaru             2  
## 10 honda             1  
## 11 jeep              1  
## 12 land rover        1  
## 13 lincoln           1  
## 14 mercury           1  
## 15 pontiac           1
```

#2.1B.


```
ggplot(unique_models, aes(x = reorder(manufacturer, -unique_models), y = unique_models)) +  
  geom_bar(stat = "identity", fill = "lightblue") +  
  xlab("Manufacturer") + ylab("Number of Unique Models") +  
  ggtitle("Number of Unique Models by Manufacturer") +  
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```



##2.2

#2.2A.

```
ggplot(mpg, aes(x = reorder(manufacturer, model, function(x) length(unique(x))), y = model)) +  
  geom_point() +  
  xlab("Manufacturer") +  
  ylab("Model") +  
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```




#2.2B.

#Not very useful. Too many models (dozens), so x-axis is extremely crowded. Overplotting makes points difficult to distinguish.
 #You can improve the plot by Count and plot model frequencies by manufacturer.

#3.

```
top_20 <- head(mpg, 20)

ggplot(top_20, aes(x = model, y = year)) +
  geom_point() +
  xlab("Model") + ylab("Year") +
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```

#4.

```
mpg %>%
  group_by(model) %>%
  summarise(count = n()) %>%
  arrange(desc(count))
```

```
## # A tibble: 38 x 2
##   model          count
##   <chr>         <int>
## 1 caravan 2wd         11
## 2 ram 1500 pickup 4wd  10
## 3 civic              9
## 4 dakota pickup 4wd    9
## 5 jetta              9
## 6 mustang            9
## 7 a4 quattro          8
## 8 grand cherokee 4wd   8
## 9 impreza awd         8
## 10 a4                 7
## # i 28 more rows
```

#4A.


```
top_20_models <- mpg %>%
  group_by(model) %>%
```

```

summarise(count = n()) %>%
  arrange(desc(count)) %>%
  head(20)

ggplot(top_20_models, aes(x = reorder(model, -count), y = count, fill = model)) +
  geom_bar(stat = "identity") +
  xlab("Model") + ylab("Number of Cars") +
  ggtitle("Top 20 Car Models by Number of Cars") +
  theme(axis.text.x = element_text(angle = 45, hjust = 1), legend.position = "none") +
  scale_fill_manual(values = colorRampPalette(brewer.pal(12, "Set3"))(20))

```




#4B.

```

top_20_models <- mpg %>%
  group_by(model) %>%
  summarise(count = n()) %>%
  arrange(desc(count)) %>%
  head(20)


ggplot(top_20_models, aes(x = model, y = count, fill = model)) +
  geom_bar(stat = "identity") +
  coord_flip() +
  xlab("Number of Cars") + ylab("Model") +
  ggtitle("Top 20 Car Models by Number of Cars") +
  theme(axis.text.y = element_text(size = 9), legend.position = "none")

```



#5.

```
ggplot(mpg, aes(x = cyl, y = displ, color = displ)) +
  geom_point() +
  ggtitle("Relationship between No. of Cylinders and Engine Displacement") +
  xlab("Number of Cylinders") + ylab("Engine Displacement") +
  scale_color_gradient(low = "blue", high = "red")
```




#5A.

#There is a positive relationship between cyl and displ. Cars with more cylinders generally have larger

#6.

```
ggplot(mpg, aes(x = displ, y = hwy, color = displ)) +
  geom_point() +
  ggtitle("Relationship between Engine Displacement and Highway MPG") +
  xlab("Engine Displacement (L)") + ylab("Highway MPG") +
  scale_color_gradient(low = "blue", high = "red")
```

Relationship between Engine Displacement and Highway MPG



#6.

```
traffic_data <- data.frame(
  Date = as.Date('2025-11-01') + 0:9,
  Location = rep(c("Intersection A", "Intersection B"), each = 5),
  Vehicles = c(120, 150, 130, 160, 140, 200, 210, 190, 205, 220),
  Average_Speed = c(35.5, 34.2, 36.0, 33.8, 34.5, 32.0, 31.5, 33.0, 30.8, 29.5)
)

write.csv(traffic_data, "traffic.csv", row.names = FALSE)

traffic <- read.csv("traffic.csv", stringsAsFactors = FALSE)
```

#6A.

```
str(traffic)
```

```
## 'data.frame':  10 obs. of  4 variables:
## $ Date      : chr  "2025-11-01" "2025-11-02" "2025-11-03" "2025-11-04" ...
## $ Location   : chr  "Intersection A" "Intersection A" "Intersection A" "Intersection A" ...
## $ Vehicles   : int  120 150 130 160 140 200 210 190 205 220
## $ Average_Speed: num  35.5 34.2 36 33.8 34.5 32 31.5 33 30.8 29.5
```

#6B.

```
intersection_a <- traffic[traffic$Location == "Intersection A", ]
```

```
intersection_b <- traffic[traffic$Location == "Intersection B", ]

print(intersection_a)
```


```
##           Date      Location Vehicles Average_Speed
## 1 2025-11-01 Intersection A      120          35.5
## 2 2025-11-02 Intersection A      150          34.2
## 3 2025-11-03 Intersection A      130          36.0
## 4 2025-11-04 Intersection A      160          33.8
## 5 2025-11-05 Intersection A      140          34.5
```

```
print(intersection_b)
```

```
##           Date      Location Vehicles Average_Speed
## 6 2025-11-06 Intersection B      200          32.0
## 7 2025-11-07 Intersection B      210          31.5
## 8 2025-11-08 Intersection B      190          33.0
## 9 2025-11-09 Intersection B      205          30.8
## 10 2025-11-10 Intersection B      220          29.5
```

#6C.

```
ggplot(traffic, aes(x = Date, y = Vehicles, color = Location, group = Location)) +
  geom_line() +
  geom_point() +
  xlab("Date") + ylab("Number of Vehicles") +
  ggtitle("Traffic Over Time by Junction") +
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```



```
#7
library(dplyr)
library(readxl)
library(ggplot2)

# 7a.

alexa <- read_excel("alexa-file.xlsx")

alexa <- alexa %>%
  mutate(
    rating = as.numeric(rating),
    date = as.Date(date)
  )
```

```
#7b.

variation_count <- alexa %>%
  group_by(variation) %>%
  summarise(total = n()) %>%
  arrange(desc(total))

variation_count
```


```
## # A tibble: 5 x 2
```

```
##   variation    total
##   <chr>       <int>
## 1 Black     Dot      1
## 2 Black     Dot      1
## 3 Black     Dot      1
## 4 White     Plus      1
## 5 White     Dot      1
```

#7c.

```
ggplot(variation_count, aes(x = reorder(variation, total), y = total, fill = variation)) +
  geom_col() +
  coord_flip() +
  labs(
    title = "Total Reviews per Variation",
    x = "Variation",
    y = "Number of Reviews"
  ) +
  theme_minimal() +
  guides(fill = FALSE)
```

```
## Warning: The '<scale>' argument of 'guides()' cannot be 'FALSE'. Use "none" instead as
## of ggplot2 3.3.4.
## This warning is displayed once every 8 hours.
## Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was
## generated.
```




```
# 7d.

verified_daily <- alexa %>%
  filter(verified_reviews == "Y" | verified_reviews == "Yes" | verified_reviews == "TRUE") %>%
  group_by(date) %>%
  summarise(num_verified = n())

ggplot(verified_daily, aes(x = date, y = num_verified)) +
  geom_line(color = "steelblue") +
  geom_point(color = "red") +
  labs(
    title = "Number of Verified Reviews Over Time",
    x = "Date",
    y = "Verified Reviews"
  ) +
  theme_minimal()
```

Number of Verified Reviews Over Time

Verified Reviews

Date

```
# 7e.

variation_rating <- alexa %>%
  group_by(variation) %>%
  summarise(avg_rating = mean(rating, na.rm = TRUE),
            count = n()) %>%
  arrange(desc(avg_rating))
```

```
variation_rating
```

```
## # A tibble: 5 x 3
##   variation    avg_rating count
##   <chr>          <dbl> <int>
## 1 Black    Dot             5     1
## 2 Black    Dot             5     1
## 3 Black    Dot             5     1
## 4 White    Plus             5     1
## 5 White    Dot             5     1
```

```
ggplot(variation_rating, aes(x = reorder(variation, avg_rating), y = avg_rating, fill = variation)) +
  geom_col() +
  coord_flip() +
  labs(
    title = "Average Rating by Variation",
    x = "Variation",
    y = "Average Rating"
  ) +
  theme_minimal() +
  guides(fill = FALSE)
```

