Constant of proportionality equivalent to Einstein's equation

The constant of proportionality in Einstein's equation is as below (2):

$$R_{\mu\nu} - \frac{1}{2}R_c g_{\mu\nu} + \Lambda g_{\mu\nu} = -\frac{8\pi G}{c^4}T_{\mu\nu} = -KT_{\mu\nu} \quad (1)$$

Where $R_{\mu\nu}$ is the Ricci curvature tensor, $g_{\mu\nu}$ is the metric tensor R_c is the Ricci scalar curvature of spacetime and $T_{\mu\nu}$ is the stress-energy tensor the cosmological constant was introduced by Einstein to fix the expansion of the Local Universe.

Each member of (4) has the dim $[L^{-2}]$, G is the Newtonian constant of gravitation and c is the speed of light in the vacuum: 299792458 m/s, $G = 6.6743 \cdot 10^{-11} m^3/Kg \cdot s^2$

$$K = \frac{8\pi G}{c^4} = 2.076647443 \cdot 10^{-43} N^{-1} \quad (2)$$

The τ neutrino generated from the Sun is:

$$R_{\mu\nu} - \frac{1}{2}R_c g_{\mu\nu} + \Lambda g_{\mu\nu} = -\frac{8\pi G}{c^4}T_{\mu\nu} = -KT_{\mu\nu} \quad (3)$$

And the value should be K_τ:

$$K_\tau = \frac{G}{c^2} = 7.42616 \cdot 10^{-28}\ [m/Kg] \quad (4)$$

From certain consideration that value is related to the transformation of coordinates „**TransformCoordinates"** TR: $TR \coloneqq r = \frac{mG(1-\rho)}{c^2}$ (5) that involves transforming the coordinates and the inverse transformation „**change variable**" $\rho = 1 - \frac{2r}{Rs} = \frac{mG - rc^2}{mG}$ (6) of a given tensor or expression from one coordinate system to another regardless of which is the order first (5), then (6), or (6), (5), with hypothesis 2m = M·Rs thus the same metric. (We denote $R_{Schwar} = R_S$ with $R_S = \frac{2Gm}{c^2}$).