Prometheus

Prometheus configuration from NiFi side

create reporting task service

Add Reporting Task

Source

all groups ⌄

Displaying 1 of 15

prome

ambari **azure** datadog disk
garbage collection gc heap
jvm log **log analytics**
memory **metrics**
monitor monitoring
prometheus provenace repo
reporting
restricted **site**
site to site stats
status storage **warning**

Type ▲	Version	Tags
PrometheusReportingTask	1.20.0 ◀	prometheus, metrics, time serie...

PrometheusReportingTask 1.20.0   org.apache.nifi - nifi-prometheus-nar

Reports metrics in Prometheus format by creating a /metrics HTTP(S) endpoint which can be used for external monitoring of the application. The reporting task reports a set of metrics regarding the JVM (optional) and the NiFi instance. Note that if the underlying Jetty server (i.e. the Prometheus endpoint) cannot be started (for example if two PrometheusReportingTask instances are started ...

CANCEL   ADD

click pensil to edis settings

Configure Reporting Task | PrometheusReportingTask 1.20.0

SETTINGS   PROPERTIES   COMMENTS

Required field

Property		Value	
Prometheus Metrics Endpoint Port	❓	9093 ◀	
Instance ID	❓	<IP_address> ◀	
Metrics Reporting Strategy	❓	All Components	
Send JVM metrics	❓	false	
SSL Context Service	❓	No value set	
Client Authentication	❓	No Authentication	

CANCEL   APPLY

then turn on the service.

To verify if Promethes see you metrics go to Prometheus instance in Status / Targets section and check if all Endpoint has State set to UP