


- Promoter (<=1kb) (31.12%)
- Promoter (1–2kb) (2.51%)Promoter (2–3kb) (2.22%)
- 5' UTR (0.05%)
 3' UTR (0.89%)
 Other Exon (2.99%)
- 1st Intron (6.49%)
- Other Intron (18.24%)
- Downstream (<=300) (0.14%)■ Distal Intergenic (35.35%)



- Promoter (<=1kb) (52.31%)
- Promoter (1–2kb) (2.21%)

 Promoter (1–2kb) (2.21%)


 Promoter (2–3kb) (1.45%)

 3' UTR (0.75%)

 Other Exon (1.59%)


 1st Intron (5.28%)

- Other Intron (13.05%)
 Downstream (<=300) (0.14%)
 Distal Intergenic (23.22%)




- Promoter (<=1kb) (22.72%)
- Promoter (1–2kb) (4.07%)Promoter (2–3kb) (3.02%)

- 5' UTR (0.08%)
 3' UTR (1.07%)
 Other Exon (2.98%)
 1st Intron (11.19%)
 Other Intron (24.15%)
- Downstream (<=300) (0.14%)Distal Intergenic (30.59%)



- Promoter (<=1kb) (17.65%)Promoter (1-2kb) (3.37%)
- Promoter (2–3kb) (2.97%)
- 5' UTR (0.13%)
- 3' UTR (1.49%)
- ☐ 1st Exon (0.03%) ☐ Other Exon (4.32%)
- 1st Intron (9.34%)
- Other Intron (23.75%)
- Downstream (<=300) (0.11%)Distal Intergenic (36.83%)



- Promoter (<=1kb) (62%)
 Promoter (1−2kb) (1.46%)
 Promoter (2−3kb) (0.87%)
 3' UTR (0.41%)
 Other Exon (1.34%)
 1st Intron (4.9%)
 Other Intron (10.2%)
 Downstream (<=300) (0.29%)
 Distal Intergenic (18.53%)