

Auto Na Juž

Generated by Doxygen 1.9.1

1 Namespace Index	1
1.1 Namespace List	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	5
3.1 Class List	5
4 File Index	7
4.1 File List	7
5 Namespace Documentation	9
5.1 AutoNaJuz Namespace Reference	9
5.2 AutoNaJuz.Api Namespace Reference	9
5.3 AutoNaJuz.Api.Controllers Namespace Reference	9
5.4 AutoNaJuz.DAL Namespace Reference	9
5.5 AutoNaJuz.DAL.Configuration Namespace Reference	10
5.6 AutoNaJuz.DAL.Data Namespace Reference	10
5.7 AutoNaJuz.DAL.Migrations Namespace Reference	10
5.8 AutoNaJuz.Model Namespace Reference	10
5.9 AutoNaJuz.Model.Validators Namespace Reference	10
5.10 AutoNaJuz.Services Namespace Reference	10
5.11 AutoNaJuz.Services.Interfaces Namespace Reference	11
6 Class Documentation	13
6.1 AutoNaJuz.DAL.Data.AppDbContext Class Reference	13
6.1.1 Detailed Description	14
6.1.2 Constructor & Destructor Documentation	14
6.1.2.1 AppDbContext()	14
6.1.3 Member Function Documentation	14
6.1.3.1 OnConfiguring()	14
6.1.4 Property Documentation	15
6.1.4.1 CarRentals	15
6.1.4.2 Cars	15
6.2 AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot Class Reference	15
6.2.1 Detailed Description	16
6.2.2 Member Function Documentation	16
6.2.2.1 BuildModel()	16
6.3 AutoNaJuz.Model.Car Class Reference	19
6.3.1 Detailed Description	19
6.3.2 Property Documentation	20
6.3.2.1 Id	20
6.4 AutoNaJuz.DAL.Configuration.CarConfiguration Class Reference	20

6.4.1 Detailed Description	21
6.4.2 Member Function Documentation	21
6.4.2.1 Configure()	21
6.5 AutoNaJuz.Model.CarRental Class Reference	21
6.5.1 Detailed Description	21
6.5.2 Property Documentation	21
6.5.2.1 Id	22
6.6 AutoNaJuz.Api.Controllers.CarRentalsController Class Reference	22
6.6.1 Detailed Description	23
6.6.2 Constructor & Destructor Documentation	23
6.6.2.1 CarRentalsController()	23
6.6.3 Member Function Documentation	23
6.6.3.1 Error()	23
6.6.3.2 Index()	23
6.7 AutoNaJuz.Services.CarRentalsService Class Reference	24
6.7.1 Detailed Description	24
6.8 AutoNaJuz.Services.CarsService Class Reference	25
6.8.1 Detailed Description	25
6.9 AutoNaJuz.Model.Validators.CarValidator Class Reference	26
6.9.1 Detailed Description	26
6.9.2 Constructor & Destructor Documentation	26
6.9.2.1 CarValidator()	27
6.10 AutoNaJuz.Services.Interfaces.ICarRentalsService Interface Reference	27
6.10.1 Detailed Description	27
6.11 AutoNaJuz.Services.Interfaces.ICarsService Interface Reference	28
6.11.1 Detailed Description	28
6.12 AutoNaJuz.DAL.Migrations.InitialCreate Class Reference	28
6.12.1 Detailed Description	29
6.12.2 Member Function Documentation	29
6.12.2.1 BuildTargetModel()	29
6.12.2.2 Down()	32
6.12.2.3 Up()	33
6.13 AutoNaJuz.Model.User Class Reference	35
6.13.1 Detailed Description	36
7 File Documentation	37
7.1 AutoNaJuz.Api/Controllers/CarRentalsController.cs File Reference	37
7.2 AutoNaJuz.Api/Controllers/CarsController.cs File Reference	37
7.3 AutoNaJuz.Api/Program.cs File Reference	37
7.3.1 Typedef Documentation	38
7.3.1.1 scope	38
7.3.2 Function Documentation	38

7.3.2.1 AddControllers()	38
7.3.2.2 AddDbContext< ApplicationDbContext >()	39
7.3.2.3 AddEndpointsApiExplorer()	39
7.3.2.4 AddFluentValidationAutoValidation()	39
7.3.2.5 AddSwaggerGen()	39
7.3.2.6 AddTransient< ICarRentalsService, CarRentalsService >()	39
7.3.2.7 AddTransient< ICarsService, CarsService >()	39
7.3.2.8 if()	39
7.3.2.9 MapGet()	40
7.3.2.10 Migrate()	40
7.3.2.11 Run()	40
7.3.2.12 UseHttpsRedirection()	40
7.3.2.13 WeatherForecast()	41
7.3.3 Variable Documentation	41
7.3.3.1 app	41
7.3.3.2 builder	41
7.3.3.3 services	41
7.3.3.4 summaries	42
7.4 AutoNaJuz.DAL/Configuration/CarConfiguration.cs File Reference	42
7.5 AutoNaJuz.DAL/Data/AppDbContext.cs File Reference	42
7.6 AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.cs File Reference	42
7.7 AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.Designer.cs File Reference	43
7.8 AutoNaJuz.DAL/Migrations/AppDbContextModelSnapshot.cs File Reference	43
7.9 AutoNaJuz.Model/Car.cs File Reference	43
7.10 AutoNaJuz.Model/CarRental.cs File Reference	43
7.11 AutoNaJuz.Model/User.cs File Reference	44
7.12 AutoNaJuz.Model/Validators/CarValidator.cs File Reference	44
7.13 AutoNaJuz.Services/CarRentalsService.cs File Reference	44
7.14 AutoNaJuz.Services/CarsService.cs File Reference	44
7.15 AutoNaJuz.Services/Interfaces/ICarRentalsService.cs File Reference	45
7.16 AutoNaJuz.Services/Interfaces/ICarsService.cs File Reference	45
Index	47

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

AutoNaJuz	9
AutoNaJuz.Api	9
AutoNaJuz.Api.Controllers	9
AutoNaJuz.DAL	9
AutoNaJuz.DAL.Configuration	10
AutoNaJuz.DAL.Data	10
AutoNaJuz.DAL.Migrations	10
AutoNaJuz.Model	10
AutoNaJuz.Model.Validators	10
AutoNaJuz.Services	10
AutoNaJuz.Services.Interfaces	11

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

AbstractValidator	
AutoNaJuz.Model.Validators.CarValidator	26
AutoNaJuz.Model.Car	19
AutoNaJuz.Model.CarRental	21
Controller	
AutoNaJuz.Api.Controllers.CarRentalsController	22
AutoNaJuz.Services.Interfaces.ICarRentalsService	27
AutoNaJuz.Services.CarRentalsService	24
AutoNaJuz.Services.Interfaces.ICarsService	28
AutoNaJuz.Services.CarsService	25
IdentityDbContext	
AutoNaJuz.DAL.Data.AppDbContext	13
IdentityUser	
AutoNaJuz.Model.User	35
IEntityTypeConfiguration	
AutoNaJuz.DAL.Configuration.CarConfiguration	20
Migration	
AutoNaJuz.DAL.Migrations.InitialCreate	28
ModelSnapshot	
AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot	15

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

AutoNaJuz.DAL.Data.AppDbContext	13
AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot	15
AutoNaJuz.Model.Car	19
AutoNaJuz.DAL.Configuration.CarConfiguration	20
AutoNaJuz.Model.CarRental	21
AutoNaJuz.Api.Controllers.CarRentalsController	22
AutoNaJuz.Services.CarRentalsService	24
AutoNaJuz.Services.CarsService	25
AutoNaJuz.Model.Validators.CarValidator	26
AutoNaJuz.Services.Interfaces.ICarRentalsService	27
AutoNaJuz.Services.Interfaces.ICarsService	28
AutoNaJuz.DAL.Migrations.InitialCreate	28
AutoNaJuz.Model.User	35

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

AutoNaJuz.Api/ Program.cs	37
AutoNaJuz.Api/Controllers/ CarRentalsController.cs	37
AutoNaJuz.Api/Controllers/ CarsController.cs	37
AutoNaJuz.DAL/Configuration/ CarConfiguration.cs	42
AutoNaJuz.DAL/Data/ AppDbContext.cs	42
AutoNaJuz.DAL/Migrations/ 20241020182104_InitialCreate.cs	42
AutoNaJuz.DAL/Migrations/ 20241020182104_InitialCreate.Designer.cs	43
AutoNaJuz.DAL/Migrations/ AppDbContextModelSnapshot.cs	43
AutoNaJuz.Model/ Car.cs	43
AutoNaJuz.Model/ CarRental.cs	43
AutoNaJuz.Model/ User.cs	44
AutoNaJuz.Model/Validators/ CarValidator.cs	44
AutoNaJuz.Services/ CarRentalsService.cs	44
AutoNaJuz.Services/ CarsService.cs	44
AutoNaJuz.Services/Interfaces/ ICarRentalsService.cs	45
AutoNaJuz.Services/Interfaces/ ICarsService.cs	45

Chapter 5

Namespace Documentation

5.1 AutoNaJuz Namespace Reference

Namespaces

- namespace [Api](#)
- namespace [DAL](#)
- namespace [Model](#)
- namespace [Services](#)

5.2 AutoNaJuz.Api Namespace Reference

Namespaces

- namespace [Controllers](#)

5.3 AutoNaJuz.Api.Controllers Namespace Reference

Classes

- class [CarRentalsController](#)

5.4 AutoNaJuz.DAL Namespace Reference

Namespaces

- namespace [Configuration](#)
- namespace [Data](#)
- namespace [Migrations](#)

5.5 AutoNaJuz.DAL.Configuration Namespace Reference

Classes

- class [CarConfiguration](#)

5.6 AutoNaJuz.DAL.Data Namespace Reference

Classes

- class [AppDbContext](#)

5.7 AutoNaJuz.DAL.Migrations Namespace Reference

Classes

- class [InitialCreate](#)
- class [AppDbContextModelSnapshot](#)

5.8 AutoNaJuz.Model Namespace Reference

Namespaces

- namespace [Validators](#)

Classes

- class [Car](#)
- class [CarRental](#)
- class [User](#)

5.9 AutoNaJuz.Model.Validators Namespace Reference

Classes

- class [CarValidator](#)

5.10 AutoNaJuz.Services Namespace Reference

Namespaces

- namespace [Interfaces](#)

Classes

- class [CarRentalsService](#)
- class [CarsService](#)

5.11 AutoNaJuz.Services.Interfaces Namespace Reference

Classes


- interface [ICarRentalsService](#)
- interface [ICarsService](#)

Chapter 6


Class Documentation

6.1 AutoNaJuz.DAL.Data.AppDbContext Class Reference

Inheritance diagram for AutoNaJuz.DAL.Data.AppDbContext:



Collaboration diagram for AutoNaJuz.DAL.Data.AppDbContext:



Public Member Functions

- [AppDbContext](#) (DbContextOptions< [AppDbContext](#) > options, IConfiguration configuration)

Protected Member Functions

- override void [OnConfiguring](#) (DbContextOptionsBuilder options)

Properties

- DbSet< [Car](#) > [Cars](#) [get, set]
- DbSet< [CarRental](#) > [CarRentals](#) [get, set]

6.1.1 Detailed Description

Definition at line 12 of file AppDbContext.cs.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 AppDbContext()

```
AutoNaJuz.DAL.Data.AppDbContext.AppDbContext (
    DbContextOptions< AppDbContext > options,
    IConfiguration configuration ) [inline]
```

Definition at line 19 of file AppDbContext.cs.

```
20         : base(options)
21     {
22         _configuration = configuration;
23     }
```

6.1.3 Member Function Documentation

6.1.3.1 OnConfiguring()

```
override void AutoNaJuz.DAL.Data.AppDbContext.OnConfiguring (
    DbContextOptionsBuilder options ) [inline], [protected]
```

Definition at line 25 of file AppDbContext.cs.

```
26     {
27         var connectionString = _configuration.GetConnectionString("MsSql");
28         options.UseSqlServer(connectionString);
29     }
```

6.1.4 Property Documentation

6.1.4.1 CarRentals

```
DbSet<CarRental> AutoNaJuz.DAL.Data.AppDbContext.CarRentals [get], [set]
```

Definition at line 17 of file AppDbContext.cs.

```
17 { get; set; }
```

6.1.4.2 Cars

```
DbSet<Car> AutoNaJuz.DAL.Data.AppDbContext.Cars [get], [set]
```

Definition at line 16 of file AppDbContext.cs.


```
16 { get; set; }
```

The documentation for this class was generated from the following file:


- AutoNaJuz.DAL/Data/[AppDbContext.cs](#)

6.2 AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot Class Reference

Inheritance diagram for AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot:



Collaboration diagram for AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot:



Protected Member Functions

- override void [BuildModel](#) (ModelBuilder modelBuilder)

6.2.1 Detailed Description

Definition at line 14 of file `AppDbContextModelSnapshot.cs`.

6.2.2 Member Function Documentation

6.2.2.1 BuildModel()

```
override void AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot.BuildModel (
    ModelBuilder modelBuilder ) [inline], [protected]
```

Definition at line 16 of file `AppDbContextModelSnapshot.cs`.

```

17     {
18     #pragma warning disable 612, 618
19         modelBuilder
20             .HasAnnotation("ProductVersion", "8.0.10")
21             .HasAnnotation("Relational:MaxIdentifierLength", 128);
22
23         SqlServerModelBuilderExtensions.UseIdentityColumns(modelBuilder);
24
25         modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityRole", b =>
26             {
27                 b.Property<string>("Id")
28                     .HasColumnType("nvarchar(450)");
29
30                 b.Property<string>("ConcurrencyStamp")
31                     .IsConcurrencyToken()
32                     .HasColumnType("nvarchar(max)");
33
34                 b.Property<string>("Name")
35                     .HasMaxLength(256)
36                     .HasColumnType("nvarchar(256)");
37
38                 b.Property<string>("NormalizedName")
39                     .HasMaxLength(256)

```

```

40         .HasColumnType("nvarchar(256)");
41
42     b.HasKey("Id");
43
44     b.HasIndex("NormalizedName")
45         .IsUnique()
46         .HasDatabaseName("RoleNameIndex")
47         .HasFilter("[NormalizedName] IS NOT NULL");
48
49     b.ToTable("AspNetRoles", (string)null);
50 });
51
52 modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityRoleClaim<string>", b =>
53 {
54     b.Property<int>("Id")
55         .ValueGeneratedOnAdd()
56         .HasColumnType("int");
57
58     SqlServerPropertyBuilderExtensions.UseIdentityColumn(b.Property<int>("Id"));
59
60     b.Property<string>("ClaimType")
61         .HasColumnType("nvarchar(max)");
62
63     b.Property<string>("ClaimValue")
64         .HasColumnType("nvarchar(max)");
65
66     b.Property<string>("RoleId")
67         .IsRequired()
68         .HasColumnType("nvarchar(450)");
69
70     b.HasKey("Id");
71
72     b.HasIndex("RoleId");
73
74     b.ToTable("AspNetRoleClaims", (string)null);
75 });
76
77 modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUser", b =>
78 {
79     b.Property<string>("Id")
80         .HasColumnType("nvarchar(450)");
81
82     b.Property<int>("AccessFailedCount")
83         .HasColumnType("int");
84
85     b.Property<string>("ConcurrencyStamp")
86         .IsConcurrencyToken()
87         .HasColumnType("nvarchar(max)");
88
89     b.Property<string>("Email")
90         .HasMaxLength(256)
91         .HasColumnType("nvarchar(256)");
92
93     b.Property<bool>("EmailConfirmed")
94         .HasColumnType("bit");
95
96     b.Property<bool>("LockoutEnabled")
97         .HasColumnType("bit");
98
99     b.Property<DateTimeOffset?>("LockoutEnd")
100         .HasColumnType("datetimeoffset");
101
102     b.Property<string>("NormalizedEmail")
103         .HasMaxLength(256)
104         .HasColumnType("nvarchar(256)");
105
106     b.Property<string>("NormalizedUserName")
107         .HasMaxLength(256)
108         .HasColumnType("nvarchar(256)");
109
110     b.Property<string>("PasswordHash")
111         .HasColumnType("nvarchar(max)");
112
113     b.Property<string>("PhoneNumber")
114         .HasColumnType("nvarchar(max)");
115
116     b.Property<bool>("PhoneNumberConfirmed")
117         .HasColumnType("bit");
118
119     b.Property<string>("SecurityStamp")
120         .HasColumnType("nvarchar(max)");
121
122     b.Property<bool>("TwoFactorEnabled")
123         .HasColumnType("bit");
124
125     b.Property<string>("UserName")
126         .HasMaxLength(256)

```

```

127         .HasColumnType("nvarchar(256)");
128
129     b.HasKey("Id");
130
131     b.HasIndex("NormalizedEmail")
132         .HasDatabaseName("EmailIndex");
133
134     b.HasIndex("NormalizedUserName")
135         .IsUnique()
136         .HasDatabaseName("UserNameIndex")
137         .HasFilter("[NormalizedUserName] IS NOT NULL");
138
139     b.ToTable("AspNetUsers", (string)null);
140 });
141
142 modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserClaim<string>", b =>
143 {
144     b.Property<int>("Id")
145         .ValueGeneratedOnAdd()
146         .HasColumnType("int");
147
148     SqlServerPropertyBuilderExtensions.UseIdentityColumn(b.Property<int>("Id"));
149
150     b.Property<string>("ClaimType")
151         .HasColumnType("nvarchar(max)");
152
153     b.Property<string>("ClaimValue")
154         .HasColumnType("nvarchar(max)");
155
156     b.Property<string>("UserId")
157         .IsRequired()
158         .HasColumnType("nvarchar(450)");
159
160     b.HasKey("Id");
161
162     b.HasIndex("UserId");
163
164     b.ToTable("AspNetUserClaims", (string)null);
165 });
166
167 modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserLogin<string>", b =>
168 {
169     b.Property<string>("LoginProvider")
170         .HasColumnType("nvarchar(450)");
171
172     b.Property<string>("ProviderKey")
173         .HasColumnType("nvarchar(450)");
174
175     b.Property<string>("ProviderDisplayName")
176         .HasColumnType("nvarchar(max)");
177
178     b.Property<string>("UserId")
179         .IsRequired()
180         .HasColumnType("nvarchar(450)");
181
182     b.HasKey("LoginProvider", "ProviderKey");
183
184     b.HasIndex("UserId");
185
186     b.ToTable("AspNetUserLogins", (string)null);
187 });
188
189 modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserRole<string>", b =>
190 {
191     b.Property<string>("UserId")
192         .HasColumnType("nvarchar(450)");
193
194     b.Property<string>("RoleId")
195         .HasColumnType("nvarchar(450)");
196
197     b.HasKey("UserId", "RoleId");
198
199     b.HasIndex("RoleId");
200
201     b.ToTable("AspNetUserRoles", (string)null);
202 });
203
204 modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserToken<string>", b =>
205 {
206     b.Property<string>("UserId")
207         .HasColumnType("nvarchar(450)");
208
209     b.Property<string>("LoginProvider")
210         .HasColumnType("nvarchar(450)");
211
212     b.Property<string>("Name")
213         .HasColumnType("nvarchar(450)");

```

```

214
215         b.Property<string>("Value")
216             .HasColumnType("nvarchar(max)");
217
218         b.HasKey("UserId", "LoginProvider", "Name");
219
220         b.ToTable("AspNetUserTokens", (string)null);
221     });
222
223     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityRoleClaim<string>", b =>
224     {
225         b.HasOne("Microsoft.AspNetCore.Identity.IdentityRole", null)
226             .WithMany()
227             .HasForeignKey("RoleId")
228             .OnDelete(DeleteBehavior.Cascade)
229             .IsRequired();
230     });
231
232     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserClaim<string>", b =>
233     {
234         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
235             .WithMany()
236             .HasForeignKey("UserId")
237             .OnDelete(DeleteBehavior.Cascade)
238             .IsRequired();
239     });
240
241     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserLogin<string>", b =>
242     {
243         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
244             .WithMany()
245             .HasForeignKey("UserId")
246             .OnDelete(DeleteBehavior.Cascade)
247             .IsRequired();
248     });
249
250     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserRole<string>", b =>
251     {
252         b.HasOne("Microsoft.AspNetCore.Identity.IdentityRole", null)
253             .WithMany()
254             .HasForeignKey("RoleId")
255             .OnDelete(DeleteBehavior.Cascade)
256             .IsRequired();
257
258         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
259             .WithMany()
260             .HasForeignKey("UserId")
261             .OnDelete(DeleteBehavior.Cascade)
262             .IsRequired();
263     });
264
265     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserToken<string>", b =>
266     {
267         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
268             .WithMany()
269             .HasForeignKey("UserId")
270             .OnDelete(DeleteBehavior.Cascade)
271             .IsRequired();
272     });
273 #pragma warning restore 612, 618
274     }

```

The documentation for this class was generated from the following file:

- AutoNaJuz.DAL/Migrations/[AppDbContextModelSnapshot.cs](#)

6.3 AutoNaJuz.Model.Car Class Reference

Properties

- int [Id](#) [get, set]

6.3.1 Detailed Description

Definition at line 8 of file Car.cs.

6.3.2 Property Documentation

6.3.2.1 Id

```
int AutoNaJuz.Model.Car.Id [get], [set]
```

Definition at line 10 of file Car.cs.


```
10 { get; set; }
```

The documentation for this class was generated from the following file:


- AutoNaJuz.Model/[Car.cs](#)

6.4 AutoNaJuz.DAL.Configuration.CarConfiguration Class Reference

Inheritance diagram for AutoNaJuz.DAL.Configuration.CarConfiguration:



Collaboration diagram for AutoNaJuz.DAL.Configuration.CarConfiguration:



Public Member Functions

- void [Configure](#) (EntityTypeBuilder< [Car](#) > *builder*)

6.4.1 Detailed Description

Definition at line 8 of file CarConfiguration.cs.

6.4.2 Member Function Documentation

6.4.2.1 Configure()

```
void AutoNaJuz.DAL.Configuration.CarConfiguration.Configure (
    EntityTypeBuilder< Car > builder ) [inline]
```

Definition at line 10 of file CarConfiguration.cs.

```
11     {
12         builder.HasKey (c => c.Id);
13
14         //...
15     }
```

The documentation for this class was generated from the following file:

- AutoNaJuz.DAL/Configuration/[CarConfiguration.cs](#)

6.5 AutoNaJuz.Model.CarRental Class Reference

Properties

- int [Id](#) [get, set]

6.5.1 Detailed Description

Definition at line 8 of file CarRental.cs.

6.5.2 Property Documentation

6.5.2.1 Id

```
int AutoNaJuz.Model.CarRental.Id [get], [set]
```

Definition at line 10 of file CarRental.cs.


```
10 { get; set; }
```

The documentation for this class was generated from the following file:


- AutoNaJuz.Model/[CarRental.cs](#)

6.6 AutoNaJuz.Api.Controllers.CarRentalsController Class Reference

Inheritance diagram for AutoNaJuz.Api.Controllers.CarRentalsController:



Collaboration diagram for AutoNaJuz.Api.Controllers.CarRentalsController:



Public Member Functions

- [CarRentalsController](#) (ILogger< [CarRentalsController](#) > logger)
- IActionResult [Index](#) ()
- IActionResult [Error](#) ()

6.6.1 Detailed Description

Definition at line 13 of file CarRentalsController.cs.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 CarRentalsController()

```
AutoNaJuz.Api.Controllers.CarRentalsController.CarRentalsController (
    ILogger< CarRentalsController > logger ) [inline]
```

Definition at line 17 of file CarRentalsController.cs.

```
18     {
19         _logger = logger;
20     }
```

6.6.3 Member Function Documentation

6.6.3.1 Error()

```
IActionResult AutoNaJuz.Api.Controllers.CarRentalsController.Error ( ) [inline]
```

Definition at line 30 of file CarRentalsController.cs.

```
31     {
32         return View("Error!");
33     }
```

6.6.3.2 Index()

```
IActionResult AutoNaJuz.Api.Controllers.CarRentalsController.Index ( ) [inline]
```

Definition at line 23 of file CarRentalsController.cs.


```
24     {
25         return View();
26     }
```

The documentation for this class was generated from the following file:


- AutoNaJuz.Api/Controllers/[CarRentalsController.cs](#)

6.7 AutoNaJuz.Services.CarRentalsService Class Reference

Inheritance diagram for AutoNaJuz.Services.CarRentalsService:



Collaboration diagram for AutoNaJuz.Services.CarRentalsService:



6.7.1 Detailed Description


Definition at line 9 of file CarRentalsService.cs.

The documentation for this class was generated from the following file:


- AutoNaJuz.Services/[CarRentalsService.cs](#)

6.8 AutoNaJuz.Services.CarsService Class Reference

Inheritance diagram for AutoNaJuz.Services.CarsService:



Collaboration diagram for AutoNaJuz.Services.CarsService:



6.8.1 Detailed Description


Definition at line 9 of file CarsService.cs.

The documentation for this class was generated from the following file:


- AutoNaJuz.Services/[CarsService.cs](#)

6.9 AutoNajuz.Model.Validators.CarValidator Class Reference

Inheritance diagram for AutoNajuz.Model.Validators.CarValidator:



Collaboration diagram for AutoNajuz.Model.Validators.CarValidator:



Public Member Functions

- [CarValidator](#) ()

6.9.1 Detailed Description

Definition at line 5 of file `CarValidator.cs`.

6.9.2 Constructor & Destructor Documentation

6.9.2.1 CarValidator()

AutoNaJuz.Model.Validators.CarValidator.CarValidator () [inline]

Definition at line 7 of file CarValidator.cs.


```
8      {  
9          // RuleFor(car => car.Make).NotEmpty().WithMessage("Make is required.");  
10         // RuleFor(car => car.Model).NotEmpty().WithMessage("Model is required.");  
11         // RuleFor(car => car.Year).InclusiveBetween(1886, 9999).WithMessage("Year must be between  
1886 and 9999.");  
12         // RuleFor(car => car.VIN).Length(17).WithMessage("VIN must be 17 characters long.");  
13     }
```

The documentation for this class was generated from the following file:

- AutoNaJuz.Model/Validators/[CarValidator.cs](#)

6.10 AutoNaJuz.Services.Interfaces.ICarRentalsService Interface Reference

Inheritance diagram for AutoNaJuz.Services.Interfaces.ICarRentalsService:



6.10.1 Detailed Description


Definition at line 8 of file ICarRentalsService.cs.

The documentation for this interface was generated from the following file:

- AutoNaJuz.Services/Interfaces/[ICarRentalsService.cs](#)

6.11 AutoNaJuz.Services.Interfaces.ICarsService Interface Reference

Inheritance diagram for AutoNaJuz.Services.Interfaces.ICarsService:



6.11.1 Detailed Description


Definition at line 8 of file ICarsService.cs.

The documentation for this interface was generated from the following file:


- AutoNaJuz.Services/Interfaces/[ICarsService.cs](#)

6.12 AutoNaJuz.DAL.Migrations.InitialCreate Class Reference

Inheritance diagram for AutoNaJuz.DAL.Migrations.InitialCreate:



Collaboration diagram for AutoNaJuz.DAL.Migrations.InitialCreate:



Protected Member Functions

- override void [Up](#) (MigrationBuilder migrationBuilder)
- override void [Down](#) (MigrationBuilder migrationBuilder)
- override void [BuildTargetModel](#) (ModelBuilder modelBuilder)

6.12.1 Detailed Description

Definition at line 9 of file 20241020182104_InitialCreate.cs.

6.12.2 Member Function Documentation

6.12.2.1 BuildTargetModel()

```
override void AutoNaJuz.DAL.Migrations.InitialCreate.BuildTargetModel (
    ModelBuilder modelBuilder ) [inline], [protected]
```

Definition at line 19 of file 20241020182104_InitialCreate.Designer.cs.

```

20     {
21 #pragma warning disable 612, 618
22     modelBuilder
23         .HasAnnotation("ProductVersion", "8.0.10")
24         .HasAnnotation("Relational:MaxIdentifierLength", 128);
25
26     SqlServerModelBuilderExtensions.UseIdentityColumns(modelBuilder);
27
28     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityRole", b =>
29     {
30         b.Property<string>("Id")
31             .HasColumnType("nvarchar(450)");
32
33         b.Property<string>("ConcurrencyStamp")
34             .IsConcurrencyToken()
35             .HasColumnType("nvarchar(max)");
36
37         b.Property<string>("Name")
38             .HasMaxLength(256)
39             .HasColumnType("nvarchar(256)");

```

```

40
41         b.Property<string>("NormalizedName")
42             .HasMaxLength(256)
43             .HasColumnType("nvarchar(256)");
44
45         b.HasKey("Id");
46
47         b.HasIndex("NormalizedName")
48             .IsUnique()
49             .HasDatabaseName("RoleNameIndex")
50             .HasFilter("[NormalizedName] IS NOT NULL");
51
52         b.ToTable("AspNetRoles", (string)null);
53     });
54
55     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityRoleClaim<string>", b =>
56     {
57         b.Property<int>("Id")
58             .ValueGeneratedOnAdd()
59             .HasColumnType("int");
60
61         SqlServerPropertyBuilderExtensions.UseIdentityColumn(b.Property<int>("Id"));
62
63         b.Property<string>("ClaimType")
64             .HasColumnType("nvarchar(max)");
65
66         b.Property<string>("ClaimValue")
67             .HasColumnType("nvarchar(max)");
68
69         b.Property<string>("RoleId")
70             .IsRequired()
71             .HasColumnType("nvarchar(450)");
72
73         b.HasKey("Id");
74
75         b.HasIndex("RoleId");
76
77         b.ToTable("AspNetRoleClaims", (string)null);
78     });
79
80     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUser", b =>
81     {
82         b.Property<string>("Id")
83             .HasColumnType("nvarchar(450)");
84
85         b.Property<int>("AccessFailedCount")
86             .HasColumnType("int");
87
88         b.Property<string>("ConcurrencyStamp")
89             .IsConcurrencyToken()
90             .HasColumnType("nvarchar(max)");
91
92         b.Property<string>("Email")
93             .HasMaxLength(256)
94             .HasColumnType("nvarchar(256)");
95
96         b.Property<bool>("EmailConfirmed")
97             .HasColumnType("bit");
98
99         b.Property<bool>("LockoutEnabled")
100             .HasColumnType("bit");
101
102         b.Property<DateTimeOffset?>("LockoutEnd")
103             .HasColumnType("datetimeoffset");
104
105         b.Property<string>("NormalizedEmail")
106             .HasMaxLength(256)
107             .HasColumnType("nvarchar(256)");
108
109         b.Property<string>("NormalizedUserName")
110             .HasMaxLength(256)
111             .HasColumnType("nvarchar(256)");
112
113         b.Property<string>("PasswordHash")
114             .HasColumnType("nvarchar(max)");
115
116         b.Property<string>("PhoneNumber")
117             .HasColumnType("nvarchar(max)");
118
119         b.Property<bool>("PhoneNumberConfirmed")
120             .HasColumnType("bit");
121
122         b.Property<string>("SecurityStamp")
123             .HasColumnType("nvarchar(max)");
124
125         b.Property<bool>("TwoFactorEnabled")
126             .HasColumnType("bit");

```

```

127
128         b.Property<string>("UserName")
129             .HasMaxLength(256)
130             .HasColumnType("nvarchar(256)");
131
132         b.HasKey("Id");
133
134         b.HasIndex("NormalizedEmail")
135             .HasDatabaseName("EmailIndex");
136
137         b.HasIndex("NormalizedUserName")
138             .IsUnique()
139             .HasDatabaseName("UserNameIndex")
140             .HasFilter("[NormalizedUserName] IS NOT NULL");
141
142         b.ToTable("AspNetUsers", (string)null);
143     });
144
145     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserClaim<string>", b =>
146     {
147         b.Property<int>("Id")
148             .ValueGeneratedOnAdd()
149             .HasColumnType("int");
150
151         SqlServerPropertyBuilderExtensions.UseIdentityColumn(b.Property<int>("Id"));
152
153         b.Property<string>("ClaimType")
154             .HasColumnType("nvarchar(max)");
155
156         b.Property<string>("ClaimValue")
157             .HasColumnType("nvarchar(max)");
158
159         b.Property<string>("UserId")
160             .IsRequired()
161             .HasColumnType("nvarchar(450)");
162
163         b.HasKey("Id");
164
165         b.HasIndex("UserId");
166
167         b.ToTable("AspNetUserClaims", (string)null);
168     });
169
170     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserLogin<string>", b =>
171     {
172         b.Property<string>("LoginProvider")
173             .HasColumnType("nvarchar(450)");
174
175         b.Property<string>("ProviderKey")
176             .HasColumnType("nvarchar(450)");
177
178         b.Property<string>("ProviderDisplayName")
179             .HasColumnType("nvarchar(max)");
180
181         b.Property<string>("UserId")
182             .IsRequired()
183             .HasColumnType("nvarchar(450)");
184
185         b.HasKey("LoginProvider", "ProviderKey");
186
187         b.HasIndex("UserId");
188
189         b.ToTable("AspNetUserLogins", (string)null);
190     });
191
192     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserRole<string>", b =>
193     {
194         b.Property<string>("UserId")
195             .HasColumnType("nvarchar(450)");
196
197         b.Property<string>("RoleId")
198             .HasColumnType("nvarchar(450)");
199
200         b.HasKey("UserId", "RoleId");
201
202         b.HasIndex("RoleId");
203
204         b.ToTable("AspNetUserRoles", (string)null);
205     });
206
207     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserToken<string>", b =>
208     {
209         b.Property<string>("UserId")
210             .HasColumnType("nvarchar(450)");
211
212         b.Property<string>("LoginProvider")
213             .HasColumnType("nvarchar(450)");

```

```

214
215         b.Property<string>("Name")
216             .HasColumnType("nvarchar(450)");
217
218         b.Property<string>("Value")
219             .HasColumnType("nvarchar(max)");
220
221         b.HasKey("UserId", "LoginProvider", "Name");
222
223         b.ToTable("AspNetUserTokens", (string)null);
224     });
225
226     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityRoleClaim<string>", b =>
227     {
228         b.HasOne("Microsoft.AspNetCore.Identity.IdentityRole", null)
229             .WithMany()
230             .HasForeignKey("RoleId")
231             .OnDelete(DeleteBehavior.Cascade)
232             .IsRequired();
233     });
234
235     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserClaim<string>", b =>
236     {
237         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
238             .WithMany()
239             .HasForeignKey("UserId")
240             .OnDelete(DeleteBehavior.Cascade)
241             .IsRequired();
242     });
243
244     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserLogin<string>", b =>
245     {
246         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
247             .WithMany()
248             .HasForeignKey("UserId")
249             .OnDelete(DeleteBehavior.Cascade)
250             .IsRequired();
251     });
252
253     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserRole<string>", b =>
254     {
255         b.HasOne("Microsoft.AspNetCore.Identity.IdentityRole", null)
256             .WithMany()
257             .HasForeignKey("RoleId")
258             .OnDelete(DeleteBehavior.Cascade)
259             .IsRequired();
260
261         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
262             .WithMany()
263             .HasForeignKey("UserId")
264             .OnDelete(DeleteBehavior.Cascade)
265             .IsRequired();
266     });
267
268     modelBuilder.Entity("Microsoft.AspNetCore.Identity.IdentityUserToken<string>", b =>
269     {
270         b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
271             .WithMany()
272             .HasForeignKey("UserId")
273             .OnDelete(DeleteBehavior.Cascade)
274             .IsRequired();
275     });
276 #pragma warning restore 612, 618
277     }

```

6.12.2.2 Down()

```

override void AutoNaJuz.DAL.Migrations.InitialCreate.Down (
    MigrationBuilder migrationBuilder ) [inline], [protected]

```

Definition at line 200 of file 20241020182104_InitialCreate.cs.

```

201     {
202         migrationBuilder.DropTable(
203             name: "AspNetRoleClaims");
204
205         migrationBuilder.DropTable(
206             name: "AspNetUserClaims");
207     }

```

```

208         migrationBuilder.DropTable(
209             name: "AspNetUserLogins");
210
211         migrationBuilder.DropTable(
212             name: "AspNetUserRoles");
213
214         migrationBuilder.DropTable(
215             name: "AspNetUserTokens");
216
217         migrationBuilder.DropTable(
218             name: "AspNetRoles");
219
220         migrationBuilder.DropTable(
221             name: "AspNetUsers");
222     }

```

6.12.2.3 Up()

```

override void AutoNaJuz.DAL.Migrations.InitialCreate.Up (
    MigrationBuilder migrationBuilder ) [inline], [protected]

```

Definition at line 12 of file 20241020182104_InitialCreate.cs.

```

13     {
14         migrationBuilder.CreateTable(
15             name: "AspNetRoles",
16             columns: table => new
17             {
18                 Id = table.Column<string>(type: "nvarchar(450)", nullable: false),
19                 Name = table.Column<string>(type: "nvarchar(256)", maxLength: 256, nullable: true),
20                 NormalizedName = table.Column<string>(type: "nvarchar(256)", maxLength: 256,
21                 nullable: true),
22                 ConcurrencyStamp = table.Column<string>(type: "nvarchar(max)", nullable: true)
23             },
24             constraints: table =>
25             {
26                 table.PrimaryKey("PK_AspNetRoles", x => x.Id);
27             });
28
29         migrationBuilder.CreateTable(
30             name: "AspNetUsers",
31             columns: table => new
32             {
33                 Id = table.Column<string>(type: "nvarchar(450)", nullable: false),
34                 UserName = table.Column<string>(type: "nvarchar(256)", maxLength: 256, nullable:
35                 true),
36                 NormalizedUserName = table.Column<string>(type: "nvarchar(256)", maxLength: 256,
37                 nullable: true),
38                 Email = table.Column<string>(type: "nvarchar(256)", maxLength: 256, nullable: true),
39                 NormalizedEmail = table.Column<string>(type: "nvarchar(256)", maxLength: 256,
40                 nullable: true),
41                 EmailConfirmed = table.Column<bool>(type: "bit", nullable: false),
42                 PasswordHash = table.Column<string>(type: "nvarchar(max)", nullable: true),
43                 SecurityStamp = table.Column<string>(type: "nvarchar(max)", nullable: true),
44                 ConcurrencyStamp = table.Column<string>(type: "nvarchar(max)", nullable: true),
45                 PhoneNumber = table.Column<string>(type: "nvarchar(max)", nullable: true),
46                 PhoneNumberConfirmed = table.Column<bool>(type: "bit", nullable: false),
47                 TwoFactorEnabled = table.Column<bool>(type: "bit", nullable: false),
48                 LockoutEnd = table.Column<DateTimeOffset>(type: "datetimeoffset", nullable: true),
49                 LockoutEnabled = table.Column<bool>(type: "bit", nullable: false),
50                 AccessFailedCount = table.Column<int>(type: "int", nullable: false)
51             },
52             constraints: table =>
53             {
54                 table.PrimaryKey("PK_AspNetUsers", x => x.Id);
55             });
56
57         migrationBuilder.CreateTable(
58             name: "AspNetRoleClaims",
59             columns: table => new
60             {
61                 Id = table.Column<int>(type: "int", nullable: false)
62                     .Annotation("SqlServer:Identity", "1, 1"),
63                 RoleId = table.Column<string>(type: "nvarchar(450)", nullable: false),
64                 ClaimType = table.Column<string>(type: "nvarchar(max)", nullable: true),
65                 ClaimValue = table.Column<string>(type: "nvarchar(max)", nullable: true)
66             },
67             constraints: table =>
68             {

```

```

65         table.PrimaryKey("PK_AspNetRoleClaims", x => x.Id);
66         table.ForeignKey(
67             name: "FK_AspNetRoleClaims_AspNetRoles_RoleId",
68             column: x => x.RoleId,
69             principalTable: "AspNetRoles",
70             principalColumn: "Id",
71             onDelete: ReferentialAction.Cascade);
72     });
73
74     migrationBuilder.CreateTable(
75         name: "AspNetUserClaims",
76         columns: table => new
77         {
78             Id = table.Column<int>(type: "int", nullable: false)
79                 .Annotation("SqlServer:Identity", "1, 1"),
80             UserId = table.Column<string>(type: "nvarchar(450)", nullable: false),
81             ClaimType = table.Column<string>(type: "nvarchar(max)", nullable: true),
82             ClaimValue = table.Column<string>(type: "nvarchar(max)", nullable: true)
83         },
84         constraints: table =>
85         {
86             table.PrimaryKey("PK_AspNetUserClaims", x => x.Id);
87             table.ForeignKey(
88                 name: "FK_AspNetUserClaims_AspNetUsers_UserId",
89                 column: x => x.UserId,
90                 principalTable: "AspNetUsers",
91                 principalColumn: "Id",
92                 onDelete: ReferentialAction.Cascade);
93         });
94
95     migrationBuilder.CreateTable(
96         name: "AspNetUserLogins",
97         columns: table => new
98         {
99             LoginProvider = table.Column<string>(type: "nvarchar(450)", nullable: false),
100             ProviderKey = table.Column<string>(type: "nvarchar(450)", nullable: false),
101             ProviderDisplayName = table.Column<string>(type: "nvarchar(max)", nullable: true),
102             UserId = table.Column<string>(type: "nvarchar(450)", nullable: false)
103         },
104         constraints: table =>
105         {
106             table.PrimaryKey("PK_AspNetUserLogins", x => new { x.LoginProvider, x.ProviderKey
107
108             table.ForeignKey(
109                 name: "FK_AspNetUserLogins_AspNetUsers_UserId",
110                 column: x => x.UserId,
111                 principalTable: "AspNetUsers",
112                 principalColumn: "Id",
113                 onDelete: ReferentialAction.Cascade);
114         });
115
116     migrationBuilder.CreateTable(
117         name: "AspNetUserRoles",
118         columns: table => new
119         {
120             UserId = table.Column<string>(type: "nvarchar(450)", nullable: false),
121             RoleId = table.Column<string>(type: "nvarchar(450)", nullable: false)
122         },
123         constraints: table =>
124         {
125             table.PrimaryKey("PK_AspNetUserRoles", x => new { x.UserId, x.RoleId });
126             table.ForeignKey(
127                 name: "FK_AspNetUserRoles_AspNetRoles_RoleId",
128                 column: x => x.RoleId,
129                 principalTable: "AspNetRoles",
130                 principalColumn: "Id",
131                 onDelete: ReferentialAction.Cascade);
132             table.ForeignKey(
133                 name: "FK_AspNetUserRoles_AspNetUsers_UserId",
134                 column: x => x.UserId,
135                 principalTable: "AspNetUsers",
136                 principalColumn: "Id",
137                 onDelete: ReferentialAction.Cascade);
138         });
139
140     migrationBuilder.CreateTable(
141         name: "AspNetUserTokens",
142         columns: table => new
143         {
144             UserId = table.Column<string>(type: "nvarchar(450)", nullable: false),
145             LoginProvider = table.Column<string>(type: "nvarchar(450)", nullable: false),
146             Name = table.Column<string>(type: "nvarchar(450)", nullable: false),
147             Value = table.Column<string>(type: "nvarchar(max)", nullable: true)
148         },
149         constraints: table =>
150         {
151             table.PrimaryKey("PK_AspNetUserTokens", x => new { x.UserId, x.LoginProvider, x.Name

```

```

151     });
152         table.ForeignKey(
153             name: "FK_AspNetUserTokens_AspNetUsers_UserId",
154             column: x => x.UserId,
155             principalTable: "AspNetUsers",
156             principalColumn: "Id",
157             onDelete: ReferentialAction.Cascade);
158     });
159     migrationBuilder.CreateIndex(
160         name: "IX_AspNetRoleClaims_RoleId",
161         table: "AspNetRoleClaims",
162         column: "RoleId");
163
164     migrationBuilder.CreateIndex(
165         name: "RoleNameIndex",
166         table: "AspNetRoles",
167         column: "NormalizedName",
168         unique: true,
169         filter: "[NormalizedName] IS NOT NULL");
170
171     migrationBuilder.CreateIndex(
172         name: "IX_AspNetUserClaims_UserId",
173         table: "AspNetUserClaims",
174         column: "UserId");
175
176     migrationBuilder.CreateIndex(
177         name: "IX_AspNetUserLogins_UserId",
178         table: "AspNetUserLogins",
179         column: "UserId");
180
181     migrationBuilder.CreateIndex(
182         name: "IX_AspNetUserRoles_RoleId",
183         table: "AspNetUserRoles",
184         column: "RoleId");
185
186     migrationBuilder.CreateIndex(
187         name: "EmailIndex",
188         table: "AspNetUsers",
189         column: "NormalizedEmail");
190
191     migrationBuilder.CreateIndex(
192         name: "UserNameIndex",
193         table: "AspNetUsers",
194         column: "NormalizedUserName",
195         unique: true,
196         filter: "[NormalizedUserName] IS NOT NULL");
197 }


```

The documentation for this class was generated from the following files:


- [AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.cs](#)
- [AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.Designer.cs](#)

6.13 AutoNaJuz.Model.User Class Reference

Inheritance diagram for AutoNaJuz.Model.User:



Collaboration diagram for AutoNaJuz.Model.User:



6.13.1 Detailed Description

Definition at line 9 of file User.cs.

The documentation for this class was generated from the following file:

- AutoNaJuz.Model/[User.cs](#)

Chapter 7

File Documentation

7.1 AutoNaJuz.Api/Controllers/CarRentalsController.cs File Reference

Classes

- class [AutoNaJuz.Api.Controllers.CarRentalsController](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Api](#)
- namespace [AutoNaJuz.Api.Controllers](#)

7.2 AutoNaJuz.Api/Controllers/CarsController.cs File Reference

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Api](#)
- namespace [AutoNaJuz.Api.Controllers](#)

7.3 AutoNaJuz.Api/Program.cs File Reference

Typedefs

- using [scope](#) = app.Services.CreateScope()) { var db=scope.ServiceProvider.GetRequiredService<[AppDbContext](#)>()

Functions

- builder.Services. [AddEndpointsApiExplorer](#) ()
- builder.Services. [AddSwaggerGen](#) ()
- builder.Services. [AddDbContext< ApplicationDbContext >](#) ()
- builder.Services. [AddControllers](#) ()
- builder.Services. [AddFluentValidationAutoValidation](#) ()
- services. [AddTransient< ICarsService, CarsService >](#) ()
- services. [AddTransient< ICarRentalsService, CarRentalsService >](#) ()
- db.Database. [Migrate](#) ()
- if (app.Environment.IsDevelopment())
- app. [UseHttpsRedirection](#) ()
- app. [MapGet](#) ("/weatherforecast",()=> { var forecast=Enumerable.Range(1, 5).Select(index=> new [WeatherForecast](#)(DateOnly.FromDateTime(DateTime.Now.AddDays(index)), Random.Shared.Next(-20, 55), [summaries](#)[Random.Shared.Next(summaries.Length)])) .ToArray();return forecast;}) .WithName("GetWeatherForecast") .WithOpenApi()
- app. [Run](#) ()
- record [WeatherForecast](#) (DateOnly Date, int TemperatureC, string? Summary)

Variables

- var [builder](#) = WebApplication.CreateBuilder(args)
- var [services](#) = builder.Services
- var [app](#) = builder.Build()
- var [summaries](#)

7.3.1 Typedef Documentation

7.3.1.1 scope

```
using scope = app.Services.CreateScope() { var db = scope.ServiceProvider.GetRequiredService<AppDbContext>() }
```

Definition at line 27 of file Program.cs.

7.3.2 Function Documentation

7.3.2.1 AddControllers()

```
builder.Services. AddControllers ( )
```

7.3.2.2 AddDbContext< AppDbContext >()

```
builder.Services. AddDbContext< AppDbContext > ( )
```

7.3.2.3 AddEndpointsApiExplorer()

```
builder.Services. AddEndpointsApiExplorer ( )
```

7.3.2.4 AddFluentValidationAutoValidation()

```
builder.Services. AddFluentValidationAutoValidation ( )
```

7.3.2.5 AddSwaggerGen()

```
builder.Services. AddSwaggerGen ( )
```

7.3.2.6 AddTransient< ICarRentalsService, CarRentalsService >()

```
services. AddTransient< ICarRentalsService, CarRentalsService > ( )
```

7.3.2.7 AddTransient< ICarsService, CarsService >()

```
services. AddTransient< ICarsService, CarsService > ( )
```

7.3.2.8 if()

```
if (
    app.Environment. IsDevelopment () )
```

Definition at line 34 of file Program.cs.

```
35 {
36     app.UseSwagger ();
37     app.UseSwaggerUI ();
38 }
```

7.3.2.9 MapGet()

```
app. MapGet (
    "/weatherforecast" ,
    () ,
    { var forecast=Enumerable.Range(1, 5).Select(index=> new WeatherForecast(Date↵
Only.FromDateTime(DateTime.Now.AddDays(index)), Random.Shared.Next(-20, 55), summaries[Random.↵
Shared.Next(summaries.Length)])) .ToArray();return forecast;} )
```

Here is the call graph for this function:



7.3.2.10 Migrate()

```
db.Database. Migrate ( )
```

7.3.2.11 Run()

```
app. Run ( )
```

7.3.2.12 UseHttpsRedirection()

```
app. UseHttpsRedirection ( )
```


7.3.2.13 WeatherForecast()

```
record WeatherForecast (  
    DateOnly Date,  
    int TemperatureC,  
    string? Summary )
```

Definition at line 64 of file Program.cs.

```
65 {  
66     public int TemperatureF => 32 + (int)(TemperatureC / 0.5556);  
67 }
```

Here is the caller graph for this function:



7.3.3 Variable Documentation

7.3.3.1 app

```
var app = builder.Build()
```

Definition at line 25 of file Program.cs.

7.3.3.2 builder

```
var builder = WebApplication.CreateBuilder(args)
```

Definition at line 8 of file Program.cs.

7.3.3.3 services

```
var services = builder.Services
```

Definition at line 20 of file Program.cs.

7.3.3.4 summaries

```
var summaries
```

Initial value:

```
= new[]  
{  
    "Freezing", "Bracing", "Chilly", "Cool", "Mild", "Warm", "Balmy", "Hot", "Sweltering", "Scorching"  
}
```

Definition at line 42 of file Program.cs.

7.4 AutoNaJuz.DAL/Configuration/CarConfiguration.cs File Reference

Classes

- class [AutoNaJuz.DAL.Configuration.CarConfiguration](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.DAL](#)
- namespace [AutoNaJuz.DAL.Configuration](#)

7.5 AutoNaJuz.DAL/Data/AppDbContext.cs File Reference

Classes

- class [AutoNaJuz.DAL.Data.AppDbContext](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.DAL](#)
- namespace [AutoNaJuz.DAL.Data](#)

7.6 AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.cs File Reference

Classes

- class [AutoNaJuz.DAL.Migrations.InitialCreate](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.DAL](#)
- namespace [AutoNaJuz.DAL.Migrations](#)

7.7 AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.Designer.cs File Reference

Classes

- class [AutoNaJuz.DAL.Migrations.InitialCreate](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.DAL](#)
- namespace [AutoNaJuz.DAL.Migrations](#)

7.8 AutoNaJuz.DAL/Migrations/AppDbContextModelSnapshot.cs File Reference

Classes

- class [AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.DAL](#)
- namespace [AutoNaJuz.DAL.Migrations](#)

7.9 AutoNaJuz.Model/Car.cs File Reference

Classes

- class [AutoNaJuz.Model.Car](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Model](#)

7.10 AutoNaJuz.Model/CarRental.cs File Reference

Classes

- class [AutoNaJuz.Model.CarRental](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Model](#)

7.11 AutoNaJuz.Model/User.cs File Reference

Classes

- class [AutoNaJuz.Model.User](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Model](#)

7.12 AutoNaJuz.Model/Validators/CarValidator.cs File Reference

Classes

- class [AutoNaJuz.Model.Validators.CarValidator](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Model](#)
- namespace [AutoNaJuz.Model.Validators](#)

7.13 AutoNaJuz.Services/CarRentalsService.cs File Reference

Classes

- class [AutoNaJuz.Services.CarRentalsService](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Services](#)

7.14 AutoNaJuz.Services/CarsService.cs File Reference

Classes

- class [AutoNaJuz.Services.CarsService](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Services](#)

7.15 AutoNaJuz.Services/Interfaces/ICarRentalsService.cs File Reference

Classes

- interface [AutoNaJuz.Services.Interfaces.ICarRentalsService](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Services](#)
- namespace [AutoNaJuz.Services.Interfaces](#)

7.16 AutoNaJuz.Services/Interfaces/ICarsService.cs File Reference

Classes

- interface [AutoNaJuz.Services.Interfaces.ICarsService](#)

Namespaces

- namespace [AutoNaJuz](#)
- namespace [AutoNaJuz.Services](#)
- namespace [AutoNaJuz.Services.Interfaces](#)

Index

AddControllers
 Program.cs, [38](#)
AddDbContext< AppDbContext >
 Program.cs, [38](#)
AddEndpointsApiExplorer
 Program.cs, [39](#)
AddFluentValidationAutoValidation
 Program.cs, [39](#)
AddSwaggerGen
 Program.cs, [39](#)
AddTransient< ICarRentalsService, CarRentalsService >
 Program.cs, [39](#)
AddTransient< ICarsService, CarsService >
 Program.cs, [39](#)
app
 Program.cs, [41](#)
AppDbContext
 AutoNaJuz.DAL.Data.AppDbContext, [14](#)
AutoNaJuz, [9](#)
AutoNaJuz.Api, [9](#)
AutoNaJuz.Api.Controllers, [9](#)
AutoNaJuz.Api.Controllers.CarRentalsController, [22](#)
 CarRentalsController, [23](#)
 Error, [23](#)
 Index, [23](#)
AutoNaJuz.Api/Controllers/CarRentalsController.cs, [37](#)
AutoNaJuz.Api/Controllers/CarsController.cs, [37](#)
AutoNaJuz.Api/Program.cs, [37](#)
AutoNaJuz.DAL, [9](#)
AutoNaJuz.DAL.Configuration, [10](#)
AutoNaJuz.DAL.Configuration.CarConfiguration, [20](#)
 Configure, [21](#)
AutoNaJuz.DAL.Data, [10](#)
AutoNaJuz.DAL.Data.AppDbContext, [13](#)
 AppDbContext, [14](#)
 CarRentals, [15](#)
 Cars, [15](#)
 OnConfiguring, [14](#)
AutoNaJuz.DAL.Migrations, [10](#)
AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot, [15](#)
 BuildModel, [16](#)
AutoNaJuz.DAL.Migrations.InitialCreate, [28](#)
 BuildTargetModel, [29](#)
 Down, [32](#)
 Up, [33](#)
AutoNaJuz.DAL/Configuration/CarConfiguration.cs, [42](#)
AutoNaJuz.DAL/Data/AppDbContext.cs, [42](#)
AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.cs, [42](#)
AutoNaJuz.DAL/Migrations/20241020182104_InitialCreate.Designer.cs, [43](#)
AutoNaJuz.DAL/Migrations/AppDbContextModelSnapshot.cs, [43](#)
AutoNaJuz.Model, [10](#)
AutoNaJuz.Model.Car, [19](#)
 Id, [20](#)
AutoNaJuz.Model.CarRental, [21](#)
 Id, [21](#)
AutoNaJuz.Model.User, [35](#)
AutoNaJuz.Model.Validators, [10](#)
AutoNaJuz.Model.Validators.CarValidator, [26](#)
 CarValidator, [26](#)
AutoNaJuz.Model/Car.cs, [43](#)
AutoNaJuz.Model/CarRental.cs, [43](#)
AutoNaJuz.Model/User.cs, [44](#)
AutoNaJuz.Model/Validators/CarValidator.cs, [44](#)
AutoNaJuz.Services, [10](#)
AutoNaJuz.Services.CarRentalsService, [24](#)
AutoNaJuz.Services.CarsService, [25](#)
AutoNaJuz.Services.Interfaces, [11](#)
AutoNaJuz.Services.Interfaces.ICarRentalsService, [27](#)
AutoNaJuz.Services.Interfaces.ICarsService, [28](#)
AutoNaJuz.Services/CarRentalsService.cs, [44](#)
AutoNaJuz.Services/CarsService.cs, [44](#)
AutoNaJuz.Services/Interfaces/ICarRentalsService.cs, [45](#)
AutoNaJuz.Services/Interfaces/ICarsService.cs, [45](#)
builder
 Program.cs, [41](#)
BuildModel
 AutoNaJuz.DAL.Migrations.AppDbContextModelSnapshot, [16](#)
BuildTargetModel
 AutoNaJuz.DAL.Migrations.InitialCreate, [29](#)
CarRentals
 AutoNaJuz.DAL.Data.AppDbContext, [15](#)
CarRentalsController
 AutoNaJuz.Api.Controllers.CarRentalsController, [23](#)
Cars
 AutoNaJuz.DAL.Data.AppDbContext, [15](#)
CarValidator
 AutoNaJuz.Model.Validators.CarValidator, [26](#)
Configure

- AutoNaJuz.DAL.Configuration.CarConfiguration, [21](#)
- Down
 - AutoNaJuz.DAL.Migrations.InitialCreate, [32](#)
- Error
 - AutoNaJuz.Api.Controllers.CarRentalsController, [23](#)
- Id
 - AutoNaJuz.Model.Car, [20](#)
 - AutoNaJuz.Model.CarRental, [21](#)
- if
 - Program.cs, [39](#)
- Index
 - AutoNaJuz.Api.Controllers.CarRentalsController, [23](#)
- MapGet
 - Program.cs, [39](#)
- Migrate
 - Program.cs, [40](#)
- OnConfiguring
 - AutoNaJuz.DAL.Data.AppDbContext, [14](#)
- Program.cs
 - AddControllers, [38](#)
 - AddDbContext< AppDbContext >, [38](#)
 - AddEndpointsApiExplorer, [39](#)
 - AddFluentValidationAutoValidation, [39](#)
 - AddSwaggerGen, [39](#)
 - AddTransient< ICarRentalsService, CarRentalsService >, [39](#)
 - AddTransient< ICarsService, CarsService >, [39](#)
 - app, [41](#)
 - builder, [41](#)
 - if, [39](#)
 - MapGet, [39](#)
 - Migrate, [40](#)
 - Run, [40](#)
 - scope, [38](#)
 - services, [41](#)
 - summaries, [41](#)
 - UseHttpsRedirection, [40](#)
 - WeatherForecast, [40](#)
- Run
 - Program.cs, [40](#)
- scope
 - Program.cs, [38](#)
- services
 - Program.cs, [41](#)
- summaries
 - Program.cs, [41](#)
- Up
 - AutoNaJuz.DAL.Migrations.InitialCreate, [33](#)