

GRAPHQL GIFTS FROM KIWI.COM

MICHAL SÄNGER

michal.sanger@kiwi.com

ESLINT & BABEL PRESET

- **CONSISTENT CODEBASE**
- **FASTER CODE REVIEWS**
- **MODERN JS FEATURES**

ESLINT

```
yarn add --dev @kiwicom/eslint-config
```

- **REACT, RN, HOOKS, RELAY**
 - **PRETTIER, JEST**
 - **FLOW, NODE**
 - **EXTENDABLE**

ESLINT

```
//.eslintrc.js
module.exports = {
  root: true,
  extends: [
    '@kiwicom/eslint-config',
  ],
};
```

DO NOT IGNORE ESLINT WARNINGS!

```
//.eslintrc.js
module.exports = {
  root: true,
  extends: [
    '@kiwicom/eslint-config/strict',
  ],
};
```

BABEL PRESET

```
yarn add --dev @kiwicom/babel-preset-kiwicom
```

- **FLOW, JSX**
- **CLASS PROPERTIES**
- **RELAY FRAGMENTS**
- **SUGAR:** `a?.b; a ?? b; {...a}`

FETCH

```
yarn add @kiwicom/fetch
```

- RETRIES
- TIMEOUTS
- ERROR HANDLING

FETCH

```
import fetchWithRetries from '@kiwicom/fetch';

fetchWithRetries(
  'https://example.api',
  {
    fetchTimeout: 15000,
    retryDelays: [1000, 3000],
    // ... standard Fetch options
  },
);
```


FETCH


```
import fetchWithRetries, { TimeoutError, ResponseError } from '@kiwicom/fetch';

try {
  const response = await fetchWithRetries('//localhost');
} catch (error) {
  if (error instanceof TimeoutError) {
    console.error('request timed out');
  } else if (error instanceof ResponseError) {
    console.error('unsuccessful response', error.response);
  } else {
    console.error('unknown error');
  }
}
```

LOGZ

```
yarn add @kiwicom/graphql-logz
```

- **APOLLO ENGINE ALTERNATIVE**
 - **LOGZ.IO BACKEND & UI**
- **GRAPHQL QUERY, VARIABLES**
 - **DEPRECATED FIELDS**
 - **DURATION, HEADERS.**



Logz.io

Search Google or type a URL

logz.io

Kibana

Live Tail

Log Shipping

Alerts & Events

Insights

ELK Apps

GraphQL backend (mic...

Discover

Visualize

Dashboard

Timelion

Management

Selected Fields

Available Fields

Popular

Fields

February 28th 2019, 12:57:10.679 - February 28th 2019, 13:12:10.679

Auto

Count

@timestamp per 30 seconds

COGNITIVE INSIGHTS

response (1)

Time

message

February 28th 2019, 13:11:57.088

Table

JSON

View surrounding documents

View single document

@timestamp

February 28th 2019, 13:11:57.088

duration

353.5

t headers

{ "host": "graphql.kiwi.com", "accept": "*/*", "accept-encoding": "gzip, deflate, br", "accept-language": "en-US,en;q=0.9,lt;q=0.8", "content-type": "application/json", "origin": "https://www.kiwi.com", "referer": "https://www.kiwi.com/us/search/gran-canaria-las-palmas-spain/frankfurt-germany/2019-03-01/anytime", "user-agent": "Mozilla/5.0 (Windows NT 6.1; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/72.0.3626.109 Safari/537.36", "x-forwarded-for": "88.119.95.95, 10.2.31.42", "x-forwarded-port": "443", "x-forwarded-proto": "https", "content-length": "1480", "connection": "close" }

t origin

graphql.kiwi.com

t query

query({ search: HotelsSearchInput!, filter: HotelsFilterInput, options: AvailableHotelOptionsInput, \$after: String, \$first: Int = 50, }) { allAvailableBookingComHotels(search: \$search, filter: \$filter, options: \$options, after: \$after, first: \$first,) { pageInfo { hasNextPage hasPreviousPage startCursor

Collapse

BC CHECKER

```
yarn add --dev @kiwicom/graphql-bc-checker
```

- **AUTO UPDATE SCHEMA SNAPSHOT**
 - **CREATE BC CHANGELOG**
 - **FITS INTO TEST PIPELINE**
 - **DX FOCUS**

BC CHECKER

```
// scripts/test-bc.js
import path from 'path';
import testBC from '@kiwicom/graphql-bc-checker';

import Schema from './src/Schema';

testBC({
  allowBreakingChanges: false,
  snapshotLocation: path.join(__dirname, 'schema-snapshot.graphql'),
  schema: Schema,
});
```

BC CHECKER DX

VALUE_REMOVED_FROM_ENUM - FUTURE was removed from enum type AllBookingsOnlyEnum.

VALUE_REMOVED_FROM_ENUM - PAST was removed from enum type AllBookingsOnlyEnum.

Tips how to avoid breaking changes:



- field removal/modification (introduce new field and only deprecate the old one)
- type removal/modification (just deprecate it and leave it there)
- removal from enum/union (introduce new enum/union)
- arguments removal/modification (introduce new query or graph node)
- change non-nullable -> nullable (just don't do it or introduce new field)
- change of default argument value (don't or introduce new argument/query)

error Command failed with exit code 1.

RELAY

```
yarn add react @kiwicom/relay
```

- RELAY WRAPPER
- QUERY LOGGING DURING DEVELOPMENT
 - RESPONSE CACHE, BATCH REQUESTS
 - UPLOADABLES, PERSISTENT QUERIES
 - FLOW



Elements

Console


Sources


Network



Performance

Memory


>>








top



Filter

Default levels



▼ [1] Relay Modern: AppQuery

RelayNetworkLoggerTransaction.js:66

[1] Relay Modern: AppQuery: 599.638916015625ms

RelayNetworkLoggerTransaction.js:67

Cache Config: ▶ Object

RelayNetworkLoggerTransaction.js:74

Variables: {
 "count": 20
}

RelayNetworkLoggerTransaction.js:74

Response:
▼ Object ⓘ
 ▼ data:
 ▶ dangerZone: {allLocations: {...}}
 ▶ incrementalPagination: {edges: Array(20), pageInfo: {...}}
 ▶ incrementalPagination2: {edges: Array(20), pageInfo: {...}}
 ▶ __proto__: Object
 ▶ __proto__: Object

RelayNetworkLoggerTransaction.js:74

>

RELAY EXAMPLE







`github.com/kiwicom/relay-example`

- **HOW TO @kiwicom/relay**
 - **SIMPLE FETCHING**
 - **ENDLESS PAGINATION**
- **BI-DIRECTIONAL PAGINATION**

Relay pagination showcase

Bi-directional pagination

See: [Refetch Container](#)




1.   Rome
2.   Paris
3.  Barcelona
4.  San Francisco
5.  Boston
6.  Washington, D.C.
7.  Denver
8.  Las Vegas
9.  Atlanta
10.  Miami
11.  Tampa
12.  Orlando
13.  Manila
14.  New York
15.  London
16.  Los Angeles
17.  Chicago
18.  Athens International
19.  Hartsfield–Jackson Atlanta International
20.  Barcelona–El Prat

< Previous page

Next page >

Incremental pagination 1




See: [Refetch Container](#)

1.   Rome
2.   Paris
3.  Barcelona
4.  San Francisco
5.  Boston
6.  Washington, D.C.
7.  Denver
8.  Las Vegas
9.  Atlanta
10.  Miami
11.  Tampa
12.  Orlando
13.  Manila
14.  New York
15.  London
16.  Los Angeles
17.  Chicago
18.  Athens International
19.  Hartsfield–Jackson Atlanta International
20.  Barcelona–El Prat

Load more!

Incremental pagination 2

See: [Pagination Container](#)


1.   Rome
2.   Paris
3.  Barcelona
4.  San Francisco
5.  Boston
6.  Washington, D.C.
7.  Denver
8.  Las Vegas
9.  Atlanta
10.  Miami
11.  Tampa
12.  Orlando
13.  Manila
14.  New York
15.  London
16.  Los Angeles
17.  Chicago
18.  Athens International
19.  Hartsfield–Jackson Atlanta International
20.  Barcelona–El Prat

Load more!



MARGARITA

`github.com/kiwicom/margarita`

- **GRAPHQL. RELAY**
- **SHAREABLE UI. RN & RNW**
- **KIWI.COM TEQUILA API**



SHARE YOUR ❤️



LINKS

- [NPMJS.COM/PACKAGE/@KIWICOM/ESLINT-CONFIG](https://www.npmjs.com/package/@kiwicom/eslint-config)
- [NPMJS.COM/PACKAGE/@KIWICOM/BABEL-PRESET-KIWICOM](https://www.npmjs.com/package/@kiwicom/babel-preset-kiwicom)
 - [NPMJS.COM/PACKAGE/@KIWICOM/FETCH](https://www.npmjs.com/package/@kiwicom/fetch)
 - [NPMJS.COM/PACKAGE/@KIWICOM/GRAPHQL-LOGZ](https://www.npmjs.com/package/@kiwicom/graphql-logz)
- [NPMJS.COM/PACKAGE/@KIWICOM/GRAPHQL-BC-CHECKER](https://www.npmjs.com/package/@kiwicom/graphql-bc-checker)
 - [NPMJS.COM/PACKAGE/@KIWICOM/RELAY](https://www.npmjs.com/package/@kiwicom/relay)
 - [GITHUB.COM/KIWICOM/RELAY-EXAMPLE](https://github.com/kiwicom/relay-example)
 - [GITHUB.COM/KIWICOM/MARGARITA](https://github.com/kiwicom/margarita)

THERE IS MORE

- [NPMJS.COM/PACKAGE/@KIWICOM/MONOREPO](#)
- [NPMJS.COM/PACKAGE/@KIWICOM/NPM-PUBLISHER](#)
- [NPMJS.COM/PACKAGE/@KIWICOM/TEST-UTILS](#)
 - [NPMJS.COM/PACKAGE/@KIWICOM/JS](#)
- [NPMJS.COM/PACKAGE/@KIWICOM/GRAPHQL-UTILS](#)

THANK YOU!