

API Reference

Api Documentation

API Version: 1.0

Api Documentation

CONTACT

Terms of service: [urn:tos](#)

INDEX

1. EXERCISE-RESOURCE	4
1.1 GET /exercises	4
1.2 POST /exercises	5
1.3 POST /exercises/{exerciseId}/pictures	6
1.4 DELETE /exercises/{exerciseId}/pictures	7
1.5 GET /exercises/{id}	7
1.6 PUT /exercises/{id}	8
1.7 DELETE /exercises/{id}	9
2. GROUP-RESOURCE	10
2.1 POST /groups	10
2.2 GET /groups/{groupId}/homeworks	10
2.3 POST /groups/{groupId}/homeworks	11
2.4 GET /groups/{groupId}/my-homeworks	12
2.5 POST /groups/{groupId}/students	14
2.6 DELETE /groups/{groupId}/students/{userId}	14
2.7 GET /groups/{id}	14
2.8 PUT /groups/{id}	15
2.9 DELETE /groups/{id}	16
3. HOMEWORK-RESOURCE	17
3.1 GET /homework-with-answers/{homeworkId}	17
3.2 GET /homework-with-my-answers/{homeworkId}	18
3.3 POST /homeworks/{homeworkId}/answer	19
3.4 POST /homeworks/{homeworkId}/check-student-answers/{studentId}	19
3.5 DELETE /homeworks/{id}	20
4. NOTIFICATION-RESOURCE	21
4.1 GET /notifications	21
4.2 POST /notifications/{id}/mark-as-read	21
5. STUDENT-RESOURCE	23
5.1 GET /students	23
6. TOKEN-RESOURCE	24
6.1 POST /token	24
7. USER-RESOURCE	25
7.1 GET /users	25
7.2 POST /users	25
7.3 GET /users/{id}	26
7.4 PUT /users/{id}	27
7.5 DELETE /users/{id}	27
7.6 GET /users/{id}/groups	28

API

1. EXERCISE-RESOURCE

Exercise Resource

1.1 GET /exercises

Get page of exercises with its authors

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
pageNumber	int32	
pageSize	int32	
sortDirection	enum ALLOWED: ASC, DESC	
sortProperty	enum ALLOWED: creationDateTime, name, class	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
items*	array	
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
createdBy*	object	
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum ALLOWED: ADMIN, TEACHER, STUDENT	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	

NAME	TYPE	DESCRIPTION
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS
number*	integer	
size*	integer	
totalItemCount*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

1.2 POST /exercises

Create exercise

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
answer	string	Used if type equals OPEN. Can be null.
choices	array	
label*	string	
order*	integer	
correctChoiceOrder	integer	Required if type equals CLOSED. Must point to existing choice.
name*	string	1 to 50 chars
points	array	
answer	string	
content*	string	
order*	integer	
content*	string	
class	integer	between 4 and 6
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS

RESPONSE

STATUS CODE - 201: Created

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
answer	string	
choices	array	
label*	string	
order*	integer	

NAME	TYPE	DESCRIPTION
class*	integer	
content*	string	
correctChoiceOrder	integer	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

1.3 POST /exercises/{exerciseId}/pictures

addPictures

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*exerciseId	uuid	exerciseld

FORM DATA PARAMETERS

NAME	TYPE	DESCRIPTION
files	array of file	files

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
urls*	array	

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

1.4 DELETE /exercises/{exerciseId}/pictures

removePictures

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*exerciseId	uuid	exerciseld

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
urls*	array	

RESPONSE

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

1.5 GET /exercises/{id}

Get exercise by id

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
createdBy*	object	
creationDateTime*	string	
email*	string	
firstName*	string	

NAME	TYPE	DESCRIPTION
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

1.6 PUT /exercises/{id}

Update exercise

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
answer	string	Used if type equals OPEN. Can be null.
choices	array	
label*	string	
order*	integer	
correctChoiceOrder	integer	Required if type equals CLOSED. Must point to existing choice.
name*	string	1 to 50 chars
points	array	
answer	string	
content*	string	
order*	integer	
content*	string	
class	integer	between 4 and 6
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

1.7 DELETE /exercises/{id}

Delete exercise

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

2. GROUP-RESOURCE

Group Resource

2.1 POST /groups

Create group

Only user with 'TEACHER' role can perform this operation.

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
class	integer	between 4 and 6
code*	string	0 to 10 chars
yearbook	integer	>=2000

RESPONSE

STATUS CODE - 201: Created

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
class*	integer	
code*	string	
creationDateTime*	string	
id*	string	
yearbook*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.2 GET /groups/{groupId}/homeworks

Get all homeworks of this group

Only teacher of this group can perform this operation.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*groupId	uuid	groupId

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
pageNumber	int32	

NAME	TYPE	DESCRIPTION
pageSize	int32	
sortDirection	enum ALLOWED: ASC, DESC	
sortProperty	enum ALLOWED: creationDateTime, deadlineDateTime	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
items*	array	
creationDateTime*	string	
deadline*	string	
exercises*	array	
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED: CLOSED, OPEN, OPEN_WITH_POINTS
id*	string	
number*	integer	
size*	integer	
totalItemCount*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.3 POST /groups/{groupId}/homeworks

Give homework to chosen students in this group

Only teacher of this group can perform this operation. Deadline should not be sooner than current UTC time + 1 hour.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*groupId	uuid	groupId

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
students*	array	
exercises*	array	
deadline*	string	

RESPONSE

STATUS CODE - 201: Created

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
creationDateTime*	string	
deadline*	string	
exercises*	array	
authorId*	string	
class*	integer	
content*	string	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
id*	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.4 GET /groups/{groupId}/my-homeworks

Get homeworks of this group, which are assigned to current user

Only member of this group can perform this operation.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*groupId	uuid	groupId

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
pageNumber	int32	
pageSize	int32	
sortDirection	enum ALLOWED: ASC, DESC	
sortProperty	enum ALLOWED: creationDateTime, deadlineDateTime	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
items*	array	
creationDateTime*	string	
deadline*	string	
exercises*	array	
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS
id*	string	
number*	integer	
size*	integer	
totalItemCount*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.5 POST /groups/{groupId}/students

Add student to group

Only teacher of this group can perform this operation. Student can be added only once.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*groupId	uuid	groupId

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
userId*	string	

RESPONSE

STATUS CODE - 201: Created

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.6 DELETE /groups/{groupId}/students/{userId}

Remove student from group

Only teacher of this group can perform this operation.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*groupId	uuid	groupId
*userId	uuid	userId

RESPONSE

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

2.7 GET /groups/{id}

Get group by id

Students are sorted by last name

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
class*	integer	
code*	string	
creationDateTime*	string	
id*	string	
students*	array	
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT
teacher*	object	
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT
yearbook*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.8 PUT /groups/{id}

Update group

Only teacher of this group can perform this operation.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
class	integer	between 4 and 6
code*	string	0 to 10 chars
yearbook	integer	>=2000

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
class*	integer	
code*	string	
creationDateTime*	string	
id*	string	
yearbook*	integer	

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.9 DELETE /groups/{id}

Delete group

Only teacher of this group can perform this operation.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

3. HOMEWORK-RESOURCE

Homework Resource

3.1 GET /homework-with-answers/{homeworkId}

Get homework with answers grouped by student

Only teacher of this homework's group can perform this operation

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*homeworkId	uuid	homeworkId

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
creationDateTime*	string	
deadlineDateTime*	string	
exercises*	array	
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS
id*	string	
studentsWithAnswersToHomework*	array	
email*	string	
exercisesToAnswers*	object	
firstName*	string	

NAME	TYPE	DESCRIPTION
id*	string	
lastName*	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

3.2 GET /homework-with-my-answers/{homeworkId}

Get homework with answers of current user

Only student who was assigned to this homework can perform this operation

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*homeworkId	uuid	homeworkId

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
creationDateTime*	string	
deadlineDateTime*	string	
exercises*	array	
answer	string	
choices	array	
label*	string	
order*	integer	
class*	integer	
content*	string	
correctChoiceOrder	integer	
creationDateTime*	string	
id*	string	
name*	string	
pictures*	array	
points	array	
answer	string	
content*	string	
order*	integer	
type*	enum	ALLOWED:CLOSED, OPEN, OPEN_WITH_POINTS
exercisesToAnswers*	object	

NAME	TYPE	DESCRIPTION
id*	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

3.3 POST /homeworks/{homeworkId}/answer

Commit answers to homework

Only student who was assigned to this homework can perform this operation

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*homeworkId	uuid	homeworkId

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
exercisesToAnswers*	object	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
exercisesToAnswers*	object	

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

3.4 POST /homeworks/{homeworkId}/check-student-answers/{studentId}

Check student answers

Only teacher of this homework's group can perform this operation

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*homeworkId	uuid	homeworkId
*studentId	uuid	studentId

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
exerciseToAnswerCheck*	object	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
exercisesToAnswers*	object	

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

3.5 DELETE /homeworks/{id}

Delete homework

Only teacher of this homework's group can perform this operation.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

4. NOTIFICATION-RESOURCE

Notification Resource

4.1 GET /notifications

getAllNotificationsOfUser

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
pageNumber	int32	
pageSize	int32	
sortDirection	enum ALLOWED: ASC, DESC	
sortProperty	enum ALLOWED: createDateTime	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
items*	array	
createDateTime*	string	
groupId	string	
homeworkId	string	
id*	string	
readDateTime	string	
studentId	string	
type*	enum	ALLOWED: NEW_HOMEWORK, HOMEWORK_CHECKED, HOMEWORK_ANSWER_COMMITTED
number*	integer	
size*	integer	
totalItemCount*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

4.2 POST /notifications/{id}/mark-as-read

markNotificationAsRead

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
createDateTime*	string	
groupId	string	
homeworkId	string	
id*	string	
readDateTime	string	
studentId	string	
type*	enum	ALLOWED:NEW_HOMEWORK, HOMEWORK_CHECKED, HOMEWORK_ANSWER_COMMITTED

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

5. STUDENT-RESOURCE

Student Resource

5.1 GET /students

Get all students

Requires admin or teacher role

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
pageNumber	int32	
pageSize	int32	
sortDirection	enum ALLOWED: ASC, DESC	
sortProperty	enum ALLOWED: creationDateTime, email, firstName, lastName	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
items*	array	
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT
number*	integer	
size*	integer	
totalItemCount*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

6. TOKEN-RESOURCE

Token Resource

6.1 POST /token

Get auth token (and refresh token)

Used to obtain auth and refresh token pair passing username and password or used to obtain new auth token passing refresh token.

REQUEST

REQUEST BODY - application/json

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
authToken*	object	
expirationDate*	string	
token*	string	
refreshToken*	object	
expirationDate*	string	
token*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT
userId*	string	

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

7. USER-RESOURCE

User Resource

7.1 GET /users

Get page of users

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
pageNumber	int32	
pageSize	int32	
sortDirection	enum ALLOWED: ASC, DESC	
sortProperty	enum ALLOWED: creationDateTime, email, firstName, lastName	

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
items*	array	
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT
number*	integer	
size*	integer	
totalItemCount*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

7.2 POST /users

Create user

User with admin privileges is allowed to create accounts for teachers and students. User with teacher privileges is allowed to create student accounts only.

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
email*	string	
password*	string	6 to 30 chars
firstName*	string	1 to 50 chars
lastName*	string	1 to 100 chars
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT

RESPONSE

STATUS CODE - 201: Created

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

7.3 GET /users/{id}

Get user by id

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	

NAME	TYPE	DESCRIPTION
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

7.4 PUT /users/{id}

Update user

This operation must be performed by admin or owner of the account.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
firstName*	string	1 to 50 chars
lastName*	string	1 to 100 chars

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
creationDateTime*	string	
email*	string	
firstName*	string	
id*	string	
lastName*	string	
role*	enum	ALLOWED:ADMIN, TEACHER, STUDENT

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

7.5 DELETE /users/{id}

Delete user

This operation must be performed by admin or owner of the account.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

7.6 GET /users/{id}/groups

Get user groups

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
class*	integer	
code*	string	
creationDateTime*	string	
id*	string	
yearbook*	integer	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

7.7 PUT /users/{id}/password

Update password

This operation must be performed by admin or owner of the account.

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	uuid	id

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
password*	string	6 to 30 chars

RESPONSE

STATUS CODE - 201: Created

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

