ID	Description	Input	Test Steps	Expected output
TC-	Verify successful GET request to /api-		Send GET request with JSON	
1.1	1	GET request to /api-1	headers	HTTP 200 with {"response": "success"}
TC-			Send POST request with JSON	
1.2	Verify POST method is not allowed	POST request to /api-1	headers	HTTP 405 Method Not Allowed
TC-	Verify endpoint works with query	GET request to /api-1 with query	Send GET request with	
1.3	parameters	params	test=value query parameter	HTTP 200 with {"response": "success"}
TC-		{"username": "user", "password":		
2.1	Verify login with lowercase username	"Password1234"}	Send POST request to /api-2	Success with numeric token
TC-		{"username": "USER", "password":		
2.2	Verify login with uppercase username	"Password0000"}	Send POST request to /api-2	Success with numeric token
TC-	Verify login with mixed case	{"username": "User", "password":		
2.3	username	"Password4321"}	Send POST request to /api-2	Success with numeric token
TC-	Verify login fails with wrong	{"username": "user", "password":		
2.4	password	"wrongpass"}	Send POST request to /api-2	Unauthorized error
TC-	Verify login fails with missing			
2.5	username	{"password": "Password1234"}	Send POST request to /api-2	Unauthorized error
TC-	Verify login fails with missing			
2.6	password	{"username": "user"}	Send POST request to /api-2	Unauthorized error
TC-	Verify login fails with empty	{"username": "", "password":		
2.7	username	"Password1234"}	Send POST request to /api-2	Unauthorized error
TC-	Verify login fails with empty			
2.8	password	{"username": "user", "password": ""}	Send POST request to /api-2	Unauthorized error
TC-	Verify login fails with malformed			
2.9	JSON	Incomplete JSON string	Send malformed JSON to /api-2	HTTP 400 with parsing error
TC-		{"num_a": 1, "num_b": 2} with valid		
3.1	Verify addition with valid numbers	token	Send POST request to /api-3	{"total": 3}
TC-		{"num_a": 1, "num_b": 2} without		
3.2	Verify request fails without token	token	Send POST request to /api-3	HTTP 401 with "Token not valid"
TC-		{"num_a": 1, "num_b": 2} with invalid		
3.3	Verify request fails with invalid token	token	Send POST request to /api-3	HTTP 401 with "Token not valid"
TC-		{"num_a": "1", "num_b": 2} with valid		
3.4	Verify addition with string numbers	token	Send POST request to /api-3	{"total": 3}
TC-				
3.5	Verify request fails without num_a	{"num_b": 2} with valid token	Send POST request to /api-3	HTTP 404 with "wrong input"

TC-		{"num_a": null, "num_b": 2} with valid		
3.6	Verify request fails with null num_a	token	Send POST request to /api-3	HTTP 501 with type error
TC-	Verify request fails with undefined	{"num_a": undefined, "num_b": 2}		,
3.7	num_a	with valid token	Send POST request to /api-3	HTTP 404 with "wrong input"
TC-	Verify addition with string number	{"num_a": 1, "num_b": "2"} with valid		
3.8	for num_b	token	Send POST request to /api-3	{"total": 3}
TC-				
3.9	Verify request fails without num_b	{"num_a": 1} with valid token	Send POST request to /api-3	HTTP 404 with "wrong input"
TC-		{"num_a": 1, "num_b": null} with valid		
3.10	Verify request fails with null num_b	token	Send POST request to /api-3	HTTP 501 with type error
TC-	Verify request fails with undefined	{"num_a": 1, "num_b": undefined}		
3.11	num_b	with valid token	Send POST request to /api-3	HTTP 404 with "wrong input"
TC-				
3.12	Verify request fails with empty object		Send POST request to /api-3	HTTP 404 with "wrong input"
TC-	Verify request fails with non-numeric	{"num_a": "abc", "num_b": "def"} with		
	values	valid token	Send POST request to /api-3	HTTP 501 with parsing error
TC-		{"num_a": [1], "num_b": [2]} with valid		
	Verify request fails with array values	token	Send POST request to /api-3	HTTP 501 with type error
TC-		{"num_a": {value: 1}, "num_b": {value:		
		2}} with valid token	Send POST request to /api-3	HTTP 501 with type error
TC-	Verify addition works with extra	{"num_a": 1, "num_b": 2,		
3.16	fields	"extra_field": "value"} with valid token	Send POST request to /api-3	{"total": 3}
			Generate token via /api-2 →	
TC-	Verify request fails with expired		Wait >120s → Use token on	
3.17	token	Token older than 120 sec	/api-3	HTTP 401 with "Token not valid"
			Get two different tokens, Use	
TC-	Verify multiple valid sessions can	Two login requests followed by	both tokens for arithmetic	Both operations succeed with correct
4.0	exist simultaneously	arithmetic operations	operations	results
TC-	Verify system handles multiple		Send 9 simultaneous login	
5.0	concurrent login requests	9 concurrent login requests	requests	All requests succeed with valid tokens
TC-	Verify system handles concurrent	10 concurrent arithmetic operations	Send 10 simultaneous	All operations succeed with correct
5.1	arithmetic operations	with same token	arithmetic requests	results

			Get 5 tokens simultaneously,	
TC-	Verify system handles parallel login	5 parallel login and arithmetic	Use each token for arithmetic	All operations succeed with correct
5.2	and arithmetic operations	operations	operation	results
TC-	Verify system handles concurrent		Send 10 simultaneous invalid	All requests fail with Unauthorized
5.3	invalid login attempts	10 concurrent invalid login attempts	login requests	error
TC-	Verify system handles mixed valid	5 valid and 5 invalid arithmetic	Send 10 mixed arithmetic	Valid succeed, Invalid fail with proper
5.4	and invalid arithmetic requests	requests	requests simultaneously	errors