

Target: https://example.com/

Scan ID: scan-3ab309de4375

Started: 2026-08-31 19:05:54.377163+00:00 Completed: 2026-08-31 19:05:57.048120+00:00

Scanner: 1.0.0 Ruleset: 2026.08.1

Overall Assessment: REMEDIATION REQUIRED

Executive Summary

RequestTrace assessed https://example.com/ and produced an overall result of REMEDIATION REQUIRED, based on 6 finding(s) across DNS, connectivity, TLS, HTTP, header, cookie and edge-indicator checks.

Scope

This assessment covers the externally observable request path for https://example.com/ only: DNS resolution, TCP connectivity, TLS negotiation, and the HTTP response (headers, cookies, redirects). No authentication, exploitation or internal network access was attempted.

Limitations

RequestTrace observes only what is externally visible. It cannot see internal services, databases or private network hops, does not perform authenticated testing, exploitation, brute force or fuzzing, and does not certify compliance with any regulatory framework. 'Not Tested' results reflect a runtime limitation and must never be read as a passing result.

Module Status

dns: completed (270.6 ms)

connectivity: completed (239.43 ms)

tls: completed (1454.42 ms)

http: completed (703.69 ms)

redirects: not_tested (None ms)

headers: not_tested (None ms)

cookies: not_tested (None ms)

edge: completed (0.0 ms)

Detailed Findings

finding-aa816a7c6968 [HIGH] Plain HTTP requests are not redirected to HTTPS

Rule: RT-HTTP-002

Affected asset: example.com

Description: A request to http://example.com/ returned status 200 without redirecting to HTTPS.

Security impact: Clients that reach the site over plain HTTP (bookmarks, typed URLs, old links) will transmit requests in plaintext instead of being upgraded to a secure channel.

Recommendation: Redirect all plain-HTTP requests to the HTTPS equivalent (301/308).

Verification: Re-run the scan and confirm `http\_to\_https\_redirect.redirects\_to\_https` is true.

Priority: High - remediate within the next release cycle.

finding-faf91ce2f416 [HIGH] Missing Strict-Transport-Security (HSTS) header

Rule: RT-HDR-001

Affected asset: example.com

Description: No Strict-Transport-Security header was present on the HTTPS response.

Security impact: Without HSTS, browsers may still attempt plain-HTTP connections first, leaving an opening for SSL-stripping style downgrade attacks.

Recommendation: Send a Strict-Transport-Security header with a long max-age on every HTTPS response.

Verification: Re-run the scan and confirm `hsts.present` is true with an adequate max-age.

RequestTrace Security Assessment Report

Priority: High - remediate within the next release cycle.

finding-d51667cb0ef0 [MEDIUM] Missing Content-Security-Policy header

Rule: RT-HDR-002

Affected asset: example.com

Description: No Content-Security-Policy header was present on the response.

Security impact: Without CSP, the browser has no defense-in-depth restriction on script/resource sources, increasing the impact of any XSS.

Recommendation: Deploy a Content-Security-Policy appropriate to the application's actual resource needs.

Verification: Re-run the scan and confirm `content\_security\_policy.present` is true.

Priority: Medium - remediate as part of the next security hardening pass.

finding-92d0c91ebf7e [MEDIUM] Missing clickjacking / frame protection

Rule: RT-HDR-005

Affected asset: example.com

Description: Neither a CSP frame-ancestors directive nor an X-Frame-Options header was present.

Security impact: The page can be embedded in an attacker-controlled iframe, enabling clickjacking-style UI redress attacks.

Recommendation: Set CSP frame-ancestors (preferred) or X-Frame-Options to restrict framing.

Verification: Re-run the scan and confirm `frame\_protection.protected` is true.

Priority: Medium - remediate as part of the next security hardening pass.

finding-ba605c7e89ff [LOW] Missing or invalid X-Content-Type-Options header

Rule: RT-HDR-003

Affected asset: example.com

Description: X-Content-Type-Options: nosniff was not present (or had an unexpected value).

Security impact: Without nosniff, some browsers may MIME-sniff responses, which can enable content-type confusion attacks.

Recommendation: Send X-Content-Type-Options: nosniff on all responses.

Verification: Re-run the scan and confirm `x\_content\_type\_options.valid\_nosniff` is true.

Priority: Low - remediate opportunistically.

finding-fa0f88cb6a29 [LOW] Missing Referrer-Policy header

Rule: RT-HDR-004

Affected asset: example.com

Description: No Referrer-Policy header was present on the response.

Security impact: Without an explicit policy, full referrer URLs (potentially including sensitive query parameters) may leak to third-party destinations.

Recommendation: Set an explicit, minimal Referrer-Policy such as strict-origin-when-cross-origin.

Verification: Re-run the scan and confirm `referrer\_policy.present` is true.

Priority: Low - remediate opportunistically.

Evidence Appendix

ev-b0e98c8d63a6 [dns] dns.resolver.resolve(A): ['104.20.23.154', '172.66.147.243']

ev-b468b6be82fe [dns] dns.resolver.resolve(AAAA): ['2606:4700:10::6814:179a', '2606:4700:10::ac42:93f3']

ev-f93ef2773f85 [dns] dns.resolver.resolve(NS): ['elliott.ns.cloudflare.com', 'hera.ns.cloudflare.com']

ev-0c3009ddd524 [connectivity] socket.create_connection: {'selected_ip': '172.66.147.243', 'port': 443, 'address_family': 'IPv4'}

ev-36e45e728057 [tls] ssl.SSLContext.wrap_socket: example.com

ev-bd0c11fadcaf [tls] ssl.SSLContext.wrap_socket: TLSv1.3

ev-848101da10d4 [tls] ssl.SSLContext.wrap_socket: {'name': 'TLS_AES_256_GCM_SHA384', 'protocol': 'TLSv1.3', 'bits': 256}

ev-ced208363b25 [tls] ssl.SSLContext.wrap_socket: h2

ev-3a82ad5ce52c [tls] ssl.SSLContext.wrap_socket: 250.38

ev-e3448a01a208 [tls] cryptography.x509.load_der_x509_certificate: {'subject': 'CN=example.com', 'issuer': 'CN=Cloudflare TLS Issuing ECC CA 3,O=SSL Corporation,C=US', 'subject_alternative_names': ['example.com', '*.example.com'], 'not_valid_before':

RequestTrace Security Assessment Report

'2026-07-29T22:10:08+00:00', 'not_valid_after': '2026-10-27T22:17:21+00:00', 'days_remaining': 57, 'fingerprint_sha256': '6153a96fd1a6ab7f4d438fc34932484299d0729d9140b3a126bb2f9c07b02200', 'signature_algorithm': 'ecdsa-with-SHA256', 'public_key_algorithm': 'EC (secp256r1)', 'public_key_size_bits': 256}

ev-9ff8a7afa391 [tls] manual SAN comparison (independent of trust-chain validation): {'matches': True, 'matched_name': 'example.com'}

ev-3ec5a93a04e3 [tls] ssl.create_default_context (system trust store): True

ev-600e2d19621f [tls] ssl.SSLContext(minimum_version=maximum_version=<probed>): {'TLS 1.0': {'tested': True, 'supported': False, 'reason': '[SSL: NO_PROTOCOLS_AVAILABLE] no protocols available (_ssl.c:1018)', 'note': 'Local OpenSSL security policy may also reject this legacy protocol independent of server support.'}, 'TLS 1.1': {'tested': True, 'supported': False, 'reason': '[SSL: NO_PROTOCOLS_AVAILABLE] no protocols available (_ssl.c:1018)', 'note': 'Local OpenSSL security policy may also reject this legacy protocol independent of server support.'}, 'TLS 1.2': {'tested': True, 'supported': True, 'reason': None}, 'TLS 1.3': {'tested': True, 'supported': True, 'reason': None}}

ev-cb97b0264d93 [redirects] redirect_analyzer.analyze_redirect_chain: [{'url': 'https://example.com/', 'status_code': 200, 'location': None, 'scheme': 'https'}]

ev-bb68168c1ec1 [redirects] redirect_analyzer.analyze_redirect_chain: False

ev-ba440b8ca427 [redirects] redirect_analyzer.analyze_redirect_chain: False

ev-e187c6a6c78b [http] requests.Session.get: https://example.com/

ev-c7e7923c5120 [http] requests.Session.get: 200

ev-1fc19dd1dd0d [http] requests.Session.get: HTTP/1.1

ev-a6dee08b88a1 [http] requests.Session.get: text/html

ev-bb957787f971 [http] requests.Session.get: 423.07

ev-86757d889320 [http] requests.Session.get: 431.96

ev-f06b2eb0975a [http] requests.Session.get: {'Date': 'Mon, 31 Aug 2026 19:05:57 GMT', 'Content-Type': 'text/html', 'Transfer-Encoding': 'chunked', 'Connection': 'keep-alive', 'Server': 'cloudflare', 'last-modified': 'Mon, 31 Aug 2026 04:09:32 GMT', 'allow': 'GET, HEAD', 'Age': '6696', 'cf-cache-status': 'HIT', 'Content-Encoding': 'gzip', 'CF-RAY': 'a33e4f447cb90e00-AMS'}

ev-0d5d8b8cd588 [headers] header_analyzer.analyze_security_headers: {'present': False, 'raw': None, 'max_age': None, 'include_subdomains': False, 'preload': False}

ev-4edbd532c0e1 [headers] header_analyzer.analyze_security_headers: {'present': False, 'raw': None, 'high_risk_patterns': []}

ev-f7d4ecb09d69 [headers] header_analyzer.analyze_security_headers: {'present': False, 'value': None, 'valid_nosniff': False}

ev-f28369a63ec8 [headers] header_analyzer.analyze_security_headers: {'present': False, 'value': None}

ev-aa3ffcbc2c5e [headers] header_analyzer.analyze_security_headers: {'csp_frame_ancestors_present': False, 'x_frame_options_present': False, 'x_frame_options_value': None, 'protected': False}

ev-a398077e898b [headers] header_analyzer.analyze_security_headers: {'present': False, 'value': None}

ev-24acc7bc8154 [http] requests (plain-HTTP probe, allow_redirects=False): {'probed_url': 'http://example.com/', 'status_code': 200, 'location': None, 'redirects_to_https': False}

ev-a53735358664 [edge] edge_fingerprint.analyze_edge_indicators: {'matches': [{'provider': 'Cloudflare', 'confidence': 'high', 'indicators': ["Response header 'CF-RAY' present", "Response header 'Server: cloudflare'", "Certificate issuer 'CN=Cloudflare TLS Issuing ECC CA 3,O=SSL Corporation,C=US'"]}], 'statement': 'Indicators are consistent with Cloudflare.'}, 'unknown': False}