

AppManConfig

Attributes

```
private long serialVersionUID = 1536047617106675633L
private Log log = LogFactory.getLog(AppManConfig.class)
private Configuration config
```

Operations

```
public Configuration get( )
public void init( ServletConfig sConfig )
public void destroy( )
```

ResourceUtil

Attributes

Operations

```
public Configuration getEnvConfig( )
public Configuration getPropertiesConfiguration( URL file )
```

AppManHelper

Attributes

```
private Log log = LogFactory.getLog(AppManHelper.class)
```

Operations

```
public File getJobDir( int jobId )
public int setupJob( String userName, FileItem dagFile )
private void deleteFile( File f )
public void moveFile( File srcFile, File destFile )
public void startJob( AppManJob job )
private void writeToFile( String data, File file )
private String readStreamData( InputStream is )
public void organizeFinishedJob( AppManJob job )
public boolean isExehdaRunning( )
public boolean isExehdaRunning( String machine )
public void deleteJob( int jobId )
public void stopApplication( LdapSession session, String appld )
public boolean isJobFinished( int id )
```

AppManDBHelper

Attributes

Operations

```
private AppManJob populateJob( ResultSet rs )
public AppManJob[0..*] searchJobs( )
public AppManJob findJobToRun( )
public boolean isJobFinished( int jobId )
public void createJob( String userName, String fileName, int id )
public void updateJobStart( int jobId )
public void updateJobFailed( int jobId )
public void deleteJob( int jobId )
public String getAppld( int jobId )
public void finalizeApplication( String appld )
public AppManJob[0..*] searchRunningJobs( )
public boolean hasRunningJobs( )
```

DirViewHelper

Attributes

Operations

```
public String getPath( DirectoryView view )
```

AppManLdapHelper

Attributes

```
private Log log = LogFactory.getLog(AppManLdapHelper.class)
```

Operations

```
public LdapSession createSession( )
public String[0..*] searchApplications( LdapSession session, String appld, String status )
public boolean hasRunningApps( LdapSession session )
public void finalizeApplication( LdapSession session, String appld )
public String[0..*] searchAppIDs( )
public void removeAppID( String appld )
public void removeAppID( LdapSession session, String appld )
```



WebAppDataSource

Attributes

```
private long serialVersionUID = -85835755789357234L
private Log log = LogFactory.getLog(WebAppDataSource.class)
private BasicDataSource ds
```

Operations

```
public Connection getConnection( )
public void closeHandlers( Connection conn, Statement stmt, ResultSet rs )
public Integer getSequenceNextVal( String seqName )
private Integer getIntOpt( String str )
public void init( ServletConfig config )
public void destroy( )
```



Unnamed

Unnamed

