
### **AVVIO NESSUS**

```
—(kali⊗kali)-[~]
-$ <u>sudo</u> /bin/systemctl start nessusd.service
sudo] password for kali:
 —(kali⊛kali)-[~]
-$ ping 192.168.50.152
PING 192.168.50.152 (192.168.50.152) 56(84) bytes of data.
64 bytes from 192.168.50.152: icmp_seq=1 ttl=64 time=0.942 ms
64 bytes from 192.168.50.152: icmp_seq=2 ttl=64 time=0.440 ms
4 bytes from 192.168.50.152: icmp_seq=3 ttl=64 time=0.491 ms
64 bytes from 192.168.50.152: icmp_seq=4 ttl=64 time=0.544 ms
,C
 - 192.168.50.152 ping statistics —
packets transmitted, 4 received, 0% packet loss, time 3054ms
tt min/avg/max/mdev = 0.440/0.604/0.942/0.198 ms
 —(kali⊗kali)-[~]
 -$
```


### **VERIFICA** porte

```
(root@kali)-[/home/kali]
nmap -p 21,22,23,25,80,110,139,443,445,3389 192.168.50.152
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-09-11 10:40 EDT
Nmap scan report for 192.168.50.152
Host is up (0.00048s latency).
        STATE SERVICE
PORT
21/tcp
        open ftp
22/tcp open ssh
23/tcp open telnet
25/tcp open smtp
        open http
80/tcp
110/tcp closed pop3
139/tcp open netbios-ssn
443/tcp closed https
445/tcp open microsoft-ds
3389/tcp closed ms-wbt-server
MAC Address: 08:00:27:CE:DB:13 (Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 0.23 seconds
```


# NUOVA SCANSIONE e IMPOSTAZIONE TARGET



# PORT.RANGE



# **AVVIO SCANSIONE**



# **CREAZIONE REPORT**

