Michele Allegra's Curriculum Vitae

$March\ 2022$

Contents

Personal information	2
Personal data	2
Contact	2
Cursus	2
Education	2
Main	2
Visiting	3
Research Experience	3
Academic biography and overview of scientific interests	3
Research	4
Areas of expertise	4
Research achievements	4
Quantum physics	4
Other physics	6
Neuroscience	6
Data analysis	7
Publications	8
Published articles	8
PhD thesis	9
Conference articles	9
Presentations	9
Invited Talks	9
	10
Grants and awards	10
Teaching activity	10
	11
- •	11
Public code	11
Skills 1	11
Language skills	
Computational skills	
Referees 1	11

Personal information

Personal data

Gender: Male. Citizenship: Italian. Date of birth: Nov. 7th, 1985. Place of birth: Moncalieri (Italy).

Contact


Current address: Dipartimento di Fisica e Astronomia "G. Galilei", Università Degli Studi di Padova,

Via Francesco Marzolo, 8, 35121 Padova, Italy Web page: https://micheleallegra.github.io Email: micheleallegra85@gmail.com.

Skype: michele.allegra.

 $Cell\ phone: \ +393516258520, \ +33767423968$

Cursus



Education

Main

09/1999-07/2004	High school diploma , Liceo Classico Vincenzo Gioberti, Torino. Final mark: $100/100$ with honorable mention.
09/2004-12/2007	Bachelor Degree in Physics , University of Torino (Italy). Final mark: 110/110 summa cum laude.
09/2007-12/2009	Master Degree in Physics of Fundamental Interactions, University of Torino (Italy). Thesis advisors: Dr. Paolo Giorda and Prof. Matteo Paris (tutoring advisors) and Prof. Michele Caselle (official advisor). Thesis title: Decoherence of non-Gaussian states in noisy channels. Final mark: 110/110 summa cum laude.
01/2011-04/2014	Ph.D in Physics , University of Torino (Italy) and ISI Foundation, Torino. Thesis advisors: Dr. Paolo Giorda (tutoring advisor) and Prof. Lorenzo Magnea (official advisor). Thesis title: Gain and loss of information by decoherence: quantum correlations and decoherent histories in diverse physical systems

Visiting

09/2006-03/2007	Visiting student (Erasmus Program), University of Heidelberg (Ger-
	many).
03/2013-12/2013	Visiting Student, MIT, Cambridge (USA). Supervisor: Prof. Seth Lloyd.

Research Experience

06/2010-12/2010	Research Internship on quantum discord in fermionic systems, Politecnico di Torino (Italy). Supervisor: Prof. Arianna Montorsi.
01/2015-01/2018	Postdoctoral researcher on development of clustering analysis for fMRI,
, ,	International School for Advanced Studies (SISSA), Trieste (Italy). Princi-
	pal Investigator: Prof. Alessandro Laio.
05/2018- $07/2021$	Postdoctoral researcher on analysis of directional interactions in stroke,
	Institut de Neurosciences de la Timone, CNRS, Marseille (France). Princi-
	pal Investigator: Dr. Andrea Brovelli.
09/2021-NOW	Lecturer Physics Department and Neuroscience Center, University of
	Padua (Italy).

Academic biography and overview of scientific interests

I am a physicist with a passion for neuroscience.

Since childhood I have been fascinated by all kinds of science. Until the last minute before starting university I was undecided between biology and physics. I finally opted for physics, and my university training was entirely within the boundaries of this discipline. I have got a bachelor in physics, a master in physics of fundamental interactions, and a PhD in physics (all from the University of Torino). My research activity began in the realm of theoretical physics, in particular, quantum information science: my doctoral work was centered on information-theoretical measures to characterize the effects of noise on quantum systems and the quantum-classical transition (published articles 1,2,3,9).

As I went through my PhD, I progressively realized that a career in quantum physics was not suited for me. On one side, what excites me most about science are unexplained phenomena. Quantum physics is a mature field, where most phenomena are well understood within an established framework (even though much room is left for developing conceptually and technically demanding applications). On the other side, I had completely set aside my original curiosity for living beings. Consequently, I decided to re-orient my career. While I initially thought about combining my interests for quantum physics and biology, for instance by working on quantum effects in biomolecules (published article 9), I soon realized that such a combination would probably not be a good compromise, satisfying neither my wish to shift towards a more developing field, nor my interest in biology. The best option would be instead to try enter an interdisciplinary field where I would use my skills a physicist (programming, being able to formalize a problem quantitatively, a good knowledge of statistics) to address new questions.

As a theoretical physicist, I had no expertise in data analysis, and no acquaintance with real (messy, noisy) data. These were non-negligible gaps, and I realized I would need to work on a data-intensive project to fill them. I was lucky enough to find a good opportunity. At SISSA, Trieste, Alessandro Laio was leading a group of physicists devoted to devising new data analysis methods, and he was interested in applying a recently developed clustering algorithm to neuroimaging data, in particular to fMRI analysis. This was exactly the type of project I was looking for. This is how I endered neuroscience: in hindsight, this was a natural direction, as this field attracts people with diverse backgrounds

and competences. Since the start of my first Postdoc, my main research interest has been exploring advanced analysis techniques by which one can broaden our understanding of the brain from neural activity data. In particular, the core idea inspiring my research is that there is rich information hidden in the complex (transient, multivariate, time-shifted) multivariate activity patterns.

In Trieste we developed CDPC (published article 12), a method o detect transient multi-voxel clusters of coherent activity in fMRI based on density peak clustering. Our goal was to link the functional response in a task, and its variability, with specific transient clusters of coherent activity. In published article 13 we showed that CDPC is very effective in detecting slow variations of the functional response occurring during learning. During my Postdoc at SISSA, I gained experience in data analysis, acquired technical expertise with specific analysis methods such as clustering (published articles 12,13,14) and dimensionality reduction (published article 15), got acquainted with the many subtleties and pitfalls of fMRI analysis, and learned the basics of neuroscience.

As I slowly got familiar with the literature, I was more and more fascinated by the large-scale organization of cortical activity, and the relation between structure and function in the brain. Accordingly, for my second Postdoc I looked for a laboratory where I could deepen my knowledge of this subject. My research at the Timone Institute for Neuroscience in Marseilles focused on the analysis of directional interactions between brain areas, as emerging through fMRI and Granger causality/transfer entropy analysis, and their anomalies in stroke. In Marseilles, I worked on information-theoretical measures of directed connectivity (article 17, article 18) and clustering-based measures of dynamic connectivity (article 19). I applied these methods to characterize connectivity anomalies in stroke patients (article 17).

In my current research at the Phsyics Department and the Neuroscience Center at the University of Padua, my main interest is combining inference and modelling on brain activity data from several sources (mainly functional MRI but also neuronal recordings) to find suitable approaches to enact controlled perturbations leading to desired activity and/or connectivity states.

Research

Areas of expertise

- fMRI data analysis, method development
- Information theory
- Bayesian statistics
- Network theory, dynamical processes on complex networks
- Unsupervised learning
- Signal processing
- Programming (C, Python)

Research achievements

Quantum physics

• Robustness of entanglement in quantum optics. In quantum optics it is important to create entangled states that are robust to noise and decoherence. While continuous-variable quantum optics usually focuses on Gaussian states, in published articles 1,2,3 we considered for

the first time a large class of non-Gaussian states, analysing the behavior of their entanglement under Markovian noise and comparing results with the case of entagled Gaussian states. Our evidence suggested that Gaussian entangled states may be generally more robust to noise then non-Gaussian ones. This result gave the spur to a debate with contributions from several Authors in the field.

- Quantum discord in fermionic systems. Cross-fertilisation between quantum information theory and condensed matter physics has highlighted strong ties between entanglement and physical properties of many-body ground states, especially at quantum critical points. It is then interesting to look for similar relations involving other types of quantum correlations like quantum discord. In published article 4 we analysed the role of quantum discord in an integrable quantum many-body model (the extended Hubbard model). We discovered a tie between long range correlations (off-diagonal long-range order) and quantum discord in parameter regions where entanglement is vanishing, pinpointing a general relation between discord and macroscopic quantum phenomena like superfluidity and supeconductivity. Moreover, the separation between discord and classical correlations at the critical points allowed us to discriminate between phase transitions that are physically different depending on the appearance/disappearance of off-diagonal long-range order.
- Quantum discord for non-Gaussian states. The computation of quantum discord is in general very difficult, since an optimisation over all local measurements is required. In published article 6 we addressed this optimisation problem for an important class of continuous-variable states, that of Gaussian states. We found strong evidence that Gaussian measurements like homodyne detection (as opposed to non-Gaussian ones like photon counting) are optimal.
- Quantum time-optimal control. In quantum technology, time-optimal control is crucial for the sake of escaping decoherence effects. Finding time-optimal solutions is a very challenging mathematical problem even for relatively simple cases. In published article 7 we analyzed time-optimal unitary gate generation for the case where the control Hamiltonian is restricted to a subspace of the full algebra. Under a general bound on the total energy of the system, we could elucidate a general asymptotic connection between geodesics of right-invariant metrics on the unitary group and time-optimal curves, paving the way for more efficient numerical solutions to the time-optimality problem. In published article 8 we focused on time-optimal unitary control in two-level systems (qubits) where only a pair of non-orthogonal controls is allowed. We presented analytical results concerning the type and duration time-optimal control sequences. Our results can be applied to the control of several quantum systems including NV-centers in diamond.
- Coherence in quantum transport. While interference is a key feature of quantum dynamics, measures allowing to precisely quantify the amount of interference developed by a given dynamics are lacking. In published article 9, we used the decoherent histories framework to define measures the amount of interference in dissipative (Markovian) quantum evolutions. We applied our measures to discuss the role of interference in exciton transport in photosynthetic complexes. Our analysis illustrates how the high efficiency of environmentally assisted transport depends on the capability of thermal noise to selectively kill the negative interference between different exciton pathways, while retaining the initial positive one.
- Coherence in quantum estimation. When a parameter is encoded in a family of quantum states, it can be estimated with greater-than-classical precision ("quantum estimation"). In the last years, there has been extensive discussion on what is the quantum property allowing for enhanced estimation precision in the quantum setting. In published article 10 we showed a relation between the statistical distance between infinitesimally close quantum states and the second order variation of the coherence of the optimal measurement basis with respect to the state of the probe, which led us to propose coherence as the relevant resource in quantum estimation protocols.

• Classical correlations between quantum observables. Correlations used in quantum communication protocols ultimately reduce to correlations between classical observables. In published article 11 we introduced a general measure of correlations for two-qubit states, based on the classical mutual information between local observables. By focusing on a simple yet paradigmatic example, the remote state preparation protocol, we introduced a method to systematically identify the correlations between observables that are useful for a given protocol.

Other physics

- Exciton transport on complex networks. In light-harvesting systems, excitons created by light absorption must converge to reaction centers where they are in turn absorbed, triggering a chemical reaction. Maximising the efficiency of excitonic trapping by reaction centers is essential for artificial light-harvesting devices. In published article 5 we addressed this problem by taking inspiration from biological light-harvesting membranes of purple bacteria and modelling the motion of excitons as dissipative and absorbing random walks over networks with a complex topology. We considered a wide range of possible artificial topologies, including both regular structures such as Cayley trees and random structures. As a result, we showed how network-theoretical centrality measures allow to identify efficient dispositions of the absorbing traps (reaction centers).
- Clustering of force-extension curves in single-molecule force spectroscopy. Recent experimental advances allow applying single-molecule force spectroscopy (SMFS) in previously inaccessible conditions, such as native cell membranes. While common SMFS analysis pipelines assume a homogeneous molecular sample, such new experiments pose the challenge of analyzing protein unfolding curves ("traces") coming from preparations with heterogeneous composition (e.g. where different proteins are present in the sample). In published article 14 we developed an automated data analysis pipeline able to identify recurring unfolding patterns in large sets of unfolding curves, most of which are noise (i.e., do not correspond to successful protein unfolding events). Our pipeline combines traditional trace filtering steps, trace quality assessment based on adherence of each curve to the standard WLC model, and density peak clustering to identify recurrent unfolding traces. We applied our pipeline to two challenging data sets: ~ 50,000 traces from a sample containing a globular protein (tandem GB1) and ~ 400,000 traces from a native rod membrane. In both cases we were able to identify several unfolding clusters, despite a daunting signal-to-noise ratio in the data. A C++ implementation of the method was was made available as free software at https://github.com/ninailieva/SMFS_clustering

Neuroscience

• Identification of coherent activity clusters ion fMRI. Task-based fMRI is aimed at characterizing the neural response to a given set of task stimuli. Usually, identifying the response requires averaging across several subjects and several repetitions of the same stimuli. A limitation of such an approach is that it is not suitable to characterize variability of the response across several trials of the task, or across different subjects. Another limitation is that it cannot be used to uncover the neural response to isolated cognitive events, which commonly occur in problem-solving, learning and decision-making. In published article 12, we assumed that a task can evoke short-term multi-voxel clusters of coherent activity, and that identifying such clusters may help overcoming some of these limitations. Exploiting a recently developed, powerful clustering algorithm (density peak clustering), we designed a method to detect clusters of coherent activity by grouping together voxels with similar time-series within a short time window (e.g., 20 s). The method, which we called Coherence Density Peak Clustering (CDPC), was tested on simulated data and compared with a standard unsupervised approach for fMRI analysis, independent component analysis (ICA), proving more reliable in the identification of short-term activity clusters. The reliability of the method was further demonstrated on real fMRI data from

a simple motor task, containing brief iterations of the same movement. CDPC can be applied to fMRI task data to: i) identify variations in the response, as characterized by the clusters, across different subjects and different trials/phases of a task; ii) identify a neural response to non-repeatable cognitive events. A Matlab GUI implementation of CDPC was made available as free software at https://github.com/micheleallegra/CDPC.

- Identification of coherence activity clusters ion fMRI. When performing a task, humans can improve their performance by either optimizing a known strategy or discovering a novel, potentially more effective strategy. Neural mechanisms underlying strategy optimization and strategy discovery are not fully known. In published article 13, we addressed this issue by applying fMRI in a task with two possible alternative strategies. For analysis we combined multivariate pattern classification and CDPC (published article 12). Multivariate pattern classification allowed identifying areas encoding for relevant stimuli in the task. CDPC allowed revealing variations of the neural response in the course of the task. As subjects progressively improved the initial strategy or discovered a new strategy, we observed changes in the frequency with which neighboring and distant regions form transient clusters of coherent activity. Combining evidence from both methods, we showed that the precuneus and the angular gyrus have a central role in strategy optimization, while medial prefrontal cortex and the rostral portion of the fronto-parietal network are associated with strategy discovery. Overall, our findings shed light on the dynamic interactions between regions related to attention and cognitive control, underlying the balance between strategy exploration and exploitation.
- Directional interactions in stroke. Neuroimaging studies have suggested that stroke, beyond causing local structural damage, perturbs the functional organization of the brain at large. However, a complete understanding of how whole-brain dynamics is altered post-stroke is missing. In article 16 we used resting-state fMRI and Granger causality analysis to quantify information transfer between brain areas, and its alteration in stroke. We developed a pipeline to compute covariance-based Granger causality from fMRI time series, which we made publicly available at https://github.com/micheleallegra/CovGC. Applying it to the Washington stroke database, we observed two main large-scale dynamic anomalies in stroke. Overall our results provide key constraints for whole-brain models aimed at further characterizing brain dynamics in stroke and suggest that the lesioned hemisphere should be a privileged target for stimulation therapy.

Data analysis

• The intrinsic dimension of data and its variability. Commonly, a small number of variables is sufficient to describe high-dimensional data. The minimum number of variables required is called the intrinsic dimension (ID) of the data. Contrary to common intuition, there are cases where the ID varies within the same data set: different "portions" of the data require a different number of variables to be properly described. In published article 15 we developed a robust approach to discriminate regions with different local IDs and segment the data accordingly. Our approach rests on inversion of a Bayesian model that extends the TWO-NN ID estimator to the case of a variable ID. Our method, termed Hidalgo (heterogeneous intrinsic dimension algorithm) reveals that many real-world data sets contain regions with widely heterogeneous dimensions. These regions host points differing in core properties: folded vs unfolded configurations in a protein molecular dynamics trajectory, active vs non-active regions in brain imaging data, and firms with different financial risk in company balance sheets. Matlab and Python implementations of Hidalgo were made available as free software at https://github.com/micheleallegra/Hidalgo.

Publications

Published articles

- 1. M. Allegra, P. Giorda, and M.G.A. Paris, Role of Initial Entanglement and Non-Gaussianity in the Decoherence of Photon-Number Entangled States Evolving in a Noisy Channel, Phys. Rev. Lett. 105, 100503 (2010).
- 2. M. Allegra, M.G.A. Paris, and P. Giorda, Robustness of Gaussian and non-Gaussian Entanglement in a Noisy Environment, Int. J. Quant. Inf. 9, 27 (2010).
- 3. M. Allegra, M.G.A. Paris, and P. Giorda, *Allegra, Giorda, and Paris Reply*, Phys. Rev. Lett. **107**, 238902 (2011).
- 4. M. Allegra, P. Giorda, and A. Montorsi, Quantum discord and classical correlations in the bond-charge Hubbard model: Quantum phase transitions, off-diagonal long-range order, and violation of the monogamy property for discord, Phys. Rev. B 84, 245133 (2011).
- 5. M. Allegra and P. Giorda, Topology and energy transport in networks of interacting photosynthetic complexes, Phys. Rev. E 85, 051917 (2012).
- 6. P. Giorda, M. Allegra and M.G.A. Paris, Quantum discord for Gaussian states with non-Gaussian measurements, Phys. Rev. A 86, 052328 (2012).
- X. Wang, M. Allegra, K. Jacobs, S. Lloyd, C. Lupo, M. Mohseni, Quantum Brachistochrone Curves as Geodesics: Obtaining Accurate Minimum-Time Protocols for the Control of Quantum Systems, Phys. Rev. Lett. 114, 170501 (2015).
- 8. C. D. Aiello, M. Allegra, B. Hemmerling, X. Wang, P. Cappellaro, Algebraic synthesis of time-optimal unitaries in SU (2) with alternating controls, Quant. Inf. Proc. 14, 3233 (2015)
- 9. M. Allegra, P. Giorda, S. Lloyd, Global coherence of quantum evolutions based on decoherent histories: theory and application to photosynthetic quantum energy transport, Phys. Rev. A 93, 042312 (2016).
- 10. P. Giorda, M. Allegra, Coherence in quantum estimation, J. Phys. A 51(2), 025302 (2017).
- 11. P. Giorda, M. Allegra, Two-qubit correlations revisited: average mutual information, relevant (and useful) observables and an application to remote state preparation, J. Phys. A **50(29)**, 295302 (2017).
- 12. M. Allegra, S. Seyed-Allaei, F. Pizzagalli, F. Baftizadeh, M. Maieron, C. Reverberi, A. Laio, and D. Amati, fMRI single trial discovery of spatio-temporal brain activity patterns, Hum. Brain Mapp. 38, 1421 (2017).
- 13. M. Allegra, S. Seyed-Allaei, N. W. Shuck, D. Amati, A. Laio, and C. Reverberi, *Brain network dynamics during spontaneous strategy shifts and incremental task optimization*, NeuroImage, 116854 (2020).
- N. I. Ilieva, N. Galvanetto, M. Allegra, M. Brucale, and A. Laio, Automatic classification of single-molecule force spectroscopy traces from heterogeneous samples, Bioinformatics, btaa626 (2020).
- 15. M. Allegra, E. Facco, F. Denti, A. Laio, and A. Mira, *Data segmentation based on the local intrinsic dimension*, Scientific Reports, Scientific reports, 10(1), 1-12 (2020).

- D. Mouillot, N. Loiseau, M. Grenié, A. C. Algar, M. Allegra, M. W. Cadotte, N. Casajus, P. Denelle, M. Guéguen, A. Maire, B. Maitner, B. J. McGill, M. McLean, N. Mouquet, F. Munoz, W. Thuiller, S. Villéger, C. Violle, A. Auber The dimensionality and structure of species trait spaces. Ecology Letters, 24(9), 1988-2009 (2021).
- 17. M. Allegra, C. Favaretto, N. Metcalf, M. Corbetta, and A. Brovelli, *Stroke-related alterations in inter-areal communication revealed via Granger causality analysis*, NeuroImage: Clinical, 32, 102812 (2021)
- 18. E. Combrisson, M. Allegra, M., R. Basanisi, R.A. Ince, B. Giordano, J. Bastin, A. Brovelli, Group-level inference of information-based measures for the analyses of cognitive brain networks from neurophysiological data. NeuroImage, 258, 119347. (2022).
- 19. C. Favaretto, M. Allegra, G. Deco, N. V. Metcalf, J. C. Griffis, G. L. Shulman, A. Brovelli, M. Corbetta, E. Subcortical-cortical dynamical states of the human brain and their breakdown in stroke, Nature communications 13(1), 1-17 (2022).
- K. K. H. Manjunatha, G. Baron, D. Benozzo, E. Silvestri, M. Corbetta, A. Chiuso, A. Bertoldo, S. Suweis, M. Allegra, Controlling target brain regions by optimal selection of input nodes, BiorXiv https://doi.org/10.1101/2023.06.19.545527

PhD thesis

Michele Allegra, Gain and loss of information by decoherence, PhD thesis, Universitá di Torino (2014).

Conference articles

- X. Wang, M. Allegra, K. Jacobs, S. Lloyd, C. Lupo, M. Mohseni, *Time-Optimal Quantum Control via Differential Geometry*, Proceedings Volume 10118, Advances in Photonics of Quantum Computing, Memory, and Communication X (2017)
- M. Allegra, M. d'Errico, E. Facco, A. Laio, A. Rodriguez, Reconstructing the topography of multidimensional probability landscapes, 49th Scientific meeting of the Italian Statistical Society (2018)

Presentations

Invited Talks

- 07/1/2013: invited talk at the Aspuru-Guzik group meeting, Chemistry Department, Harvard University, Cambridge, Massachusetts (USA)
- 01/25/2018: invited talk at the Monthly Neuroimaging Meeting, Aix-Marseille Université, Marseille (France)
- 04/17/2018: invited talk at the Institute for Computational Science, Università della Svizzera Italiana, Lugano (Switzerland)
- 06/08/2018: invited talk at the CECAM Workshop on Machine Learning at Interfaces, CECAM-HQ-EPFL, Lausanne (Switzerland)
- 6/22/2018: invited talk at the 49. Meeting of the Italian Statistical Society, Palermo (Italy)
- 04/09/2019: invited talk at TNG group meeting, Institut de Neurosciences des Systémes, Aix-Marseille Université, Marseille (France)

- 05/09/2019: invited talk at the Young Researcher's Workshop on Machine Learning for Materials Science 2019, Helsinki (Finland)
- 11/05/2019: invited talk at the TSN group meeting, Centre Interdisciplinaire de Nanosciences de Marseille, Aix-Marseille Université, Marseille (France)
- 05/20/2020: invited talk at the Physics Department, Università di Padova (Italy)

Other

- 05/25/2010: poster presentation at Quantum 2010, INRIM, Torino (Italy)
- 06/17/2011: talk at Quantum Information 2011, Centro de ciencias Benasque (Spain)
- 05/24/2012: talk at Quantum 2012, INRIM, Torino (Italy)
- 11/7/2012: talk at the Workshop on tensor network states, ISI, Torino (Italy)
- 11/14/2013: poster presentation at the MURI Review Meeting, M.I.T., Cambridge, Massachusetts (USA)
- 06/27/2016: poster presentation at the 22nd Annual Meeting of the Organization for Human Brain Mapping, Geneve (Switzerland)
- 09/29/2017: poster presentation at the International Conference Cognitive Neuroscience of Executive Functions, Padova (Italy)
- 10/17/2018: poster presentation at the 2018 HBP Summit in Maastricht (Netherlands)
- 05/22/2019: poster presentation at Neurofrance 2019, Marseille (France)
- 02/05/2020: poster presentation at the 2020 HBP Summit in Athens (Greece)
- 26/02/2023: poster presentation at the 2023 HBP Summit in Marseilles (France)

Grants and awards

 05/2023. I was awarded a PRIN (Relevant National Interest Project) grant (24 months, total 207,000 Euros) from the Italian Ministry of University as a Principal Inverstigator on the grant proposal Unveiling the role of low dimensional activity manifolds in biological and artificial neural networks.

Teaching activity

- 2021-2022: Statistics (16 hours) course, Bachelor Degree in Physics, University of Padova, Italy
- 2022-2023: Data reduction for Neuroscience (8 hours), PhD Program in Neuroscience, University of Padova, Italy
- 2022-2023: Statistics (16 hours), PhD Program in Neuroscience, International Schoold for Advanced Studies (SISSA), Trieste, Italy
- 2022: Information theory and Inference (48 hours), Master Degree in Physics of Data, University of Padova, Italy

Supervising activity

- 2022-2023 Supervisor of 8 Bachelor theses in Physics, University of Padova, Italy
- 2021 Co-Supervisor of 1 Master thesis in Physics of Data, University of Padova, Italy
- 2022 Supervisor of 2 Master theses in Physics, University of Padova, Italy
- 2022-2023 Co-supervisor of 1 PhD thesisi in Neuroscience, University of Padova, Italy

Reviewer activity

I am reviewer for Physical Review A, Physical Review Letters, Journal of Physics A, Nature Scientific Reports, Patter Recognition, Frontiers in Neuroscience, Brain.

Public code

- Matlab implementation of Coherence Density Peak Clustering (published article 12): https://github.com/micheleallegra/CDPC.
- Matlab and Python implementations of Heterogeneous Intrinsic Dimension Algorithm (published article 15):
 https://github.com/micheleallegra/Hidalgo.
- Python implementation of covariance-based Granger causality (article 16): https://github.com/micheleallegra/CovGC.
- C++ implementation of clustering for force-extension curves in single-molecule force spectroscopy (published article 14): https://github.com/ninailieva/SMFS_clustering

Skills

Language skills

Italian (mother tongue), English (fluent, FCE 2002), German (fluent, KDS 2008), French (fluent), Spanish (basic).

Computational skills

Programming languages: Python, Matlab, R, C/C++, Mathematica, Bash, Fortran.

Referees

- Andrea Brovelli, CNRS, Marseille, France (andrea.brovelli@univ-amu.fr)
- Maurizio Corbetta, Università di Padova, Padova, Italy (maurizio.corbetta@unipd.it)
- Alessandro Laio, SISSA, Trieste, Italy (laio@sissa.it)
- Seth Lloyd, MIT, Cambridge, USA (slloyd@mit.edu)
- Alessandra Bertoldo, Università di Padova, Padova, Italy(andrea.brovelli@univ-amu.fr)

- Samir Suweis, Università di Padova, Padova, Italy (samir.suweis@unipd.it)
- Carlo Reverberi, Università di Milano Bicocca, Milan, Italy (carloreve@gmail.com)
- Giovanni Petri, Northeastern University London, Italy (giovanni.petri@nulondon.ac.uk)
- Antonietta Mira, USI, Lugano, Switzerland (antonietta.mira@usi.ch)
- Daniele Amati, SISSA, Trieste, Italy (amati@sissa.it)
- Ciro Cattuto, ISI, Torino, Italy (ciro.cattuto@isi.it)
- Arianna Montorsi, Politecnico di Torino, Turin, Italy (arianna.montorsi@polito.it)
- Paola Cappellaro, MIT, Cambridge, USA (pcappell@mit.edu)
- Matteo Paris, Università di Milano, Milan, Italy (matteo.paris@fisica.unimi.it)