

Chapter 4

WLF's inequality with thinness left elements

4.1 The legend and the self-fulfillment

It is well known that the following inequality holds for any real numbers a, b, c and d such that $a, b, c, d \geq 0$:

$$a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd).$$

In particular, if we take $a = b = c = d = 1$, we get the well-known inequality $4 \geq 2(1 + 1)$. This inequality is a special case of the more general inequality $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$ when $a, b, c, d \geq 0$.

WLF's inequality is a special case of the above inequality when $a, b, c, d \geq 0$ and a, b, c, d are the sides of a rectangle. In this case, the inequality can be written as $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$.

WLF's inequality is a special case of the above inequality when $a, b, c, d \geq 0$ and a, b, c, d are the sides of a rectangle. In this case, the inequality can be written as $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$.

$$a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$$

WLF's inequality is a special case of the above inequality when $a, b, c, d \geq 0$ and a, b, c, d are the sides of a rectangle. In this case, the inequality can be written as $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$.

WLF's inequality is a special case of the above inequality when $a, b, c, d \geq 0$ and a, b, c, d are the sides of a rectangle. In this case, the inequality can be written as $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$.

WLF's inequality is a special case of the above inequality when $a, b, c, d \geq 0$ and a, b, c, d are the sides of a rectangle. In this case, the inequality can be written as $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$.

$$a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd) \quad (4.1)$$

WLF's inequality is a special case of the above inequality when $a, b, c, d \geq 0$ and a, b, c, d are the sides of a rectangle. In this case, the inequality can be written as $a^2 + b^2 + c^2 + d^2 \geq 2(ab + cd)$.

P

1

1