

These factors are under discussion. The long-term effects of the program will be evaluated in a follow-up study. The program is being evaluated by a group of researchers from the University of California, Los Angeles, and the University of Texas at Austin. The program is being evaluated by a group of researchers from the University of California, Los Angeles, and the University of Texas at Austin. The program is being evaluated by a group of researchers from the University of California, Los Angeles, and the University of Texas at Austin.

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 399–405

El presente trabajo se ha desarrollado en el laboratorio de Instrumentación y en el laboratorio de Física de la Universidad de Sevilla. Los autores desearían agradecer al profesor D. J. García de la Fuente y al profesor D. J. García de la Fuente por su colaboración en la realización de este trabajo.

Example 6 A system consisting of two masses suspended by strings from a fixed point is shown in Figure 7. The weights are 8 lb and 10 lb respectively. Find the angles which the strings make with the vertical in equilibrium.

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

4.4 Facile exposed bonds

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 399–406

© 2000 Cambridge University Press. This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

© 2000 Blackwell Science Ltd
Journal of Internal Medicine 247: 395–402

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

- (A) If α is a linear operator and β is a linear transformation, $\alpha \circ \beta$ is a linear operator.
- (B) If α is a linear operator and β is a linear transformation, $\beta \circ \alpha$ is a linear operator.
- (C) If α is a linear operator and β is a linear transformation, $\alpha + \beta$ is a linear operator.
- (D) If α is a linear operator and β is a linear transformation, $\alpha - \beta$ is a linear operator.
- (E) If α is a linear operator and β is a linear transformation, $\alpha\beta$ is a linear operator.
- (F) If α is a linear operator and β is a linear transformation, α/β is a linear operator.
- (G) If α is a linear operator and β is a linear transformation, $\alpha\beta^{-1}$ is a linear operator.
- (H) If α is a linear operator and β is a linear transformation, $\alpha\beta^{-1}$ is a linear operator.
- (I) If α is a linear operator and β is a linear transformation, $\alpha\beta^{-1}$ is a linear operator.