

Lab Review Form

Patient letter for Lucy Miller (DOB: 08/12/1963)



Lucy Miller

140 WEST 13TH STREET
NEW YORK, NY 10003

February 18, 2017

Dear Lucy Miller:

The results of your recent tests are below:

H. PYLORI SCREEN-1H: Your H. PYLORI SCREEN-1H is normal.

H. PYLORI SCREEN NEGATIVE

Range: NEGATIVE (Collection Date: 11/15/2016)

VITAMIN D, 25-HYDROXY, TOTAL -1H: Your VITAMIN D, 25-HYDROXY, TOTAL -1H is abnormal.

H. PYLORI SCREEN NEGATIVE

Range: NEGATIVE (Collection Date: 11/15/2016)

A1C (Blank): Your A1C (Blank) Your hemoglobin A1c is elevated. Please follow the medication.

HEMOGLOBIN A1C 6.9

Range: ≤ 5.7 % (Collection Date: 11/15/2016)

est. AVERAGE GLUCOSE 151.3

Range: mg/dL (Collection Date: 11/15/2016)

CMP (COMP METABOLIC PROFILE)-1H: Your CMP (COMP METABOLIC PROFILE)-1H is abnormal.

GLUCOSE 120

Range: 65-99 mg/dL (Collection Date: 11/15/2016)

Sincerely,

Dr. MD, M.D.
Mount Sinai
317 East 17th St
New York, NY 10003
212-844-5174