

SHELLY GRAHAM, 02/18/2020

MILES DE S MINTER 2021


Week 7: CSS Grid - continued



MEEK 7: GSS GRID



RECAP.




Canluse

masonry

Settings

2 results found



BROWSER SUPPORT?

- What do we do if certain properties aren't supported across all browser?
- Not use them at all?
- Use older tools to be "safe"?
- NO! How would anything ever change?!



BASIC CODE AS FALLBACK

- Instead of writing complex code that might only be accessible for a handful of browsers (basically never IE and Edge -.-) - lets write basic code that is accessible for most browsers!
- CSS Grid is widely accepted across all modern browsers but certain properties within CSS Grid are not - for example masonry, align-tracks or justify-tracks
- Turn on Masonry in Firefox:
 - 1. Type about: config in the URL bar
 - 2. Search for "masonry"
 - 3. Set layout.css.grid-template-masonry-value.enabled to true
- Let's write a fallback for CSS Grid Masonry!

COLUMN-COUNT

- column-count: breaks an element's content into the specified number of columns
- Values:
 - any integer
 - auto (only works if paired with column-width)

```
.column {
    column-count: 2;
    column-count: 3;
    column-count: 4;
    column-count: auto;
}
```

COLUMN-WIDTH

- column-width: sets the ideal column width in a multi-column layout
- Similar to fr unit
- Values:
 - any length
 - auto (only works if paired with column-count)

```
.column {
    column-width: 6rem;
    column-width: 120px;
    column-width: auto;
}
```

COLUMNS

Shorthand for:column-countcolumn-width

```
.column {
    columns: 6rem auto;
    columns: 2 250px;
    columns: 3;
}
```

COLUMN-RULE

- column-rule sets the width, style, and color of the line drawn between columns in a multi-column layout
- Shorthand for:
 column-rule-width
 column-rule-style
 column-rule-color
- Similar to border shorthand

```
column {
    column-rule: solid 6px;
    column-rule: solid □ blue;
    column-rule: thick inset □ red;
    column-rule: 4px dotted □ rgb(79, 185, 227);
}
```

COLUMN-GAP

- column-rule sets the amount of space between each column
- If combined with column-rule, will center border automatically between each column

```
.column {
    column-gap: 20px;
    column-gap: 1em;
    column-gap: 5ch;
}
```

COLUMN-SPAN

- column-span makes it possible for an element to span across all columns when its value is set to column-span: all
- Default: column-span: none;

column-span: none;

London.
Michaelmas
term lately
over, and the
Lord
Chancellor
sitting in
Lincoln's Inn
Hall.

Spanner?

Implacable
November
weather. As
much mud in
the streets as if
the waters had
but newly
retired from the
face of the
earth, and it

would not be
wonderful to
meet a
Megalosaurus,
forty feet long
or so, waddling
like an
elephantine
lizard up
Holborn Hill.

column-span: all;

London. Michaelmas term lately	over, and the Lord Chancellor	sitting in Lincoln's Inn Hall.
Spanner?		
Implacable	retired from the	forty feet long
November	face of the	or so, waddling
weather. As	earth, and it	like an
much mud in	would not be	elephantine
the streets as if	wonderful to	lizard up
the waters had	meet a	Holborn Hill.
but newly	Megalosaurus,	

OSUPPORTS

```
supports (display
main {
     display: gr
```

OSUPPORTS AKA FEATURE QUERY

- The @supports at-rule lets you specify declarations that depend on a browser's support for one or more specific CSS features.
- This is called a feature query
- With @supports, you can write a small test in your CSS to see whether or not a particular CSS property or value is supported
- Personally, one website doesn't have to look the exact same in every browser because I'm lazy and I don't like to write elaborate fallbacks to force unity.
- I am for a a situation where a natural failure of a property:value doesn't do anything drastic to destroy functionality
- NOT supported in IE (duh!) but so many people still use it soooo we need a fall back!

BE SMART ABOUT HOW YOU USE IT!

- If a browser understands border-radius, then it will put rounded corners on the box.
- If it doesn't, it will skip that line of code and move on, leaving the edges of the box to be square.
- There is no reason to run a test or use a Feature Query. This is just how CSS works.
- Browsers simply skip over code they don't understand, without throwing an error.

Use a Feature Query when you want to apply a mix of old and new CSS, but only when the new CSS is supported!



OSUPPORTS USE CASES:

Does browser support @supports?	Does browser support property or value in question?	What happens?	Is This What We Want?
Supports Feature Queries	Supports the feature in question	CSS is applied	Yes
Supports Feature Queries	Does not support the feature	CSS is not applied	Yes
Does not support Feature Queries	Does not support the feature	CSS is not applied	Yes
Does not support Feature Queries	Supports the feature in question	CSS is not applied	Probably not!

OSUPPORTS

- Checks for browser support and only executes code if browser can display certain CSS properties or values
- We need a property value pair because it checks for both
- Looks like media query so treat it like media query and write it AFTER your default code
- Can be used with keywords: and/or/not

column-span: none;

London. Michaelmas term lately over, and the Lord Chancellor sitting in Lincoln's Inn Hall.

Spanner?

Implacable November weather. As much mud in the streets as if the waters had but newly retired from the face of the earth, and it

would not be wonderful to meet a Megalosaurus, forty feet long or so, waddling like an elephantine lizard up Holborn Hill.

column-span: all;

London. Michaelmas term lately	over, and the Lord Chancellor	sitting in Lincoln's Inn Hall.
Spanner?		
Implacable	retired from the	forty feet long
November	face of the	or so, waddling
weather. As	earth, and it	like an
much mud in	would not be	elephantine
the streets as if	wonderful to	lizard up
the waters had	meet a	Holborn Hill.
but newly	Megalosaurus,	

VENDOR PREFIXES

- Helps us ensure that certain (newer)
 CSS properties work across all browsers
- Tedious work, so much more code. Plus I'm lazy and 93% of developers
- -webkit- (Chrome, Safari, iOS Safari / iOS WebView, Android)
- -moz- (Firefox)
- -ms- (Edge, Internet Explorer)
- -o- (Opera, Opera Mini)
- Sometimes still needed but will face out hopefully sooner rather than later

```
class {
    -webkit-transition: opacity .4s ease-out;
    -moz-transition: opacity .4s ease-out;
    -ms-transition: opacity .4s ease-out;
    -o-transition: opacity .4s ease-out;
    transition:opacity .4s ease-out;
}
```




RESOURCES

- https://caniuse.com/
- https://autoprefixer.github.io/
- https://developer.mozilla.org/en-US/docs/Web/CSS/@supports
- https://css-tricks.com/how-supports-works/
- https://developer.mozilla.org/en-US/docs/Web/CSS/column-count
- https://thenounproject.com/

HOMEWORK-PROJECT2

- Time to combine all your knowledge from this class and make one beautiful a** project!
- This is a two week project!
- ATTENTION! Please download resources ASAP since I had to send through a WeTransfer due to file size! WeTransfer will expire on Februar 26th! https://we.tl/t-CQ4ille6yf
- Use the provided resources to recreate the Poke Bowl website. If done right, this will be a solid portfolio piece but at the very least an amazing panel piece to showcase what you've learned in this class!
- Use CSS Grid where it makes sense. This can be across the entire page or just during certain sections. I'd like to see a minimum of two grids that change as the browser resizes.
- Optimize the provided images to keep page load to a minimum. Use the techniques learned (lazy loading, srcset...) to achieve this.
- Add the transitions shown in the demo videos but also add at least 1 other transition of your own.
- As usual, the page must be fully responsive. Please use Sass in your CSS.
- Submit a link to your GitHub repo.

##