I used multiple AI tools to vibe-code different versions of the same website concept, including Antigravity and other models. I am now giving you the original concept, code references, and creative direction.

Critical instruction

Do **not** start from scratch with a generic landing page.
Do **not** flatten this into a basic business website.
Do **not** remove the immersive “house” concept.

Your job is to act as a **senior interactive web designer, creative technologist, and frontend architect** and turn all the provided materials into **one cohesive, premium, polished, production-ready website**.

You must **preserve the core interactive house concept** while significantly improving:

- overall structure
- visual cohesion
- responsiveness
- code cleanliness
- storytelling
- UX clarity
- performance
- premium feel

Core concept

Create an **interactive website centered around a house**, where the house acts as the main storytelling container for the business.

The website should feel like:

- a premium digital experience
- an editorial interactive brand presentation
- a subtle game-like environment
- an immersive but still professional business website

The final result should feel **expensive, aesthetic, atmospheric, and intentional**.

It should **not** feel:

- childish
- overly cartoonish
- gimmicky
- messy
- like a random 3D demo
- like a toy or parody experience

Original creative inspiration

The original concept was:

“The Sims 1 (1999), but remastered in a premium way.”

That means:

- low-poly charm
- simple geometric shapes
- iconic retro architectural model feeling
- flat but elegant textures

- clean baked-lighting atmosphere
- soft shadows
- modern polish layered on top of retro structure

This is **not** hyperrealism.
This is **not** modern cartoon style.
This is specifically:

retro low-poly digital architecture + premium modern presentation

---

What to preserve from the previous prototypes

Please study and preserve the best ideas from the materials I provide.

Important elements to preserve and improve:

- house-based storytelling
- dual-perspective experience if useful
- interactive door opening
- enter-the-house transition
- room-based information architecture
- day/night toggle
- clickable hotspots and reveal moments
- subtle animated characters or stylized people if aesthetically appropriate
- immersive transitions
- strong sense of exploration

But clean up anything that feels:

- too messy
- too clunky
- too technical-demo-like
- too game-heavy
- too visually inconsistent

Visual direction

Use a refined, premium version of the existing palette.

Main palette

- navy blue
- slate blue
- dark charcoal
- soft gray
- white
- subtle warm amber lighting accents
- selective magenta / blue UI accents only where appropriate

The final result should feel:

- luxury
- modern
- moody
- cohesive

- spatial
- polished

Style references

Think:

- premium architecture presentation
- editorial digital design
- immersive design portfolio
- elevated nostalgic 3D environment

Spatial storytelling

The house should make sense spatially.

The website starts with the **exterior view of the house**.

The user should feel invited into the house.

Main interactive behavior

- the front door should open smoothly
- entering should transition into the internal experience
- content should be organized by room
- interactions should feel meaningful and intuitive
- scrolling and/or navigation should feel like moving through the space

---

Suggested room mapping

Use the business content I provide and map it into the house in a logical and elegant way.

Suggested structure:

- **Entry Hall / Foyer** = introduction / who we are
- **Workshop / Garage / Studio** = services
- **Study / Office** = pricing or packages
- **Living Room** = why choose us / value proposition / proof
- **Blueprint Room** = workflow / process
- **Library** = industry terms / credibility / educational content
- **Contact area / exit zone** = CTA / booking / contact

These are suggestions, not rigid rules.
Use the room logic that creates the strongest and cleanest experience.

Interaction design

The site should feel immersive, but it still needs strong usability.

Good interaction examples

- door opens on click
- room lights react to scrolling or hovering
- objects reveal content
- framed pieces expand into more information
- subtle motion adds life to the environment
- ambient transitions reinforce mood

Important rule

Interactions should feel:

- elegant
- rewarding
- premium
- understandable

They should **not** feel:

- chaotic
- hard to navigate
- overengineered
- distracting

Characters / scene aesthetic

You may include **tasteful scene-inspired characters, silhouettes, or stylized avatars** only if they truly support the aesthetic.

If included, they must be:

- subtle
- atmospheric
- stylish
- secondary to the business content

They should never reduce the seriousness or professionalism of the brand.

Avoid anything exaggerated, goofy, or costume-like.

Technical direction

Please build the site with a modern, scalable architecture.

Requirements

- responsive on desktop, tablet, and mobile
- smooth performance
- clean component structure
- easy to edit later
- immersive but accessible
- visually impressive without breaking usability

If 3D is kept

If you keep the 3D environment, optimize it properly:

- performance-conscious rendering
- reduced complexity on mobile
- simplified shadows/lights on smaller screens
- touch-friendly interactions
- graceful fallback behavior where needed

If hybrid is better

You may also choose a **hybrid approach**:

- 3D or pseudo-3D exterior hero
- immersive room transitions
- layered 2.5D or animated sections inside

- premium interaction design without overloading the browser

This is allowed **if it improves UX and polish**.

UX expectations

Even though this is immersive, the user must always understand:

- where they are
- what they are looking at
- what they can click
- how to continue
- where to contact/book

So the final site still needs:

- clear hierarchy
- readable typography
- elegant layout
- intuitive interaction cues
- clean navigation
- strong CTA placement

What to do with the materials I provide

I am providing:

- original concept prompts
- code from Antigravity
- code from other AI tools
- prototype logic
- creative notes

Your job is to:

1. analyze everything carefully
2. extract the strongest ideas
3. discard weak or clunky implementations
4. unify the design language
5. improve the structure
6. improve the responsiveness
7. improve the storytelling
8. create the best final version of the concept

Important design rule

This should feel like:

“an expensive, immersive, house-based digital experience for a serious creative/business brand.”

Not like:

- a generic startup website
- a childlike game

- a basic template
- a raw prototype
- a technical experiment without polish

Deliverable

Build one unified final version that is:

- interactive
- premium
- cohesive
- aesthetic
- responsive
- immersive
- scalable
- memorable

Preserve the soul of the house concept, but elevate the execution dramatically.

Reference materials

I am attaching:

- prototype code from Antigravity
- original concept prompt
- other code references

- additional prompts

Use them as **source material**, not as limitations.
Keep the concept. Improve the execution.

Important: First analyze all attached references and identify the strongest parts of each version. Then build one final, cohesive version. Keep the house-based storytelling and immersive experience, but refine everything so it feels premium, elegant, and client-ready.

KIMI: <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial -scale=1.0, maximum-scale=1.0, user-scalable=no"> <title>Peak Trades Creative | The Peak House - Sims 1 Rema stered</title> <script src="https://cdnjs.cloudflare.com/ajax/libs/three. js/r128/three.min.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/gsap/3 .12.2/gsap.min.js"></script> <link rel="preconnect" href="https://fonts.googleapis.com" > <link rel="preconnect" href="https://fonts.gstatic.com" cr ossorigin> <link href="https://fonts.googleapis.com/css2?family=Bebas +Neue&family=JetBrains+Mono:wght@400;500;600&family=Space+Grot esk:wght@400;500;600;700&display=swap" rel="stylesheet"> <style> * { box-sizing: border-box; margin: 0; padding: 0; } html, body { width: 100%; height: 100%; overflow: hidd en; font-family: 'Space Grotesk', sans-serif; background: #0a0 514; } #loading-screen { position: fixed; inset: 0; backgroun d: #0a0514; z-index: 10000; display: flex; flex-direction: col umn; align-items: center; justify-content: center; gap: 2rem; transition: opacity 0.8s ease; } .shingle-loader { width: 120px; height: 120px; positio n: relative; } .shingle-piece { position: absolute; width: 30px; heig ht: 45px; background: linear-gradient(135deg, #64748B, #475569); border-radius: 4px; opacity: 0; animation: shingle-assemble 0.6s ease-out forwards; } .shingle-piece:nth-child(1) { top: 0; left: 45px; anim ation-delay: 0.1s; } .shingle-piece:nth-child(2) { top: 25px; left: 15px; a nimation-delay: 0.2s; } .shingle-piece:nth-child(3) { top: 25px; left: 75px; a nimation-delay: 0.3s; } .shingle-piece:nth-child(4) { top: 60px; left: 45px; a nimation-delay: 0.4s; } .shingle-piece:nth-child(5) { top: 40px; left: 45px; a nimation-delay: 0.5s; transform: scale(1.2); } @keyframes shingle-assemble { 0% { opacity: 0; transfo rm: translateY(50px) rotate(180deg) scale(0.5); } 100% { opaci ty: 1; transform: translateY(0) rotate(0deg) scale(1); } } .loading-text { font-family: 'Bebas Neue', sans-serif; font-size: 1.5rem; color: #d946ef; letter-spacing: 0.2em; anim ation: loading-pulse 1.5s ease-in-out infinite; } .loading-status { font-family: 'JetBrains Mono', monos pace; font-size: 0.875rem; color: rgba(255, 255, 255, 0.5); ma rgin-top: -1rem; } @keyframes loading-pulse { 0%, 100% { opacity: 0.5; } 50% { opacity: 1; } } .progress-bar { width: 200px; height: 4px; background: rgba(255, 255, 255, 0.1); border-radius: 2px; overflow: hidden ; } .progress-fill { height: 100%; width: 0%; background: linear-gradient(90deg, #d946ef, #3b82f6); transition: width 0. 3s ease; } #canvas-container { position: fixed; inset: 0; z-index : 1; } #ui-overlay { position: fixed; inset: 0; z-index: 100; pointer-events: none; } #ui-overlay > * { pointer-events: auto; } .camera-toggle { position: fixed; top: 1.5rem; right: 1.5rem; padding: 0.75rem 1.25rem; background: rgba(10, 5, 20, 0.85); backdrop-filter: blur(20px); border: 1px

solid rgba(217 , 70, 239, 0.3); border-radius: 12px; color: white; font-famil y: 'JetBrains Mono', monospace; font-size: 0.875rem; cursor: p ointer; display: flex; align-items: center; gap: 0.5rem; trans ition: all 0.3s ease; z-index: 200; } .camera-toggle:hover { background: rgba(217, 70, 239, 0.2); border-color: #d946ef; transform: scale(1.02); } .day-night-toggle { position: fixed; top: 1.5rem; righ t: 200px; width: 48px; height: 48px; background: rgba(10, 5, 2 0, 0.85); backdrop-filter: blur(20px); border: 1px solid rgba(217, 70, 239, 0.3); border-radius: 12px; color: white; cursor: pointer; display: flex; align-items: center; justify-content: center; transition: all 0.3s ease; z-index: 200; } .room-panel { position: fixed; top: 50%; left: 50%; tr ansform: translate(-50%, -50%) scale(0.95); background: rgba(1 0, 5, 20, 0.95); backdrop-filter: blur(30px); border: 1px soli d rgba(217, 70, 239, 0.4); border-radius: 24px; padding: 2.5re m; max-width: 500px; width: 90%; max-height: 80vh; overflow-y: auto; color: white; opacity: 0; pointer-events: none; transiti on: all 0.4s cubic-bezier(0.4, 0, 0.2, 1); z-index: 300; } .room-panel.visible { opacity: 1; transform: translate (-50%, -50%) scale(1); pointer-events: auto; } .room-panel-close { position: absolute; top: 1rem; rig ht: 1rem; width: 36px; height: 36px; background: rgba(255, 255 , 255, 0.1); border: none; border-radius: 50%; color: white; c ursor: pointer; display: flex; align-items: center; justify-co ntent: center; transition: all 0.3s ease; } .room-panel h2 { font-family: 'Bebas Neue', sans-serif ; font-size: 2.5rem; margin-bottom: 0.5rem; background: linear -gradient(135deg, #d946ef, #3b82f6); -webkit-background-clip: text; -webkit-text-fill-color: transparent; background-clip: t ext; } .room-panel .subtitle { font-family: 'JetBrains Mono', monospace; font-size: 0.875rem; color: #fbbf24; margin-bottom: 1.5rem; } .team-grid-panel { display: grid; grid-template-column s: repeat(3, 1fr); gap: 1rem; margin: 1.5rem 0; } .team-mini { text-align: center; padding: 1rem; backgr ound: rgba(255, 255, 255, 0.05); border-radius: 12px; border: 1px solid rgba(255, 255, 255, 0.1); } .team-mini-avatar { width: 60px; height: 60px; border- radius: 50%; background: linear-gradient(135deg, #64748B, #475 569); margin: 0 auto 0.75rem; display: flex; align-items: cent er; justify-content: center; font-size: 1.5rem; } .service-list { display: grid; gap: 1rem; margin: 1.5r em 0; } .service-item { padding: 1rem 1.25rem; background: rgb a(255, 255, 255, 0.05); border-radius: 12px; border-left: 3px solid #d946ef; } .pricing-list { display: grid; gap: 1rem; margin: 1.5r em 0; } .pricing-item { padding: 1.25rem; background: rgba(255 , 255, 255, 0.05); border-radius: 12px; border: 1px solid rgba (255, 255, 255, 0.1); position: relative; } .pricing-item.featured { border-color: #fbbf24; backgr ound: rgba(251, 191, 36, 0.1); } .pricing-item.featured::before { content: 'MOST POPULA R'; position: absolute; top: -8px; right: 12px; background: #f bbf24; color: #0a0514; font-size: 0.625rem; font-family: 'JetB rains Mono', monospace; font-weight: 600; padding: 0.25rem 0.7 5rem; border-radius: 9999px; } .pricing-item .price { font-family: 'Bebas Neue', sans -serif; font-size: 2rem; color: #fbbf24; } .books-grid { display: grid; grid-template-columns: re peat(2, 1fr); gap: 0.75rem; margin: 1.5rem 0; } .book-item { padding: 1rem; border-radius: 8px; cursor : pointer; transition: all 0.3s ease; } .book-item:hover { transform: translateY(-3px); } .book-item.amber { background: linear-gradient(135deg, #d97706, #92400e); } .book-item.blue { background: linear-gradient(135deg, #2563eb, #1e40af); } .book-item.magenta { background: linear-gradient(135de g, #c026d3, #86198f); } .cta-button { display: inline-flex; align-items: cente r; justify-content: center; gap: 0.5rem; width: 100%; padding: 1rem 2rem; background: linear-gradient(135deg, #fbbf24, #f59e0 b); color: #0a0514; border: none; border-radius: 12px; font-fa mily: 'Space Grotesk', sans-serif; font-weight: 600; font-size : 1rem; cursor: pointer; transition: all 0.3s ease; margin-top : 1rem; } .cta-button:hover {

transform: scale(1.02); box-shadow : 0 10px 30px rgba(251, 191, 36, 0.3); } .form-input { width: 100%; padding: 0.875rem 1rem; bac kground: rgba(255, 255, 255, 0.05); border: 1px solid rgba(255 , 255, 255, 0.1); border-radius: 8px; color: white; font-famil y: 'Space Grotesk', sans-serif; font-size: 0.9375rem; margin-b ottom: 1rem; } .form-input:focus { outline: none; border-color: #d946 ef; background: rgba(255, 255, 255, 0.08); } .interaction-prompt { position: fixed; bottom: 2rem; l eft: 50%; transform: translateX(-50%); padding: 0.75rem 1.5rem ; background: rgba(217, 70, 239, 0.2); border: 1px solid rgba(217, 70, 239, 0.5); border-radius: 9999px; color: white; font- family: 'JetBrains Mono', monospace; font-size: 0.875rem; opac ity: 0; transition: all 0.3s ease; pointer-events: none; z-ind ex: 200; } .interaction-prompt.visible { opacity: 1; } .stats-overlay { position: fixed; top: 1.5rem; left: 1 .5rem; display: flex; gap: 1.5rem; z-index: 200; } .stat-bubble { padding: 0.75rem 1.25rem; background: r gba(10, 5, 20, 0.85); backdrop-filter: blur(20px); border: 1px solid rgba(255, 255, 255, 0.1); border-radius: 12px; text-alig n: center; } .stat-bubble .value { font-family: 'Bebas Neue', sans- serif; font-size: 1.5rem; color: #fbbf24; } .stat-bubble .label { font-size: 0.625rem; font-family : 'JetBrains Mono', monospace; color: rgba(255, 255, 255, 0.6) ; text-transform: uppercase; } .intro-screen { position: fixed; inset: 0; background: rgba(10, 5, 20, 0.95); z-index: 5000; display: flex; flex-dire ction: column; align-items: center; justify-content: center; t ext-align: center; padding: 2rem; opacity: 0; pointer-events: none; transition: opacity 0.8s ease; } .intro-screen.visible { opacity: 1; pointer-events: au to; } .intro-screen h1 { font-family: 'Bebas Neue', sans-ser if; font-size: clamp(2.5rem, 8vw, 5rem); margin-bottom: 1rem; background: linear-gradient(135deg, white, #fbbf24); -webkit-b ackground-clip: text; -webkit-text-fill-color: transparent; ba ckground-clip: text; } .intro-screen p { font-size: 1.125rem; color: rgba(255 , 255, 255, 0.7); max-width: 500px; margin-bottom: 2rem; } .intro-screen .start-btn { padding: 1rem 3rem; backgro und: linear-gradient(135deg, #d946ef, #3b82f6); color: white; border: none; border-radius: 12px; font-family: 'Space Grotesk ', sans-serif; font-weight: 600; font-size: 1.125rem; cursor: pointer; transition: all 0.3s ease; } .transition-overlay { position: fixed; inset: 0; backg round: #0a0514; opacity: 0; pointer-events: none; z-index: 100 0; transition: opacity 0.75s ease; } .transition-overlay.active { opacity: 1; } @media (max-width: 768px) { .camera-toggle { top: 1rem ; right: 1rem; padding: 0.5rem 1rem; font-size: 0.75rem; } .st ats-overlay { top: 1rem; left: 1rem; gap: 0.75rem; } .stat-bub ble { padding: 0.5rem 0.75rem; } .team-grid-panel { grid-templ ate-columns: 1fr; } .books-grid { grid-template-columns: 1fr; } }

ASSEMBLING THE HOUSE...

Initiali zing...

The Peak House

Welcome to Peak Trades Creative - a graphic design agency for roofing contractors. Explore our house to learn abo ut our services.

Enter Experie nce

2x

Quotes

95%

Retention

88%

Engagement

☀ Dollhouse View

Click to interact

X

@peaktradescreative.com" style="color: #d946ef; text-decorati on: none; font-size: 0.875rem;">info@peaktradescreative.com</a >` } }; const TERMS = { 'tear-off': 'Complete removal of existing roofing material s before installing new shingles.', 'flashing': 'Thin metal strips installed to prevent water penetration at joints and valleys.', 'eaves': 'The edges of the roof that overhang the face of a wall.', 'asphalt': 'Most common residential roofing material - dur able and affordable.', 'ridge': 'The horizontal line where two roof slopes meet. Ridge vents allow hot air to escape.', 'low-slope': 'Roofs with a gentle incline requiring specia l materials like TPO.' }; function init() { updateLoading('Setting up 3D scene...', 10); scene = new THREE.Scene(); scene.background = new THREE.Color(CONFIG.colors.skyDay); scene.fog = new THREE.Fog(CONFIG.colors.skyDay, 15, 50); camera = new THREE.PerspectiveCamera(CONFIG.camera.dollhou se.fov, window.innerWidth / window.innerHeight, 0.1, 1000); camera.position.copy(CONFIG.camera.dollhouse.pos); camera.lookAt(0, 1, 0); renderer = new THREE.WebGLRenderer({ antialias: !isMobile, alpha: false }); renderer.setSize(window.innerWidth, window.innerHeight); renderer.setPixelRatio(Math.min(window.devicePixelRatio, i sMobile ? 1 : 2)); renderer.shadowMap.enabled = !isMobile; renderer.shadowMap.type = THREE.PCFSoftShadowMap; document.getElementById('canvas-container').appendChild(re nderer.domElement); updateLoading('Building house...', 30); setupLighting(); buildHouse(); updateLoading('Adding furniture...', 50); addFurniture(); updateLoading('Creating team...', 70); createSims(); updateLoading('Setting up controls...', 85); raycaster = new THREE.Raycaster(); mouse = new THREE.Vector2(); setupEvents(); updateLoading('Ready!', 100); setTimeout(() => { document.getElementById('loading-screen').style.opacit y = '0'; setTimeout(() => { document.getElementById('loading-screen').style.di splay = 'none'; document.getElementById('intro-screen').classList. add('visible'); }, 800); }, 500); animate(); } function updateLoading(text, progress) { document.getElementById('loading-status').textContent = te xt; document.getElementById('progress-fill').style.width = pro gress + '%'; } function setupLighting() { ambientLight = new THREE.AmbientLight(CONFIG.colors.skyDay , 0.4); scene.add(ambientLight); sunLight = new THREE.DirectionalLight(0xFFF8E7, 1.2); sunLight.position.set(5, 8, 5); sunLight.castShadow = !isMobile; if (!isMobile) { sunLight.shadow.mapSize.width = 2048; sunLight.shadow.mapSize.height = 2048; }

scene.add(sunLight); const fillLight = new THREE.DirectionalLight(0x3B82F6, 0.3); fillLight.position.set(-5, 3, -5); scene.add(fillLight); } function buildHouse() { house = new THREE.Group(); const wallMat = new THREE.MeshLambertMaterial({ color: CON FIG.colors.houseWalls }); const roofMat = new THREE.MeshLambertMaterial({ color: CON FIG.colors.roof }); const trimMat = new THREE.MeshStandardMaterial({ color: CO NFIG.colors.windowTrim, roughness: 0.3 }); const woodMat = new THREE.MeshLambertMaterial({ color: CON FIG.colors.wood }); const grassMat = new THREE.MeshLambertMaterial({ color: CO NFIG.colors.grass }); const body = new THREE.Mesh(new THREE.BoxGeometry(8, 5, 6) , wallMat); body.position.y = 2.5; body.castShadow = !isMobile; house.add(body); const roof = new THREE.Mesh(new THREE.ConeGeometry(6, 3, 4), roofMat); roof.position.y = 6.5; roof.rotation.y = Math.PI / 4; roof.scale.set(1, 1, 0.8); house.add(roof); const chimney = new THREE.Mesh(new THREE.BoxGeometry(1, 2. 5, 0.8), roofMat); chimney.position.set(2.5, 6, -1); house.add(chimney); const porch = new THREE.Mesh(new THREE.BoxGeometry(3, 0.2, 2), new THREE.MeshLambertMaterial({ color: 0x8B7355 })); porch.position.set(0, 0.1, 3.5); house.add(porch); const colGeo = new THREE.CylinderGeometry(0.15, 0.15, 2.5, 6); const col1 = new THREE.Mesh(colGeo, trimMat); col1.position.set(-1.2, 1.25, 4.2); house.add(col1); const col2 = new THREE.Mesh(colGeo, trimMat); col2.position.set(1.2, 1.25, 4.2); house.add(col2); door = new THREE.Group(); door.position.set(0, 1.2, 3.1); const doorFrame = new THREE.Mesh(new THREE.BoxGeometry(1, 2.2, 0.15), woodMat); door.add(doorFrame); const knob = new THREE.Mesh(new THREE.SphereGeometry(0.08, 8, 8), new THREE.MeshStandardMaterial({ color: CONFIG.colors.e missive })); knob.position.set(0.35, 0, 0.1); door.add(knob); door.userData = { isClickable: true, type: 'door', label: 'Enter House' }; house.add(door); const windowMat = new THREE.MeshStandardMaterial({ color: 0x1a1a2e, emissive: CONFIG.colors.emissive, emissiveIntensity: 0, roughness: 0.1 }); const winPositions = [[-2.5, 3, 3.01], [2.5, 3, 3.01], [4. 01, 3, 0], [-4.01, 3, 0]]; winPositions.forEach((pos, i) => { const win = new THREE.Mesh(new THREE.PlaneGeometry(1.2 , 1.5), windowMat.clone()); win.position.set(...pos); if (i >= 2) win.rotation.y = (i === 2 ? 1 : -1) * Math .PI / 2; windowMaterials.push(win.material); house.add(win); }); const ground = new THREE.Mesh(new THREE.CircleGeometry(20, 32), grassMat); ground.rotation.x = -Math.PI / 2; house.add(ground); const path = new THREE.Mesh(new THREE.PlaneGeometry(2, 8), new THREE.MeshLambertMaterial({ color: 0x9CA3AF })); path.rotation.x = -Math.PI / 2; path.position.set(0, 0.01, 7); house.add(path); const floor = new THREE.Mesh(new THREE.PlaneGeometry(7.8, 5.8), woodMat); floor.rotation.x = -Math.PI / 2; floor.position.set(0, 0.05, 0); house.add(floor); scene.add(house); } function addFurniture() { const deskMat = new THREE.MeshLambertMaterial({ color: 0x4 A5568 }); const woodMat = new THREE.MeshLambertMaterial({ color: CON FIG.colors.wood }); const deskPositions = [[3.5, 0.5, 2], [3.5, 0.5, 0.5], [3. 5, 0.5, -1], [3.5, 0.5, -2.5]]; deskPositions.forEach((pos, i) => { const desk = new THREE.Group(); desk.position.set(...pos); desk.add(new THREE.Mesh(new THREE.BoxGeometry(1.5, 0.1 , 0.8), deskMat)).position.y = 0.5; [[-0.65, 0.25, -0.35], [0.65, 0.25, -0.35], [-0.65, 0. 25, 0.35], [0.65, 0.25, 0.35]].forEach(p => { desk.add(new THREE.Mesh(new THREE.BoxGeometry(0.05 , 0.5, 0.05), woodMat)).position.set(...p); }); const screen = new THREE.Mesh(new THREE.PlaneGeometry(0.35, 0.25), new THREE.MeshBasicMaterial({ color: i % 2 === 0 ? CONFIG.colors.neon : CONFIG.colors.blue

})); screen.position.set(0, 0.75, 0.03); desk.add(screen); desk.userData = { isClickable: true, type: 'desk', id: i, label: ['Branding', 'Social', 'Graphics', 'Video'][i] }; scene.add(desk); }); [[3, 1.2, -2], [3, 1.2, -1.2], [3, 1.2, -0.4], [3, 1.2, 0. 4]].forEach((pos, i) => { const folder = new THREE.Mesh(new THREE.BoxGeometry(0. 4, 0.05, 0.5), new THREE.MeshLambertMaterial({ color: [0xFBBF2 4, 0x3B82F6, 0xD946EF, 0x22C55E][i] })); folder.position.set(...pos); folder.rotation.y = Math.PI / 6; folder.userData = { isClickable: true, type: 'folder', id: i, label: ['Identity', 'Starter', 'Online', 'Premium'][i] }; scene.add(folder); }); [-3.5, -3.1, -2.7, -2.3, -1.9, -1.5].forEach((x, i) => { const book = new THREE.Mesh(new THREE.BoxGeometry(0.15 , 0.6, 0.4), new THREE.MeshLambertMaterial({ color: [0xD97706, 0x2563EB, 0xC026D3, 0x2563EB, 0xC026D3, 0xD97706][i] })); book.position.set(x, 1.3, -3); book.userData = { isClickable: true, type: 'book', id: i, label: ['Tear-off', 'Flashing', 'Eaves', 'Asphalt', 'Ridge' , 'Low-Slope'][i] }; scene.add(book); }); [[-2.5, 0.5, -2], [-1.5, 0.5, -2.5], [-2, 0.5, -1.5]].forE ach((pos, i) => { const stat = new THREE.Mesh(new THREE.CylinderGeometry (0.3, 0.4, 0.8, 6), new THREE.MeshLambertMaterial({ color: [CO NFIG.colors.neon, CONFIG.colors.emissive, CONFIG.colors.blue][i] })); stat.position.set(...pos); stat.userData = { isClickable: true, type: 'stat', id: i, label: ['2x Quotes', '95% Retention', '88% Engagement']][i] }; scene.add(stat); }); } function createSims() { const configs = [{ name: 'Andres', role: 'Managing Director', shirt: 0x 6B7280, pants: 0x374151, pos: [-2, 0, 2], waypoints: [[-2, 0, 2], [0, 0, 2], [-1, 0, 0], [-2, 0, -1]] }, { name: 'Alex', role: 'Senior Designer', shirt: 0x1F29 37, pants: 0x1E3A8A, pos: [3.5, 0, 2], waypoints: [[3.5, 0, 2] , [3.5, 0, 0.5], [3, 0, 1], [4, 0, 1.5]] }, { name: 'Ricardo', role: 'Branding Specialist', shirt: 0xF8FAFC, pants: 0x374151, pos: [-3, 0, -3], waypoints: [[-3, 0, -3], [-2, 0, -2], [-2.5, 0, -1], [-3.5, 0, -2]] }]; configs.forEach((cfg, idx) => { const group = new THREE.Group(); group.position.set(...cfg.pos); const skinMat = new THREE.MeshLambertMaterial({ color: CONFIG.colors.skin }); const shirtMat = new THREE.MeshLambertMaterial({ color : cfg.shirt }); const pantsMat = new THREE.MeshLambertMaterial({ color : cfg.pants }); group.add(new THREE.Mesh(new THREE.SphereGeometry(0.35 , 8, 6), skinMat)).position.y = 2.8; const torso = new THREE.Mesh(new THREE.BoxGeometry(0.5 , 0.65, 0.28), shirtMat); torso.position.y = 2.1; group.add(torso); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.18, 0 .55, 0.18), shirtMat)).position.set(-0.4, 2.1, 0); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.18, 0 .55, 0.18), shirtMat)).position.set(0.4, 2.1, 0); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.2, 0. 2, 0.2), skinMat)).position.set(-0.4, 1.7, 0); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.2, 0. 2, 0.2), skinMat)).position.set(0.4, 1.7, 0); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.22, 0 .6, 0.22), pantsMat)).position.set(-0.15, 1, 0); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.22, 0 .6, 0.22), pantsMat)).position.set(0.15, 1, 0); const shoeMat = new THREE.MeshLambertMaterial({ color: 0x1a1a1a }); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.24, 0 .15, 0.4), shoeMat)).position.set(-0.15, 0.6, 0.1); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.24, 0 .15, 0.4), shoeMat)).position.set(0.15, 0.6, 0.1); const capMat = new THREE.MeshLambertMaterial({ color: 0x1a1a1a }); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.5, 0. 15, 0.6), capMat)).position.set(0, 3.15, 0.05); group.add(new THREE.Mesh(new THREE.BoxGeometry(0.5, 0. 05, 0.25), capMat)).position.set(0, 3.05, 0.3); const plumbob = new THREE.Mesh(new THREE.OctahedronGeo metry(0.25), new THREE.MeshBasicMaterial({ color: [0x22C55E, C ONFIG.colors.blue, CONFIG.colors.neon][idx], transparent: true , opacity:

0.8 })); plumbob.position.y = 3.8; group.add(plumbob); group.userData = { torso, plumbob, waypoints: cfg.wayp oints.map(w => new THREE.Vector3(...w)), currentWaypoint: 0, w aitTime: 0, isWalking: false, walkPhase: 0 }; scene.add(group); sims.push(group); }); } function updateSims(time, delta) { sims.forEach((sim, idx) => { const data = sim.userData; data.plumbob.rotation.y = time * 2; data.plumbob.position.y = 3.8 + Math.sin(time * 3) * 0 .1; data.torso.scale.y = 1 + Math.sin(time * 2 + idx) * 0. 02; if (data.waitTime > 0) { data.waitTime -= delta; } else { const target = data.waypoints[data.currentWaypoint]; const dir = new THREE.Vector3().subVectors(target, sim.position); if (dir.length() < 0.1) { data.currentWaypoint = (data.currentWaypoint + 1) % data.waypoints.length; data.waitTime = 2 + Math.random() * 3; data.isWalking = false; } else { data.isWalking = true; dir.normalize(); sim.position.add(dir.multiplyScalar(0.02)); sim.lookAt(target); data.walkPhase += delta * 8; } } }); } function toggleCameraMode() { const overlay = document.getElementById('transition-overla y'); const label = document.getElementById('camera-label'); overlay.classList.add('active'); setTimeout(() => { if (currentCameraMode === 'dollhouse') { currentCameraMode = 'fps'; label.textContent = 'First Person'; camera.position.set(0, 1.7, 2); camera.fov = CONFIG.camera.fps.fov; camera.updateProjectionMatrix(); } else { currentCameraMode = 'dollhouse'; label.textContent = 'Dollhouse View'; camera.position.copy(CONFIG.camera.dollhouse.pos); camera.fov = CONFIG.camera.dollhouse.fov; camera.updateProjectionMatrix(); camera.lookAt(0, 1, 0); } overlay.classList.remove('active'); }, 750); } function toggleDayNight() { isDay = !isDay; const targetBg = isDay ? new THREE.Color(CONFIG.colors.sky Day) : new THREE.Color(CONFIG.colors.skyNight); const targetAmbient = isDay ? 0.4 : 0.15; const targetSun = isDay ? 1.2 : 0.1; const targetEmissive = isDay ? 0 : 2.5; gsap.to(scene.background, { r: targetBg.r, g: targetBg.g, b: targetBg.b, duration: 2 }); gsap.to(scene.fog.color, { r: targetBg.r, g: targetBg.g, b : targetBg.b, duration: 2 }); gsap.to(ambientLight, { intensity: targetAmbient, duration : 2 }); gsap.to(sunLight, { intensity: targetSun, duration: 2 }); windowMaterials.forEach(m => gsap.to(m, { emissiveIntensit y: targetEmissive, duration: 2 })); } function showRoomPanel(key) { const room = ROOMS[key]; if (!room) return; document.getElementById('room-panel-content').innerHTML = `

${room.title}

${room.subtitle}

${room.content}`; document.getElementById('room-panel').classList.add('visib le'); } function closeRoomPanel() { document.getElementById('room-panel').classList.remove('vi sible'); } function showTerm(term) { alert(TERMS[term] || 'Definition com ing soon'); } function showContact() { showRoomPanel('cta'); } function handleContactSubmit(e) { e.preventDefault(); const btn = e.target.querySelector('.cta-button'); btn.textContent = 'Message Sent!'; btn.style.background = '#22c55e'; setTimeout(() => { btn.textContent = 'Send Message'; btn.s tyle.background = ''; e.target.reset(); closeRoomPanel(); }, 2 000); } function setupEvents() { window.addEventListener('resize', () => { camera.aspect = window.innerWidth / window.innerHeight ; camera.updateProjectionMatrix(); renderer.setSize(window.innerWidth, window.innerHeight); }); document.addEventListener('mousemove', (e) => { mouse.x = (e.clientX / window.innerWidth) * 2 - 1; mouse.y = -(e.clientY / window.innerHeight) * 2 + 1; });

```
document.addEventListener('click', (e) => { if (e.target.closest('.room-panel') || e.target.closes
t('.camera-toggle') || e.target.closest('.day-night-toggle') | | e.target.closest('#intro-screen'))
return; raycaster.setFromCamera(mouse, camera); const intersects =
raycaster.intersectObjects(scene.ch ildren, true); for (let hit of intersects) { let obj = hit.object;
while (obj && !obj.userData.isClickable) obj = obj .parent; if (obj && obj.userData.isClickable) { if
(obj.userData.type === 'door') { gsap.to(obj.rotation, { y: -Math.PI * 0.6, duration: 0.8, ease:
'power2.inOut' }); setTimeout(() => showRoomPanel('entry'), 5 00); } else if (obj.userData.type
=== 'desk') showR oomPanel('workshop'); else if (obj.userData.type === 'folder') showR
oomPanel('study'); else if (obj.userData.type === 'stat') showRoo mPanel('living'); else if
(obj.userData.type === 'book') showRoo mPanel('library'); break; } } });
document.addEventListener('keydown', (e) => { if (currentCameraMode !== 'fps') return;
switch(e.code) { case 'KeyW': case 'ArrowUp': moveForward = true; b reak; case 'KeyS': case
'ArrowDown': moveBackward = true ; break; case 'KeyA': case 'ArrowLeft': moveLeft = true; br
eak; case 'KeyD': case 'ArrowRight': moveRight = true; break; } });
document.addEventListener('keyup', (e) => { switch(e.code) { case 'KeyW': case 'ArrowUp':
moveForward = false; break; case 'KeyS': case 'ArrowDown': moveBackward = fals e; break;
case 'KeyA': case 'ArrowLeft': moveLeft = false; b reak; case 'KeyD': case 'ArrowRight':
moveRight = false; break; } }); document.getElementById('camera-toggle').addEventListener(
'click', toggleCameraMode); document.getElementById('day-night-toggle').addEventListen
er('click', toggleDayNight); document.getElementById('start-btn').addEventListener('cli ck', () =>
document.getElementById('intro-screen').classList.r emove('visible'));
document.getElementById('room-panel-close').addEventListen er('click', closeRoomPanel); }
function updateFPS() { if (currentCameraMode !== 'fps') return; const delta = 0.016; velocity.x -=
velocity.x * 10 * delta; velocity.z -= velocity.z * 10 * delta; direction.z = Number(moveForward) -
Number(moveBackward); direction.x = Number(moveRight) - Number(moveLeft);
direction.normalize(); if (moveForward || moveBackward) velocity.z -= direction.z * 100 * delta; if
(moveLeft || moveRight) velocity.x -= direction.x * 100 * delta; camera.translateX(-velocity.x *
delta * 0.05); camera.translateZ(-velocity.z * delta * 0.05); camera.position.x = Math.max(-3.5,
Math.min(3.5, camera.po sition.x)); camera.position.z = Math.max(-2.5, Math.min(2.5,
camera.po sition.z)); } function updateRaycaster() { raycaster.setFromCamera(mouse, camera);
const intersects = raycaster.intersectObjects(scene.childr en, true); let found = false; for (let hit
of intersects) { let obj = hit.object; while (obj && !obj.userData.isClickable) obj = obj.par ent; if
(obj && obj.userData.isClickable) { found = true; if (hoveredObject !== obj) { hoveredObject =
obj; document.body.style.cursor = 'pointer'; const prompt = document.getElementById('intera
ction-prompt'); prompt.textContent = 'Click: ' + obj.userData. label;
prompt.classList.add('visible'); } break; } } if (!found && hoveredObject) { hoveredObject = null;
document.body.style.cursor = 'default'; document.getElementById('interaction-prompt').classLis
t.remove('visible'); } } function animate() { requestAnimationFrame(animate); const time =
performance.now() * 0.001; const delta = (performance.now() - prevTime) / 1000; prevTime =
performance.now(); updateSims(time, delta); if (currentCameraMode === 'dollhouse') {
camera.position.x = Math.sin(time * 0.2) * 15; camera.position.z = Math.cos(time * 0.2) * 15;
camera.lookAt(0, 2, 0); updateRaycaster(); } else { updateFPS(); } renderer.render(scene,
camera); } window.addEventListener('load', init); window.showTerm = showTerm;
window.showContact = showContact; window.handleContactSubmit = handleContactSubmit;
```

ANTIGRAVITY:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial
-scale=1.0, maximum-scale=1.0, user-scalable=no">
    <title>Peak Trades Creative | The Peak House - Sims 1 Rema
stered</title>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/three.
js/r128/three.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/gsap/3
.12.2/gsap.min.js"></script>
    <link rel="preconnect" href="https://fonts.googleapis.com"
>
    <link rel="preconnect" href="https://fonts.gstatic.com" cr
ossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Bebas
+Neue&family=JetBrains+Mono:wght@400;500;600&family=Space+Grot
esk:wght@400;500;600;700&display=swap" rel="stylesheet">
    <style>
        * { box-sizing: border-box; margin: 0; padding: 0; }
        html, body { width: 100%; height: 100%; overflow: hidd
en; font-family: 'Space Grotesk', sans-serif; background: #0a0
514; }
        #loading-screen { position: fixed; inset: 0; backgroun
d: #0a0514; z-index: 10000; display: flex; flex-direction: col
umn; align-items: center; justify-content: center; gap: 2rem;
transition: opacity 0.8s ease; }
        .shingle-loader { width: 120px; height: 120px; positio
n: relative; }
        .shingle-piece { position: absolute; width: 30px; heig
ht: 45px; background: linear-gradient(135deg, #64748B, #475569
); border-radius: 4px; opacity: 0; animation: shingle-assemble
0.6s ease-out forwards; }
        .shingle-piece:nth-child(1) { top: 0; left: 45px; anim
ation-delay: 0.1s; }
        .shingle-piece:nth-child(2) { top: 25px; left: 15px; a
nimation-delay: 0.2s; }
        .shingle-piece:nth-child(3) { top: 25px; left: 75px; a
nimation-delay: 0.3s; }
        .shingle-piece:nth-child(4) { top: 60px; left: 45px; a
nimation-delay: 0.4s; }
        .shingle-piece:nth-child(5) { top: 40px; left: 45px; a
nimation-delay: 0.5s; transform: scale(1.2); }
        @keyframes shingle-assemble { 0% { opacity: 0; transfo
```

```
rm: translateY(50px) rotate(180deg) scale(0.5); } 100% { opaci
ty: 1; transform: translateY(0) rotate(0deg) scale(1); } }
        .loading-text { font-family: 'Bebas Neue', sans-serif;
font-size: 1.5rem; color: #d946ef; letter-spacing: 0.2em; anim
ation: loading-pulse 1.5s ease-in-out infinite; }
        .loading-status { font-family: 'JetBrains Mono', monos
pace; font-size: 0.875rem; color: rgba(255, 255, 255, 0.5); ma
rgin-top: -1rem; }
        @keyframes loading-pulse { 0%, 100% { opacity: 0.5; }
50% { opacity: 1; } }
        .progress-bar { width: 200px; height: 4px; background:
rgba(255, 255, 255, 0.1); border-radius: 2px; overflow: hidden
; }
        .progress-fill { height: 100%; width: 0%; background:
linear-gradient(90deg, #d946ef, #3b82f6); transition: width 0.
3s ease; }
        #canvas-container { position: fixed; inset: 0; z-index
: 1; }
        #ui-overlay { position: fixed; inset: 0; z-index: 100;
pointer-events: none; }
        #ui-overlay > * { pointer-events: auto; }
        .camera-toggle { position: fixed; top: 1.5rem; right:
1.5rem; padding: 0.75rem 1.25rem; background: rgba(10, 5, 20,
0.85); backdrop-filter: blur(20px); border: 1px solid rgba(217
, 70, 239, 0.3); border-radius: 12px; color: white; font-famil
y: 'JetBrains Mono', monospace; font-size: 0.875rem; cursor: p
ointer; display: flex; align-items: center; gap: 0.5rem; trans
ition: all 0.3s ease; z-index: 200; }
        .camera-toggle:hover { background: rgba(217, 70, 239,
0.2); border-color: #d946ef; transform: scale(1.02); }
        .day-night-toggle { position: fixed; top: 1.5rem; righ
t: 200px; width: 48px; height: 48px; background: rgba(10, 5, 2
0, 0.85); backdrop-filter: blur(20px); border: 1px solid rgba(
217, 70, 239, 0.3); border-radius: 12px; color: white; cursor:
pointer; display: flex; align-items: center; justify-content:
center; transition: all 0.3s ease; z-index: 200; }
        .room-panel { position: fixed; top: 50%; left: 50%; tr
ansform: translate(-50%, -50%) scale(0.95); background: rgba(1
0, 5, 20, 0.95); backdrop-filter: blur(30px); border: 1px soli
d rgba(217, 70, 239, 0.4); border-radius: 24px; padding: 2.5re
m; max-width: 500px; width: 90%; max-height: 80vh; overflow-y:
auto; color: white; opacity: 0; pointer-events: none; transiti
on: all 0.4s cubic-bezier(0.4, 0, 0.2, 1); z-index: 300; }
        .room-panel.visible { opacity: 1; transform: translate
(-50%, -50%) scale(1); pointer-events: auto; }
        .room-panel-close { position: absolute; top: 1rem; rig
ht: 1rem; width: 36px; height: 36px; background: rgba(255, 255
, 255, 0.1); border: none; border-radius: 50%; color: white; c
ursor: pointer; display: flex; align-items: center; justify-co
```

```
ntent: center; transition: all 0.3s ease; }
        .room-panel h2 { font-family: 'Bebas Neue', sans-serif
; font-size: 2.5rem; margin-bottom: 0.5rem; background: linear
-gradient(135deg, #d946ef, #3b82f6); -webkit-background-clip:
text; -webkit-text-fill-color: transparent; background-clip: t
ext; }
        .room-panel .subtitle { font-family: 'JetBrains Mono',
monospace; font-size: 0.875rem; color: #fbbf24; margin-bottom:
1.5rem; }
        .team-grid-panel { display: grid; grid-template-column
s: repeat(3, 1fr); gap: 1rem; margin: 1.5rem 0; }
        .team-mini { text-align: center; padding: 1rem; backgr
ound: rgba(255, 255, 255, 0.05); border-radius: 12px; border:
1px solid rgba(255, 255, 255, 0.1); }
        .team-mini-avatar { width: 60px; height: 60px; border-
radius: 50%; background: linear-gradient(135deg, #64748B, #475
569); margin: 0 auto 0.75rem; display: flex; align-items: cent
er; justify-content: center; font-size: 1.5rem; }
        .service-list { display: grid; gap: 1rem; margin: 1.5r
em 0; }
        .service-item { padding: 1rem 1.25rem; background: rgb
a(255, 255, 255, 0.05); border-radius: 12px; border-left: 3px
solid #d946ef; }
        .pricing-list { display: grid; gap: 1rem; margin: 1.5r
em 0; }
        .pricing-item { padding: 1.25rem; background: rgba(255
, 255, 255, 0.05); border-radius: 12px; border: 1px solid rgba
(255, 255, 255, 0.1); position: relative; }
        .pricing-item.featured { border-color: #fbbf24; backgr
ound: rgba(251, 191, 36, 0.1); }
        .pricing-item.featured::before { content: 'MOST POPULA
R'; position: absolute; top: -8px; right: 12px; background: #f
bbf24; color: #0a0514; font-size: 0.625rem; font-family: 'JetB
rains Mono', monospace; font-weight: 600; padding: 0.25rem 0.7
5rem; border-radius: 9999px; }
        .pricing-item .price { font-family: 'Bebas Neue', sans
-serif; font-size: 2rem; color: #fbbf24; }
        .books-grid { display: grid; grid-template-columns: re
peat(2, 1fr); gap: 0.75rem; margin: 1.5rem 0; }
        .book-item { padding: 1rem; border-radius: 8px; cursor
: pointer; transition: all 0.3s ease; }
        .book-item:hover { transform: translateY(-3px); }
        .book-item.amber { background: linear-gradient(135deg,
#d97706, #92400e); }
        .book-item.blue { background: linear-gradient(135deg,
#2563eb, #1e40af); }
        .book-item.magenta { background: linear-gradient(135de
g, #c026d3, #86198f); }
        .cta-button { display: inline-flex; align-items: cente
```

```
r; justify-content: center; gap: 0.5rem; width: 100%; padding:
1rem 2rem; background: linear-gradient(135deg, #fbbf24, #f59e0
b); color: #0a0514; border: none; border-radius: 12px; font-fa
mily: 'Space Grotesk', sans-serif; font-weight: 600; font-size
: 1rem; cursor: pointer; transition: all 0.3s ease; margin-top
: 1rem; }
        .cta-button:hover { transform: scale(1.02); box-shadow
: 0 10px 30px rgba(251, 191, 36, 0.3); }
        .form-input { width: 100%; padding: 0.875rem 1rem; bac
kground: rgba(255, 255, 255, 0.05); border: 1px solid rgba(255
, 255, 255, 0.1); border-radius: 8px; color: white; font-famil
y: 'Space Grotesk', sans-serif; font-size: 0.9375rem; margin-b
ottom: 1rem; }
        .form-input:focus { outline: none; border-color: #d946
ef; background: rgba(255, 255, 255, 0.08); }
        .interaction-prompt { position: fixed; bottom: 2rem; l
eft: 50%; transform: translateX(-50%); padding: 0.75rem 1.5rem
; background: rgba(217, 70, 239, 0.2); border: 1px solid rgba(
217, 70, 239, 0.5); border-radius: 9999px; color: white; font-
family: 'JetBrains Mono', monospace; font-size: 0.875rem; opac
ity: 0; transition: all 0.3s ease; pointer-events: none; z-ind
ex: 200; }
        .interaction-prompt.visible { opacity: 1; }
        .stats-overlay { position: fixed; top: 1.5rem; left: 1
.5rem; display: flex; gap: 1.5rem; z-index: 200; }
        .stat-bubble { padding: 0.75rem 1.25rem; background: r
gba(10, 5, 20, 0.85); backdrop-filter: blur(20px); border: 1px
solid rgba(255, 255, 255, 0.1); border-radius: 12px; text-alig
n: center; }
        .stat-bubble .value { font-family: 'Bebas Neue', sans-
serif; font-size: 1.5rem; color: #fbbf24; }
        .stat-bubble .label { font-size: 0.625rem; font-family
: 'JetBrains Mono', monospace; color: rgba(255, 255, 255, 0.6)
; text-transform: uppercase; }
        .intro-screen { position: fixed; inset: 0; background:
rgba(10, 5, 20, 0.95); z-index: 5000; display: flex; flex-dire
ction: column; align-items: center; justify-content: center; t
ext-align: center; padding: 2rem; opacity: 0; pointer-events:
none; transition: opacity 0.8s ease; }
        .intro-screen.visible { opacity: 1; pointer-events: au
to; }
        .intro-screen h1 { font-family: 'Bebas Neue', sans-ser
if; font-size: clamp(2.5rem, 8vw, 5rem); margin-bottom: 1rem;
background: linear-gradient(135deg, white, #fbbf24); -webkit-b
ackground-clip: text; -webkit-text-fill-color: transparent; ba
ckground-clip: text; }
        .intro-screen p { font-size: 1.125rem; color: rgba(255
, 255, 255, 0.7); max-width: 500px; margin-bottom: 2rem; }
        .intro-screen .start-btn { padding: 1rem 3rem; backgro
```

```
und: linear-gradient(135deg, #d946ef, #3b82f6); color: white;
border: none; border-radius: 12px; font-family: 'Space Grotesk
', sans-serif; font-weight: 600; font-size: 1.125rem; cursor:
pointer; transition: all 0.3s ease; }
        .transition-overlay { position: fixed; inset: 0; backg
round: #0a0514; opacity: 0; pointer-events: none; z-index: 100
0; transition: opacity 0.75s ease; }
        .transition-overlay.active { opacity: 1; }
        @media (max-width: 768px) { .camera-toggle { top: 1rem
; right: 1rem; padding: 0.5rem 1rem; font-size: 0.75rem; } .st
ats-overlay { top: 1rem; left: 1rem; gap: 0.75rem; } .stat-bub
ble { padding: 0.5rem 0.75rem; } .team-grid-panel { grid-templ
ate-columns: 1fr; } .books-grid { grid-template-columns: 1fr;
} }
    </style>
</head>
<body>
    <div id="loading-screen">
        <div class="shingle-loader">
            <div class="shingle-piece"></div>
            <div class="shingle-piece"></div>
            <div class="shingle-piece"></div>
            <div class="shingle-piece"></div>
            <div class="shingle-piece"></div>
        </div>
        <p class="loading-text">ASSEMBLING THE HOUSE...</p>
        <p class="loading-status" id="loading-status">Initiali
zing...</p>
        <div class="progress-bar"><div class="progress-fill" i
d="progress-fill"></div></div>
    </div>

    <div class="intro-screen" id="intro-screen">
        <h1>The Peak House</h1>
        <p>Welcome to Peak Trades Creative - a graphic design
agency for roofing contractors. Explore our house to learn abo
ut our services.</p>
        <button class="start-btn" id="start-btn">Enter Experie
nce</button>
    </div>

    <div id="canvas-container"></div>
    <div class="transition-overlay" id="transition-overlay"></
div>

    <div id="ui-overlay">
        <div class="stats-overlay">
            <div class="stat-bubble"><div class="value">2x</di
v><div class="label">Quotes</div></div>
```

```
            <div class="stat-bubble"><div class="value">95%</d
iv><div class="label">Retention</div></div>
            <div class="stat-bubble"><div class="value">88%</d
iv><div class="label">Engagement</div></div>
        </div>

        <button class="day-night-toggle" id="day-night-toggle"
title="Toggle Day/Night">☀</button>
        <button class="camera-toggle" id="camera-toggle">
            <span id="camera-label">Dollhouse View</span>
        </button>

        <div class="interaction-prompt" id="interaction-prompt
">Click to interact</div>

        <div class="room-panel" id="room-panel">
            <button class="room-panel-close" id="room-panel-cl
ose">X</button>
            <div id="room-panel-content"></div>
        </div>
    </div>

<script>
const isMobile = window.innerWidth < 768 || ('ontouchstart' in
window);
const CONFIG = {
    colors: { houseWalls: 0x64748B, windowTrim: 0xF8FAFC, roof
: 0x0F172A, grass: 0x65A30D, wood: 0xB45309, emissive: 0xFBBF2
4, neon: 0xD946EF, blue: 0x3B82F6, skyDay: 0xE0F2FE, skyNight:
0x0F0518, skin: 0xFFDBAC },
    camera: { dollhouse: { pos: new THREE.Vector3(12, 10, 12),
fov: 45 }, fps: { pos: new THREE.Vector3(0, 1.7, 4), fov: 60 }
}
};

let scene, camera, renderer, raycaster, mouse, house, door, si
ms = [], isDay = true, currentCameraMode = 'dollhouse';
let hoveredObject = null, sunLight, ambientLight, windowMateri
als = [], moveForward = false, moveBackward = false, moveLeft
= false, moveRight = false;
let velocity = new THREE.Vector3(), direction = new THREE.Vect
or3(), prevTime = performance.now();

const ROOMS = {
    entry: {
        title: "Who We Are",
        subtitle: "Not just designers. We're your design crew.
",
        content: `<p>You cut shingles - we build your brand im
```

age and graphic presence. At Peak Trades Creative, we speciali
ze in the roofing industry. With over 4+ years of experience,
we speak your language: tear-offs, ridge vents, asphalt, flat,
and metal roofs. <div class="t
eam-mini"> 👨‍💼 <h4>Andres E
scobar</h4> Managing Director <div class="team-mini
"> 🎨 <h4>Alex Alvarado</h4>
Senior Designer <div class=
"team-mini-avatar">✨ <h4>Ricardo Rivas</h4> Branding S
pecialist <button class="cta-button" onclick="s
howContact()">Book a Free Intro Call</button>`
    },
    workshop: {
        title: "What We Build",
        subtitle: "Premium Services for Roofing Professionals"
,
        content: ` <div class="servic
e-item"><h4>Branding Revamp</h4> Logo redesign, brand guidel
ines, business cards - everything you need to look professiona
l <h4>Social Templates</h4>
Instagram and Facebook ready post designs, platform-optimiz
ed formats <h4>Unlimited Gr
aphics</h4> Flyers, door hangers, yard signs, vehicle wraps
- request what you need <h4
>Video Reels</h4> 10 short-form videos per month. You shoot
clips, we make them scroll-stopping <p style="t
ext-align: center; font-family: 'JetBrains Mono', monospace; f
ont-size: 0.875rem; color: #fbbf24; margin-top: 1rem;">Built f
or contractors. Delivered fast. Designed to convert. `
    },
    study: {
        title: "Investment",
        subtitle: "Transparent Pricing for Every Stage",
        content: ` <div class="pricin
g-item"><h4>Identity Package</h4> $1,497</di
v><p style="font-size: 0.875rem; color: rgba(255,255,255,0.6);
">Logo, brand guide, business cards, door hangers, flyers - 7
day turnaround <h4>Starter
Online</h4> $450/mo <p sty
le="font-size: 0.875rem; color: rgba(255,255,255,0.6);">Unlimi
ted static graphics, 2 active requests, 1-2 day turnaround
<h4>Online Presence</
h4> $799/mo <p style="font
-size: 0.875rem; color: rgba(255,255,255,0.6);">Everything in
Starter + 10 video reels/month, dedicated design channel </
div> <h4>Peak Premium</h4><div class=
"price">$799/mo <p style="font-size: 0.875re
m; color: rgba(255,255,255,0.6);">+ $1,950 setup fee. Full ser
vice with premium support <button class="cta-bu

```
tton" onclick="showContact()">Get Started</button>`
    },
    living: {
        title: "Why Choose Us",
        subtitle: "Niche Focused. Results Driven.",
        content: `<div class="service-list"><div class="servic
e-item"><h4>Industry Insight</h4><p>Built only for roofers - w
e understand your business</p></div><div class="service-item">
<h4>Time-Saving Process</h4><p>No hand-holding required - we k
now what works</p></div><div class="service-item"><h4>Experien
ced Designers</h4><p>7+ years in professional graphic delivery
</p></div><div class="service-item"><h4>Retention Focused</h4>
<p>95% of clients renew monthly - results speak</p></div></div
><p style="margin-top: 1.5rem; padding: 1rem; background: rgba
(251, 191, 36, 0.1); border-radius: 8px; font-style: italic;">
"Clients see <strong style="color: #fbbf24;">2x improvement</s
trong> in homeowner quote requests after rebrand"</p>`
    },
    blueprint: {
        title: "Our Workflow",
        subtitle: "Streamlined Like a Roof Install",
        content: `<div class="service-list"><div class="servic
e-item"><h4>01. You Brief Us</h4><p>Share your vision, goals,
and requirements for your roofing business</p></div><div class
="service-item"><h4>02. We Draft</h4><p>Designs tailored to yo
ur service area and brand - local market expertise</p></div><d
iv class="service-item"><h4>03. You Revise</h4><p>Unlimited ed
its until it's perfect - your satisfaction is priority</p></di
v><div class="service-item"><h4>04. We Go Live</h4><p>Use it e
verywhere - social media to yard signs, consistent and profess
ional</p></div></div><p style="text-align: center; margin-top:
1.5rem; color: rgba(255,255,255,0.6); font-style: italic;">"Ou
r system keeps your business looking sharp, even while you're
up on the roof."</p>`
    },
    library: {
        title: "Roofing Terms",
        subtitle: "Build Credibility with the Right Lingo",
        content: `<p style="margin-bottom: 1rem;">Click any te
rm to learn more. Using the right language = trust with homeow
ners.</p><div class="books-grid"><div class="book-item amber"
onclick="showTerm('tear-off')"><div style="font-size: 0.625rem
; font-family: 'JetBrains Mono', monospace; text-transform: up
percase; opacity: 0.7; margin-bottom: 0.25rem;">Technical</div
><div style="font-family: 'Bebas Neue', sans-serif; font-size:
1.25rem;">TEAR-OFF</div></div><div class="book-item blue" oncl
ick="showTerm('flashing')"><div style="font-size: 0.625rem; fo
nt-family: 'JetBrains Mono', monospace; text-transform: upperc
ase; opacity: 0.7; margin-bottom: 0.25rem;">Materials</div><di
```

```
v style="font-family: 'Bebas Neue', sans-serif; font-size: 1.2
5rem;">FLASHING</div></div><div class="book-item magenta" oncl
ick="showTerm('eaves')"><div style="font-size: 0.625rem; font-
family: 'JetBrains Mono', monospace; text-transform: uppercase
; opacity: 0.7; margin-bottom: 0.25rem;">Systems</div><div sty
le="font-family: 'Bebas Neue', sans-serif; font-size: 1.25rem;
">EAVES</div></div><div class="book-item blue" onclick="showTe
rm('asphalt')"><div style="font-size: 0.625rem; font-family: '
JetBrains Mono', monospace; text-transform: uppercase; opacity
: 0.7; margin-bottom: 0.25rem;">Materials</div><div style="fon
t-family: 'Bebas Neue', sans-serif; font-size: 1.25rem;">ASPHA
LT & METAL</div></div><div class="book-item magenta" onclick="
showTerm('ridge')"><div style="font-size: 0.625rem; font-famil
y: 'JetBrains Mono', monospace; text-transform: uppercase; opa
city: 0.7; margin-bottom: 0.25rem;">Systems</div><div style="f
ont-family: 'Bebas Neue', sans-serif; font-size: 1.25rem;">RID
GE VENTS</div></div><div class="book-item amber" onclick="show
Term('low-slope')"><div style="font-size: 0.625rem; font-famil
y: 'JetBrains Mono', monospace; text-transform: uppercase; opa
city: 0.7; margin-bottom: 0.25rem;">Technical</div><div style=
"font-family: 'Bebas Neue', sans-serif; font-size: 1.25rem;">L
OW-SLOPE</div></div></div>`
    },
    cta: {
        title: "Let's Level Up",
        subtitle: "Your Brand Deserves the Peak Treatment",
        content: `<p>Ready to transform your roofing business?
Let's build a brand as strong as your installations.</p><form
class="contact-form" onsubmit="handleContactSubmit(event)"><in
put type="text" class="form-input" placeholder="Your Name" req
uired><input type="email" class="form-input" placeholder="Emai
l Address" required><input type="text" class="form-input" plac
eholder="Company Name"><textarea class="form-input" placeholde
r="Tell us about your project..."></textarea><button type="sub
mit" class="cta-button">Send Message</button></form><div style
="margin-top: 1.5rem; text-align: center;"><a href="mailto:inf
o@peaktradescreative.com" style="color: #d946ef; text-decorati
on: none; font-size: 0.875rem;">info@peaktradescreative.com</a
></div>`
    }
};

const TERMS = {
    'tear-off': 'Complete removal of existing roofing material
s before installing new shingles.',
    'flashing': 'Thin metal strips installed to prevent water
penetration at joints and valleys.',
    'eaves': 'The edges of the roof that overhang the face of
a wall.',
```

```
    'asphalt': 'Most common residential roofing material - dur
able and affordable.',
    'ridge': 'The horizontal line where two roof slopes meet.
Ridge vents allow hot air to escape.',
    'low-slope': 'Roofs with a gentle incline requiring specia
l materials like TPO.'
};

function init() {
    updateLoading('Setting up 3D scene...', 10);

    scene = new THREE.Scene();
    scene.background = new THREE.Color(CONFIG.colors.skyDay);
    scene.fog = new THREE.Fog(CONFIG.colors.skyDay, 15, 50);

    camera = new THREE.PerspectiveCamera(CONFIG.camera.dollhou
se.fov, window.innerWidth / window.innerHeight, 0.1, 1000);
    camera.position.copy(CONFIG.camera.dollhouse.pos);
    camera.lookAt(0, 1, 0);

    renderer = new THREE.WebGLRenderer({ antialias: !isMobile,
alpha: false });
    renderer.setSize(window.innerWidth, window.innerHeight);
    renderer.setPixelRatio(Math.min(window.devicePixelRatio, i
sMobile ? 1 : 2));
    renderer.shadowMap.enabled = !isMobile;
    renderer.shadowMap.type = THREE.PCFSoftShadowMap;
    document.getElementById('canvas-container').appendChild(re
nderer.domElement);

    updateLoading('Building house...', 30);
    setupLighting();
    buildHouse();

    updateLoading('Adding furniture...', 50);
    addFurniture();

    updateLoading('Creating team...', 70);
    createSims();

    updateLoading('Setting up controls...', 85);
    raycaster = new THREE.Raycaster();
    mouse = new THREE.Vector2();
    setupEvents();

    updateLoading('Ready!', 100);
    setTimeout(() => {
        document.getElementById('loading-screen').style.opacit
y = '0';
```

```
        setTimeout(() => {
            document.getElementById('loading-screen').style.di
splay = 'none';
            document.getElementById('intro-screen').classList.
add('visible');
        }, 800);
    }, 500);

    animate();
}

function updateLoading(text, progress) {
    document.getElementById('loading-status').textContent = te
xt;
    document.getElementById('progress-fill').style.width = pro
gress + '%';
}

function setupLighting() {
    ambientLight = new THREE.AmbientLight(CONFIG.colors.skyDay
, 0.4);
    scene.add(ambientLight);

    sunLight = new THREE.DirectionalLight(0xFFF8E7, 1.2);
    sunLight.position.set(5, 8, 5);
    sunLight.castShadow = !isMobile;
    if (!isMobile) {
        sunLight.shadow.mapSize.width = 2048;
        sunLight.shadow.mapSize.height = 2048;
    }
    scene.add(sunLight);

    const fillLight = new THREE.DirectionalLight(0x3B82F6, 0.3
);
    fillLight.position.set(-5, 3, -5);
    scene.add(fillLight);
}

function buildHouse() {
    house = new THREE.Group();

    const wallMat = new THREE.MeshLambertMaterial({ color: CON
FIG.colors.houseWalls });
    const roofMat = new THREE.MeshLambertMaterial({ color: CON
FIG.colors.roof });
    const trimMat = new THREE.MeshStandardMaterial({ color: CO
NFIG.colors.windowTrim, roughness: 0.3 });
    const woodMat = new THREE.MeshLambertMaterial({ color: CON
FIG.colors.wood });
```

```
    const grassMat = new THREE.MeshLambertMaterial({ color: CO
NFIG.colors.grass });

    const body = new THREE.Mesh(new THREE.BoxGeometry(8, 5, 6)
, wallMat);
    body.position.y = 2.5;
    body.castShadow = !isMobile;
    house.add(body);

    const roof = new THREE.Mesh(new THREE.ConeGeometry(6, 3, 4
), roofMat);
    roof.position.y = 6.5;
    roof.rotation.y = Math.PI / 4;
    roof.scale.set(1, 1, 0.8);
    house.add(roof);

    const chimney = new THREE.Mesh(new THREE.BoxGeometry(1, 2.
5, 0.8), roofMat);
    chimney.position.set(2.5, 6, -1);
    house.add(chimney);

    const porch = new THREE.Mesh(new THREE.BoxGeometry(3, 0.2,
2), new THREE.MeshLambertMaterial({ color: 0x8B7355 }));
    porch.position.set(0, 0.1, 3.5);
    house.add(porch);

    const colGeo = new THREE.CylinderGeometry(0.15, 0.15, 2.5,
6);
    const col1 = new THREE.Mesh(colGeo, trimMat);
    col1.position.set(-1.2, 1.25, 4.2);
    house.add(col1);
    const col2 = new THREE.Mesh(colGeo, trimMat);
    col2.position.set(1.2, 1.25, 4.2);
    house.add(col2);

    door = new THREE.Group();
    door.position.set(0, 1.2, 3.1);
    const doorFrame = new THREE.Mesh(new THREE.BoxGeometry(1,
2.2, 0.15), woodMat);
    door.add(doorFrame);
    const knob = new THREE.Mesh(new THREE.SphereGeometry(0.08,
8, 8), new THREE.MeshStandardMaterial({ color: CONFIG.colors.e
missive }));
    knob.position.set(0.35, 0, 0.1);
    door.add(knob);
    door.userData = { isClickable: true, type: 'door', label:
'Enter House' };
    house.add(door);
```

```
    const windowMat = new THREE.MeshStandardMaterial({ color:
0x1a1a2e, emissive: CONFIG.colors.emissive, emissiveIntensity:
0, roughness: 0.1 });
    const winPositions = [[-2.5, 3, 3.01], [2.5, 3, 3.01], [4.
01, 3, 0], [-4.01, 3, 0]];
    winPositions.forEach((pos, i) => {
        const win = new THREE.Mesh(new THREE.PlaneGeometry(1.2
, 1.5), windowMat.clone());
        win.position.set(...pos);
        if (i >= 2) win.rotation.y = (i === 2 ? 1 : -1) * Math
.PI / 2;
        windowMaterials.push(win.material);
        house.add(win);
    });

    const ground = new THREE.Mesh(new THREE.CircleGeometry(20,
32), grassMat);
    ground.rotation.x = -Math.PI / 2;
    house.add(ground);

    const path = new THREE.Mesh(new THREE.PlaneGeometry(2, 8),
new THREE.MeshLambertMaterial({ color: 0x9CA3AF }));
    path.rotation.x = -Math.PI / 2;
    path.position.set(0, 0.01, 7);
    house.add(path);

    const floor = new THREE.Mesh(new THREE.PlaneGeometry(7.8,
5.8), woodMat);
    floor.rotation.x = -Math.PI / 2;
    floor.position.set(0, 0.05, 0);
    house.add(floor);

    scene.add(house);
}

function addFurniture() {
    const deskMat = new THREE.MeshLambertMaterial({ color: 0x4
A5568 });
    const woodMat = new THREE.MeshLambertMaterial({ color: CON
FIG.colors.wood });

    const deskPositions = [[3.5, 0.5, 2], [3.5, 0.5, 0.5], [3.
5, 0.5, -1], [3.5, 0.5, -2.5]];
    deskPositions.forEach((pos, i) => {
        const desk = new THREE.Group();
        desk.position.set(...pos);
        desk.add(new THREE.Mesh(new THREE.BoxGeometry(1.5, 0.1
, 0.8), deskMat)).position.y = 0.5;
        [[-0.65, 0.25, -0.35], [0.65, 0.25, -0.35], [-0.65, 0.
```

```
25, 0.35], [0.65, 0.25, 0.35]].forEach(p => {
            desk.add(new THREE.Mesh(new THREE.BoxGeometry(0.05
, 0.5, 0.05), woodMat)).position.set(...p);
        });
        const screen = new THREE.Mesh(new THREE.PlaneGeometry(
0.35, 0.25), new THREE.MeshBasicMaterial({ color: i % 2 === 0
? CONFIG.colors.neon : CONFIG.colors.blue }));
        screen.position.set(0, 0.75, 0.03);
        desk.add(screen);
        desk.userData = { isClickable: true, type: 'desk', id:
i, label: ['Branding', 'Social', 'Graphics', 'Video'][i] };
        scene.add(desk);
    });

    [[3, 1.2, -2], [3, 1.2, -1.2], [3, 1.2, -0.4], [3, 1.2, 0.
4]].forEach((pos, i) => {
        const folder = new THREE.Mesh(new THREE.BoxGeometry(0.
4, 0.05, 0.5), new THREE.MeshLambertMaterial({ color: [0xFBBF2
4, 0x3B82F6, 0xD946EF, 0x22C55E][i] }));
        folder.position.set(...pos);
        folder.rotation.y = Math.PI / 6;
        folder.userData = { isClickable: true, type: 'folder',
id: i, label: ['Identity', 'Starter', 'Online', 'Premium'][i]
};
        scene.add(folder);
    });

    [-3.5, -3.1, -2.7, -2.3, -1.9, -1.5].forEach((x, i) => {
        const book = new THREE.Mesh(new THREE.BoxGeometry(0.15
, 0.6, 0.4), new THREE.MeshLambertMaterial({ color: [0xD97706,
0x2563EB, 0xC026D3, 0x2563EB, 0xC026D3, 0xD97706][i] }));
        book.position.set(x, 1.3, -3);
        book.userData = { isClickable: true, type: 'book', id:
i, label: ['Tear-off', 'Flashing', 'Eaves', 'Asphalt', 'Ridge'
, 'Low-Slope'][i] };
        scene.add(book);
    });

    [[-2.5, 0.5, -2], [-1.5, 0.5, -2.5], [-2, 0.5, -1.5]].forE
ach((pos, i) => {
        const stat = new THREE.Mesh(new THREE.CylinderGeometry
(0.3, 0.4, 0.8, 6), new THREE.MeshLambertMaterial({ color: [CO
NFIG.colors.neon, CONFIG.colors.emissive, CONFIG.colors.blue][
i] }));
        stat.position.set(...pos);
        stat.userData = { isClickable: true, type: 'stat', id:
i, label: ['2x Quotes', '95% Retention', '88% Engagement'][i]
};
        scene.add(stat);
```

```
    });
}

function createSims() {
    const configs = [
        { name: 'Andres', role: 'Managing Director', shirt: 0x
6B7280, pants: 0x374151, pos: [-2, 0, 2], waypoints: [[-2, 0,
2], [0, 0, 2], [-1, 0, 0], [-2, 0, -1]] },
        { name: 'Alex', role: 'Senior Designer', shirt: 0x1F29
37, pants: 0x1E3A8A, pos: [3.5, 0, 2], waypoints: [[3.5, 0, 2]
, [3.5, 0, 0.5], [3, 0, 1], [4, 0, 1.5]] },
        { name: 'Ricardo', role: 'Branding Specialist', shirt:
0xF8FAFC, pants: 0x374151, pos: [-3, 0, -3], waypoints: [[-3,
0, -3], [-2, 0, -2], [-2.5, 0, -1], [-3.5, 0, -2]] }
    ];

    configs.forEach((cfg, idx) => {
        const group = new THREE.Group();
        group.position.set(...cfg.pos);

        const skinMat = new THREE.MeshLambertMaterial({ color:
CONFIG.colors.skin });
        const shirtMat = new THREE.MeshLambertMaterial({ color
: cfg.shirt });
        const pantsMat = new THREE.MeshLambertMaterial({ color
: cfg.pants });

        group.add(new THREE.Mesh(new THREE.SphereGeometry(0.35
, 8, 6), skinMat)).position.y = 2.8;
        const torso = new THREE.Mesh(new THREE.BoxGeometry(0.5
, 0.65, 0.28), shirtMat);
        torso.position.y = 2.1;
        group.add(torso);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.18, 0
.55, 0.18), shirtMat)).position.set(-0.4, 2.1, 0);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.18, 0
.55, 0.18), shirtMat)).position.set(0.4, 2.1, 0);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.2, 0.
2, 0.2), skinMat)).position.set(-0.4, 1.7, 0);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.2, 0.
2, 0.2), skinMat)).position.set(0.4, 1.7, 0);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.22, 0
.6, 0.22), pantsMat)).position.set(-0.15, 1, 0);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.22, 0
.6, 0.22), pantsMat)).position.set(0.15, 1, 0);
        const shoeMat = new THREE.MeshLambertMaterial({ color:
0x1a1a1a });
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.24, 0
.15, 0.4), shoeMat)).position.set(-0.15, 0.6, 0.1);
```

```
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.24, 0
.15, 0.4), shoeMat)).position.set(0.15, 0.6, 0.1);
        const capMat = new THREE.MeshLambertMaterial({ color:
0x1a1a1a });
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.5, 0.
15, 0.6), capMat)).position.set(0, 3.15, 0.05);
        group.add(new THREE.Mesh(new THREE.BoxGeometry(0.5, 0.
05, 0.25), capMat)).position.set(0, 3.05, 0.3);
        const plumbob = new THREE.Mesh(new THREE.OctahedronGeo
metry(0.25), new THREE.MeshBasicMaterial({ color: [0x22C55E, C
ONFIG.colors.blue, CONFIG.colors.neon][idx], transparent: true
, opacity: 0.8 }));
        plumbob.position.y = 3.8;
        group.add(plumbob);

        group.userData = { torso, plumbob, waypoints: cfg.wayp
oints.map(w => new THREE.Vector3(...w)), currentWaypoint: 0, w
aitTime: 0, isWalking: false, walkPhase: 0 };
        scene.add(group);
        sims.push(group);
    });
}

function updateSims(time, delta) {
    sims.forEach((sim, idx) => {
        const data = sim.userData;
        data.plumbob.rotation.y = time * 2;
        data.plumbob.position.y = 3.8 + Math.sin(time * 3) * 0
.1;
        data.torso.scale.y = 1 + Math.sin(time * 2 + idx) * 0.
02;

        if (data.waitTime > 0) {
            data.waitTime -= delta;
        } else {
            const target = data.waypoints[data.currentWaypoint
];
            const dir = new THREE.Vector3().subVectors(target,
sim.position);
            if (dir.length() < 0.1) {
                data.currentWaypoint = (data.currentWaypoint +
1) % data.waypoints.length;
                data.waitTime = 2 + Math.random() * 3;
                data.isWalking = false;
            } else {
                data.isWalking = true;
                dir.normalize();
                sim.position.add(dir.multiplyScalar(0.02));
                sim.lookAt(target);
```

```
                data.walkPhase += delta * 8;
            }
        }
    });
}

function toggleCameraMode() {
    const overlay = document.getElementById('transition-overla
y');
    const label = document.getElementById('camera-label');
    overlay.classList.add('active');

    setTimeout(() => {
        if (currentCameraMode === 'dollhouse') {
            currentCameraMode = 'fps';
            label.textContent = 'First Person';
            camera.position.set(0, 1.7, 2);
            camera.fov = CONFIG.camera.fps.fov;
            camera.updateProjectionMatrix();
        } else {
            currentCameraMode = 'dollhouse';
            label.textContent = 'Dollhouse View';
            camera.position.copy(CONFIG.camera.dollhouse.pos);
            camera.fov = CONFIG.camera.dollhouse.fov;
            camera.updateProjectionMatrix();
            camera.lookAt(0, 1, 0);
        }
        overlay.classList.remove('active');
    }, 750);
}

function toggleDayNight() {
    isDay = !isDay;
    const targetBg = isDay ? new THREE.Color(CONFIG.colors.sky
Day) : new THREE.Color(CONFIG.colors.skyNight);
    const targetAmbient = isDay ? 0.4 : 0.15;
    const targetSun = isDay ? 1.2 : 0.1;
    const targetEmissive = isDay ? 0 : 2.5;

    gsap.to(scene.background, { r: targetBg.r, g: targetBg.g,
b: targetBg.b, duration: 2 });
    gsap.to(scene.fog.color, { r: targetBg.r, g: targetBg.g, b
: targetBg.b, duration: 2 });
    gsap.to(ambientLight, { intensity: targetAmbient, duration
: 2 });
    gsap.to(sunLight, { intensity: targetSun, duration: 2 });
    windowMaterials.forEach(m => gsap.to(m, { emissiveIntensit
y: targetEmissive, duration: 2 }));
}
```

```
function showRoomPanel(key) {
    const room = ROOMS[key];
    if (!room) return;
    document.getElementById('room-panel-content').innerHTML =
`<h2>${room.title}</h2><p class="subtitle">${room.subtitle}</p
>${room.content}`;
    document.getElementById('room-panel').classList.add('visib
le');
}

function closeRoomPanel() {
    document.getElementById('room-panel').classList.remove('vi
sible');
}

function showTerm(term) { alert(TERMS[term] || 'Definition com
ing soon'); }
function showContact() { showRoomPanel('cta'); }
function handleContactSubmit(e) {
    e.preventDefault();
    const btn = e.target.querySelector('.cta-button');
    btn.textContent = 'Message Sent!';
    btn.style.background = '#22c55e';
    setTimeout(() => { btn.textContent = 'Send Message'; btn.s
tyle.background = ''; e.target.reset(); closeRoomPanel(); }, 2
000);
}

function setupEvents() {
    window.addEventListener('resize', () => {
        camera.aspect = window.innerWidth / window.innerHeight
;
        camera.updateProjectionMatrix();
        renderer.setSize(window.innerWidth, window.innerHeight
);
    });

    document.addEventListener('mousemove', (e) => {
        mouse.x = (e.clientX / window.innerWidth) * 2 - 1;
        mouse.y = -(e.clientY / window.innerHeight) * 2 + 1;
    });

    document.addEventListener('click', (e) => {
        if (e.target.closest('.room-panel') || e.target.closes
t('.camera-toggle') || e.target.closest('.day-night-toggle') |
| e.target.closest('#intro-screen')) return;
        raycaster.setFromCamera(mouse, camera);
        const intersects = raycaster.intersectObjects(scene.ch
```

```
ildren, true);
        for (let hit of intersects) {
            let obj = hit.object;
            while (obj && !obj.userData.isClickable) obj = obj
.parent;
            if (obj && obj.userData.isClickable) {
                if (obj.userData.type === 'door') {
                    gsap.to(obj.rotation, { y: -Math.PI * 0.6,
duration: 0.8, ease: 'power2.inOut' });
                    setTimeout(() => showRoomPanel('entry'), 5
00);
                } else if (obj.userData.type === 'desk') showR
oomPanel('workshop');
                else if (obj.userData.type === 'folder') showR
oomPanel('study');
                else if (obj.userData.type === 'stat') showRoo
mPanel('living');
                else if (obj.userData.type === 'book') showRoo
mPanel('library');
                break;
            }
        }
    });

    document.addEventListener('keydown', (e) => {
        if (currentCameraMode !== 'fps') return;
        switch(e.code) {
            case 'KeyW': case 'ArrowUp': moveForward = true; b
reak;
            case 'KeyS': case 'ArrowDown': moveBackward = true
; break;
            case 'KeyA': case 'ArrowLeft': moveLeft = true; br
eak;
            case 'KeyD': case 'ArrowRight': moveRight = true;
break;
        }
    });

    document.addEventListener('keyup', (e) => {
        switch(e.code) {
            case 'KeyW': case 'ArrowUp': moveForward = false;
break;
            case 'KeyS': case 'ArrowDown': moveBackward = fals
e; break;
            case 'KeyA': case 'ArrowLeft': moveLeft = false; b
reak;
            case 'KeyD': case 'ArrowRight': moveRight = false;
break;
        }
```

```
    });

    document.getElementById('camera-toggle').addEventListener(
'click', toggleCameraMode);
    document.getElementById('day-night-toggle').addEventListen
er('click', toggleDayNight);
    document.getElementById('start-btn').addEventListener('cli
ck', () => document.getElementById('intro-screen').classList.r
emove('visible'));
    document.getElementById('room-panel-close').addEventListen
er('click', closeRoomPanel);
}

function updateFPS() {
    if (currentCameraMode !== 'fps') return;
    const delta = 0.016;
    velocity.x -= velocity.x * 10 * delta;
    velocity.z -= velocity.z * 10 * delta;
    direction.z = Number(moveForward) - Number(moveBackward);
    direction.x = Number(moveRight) - Number(moveLeft);
    direction.normalize();
    if (moveForward || moveBackward) velocity.z -= direction.z
* 100 * delta;
    if (moveLeft || moveRight) velocity.x -= direction.x * 100
* delta;
    camera.translateX(-velocity.x * delta * 0.05);
    camera.translateZ(-velocity.z * delta * 0.05);
    camera.position.x = Math.max(-3.5, Math.min(3.5, camera.po
sition.x));
    camera.position.z = Math.max(-2.5, Math.min(2.5, camera.po
sition.z));
}

function updateRaycaster() {
    raycaster.setFromCamera(mouse, camera);
    const intersects = raycaster.intersectObjects(scene.childr
en, true);
    let found = false;
    for (let hit of intersects) {
        let obj = hit.object;
        while (obj && !obj.userData.isClickable) obj = obj.par
ent;
        if (obj && obj.userData.isClickable) {
            found = true;
            if (hoveredObject !== obj) {
                hoveredObject = obj;
                document.body.style.cursor = 'pointer';
                const prompt = document.getElementById('intera
ction-prompt');
```

```
                prompt.textContent = 'Click: ' + obj.userData.
label;
                prompt.classList.add('visible');
            }
            break;
        }
    }
    if (!found && hoveredObject) {
        hoveredObject = null;
        document.body.style.cursor = 'default';
        document.getElementById('interaction-prompt').classLis
t.remove('visible');
    }
}

function animate() {
    requestAnimationFrame(animate);
    const time = performance.now() * 0.001;
    const delta = (performance.now() - prevTime) / 1000;
    prevTime = performance.now();

    updateSims(time, delta);

    if (currentCameraMode === 'dollhouse') {
        camera.position.x = Math.sin(time * 0.2) * 15;
        camera.position.z = Math.cos(time * 0.2) * 15;
        camera.lookAt(0, 2, 0);
        updateRaycaster();
    } else {
        updateFPS();
    }

    renderer.render(scene, camera);
}

window.addEventListener('load', init);
window.showTerm = showTerm;
window.showContact = showContact;
window.handleContactSubmit = handleContactSubmit;
</script>
</body>
</html>
```