

Operator Excellence Blueprint

What the Auterim workforce must ultimately notice, understand, prepare, coordinate, execute and prove.

Purpose of this document

This is the product-specification layer for the four live operators. Use it as source material for implementation passes, operator audits, launch-readiness checks and beta prioritization. It defines the experience a business must feel, not just the features the codebase happens to contain today.

Version 1.0 | Pre-beta | Strategic and implementation specification

Primary live workforce: Revenue Operator, Client Flow Operator, Operations Operator, Support Operator

Contents

1. Executive standard: what an Auterim operator is
2. The value test: how businesses should feel the product
3. Shared operator architecture and behavior contract
4. Context model: what operators must know before acting
5. Signal ownership, collaboration and duplicate prevention
6. Operator action ladder: notice to outcome
7. Revenue Operator: ultimate capability specification
8. Client Flow Operator: ultimate capability specification
9. Operations Operator: ultimate capability specification
10. Support Operator: ultimate capability specification
11. Cross-operator workflows and handoffs
12. Policies, approvals and business-specific governance
13. Memory and learning without unsafe self-modification
14. Outcome measurement and proof of value
15. Readiness and degradation model
16. Operator UX: what the user should see
17. What operators must not become
18. Beta acceptance matrix
19. Implementation-pass checklist and scoring rubric
20. Prompt attachment instructions

1. Executive standard: what an Auterim operator is

An Auterim operator is not a persona, chatbot, prompt preset or renamed workflow. It is a persistent business role with a defined mission, connected context, observable workstream, deterministic control boundary and measurable outcome responsibility.

The standard

If the operator only answers when asked, generates text without owning a business problem, or cannot explain why it acted and what changed, it is not yet an Auterim-quality operator.

Every live operator must have

- A narrow primary responsibility that a business can understand in one sentence.
- A clearly defined core capability that determines whether the operator can be useful at all.
- Optional context sources that improve judgment without blocking core work.
- A monitored workstream with explicit signal types and ownership rules.
- A deterministic boundary for what may be prepared, approved, executed or blocked.
- A visible current state: what it is watching, what it is working on, what needs attention and what comes next.
- A path from signal to outcome, not merely signal to generated output.
- A durable history of why work was created, what policy applied, who approved it and what happened afterward.

The operator promise

Operator stage	What the business should experience
Notice	Auterim finds relevant work without requiring a prompt.
Understand	It uses connected business context to distinguish meaningful work from noise.
Prepare	It turns the signal into a useful next step, draft, update or coordinated plan.
Control	Policies and approvals determine what is allowed, not the model itself.
Execute	Approved work is carried out through the correct connector with idempotency and recovery.
Measure	Auterim records whether the business outcome changed and how confidently it can attribute that change.

2. The value test: how businesses should feel the product

Operators are launch-ready only when users feel workload reduction, faster response, better continuity or stronger control. Feature count is not the success metric.

Value dimension	What strong feels like	Failure mode
Attention	The operator surfaces the few things that actually matter now.	A noisy feed of everything detected.

Context	The user sees that Auterim understands customer, deal, project and policy context.	Generic summaries that could apply to any company.
Preparation	The next action is substantially closer to done.	A suggestion that still requires the user to recreate all work.
Coordination	Related work across systems is grouped coherently.	Disconnected drafts and tasks that create more admin.
Control	The user knows exactly what will happen and why approval is required.	Opaque automation or repeated unnecessary approvals.
Outcome	The business can see what changed after the work.	Execution logs presented as value.

Launch value threshold

A new customer should reach at least one credible operator-created moment of value during onboarding or the first real workday: a missed opportunity caught, a customer issue coordinated, a blocker surfaced, a useful response prepared, or a controlled action completed.

ARCHITECTURE

3. Shared operator architecture and behavior contract

All four operators should share one behavioral contract even when their domain logic differs.

Layer	Responsibility	Must remain authoritative
Signals	Normalize events from Gmail, Microsoft 365, CRM, support and project systems.	Deterministic ingestion and dedupe.
Classification	Identify intent, ownership, urgency and possible next work.	Deterministic routing where possible; AI may assist interpretation, never authorization.
Context	Assemble customer, deal, project, support, memory and policy facts.	Structured source truth and provenance.
Operator	Own the business problem and prepare work.	One primary owner per original problem.
Workflow	Coordinate multi-step or multi-system work.	Detect -> Prepare -> Approve -> Execute -> Measure.
Policies	Decide whether work may proceed.	Deterministic policy evaluator.
Approvals	Collect exact consent where required.	Action-scoped authorization.
Execution	Perform provider actions safely.	Connector capability, health, eligibility and idempotency.
Outcome	Observe what happened afterward.	Observed / Influenced / Direct attribution.

Operator behavior rules

- Do not create work solely because a message exists. There must be a business reason.
- Do not duplicate work already owned by another operator or already represented by an active workflow.
- Do not silently broaden the scope of an approved action.
- Do not claim certainty where context is missing, stale or inferred.
- Do not hide degradation. Core work may continue while optional context is unavailable.
- Do not optimize for activity volume. Optimize for useful, attributable business outcomes.

- Do not make the user learn provider internals to understand the operator's value.

BUSINESS CONTEXT

4. Context model: what operators must know before acting

Context is what separates an operator from generic automation. The operator should use the minimum reliable context required to make a useful preparation while demanding stronger evidence for higher-risk decisions.

Context class	Examples	Reliability expectation
Identity	Customer, contact, account, workspace member, external collaborator.	Structured connector identity preferred.
Commercial	Deal value, currency, stage, proposal status, pricing intent, renewal/expansion signals.	CRM/source data for high-risk rules.
Customer	Tier, lifecycle stage, open issues, onboarding state, prior commitments.	Cross-system evidence with provenance.
Delivery	Project, task, due date, blocker, dependency, owner, external handoff.	Project-management source truth.
Support	Ticket state, SLA, urgency, sentiment, previous replies, escalation.	Support system plus communication history.
Business memory	Confirmed operating facts, preferences, policies, terminology.	Confirmed facts stronger than observed/derived.
Governance	Autonomy mode, thresholds, approval roles, emergency stop, action rules.	Deterministic workspace policy.

Context reliability ladder

State	Meaning	Policy use
Verified	Directly sourced from trusted structured data or explicitly confirmed.	May support high-risk deterministic conditions.
Observed	Seen in business activity but not explicitly confirmed.	Useful for prioritization; high-risk policy use should be conservative.
Derived	Calculated or inferred from other facts.	May guide preparation, not override stronger truth.
Stale	Previously trustworthy but outside freshness requirements.	Treat as insufficient for sensitive action.
Missing	Required value unavailable.	Fail safely: approval or deny depending on stronger rules.

COORDINATION

5. Signal ownership, collaboration and duplicate prevention

Auterim should behave like one workforce, not four bots competing for the same inbox.

One primary owner

Every original customer or business problem has one primary operator owner. Other operators may contribute context, create supporting work or receive a handoff, but they should not independently answer or create duplicate

primary actions.

Signal type	Primary owner	Supporting role examples
Pricing, proposal, expansion, commercial follow-up	Revenue	Client Flow may contribute delivery context; Operations may flag feasibility.
Onboarding, customer change request, delivery question	Client Flow	Support can supply issue history; Operations can own internal task follow-up.
Project blocker, dependency, vendor/internal delivery risk	Operations	Client Flow may coordinate customer-facing continuity.
Product issue, complaint, technical question, escalation	Support	Client Flow may receive handoff when resolution affects broader customer delivery.

Duplicate prevention requirements

- Dedupe signals by workspace, provider, thread/entity and intent where appropriate.
- Reuse an existing active workflow when the new signal materially relates to the same objective.
- Before preparing outbound communication, check whether another operator/workflow already owns the response.
- When a supporting action is generated, link it to the owning workflow or source problem.
- When the same external event is delivered twice, execution must remain idempotent.

ACTION MODEL

6. Operator action ladder: notice to outcome

Level	Operator may do	User experience
Observe	Read signals and context, classify and prioritize.	No interruption unless something matters.
Recommend	Explain what deserves attention and why.	User sees a credible business reason.
Prepare	Draft email, task update, CRM change, support response or coordinated plan.	Work is nearly ready, not just suggested.
Request approval	Present exact action scope, context and matched policy.	User can approve with confidence.
Execute	Carry out allowed provider action.	Action is traceable and safe against duplicates.
Follow through	Watch for replies, state changes, blockers or failure.	Auterim does not abandon the work after clicking send.
Measure	Record outcome evidence and attribution.	User sees whether the work made a difference.

Minimum bar for every operator

At launch, each operator should be excellent at a small number of complete loops. A broad catalog of half-working actions is less valuable than two or three loops that reliably move real work forward.

LIVE OPERATOR

7. Revenue Operator: ultimate capability specification

Mission: detect commercial intent and revenue risk, prepare the right follow-up, coordinate the next commercial action and keep opportunities from going cold.

Area	Required capability
Monitor	Customer communication and relevant CRM context.
Detect	Pricing intent, proposal requests, expansion signals, unanswered commercial questions, stalled follow-up, renewal risk when evidence exists.
Understand	Contact/account identity, deal stage/value/currency when available, recent communication, last action, known commitments and policy thresholds.
Prepare	Commercial reply, follow-up, meeting/request handoff, CRM update proposal, deal-stage/update proposal where supported.
Coordinate	Create supporting operations/client-flow work when delivery or customer continuity affects the commercial objective.
Control	Apply deal thresholds, recipient/subject scope, CRM-write restrictions, approval roles and reapproval on material context changes.
Follow through	Watch for reply, meeting booked, deal state change, no-response timeout, action failure.
Measure	Observed commercial response, influenced progression, direct execution outcome when evidence is sufficient.

Revenue signal catalog

- Explicit request for pricing, quote, proposal, scope or commercial terms.
- Existing customer expresses interest in more seats, services, locations or expanded scope.
- Prospect/customer asks a buying-stage question that should not sit unanswered.
- Deal-linked conversation has no appropriate follow-up within configured expectations.
- Proposal or commercial commitment is awaiting a response and crosses a meaningful follow-up window.
- CRM and email context conflict in a way that needs human review rather than silent automation.

Revenue actions: launch vs. later

Action	Launch expectation	Later expansion
Prepare commercial reply	Strong	Personalized offer logic using trusted product/pricing context.
Prepare follow-up	Strong	Adaptive timing based on deal stage and prior engagement.
Create/update CRM context	Approval-gated where supported	Broader writes only after execution safety matures.
Coordinate internal feasibility question	Strong via workflow	Automated cross-team orchestration where safe.
Generate proposal/quote	Not a core launch promise	Dedicated Proposal & Quote role after pricing/document truth is proven.

Revenue excellence moment

A user should feel: 'Auterim caught a real opportunity or follow-up I could have missed, understood the account context, prepared the right next step, and did not overstep our commercial policy.'

LIVE OPERATOR

8. Client Flow Operator: ultimate capability specification

Mission: preserve customer continuity across onboarding, changes, delivery questions and handoffs so commitments do not disappear between systems or teams.

Area	Required capability
Monitor	Customer communication plus optional project, document, support and team context.
Detect	Onboarding questions, change requests, delivery questions, handoff gaps, unanswered commitments, customer coordination risk.
Understand	Customer lifecycle stage, known commitment, delivery owner, related project/ticket, prior replies and deadline impact.
Prepare	Customer-facing clarification or update, internal follow-up, handoff note, coordinated workflow.
Coordinate	Hand internal delivery work to Operations while retaining customer continuity ownership when appropriate.
Control	Respect customer communication approval modes and sensitive-change policies.
Follow through	Watch for internal completion and whether the customer received the promised response/update.
Measure	Observed resolution/continuity, influenced response time, direct completion when exact actions are attributable.

Client Flow should be especially good at

- Turning a vague customer request into a clear internal next step without losing the original customer context.
- Remembering what the company promised the customer and surfacing when that commitment is at risk.
- Preventing a customer from having to repeat information across sales, support and delivery.
- Coordinating a response when the answer depends on work from another team or system.
- Keeping customer-facing communication separate from internal execution ownership.

Client Flow excellence moment

A user should feel: 'Auterim kept this customer situation together from question to internal follow-up to response. Nothing fell between teams.'

LIVE OPERATOR

9. Operations Operator: ultimate capability specification

Mission: detect delivery risk and stalled work, surface the real blocker, prepare the internal corrective action and keep operational commitments moving.

Area	Required capability
Monitor	Project-management core context; optional team communication, vendor and customer continuity context.
Detect	Overdue/stalled work, blocker language, missing dependency, ownership gap, due-date risk, vendor/internal handoff issue.

Understand	Task/project priority, due date, dependencies, owner, external collaborator, customer impact and recent activity.
Prepare	Task update, assignment/clarification, internal message, escalation recommendation, coordinated delivery workflow.
Coordinate	Support Client Flow when operational work is blocking a customer commitment.
Control	Apply project priority, external collaborator, destructive action and communication policies.
Follow through	Watch whether task/blocker state changed and whether dependent work resumed.
Measure	Observed blocker resolution, influenced delivery progression, direct task/action completion where attributable.

Operations value guardrails

- Do not create busywork for every overdue task. Prioritize material delivery risk.
- Do not treat an unchanged due date as proof a problem is solved.
- Do not message external collaborators automatically unless policy and scope explicitly permit it.
- Do not overwrite project state when the source context is conflicting or stale.
- Prefer one coordinated workflow for a blocker over separate Slack/Trello actions that look unrelated.

Operations excellence moment

A user should feel: 'Auterim found the blocker before it became a missed commitment and moved the right internal work forward without generating noise.'

LIVE OPERATOR

10. Support Operator: ultimate capability specification

Mission: recognize support intent, prepare high-quality resolutions, escalate risk appropriately and keep the customer informed through closure.

Area	Required capability
Monitor	Zendesk, Intercom, Gmail or Microsoft 365 as the support/communication core path.
Detect	Product/technical questions, complaints, support requests, escalation cues, unresolved issues, SLA urgency when available.
Understand	Customer/account, ticket/thread state, prior responses, known product/context facts, customer tier, urgency, sentiment and escalation history.
Prepare	Support reply, clarification, escalation note, internal task/workflow, resolution follow-up.
Coordinate	Hand broader delivery/account continuity to Client Flow; operational blockers to Operations.
Control	Replies remain approval-gated according to current product boundary; refund/sensitive actions require explicit policy support.
Follow through	Watch reply, ticket state, reopened issue, escalation or lack of resolution.
Measure	Observed resolution, influenced response/closure, direct

Support quality standard

- The reply must use real known context and avoid inventing product or account facts.
- The operator should distinguish 'needs information' from 'ready to answer'.
- Escalation should be driven by concrete risk signals, not generic negative sentiment alone.
- If a support issue is actually a delivery/change request, ownership should move to Client Flow rather than creating duplicate responses.
- If a support issue reveals a project blocker, Operations may receive supporting work while Support retains the support thread until handoff is clear.

Support excellence moment

A user should feel: 'Auterim understood the issue, prepared a response that actually fits the customer and escalated only when it mattered.'

WORKFORCE

11. Cross-operator workflows and handoffs

The strongest Auterim experience appears when a business problem crosses systems or functions but still feels like one coherent piece of work.

Scenario	Primary owner	Supporting actions
Prospect asks pricing but delivery feasibility is unclear	Revenue	Operations prepares feasibility context; Revenue owns customer commercial response.
Customer requests a delivery change	Client Flow	Operations receives internal project change task; Client Flow owns continuity/response.
Support complaint reveals repeated delivery failure	Support initially	Operations investigates blocker; Client Flow may own broader account continuity if issue expands.
Renewal risk caused by unresolved support issue	Revenue for commercial objective	Support provides issue state/evidence; no duplicate outbound messages.

Handoff requirements

- The receiving operator must know why the handoff exists and what outcome it supports.
- The original source, workflow and ownership must remain traceable.
- A handoff must not silently create new external communication.
- Supporting work should resolve back into the owning workflow.
- Users should not need to manually stitch together the context that Auterim already has.

CONTROL

12. Policies, approvals and business-specific governance

Operators become more valuable as they gain execution power, but only if the business can trust the control system. Governance is therefore part of operator quality, not a separate admin feature.

Rule layer	Purpose	Example
Platform safety	Universal hard boundary.	Destructive action blocked; emergency stop wins.
Connector/action boundary	What a provider/action is technically allowed to do.	HubSpot write not automatic.
Business rule	What this company considers risky.	Deal >= EUR 10,000 requires approval.
Workflow rule	Who must approve and in what order.	Admin or Owner approves high-value deal update.

Approval experience standard

- Show the prepared action, exact connector/action, subject and relevant business context.
- Explain the matched policy and threshold in plain business language.
- Show who may approve and what the approval authorizes.
- One approval must not authorize unrelated connector actions.
- If material context changes before execution, require reapproval.
- Simulation must never execute anything.

CONTEXT

13. Memory and learning without unsafe self-modification

Auterim should get better at working with a business because context becomes richer, not because operators silently rewrite their own safety rules.

May improve over time	Must not self-modify
Business terminology and confirmed facts	Authorization boundaries
Preferred communication context	Approval thresholds
Known customer/project relationships	Connector permissions
Recurring work patterns	Role permissions
Outcome history used for prioritization	Execution safety or emergency-stop behavior

Memory usage rules

- Confirmed memory may support preparation and prioritization.
- Observed or derived memory must carry provenance and should not silently become a high-risk policy fact.
- Structured connector truth should override conflicting weaker memory for sensitive decisions.
- Operators should explain important context use when it materially affects an action or approval.
- Memory should improve relevance, not create hidden personalization logic that the business cannot inspect.

OUTCOMES

14. Outcome measurement and proof of value

Auterim should not call execution an outcome. Sending an email, moving a card or creating a CRM update proves only that an action occurred.

Attribution	Meaning	Examples
Observed	A relevant business state changed after Auterim work, but causality is uncertain.	Customer replied; ticket closed; task progressed.
Influenced	Evidence suggests Auterim contributed	Prepared follow-up preceded a response;

	materially to the change.	coordinated blocker work preceded resumed delivery.
Direct	The business outcome is directly tied to an Auterim-authorized execution.	Approved task update completed; exact action changed the tracked state.

Operator value metrics to prefer

- Meaningful signals surfaced vs. total signals ingested.
- Prepared work accepted or used.
- Approvals requested only when justified.
- Execution success and recovery quality.
- Problems resolved or progressed after operator involvement.
- Time-to-response or time-to-next-action where source data supports it.
- Duplicate/noise rate.
- User overrides/rejections and the reasons behind them.

Do not fake ROI

Do not claim revenue generated, hours saved, conversion lift or causal impact unless real outcome evidence supports it. Honest sparse evidence is more valuable than fabricated confidence.

STATE

15. Readiness and degradation model

An operator should not become unusable simply because optional context is missing. Readiness must separate core capability from enrichment.

State	Meaning	Expected UX
Available to unlock	Core capability is not yet available.	Explain what capability connection unlocks the role.
Ready to activate	Core capability is available and the operator can begin useful work.	One clear Activate operator action.
Active	Core path is healthy and monitoring.	Show current work, monitoring and next check.
Active - Limited context	Core work continues but optional context is degraded/missing.	Explain what is limited and what still works.
Needs attention	A core issue prevents reliable work or requires intervention.	One concrete recovery action.
Paused	Operator is intentionally not working.	Explain pause and resume state.
Plan required	Product entitlement blocks activation/use.	Clear plan requirement without pretending setup is broken.

PRODUCT SURFACE

16. Operator UX: what the user should see

Each operator runtime should feel like a live employee/workforce surface, not connector settings or a debugging panel.

Surface block	Purpose
Identity	Portrait, operator name, mission, canonical state.
Attention	Only present when something materially needs user action.
Current work	What the operator is actively preparing, waiting on or

	following through.
Monitoring now	The workstream and signals being watched.
Policy	How this operator is controlled and why approvals may occur.
Capability and context	Core capability and optional business context quality.
Recent outcomes	Evidence of what changed after work.
Advanced	Technical/provider detail only when needed.

Dashboard contribution

- Operators should contribute to 'what matters now', not just show a status badge.
- Pending approvals should surface by business importance, not age alone.
- Workforce activity should distinguish Prepared, Executed and Held at approval.
- Recent activity should read as understandable workforce history, not raw event logs.
- The dashboard should make it obvious what Auterim is doing without the user visiting every operator.

GUARDRAILS

17. What operators must not become

Anti-pattern	Why it weakens Auterim
Chatbot with a job title	User still has to prompt it and receives generic text.
Connector dashboard	Providers become the product instead of business capability.
Notification firehose	Detection creates noise instead of attention leverage.
Workflow template library	Generic automation replaces business-context ownership.
Autonomous black box	Trust collapses because policy and scope are unclear.
Four bots replying to the same thread	No workforce ownership model.
Activity-volume optimizer	More generated actions can mean more admin, not more value.
Fake analytics layer	Execution counts masquerade as business outcomes.

LAUNCH GATE

18. Beta acceptance matrix

A controlled beta should evaluate whether each operator delivers complete business loops, not whether every possible connector/action exists.

Gate	Pass standard
Signal quality	Relevant signals are found with low duplicate/noise rate.
Ownership	One primary operator owns each original problem; handoffs remain traceable.
Context quality	Prepared work visibly uses real company/customer/project context.
Preparation quality	A reviewer can approve/use the work with limited rewriting.
Governance	Policy reasons and action scope are understandable and correct.
Execution safety	No duplicate action; connector and eligibility are rechecked; failures recover safely.
Follow-through	Operator continues watching after preparation/execution.
Outcome evidence	Auterim records credible observed/influenced/direct evidence.
Degradation	Optional-context failures do not break core work silently.
User value	Beta user can name specific work Auterim caught, prepared or progressed.

Controlled beta success question

After 7-14 days, can the customer name at least two specific situations where an operator reduced missed work, improved continuity, accelerated a next step or made execution safer?

ENGINEERING PASS

19. Implementation-pass checklist and scoring rubric

Use this section for the next operator-strengthening implementation pass. Score each live operator from 0 to 3 for every dimension.

Score	Meaning
0	Missing or mostly placeholder.
1	Exists but generic, incomplete or disconnected.
2	Useful and production-backed, but important gaps remain.
3	Strong end-to-end loop with real context, governance, execution/follow-through and evidence.

Dimension	Audit question
Signal coverage	Does it detect the right business situations?
Ownership	Does it clearly own the right problem without duplication?
Context	Does it use the right structured and memory context?
Prioritization	Does it distinguish important work from noise?
Preparation	Is the prepared work genuinely close to done?
Workflow coordination	Can it coordinate supporting work across systems/operators?
Policy integration	Are context, thresholds and action scope enforced?
Approval UX	Can a reviewer understand and trust the decision?
Execution	Can approved work execute safely where supported?
Recovery	Does failure/ambiguity recover safely?
Follow-through	Does the operator watch what happens next?
Outcome evidence	Can it show what changed?
Runtime UX	Does the page feel like a working role, not settings/debug?
Degradation	Does limited context degrade honestly rather than fail awkwardly?

Implementation priority rule

Fix the lowest-scoring dimensions that block a complete value loop before adding new signal categories, connectors or future operators. The goal is not feature parity across operators. The goal is for each live operator to have at least one or two undeniable end-to-end business loops.

HOW TO USE THIS PDF

20. Prompt attachment instructions

Attach this document to the implementation prompt as the operator product specification. The model should treat the production repository as source of truth for current architecture and this PDF as source of truth for intended operator behavior and value.

Required instruction

Do not implement this PDF as a greenfield architecture. First map each requirement to existing Auterim signals, operator registries, workflow materialization, policies, approvals, execution intents, connector adapters, memory, activity and outcome infrastructure. Extend existing systems in place.

Recommended pass structure

- Audit each of the four live operators against the scoring rubric with evidence from the current codebase.
- Identify the top value-loop gaps per operator.
- Propose the smallest architectural changes that close those gaps without broadening the product recklessly.
- Implement operator by operator, preserving one-owner routing and deterministic authorization.
- Add regression tests for signal ownership, policy scope, duplicate prevention, follow-through and outcome evidence.
- Run a fresh workspace end-to-end scenario for each operator.
- Report what the operator can now notice, prepare, coordinate, execute, follow through and prove.
- Do not declare an operator strong because its UI looks complete; prove behavior through tests and real source-backed paths.

Final product principle

The bar for Auterim

A business should not pay for four AI names in a sidebar. It should pay because four controlled roles continuously understand the business, catch important work, prepare the next move, coordinate execution and leave an accountable trail of what changed.