

SRAM




Research Drive


Research Drive



SRAM














USERS




GROUPS




USERS




GROUPS




USERS




GROUPS




USERS




GROUPS



USERS



GROUPS





USERS

GROUPS

USERS

GROUPS

USERS







GROUPS

USERS

GROUPS

USERS

GROUPS





USERS

●	●	●
●	●	●

USERS

●	●	●
●	●	●

USERS

●	●	●
●	●	●

USERS

●	●	●
●	●	●

USERS

●	●	●
●	●	●

GROUPS

●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●



USERS

Six black circles arranged in a 2x3 grid, representing individual users.

USERS

Six black circles arranged in a 2x3 grid, representing individual users.

USERS

Six black circles arranged in a 2x3 grid, representing individual users.

USERS







Six black circles arranged in a 2x3 grid, representing individual users.







USERS







Six black circles arranged in a 2x3 grid, representing individual users.







GROUPS







A large yellow rounded rectangle containing the word "GROUPS" in a dark red, serif font. Below the text, there are three groups of six teal circles each, arranged in a 2x3 grid. A large, horizontal teal oval is positioned at the bottom of the rectangle, spanning across all three groups of circles.










































WHAT
WILL THIS
LOOK LIKE?

Personal

- 👤 Personal info
- 🔒 Security
- 🔗 Sharing
- 🔧 Appearance and accessibility
- 👥 Groupware
- 📁 Flow

Administration

- 📊 Overview
- ⚙️ Basic settings
- 🔗 Sharing
- 🔒 Security
- 🔧 Theming

☐ Allow username autocompletion to users based on phone number integration

If autocompletion "same group" and "phone number integration" are enabled a match in either is enough to show the user.

☒ Allow autocompletion when entering the full name or email address (ignoring missing phonebook match and being in the same group)

☐ Show disclaimer text on the public link upload page (only shown when the file list is hidden)

Default share permissions

☒ Create ☒ Change ☒ Delete ☒ Reshare

Federated Cloud Sharing ⓘ

Adjust how people can share between servers. This includes shares between users on this server as well if they are using federated sharing.

☒ Allow users on this server to send shares to other servers (this option also allows WebDAV access to public shares)

☒ Allow users on this server to receive shares from other servers

☐ Allow users on this server to send shares to groups on other servers

☐ Allow users on this server to receive group shares from other servers

☒ Search global and public address book for users

☒ Allow users to publish their data to a global and public address book

SEND
OCM SHARE
TO GROUP

RECEIVE
OCM SHARE
TO GROUP



Name ▲

Modified

welcome.txt

...

< 1 KB

19 minutes ago

 Tags

1 file

164 B

164 B used

This is just an example file for developers and git u:
The packaged and released versions will come with

...

164 B, 19 minutes ago

Comments

△

Sharing

(4)

Versions

scientists@nc2.docker|

S

scientists
on nc2.docker

S

scientists
on nc2.docker



UPSTREAM TO OWNCLOUD 10

HOOK AND APP

COPY
THEN
TWEAK

SEPARATE DATABASE TABLE

- **oc_share** (user)
- **oc_share** (group)
- **oc_share** (link)
- **oc_share** (email)
- **oc_share_external**
- **oc_share_external_group**

FOREIGN GROUP MEMBERS

GROUPS BACKEND

- `alice`
- `alice@hotmail.com`
- `alice@hotmail.com#uu.nl`

EXPERIMENT

SETUP

(VANILLA OC-10)

NEXT:

GROUPS BACKEND

CALLS SRAM

? QUESTIONS ?

REMOTE GROUP

? DIFFERENCE ?

FEDERATED GROUP