Diet	Wtloss			
Α	3.709			
Α	7.087	Diet A	n	50
Α	6.754		Mean	5.341
Α	8.994		SD	2.536
Α	9.077			
Α	6.413		SD away	2.106
Α	5.877			
A	2.572			
A	7.520			
A	6.881			
A	7.265			
A	3.477			
A	3.755			
A	8.760			
A	7.032			
A	9.052			
A	10.062			
A	4.840			
A	6.449			
A	9.019			
A	-1.715			
A	4.718	Diet B	n	50
A	4.007	Diet B	Mean	3.710
A	7.241		SD	
			SD	2.769
A	2.128		CD 4	4.040
A	6.968		SD Away	1.340
A A	4.853 0.055	Interpreta		
		On averag compared average w mean. With Diet A	e, Diet A is r to Diet B bed eight loss is A, the averag	nore effective cause Diet B the 2.1 s away from the ge weight loss is 1.34 implying that Diet A
			ctive for wei	
Α	2.680			9
Α	3.746			
Α	7.033			
Α	5.033			
Α	5.569			
Α	6.712			
Α	3.663			
Α	2.741			
Α	6.256			
Α	5.349			
Α	7.300			
Α	5.445			
Α	4.970			
Α	3.613			
Α	7.568			
Α	5.861			
Α	4.157			
Α	0.203			
Α	4.441			

A	5.875
A	5.715
A	0.280
B	-1.087
B	1.819
B	0.074
B	1.755
B	1.889
B	3.089
В	4.008
B	4.551
B	1.372
B B	3.413
B	2.823
B	2.865
B	4.369
B	6.337
B	6.308
B	3.494
B B	10.539
B	5.123
B	5.485
B	-1.894
B	8.016
B	2.310
B	3.882
B	7.030
B	7.727
B	0.105
B	3.650
B B B	4.547 4.985
В	5.159 4.760
B	4.934
B	3.106
B	5.598
B	2.162
B	6.520
B	7.046
B B B	1.757 1.848
В	1.096 2.145
B B B	8.435 6.099
B B	3.972 2.409 0.569
B	7.013
B	2.594