

MDMA – anxiety

Study

Estimate [95% CI]


Mithoefer2018 1.83 [−0.49, 4.15]

Mithoefer2018 2.53 [0.29, 4.76]


Mithoefer2011 2.28 [−0.11, 4.67]

Oehen2013 0.64 [−1.02, 2.29]

Random-Effects Model 1.60 [0.56, 2.64]



MDMA – decreased concentration



MDMA – depression

Study

Estimate [95% CI]

Mithoefer2018

-0.18 [-2.28, 1.91]

Mithoefer2011


1.61 [-0.78, 4.00]

Oehen2013

1.56 [-0.06, 3.19]

Random-Effects Model

1.07 [-0.06, 2.20]




MDMA – fatigue

Study

Estimate [95% CI]

Mithoefer2018




3.50 [0.27, 6.73]

Mithoefer2018



2.53 [0.29, 4.76]

Mithoefer2011



3.04 [0.58, 5.51]

Oehen2013



1.94 [0.32, 3.56]

Random-Effects Model



2.47 [1.38, 3.56]

0 2 4 6 8

Log(OR) for AE

MDMA – headache

Study

Estimate [95% CI]

Mithoefer2018

0.63 [−1.59, 2.85]

Mithoefer2018

1.25 [−0.75, 3.25]

Mithoefer2011


0.85 [−1.62, 3.32]

Oehen2013

0.51 [−1.15, 2.18]

Random-Effects Model

0.78 [−0.23, 1.79]



MDMA – irritability

Study

Estimate [95% CI]

Mithoefer2018

0.00 [−2.32, 2.32]

Mithoefer2018


0.92 [−1.08, 2.91]

Mithoefer2011

1.25 [−1.16, 3.67]

Random-Effects Model

0.73 [−0.55, 2.01]



MDMA – lack of appetite

Study

Estimate [95% CI]

Mithoefer2018

−0.88 [−3.55, 1.80]

Mithoefer2018

0.92 [−1.08, 2.91]

Mithoefer2011


1.61 [−0.78, 4.00]

Oehen2013

0.07 [−1.64, 1.78]

Random-Effects Model

0.46 [−0.59, 1.50]



MDMA – muscle tension

Study

Estimate [95% CI]

Mithoefer2018

0.63 [−1.59, 2.85]

Mithoefer2018


1.25 [−0.75, 3.25]

Mithoefer2011

−0.45 [−3.38, 2.48]

Random-Effects Model


0.68 [−0.64, 2.01]



MDMA – sleep disorder


Study

Estimate [95% CI]



Random-Effects Model

1.34 [0.60, 2.08]



MDMA – autonomic

Study

Estimate [95% CI]

Mithoefer2011


-1.61 [-4.94, 1.72]

Oehen2013

0.07 [-1.64, 1.78]

Random-Effects Model

-0.28 [-1.80, 1.24]



MDMA – dizziness

Study

Estimate [95% CI]

Mithoefer2011


0.34 [-2.25, 2.92]

Oehen2013

0.64 [-1.02, 2.29]

Random-Effects Model

0.55 [-0.84, 1.94]



MDMA – jaw tension

Study

Estimate [95% CI]

Mithoefer2011


0.85 [−1.62, 3.32]

Oehen2013

0.07 [−1.64, 1.78]

Random-Effects Model

0.32 [−1.09, 1.73]



MDMA – nausea

Study

Estimate [95% CI]

Mithoefer2011


0.85 [−1.62, 3.32]

Oehen2013

−0.32 [−2.10, 1.45]

Random-Effects Model

0.07 [−1.37, 1.51]



MDMA – ophthalmological

Study

Estimate [95% CI]

Mithoefer2011


-0.45 [-3.38, 2.48]

Oehen2013

-2.03 [-4.52, 0.46]

Random-Effects Model

-1.37 [-3.27, 0.53]



MDMA – restlessness

Study

Estimate [95% CI]

Mithoefer2011


-1.61 [-4.94, 1.72]

Oehen2013

-0.11 [-1.85, 1.62]

Random-Effects Model

-0.43 [-1.97, 1.10]



MDMA – rumination

Study

Estimate [95% CI]

Mithoefer2011


0.34 [−2.25, 2.92]

Oehen2013

0.38 [−1.30, 2.05]

Random-Effects Model

0.36 [−1.04, 1.77]



Log(OR) for AE

MDMA – weakness

Study

Estimate [95% CI]

Mithoefer2011


0.85 [−1.62, 3.32]

Oehen2013

−0.32 [−2.10, 1.45]

Random-Effects Model

0.07 [−1.37, 1.51]



MDMA – xerostomia

Study

Estimate [95% CI]

Mithoefer2011

-1.61 [-4.94, 1.72]

Oehen2013

-0.32 [-2.10, 1.45]

Random-Effects Model

-0.61 [-2.17, 0.96]

