

PSILOCYBIN – abdominal pain

Study

Estimate [95% CI]

Mertens2026


0.05 [−1.55, 1.66]

Mertens2026

0.30 [−1.44, 2.04]

Random-Effects Model

0.17 [−1.01, 1.35]



PSILOCYBIN – abnormal dreams

Study

Estimate [95% CI]

Mertens2026


0.43 [-1.13, 1.98]

Mertens2026

0.00 [-1.83, 1.83]

Random-Effects Model

0.25 [-0.94, 1.43]



PSILOCYBIN – anxiety

Study

Estimate [95% CI]

Mertens2026


0.53 [−1.01, 2.07]

Mertens2026

0.00 [−1.83, 1.83]

Random-Effects Model

0.31 [−0.87, 1.49]



PSILOCYBIN – depression

Study

Estimate [95% CI]

Mertens2026


0.19 [−1.39, 1.78]

Mertens2026

0.00 [−1.83, 1.83]

Random-Effects Model

0.11 [−1.09, 1.31]



PSILOCYBIN – diarrhea

Study

Estimate [95% CI]

Mertens2026


-0.30 [-1.97, 1.37]

Mertens2026

0.74 [-0.91, 2.38]

Random-Effects Model

0.23 [-0.94, 1.40]



PSILOCYBIN – dyspepsia

Study

Estimate [95% CI]

Mertens2026


-1.23 [-3.22, 0.75]

Mertens2026

-2.05 [-5.11, 1.01]

Random-Effects Model

-1.48 [-3.14, 0.19]



PSILOCYBIN – fatigue

Study

Estimate [95% CI]

Mertens2026


0.71 [−0.82, 2.24]

Mertens2026

−0.42 [−2.41, 1.58]

Random-Effects Model

0.29 [−0.92, 1.50]



PSILOCYBIN – hallucinogen persisting perception disorder

Study

Estimate [95% CI]

Mertens2026


-1.23 [-3.22, 0.75]

Mertens2026

-2.05 [-5.11, 1.01]

Random-Effects Model

-1.48 [-3.14, 0.19]



PSILOCYBIN – headache

Study

Estimate [95% CI]

Mertens2026



2.62 [1.17, 4.08]

Mertens2026



2.86 [1.37, 4.35]

Random-Effects Model



2.74 [1.70, 3.78]



Log(OR) for AE

PSILOCYBIN – insomnia

Study

Estimate [95% CI]

Mertens2026


-0.53 [-2.26, 1.20]

Mertens2026


-1.13 [-3.56, 1.30]

Random-Effects Model

-0.73 [-2.14, 0.68]



PSILOCYBIN – nasopharyngitis



PSILOCYBIN – nausea

Study

Estimate [95% CI]

Mertens2026


-0.11 [-1.74, 1.52]

Mertens2026

1.19 [-0.39, 2.77]

Random-Effects Model

0.56 [-0.72, 1.83]



PSILOCYBIN – panic reaction

Study

Estimate [95% CI]

Mertens2026


0.32 [-1.25, 1.88]

Mertens2026

-0.42 [-2.41, 1.58]

Random-Effects Model

0.03 [-1.20, 1.27]



PSILOCYBIN – physical pain

Study

Estimate [95% CI]

Mertens2026


0.05 [−1.55, 1.66]

Mertens2026

0.00 [−1.83, 1.83]

Random-Effects Model

0.03 [−1.18, 1.24]



PSILOCYBIN – suicidal ideation

Study Estimate [95% CI]

Mertens2026 -1.23 [-3.22, 0.75]

Mertens2026 -2.05 [-5.11, 1.01]

Random-Effects Model -1.48 [-3.14, 0.19]

