


PSILOCYBIN – headache


Study

Estimate [95% CI]



Random-Effects Model

2.30 [1.62, 2.98]



PSILOCYBIN – hypertension

Study

Estimate [95% CI]

Back2024 3.04 [0.77, 5.32]

Bogenschutz2022 -0.07 [-2.87, 2.74]


Bogenschutz2022 -0.07 [-2.87, 2.74]

Ross2016 5.18 [2.26, 8.09]

Mertens2026 1.82 [0.96, 2.68]

Mertens2026 0.88 [-0.07, 1.83]


Random-Effects Model 1.69 [0.48, 2.91]



PSILOCYBIN – nausea


Study

Estimate [95% CI]



Random-Effects Model

1.19 [0.69, 1.69]



PSILOCYBIN – tachycardia

Study

Estimate [95% CI]

Back2024

0.77 [−1.75, 3.28]

Mertens2026


−0.66 [−1.64, 0.32]

Mertens2026


−3.27 [−6.15, −0.38]

Random-Effects Model


−0.87 [−2.65, 0.90]



PSILOCYBIN – abdominal pain



PSILOCYBIN – anxiety



PSILOCYBIN – back pain

Study

Estimate [95% CI]

Bogenschutz2022

-0.07 [-2.87, 2.74]

Goodwin2022


2.64 [-0.25, 5.54]

Goodwin2022

0.05 [-3.88, 3.98]

Random-Effects Model

0.99 [-0.92, 2.90]



PSILOCYBIN – depression

Study

Estimate [95% CI]

Bogenschutz2022

1.08 [−1.22, 3.38]

Mertens2026


−0.94 [−1.97, 0.09]

Mertens2026

−1.79 [−3.41, −0.17]

Random-Effects Model

−0.80 [−2.04, 0.45]



PSILOCYBIN – diarrhea

Study

Estimate [95% CI]

Bogenschutz2022

-1.18 [-4.41, 2.04]

CarhartHarris2021


-1.21 [-3.53, 1.12]

VonRotz2023

1.14 [-2.11, 4.38]

Random-Effects Model


-0.61 [-2.24, 1.02]



PSILOCYBIN – dizziness


Study

Estimate [95% CI]



Random-Effects Model


0.26 [-0.41, 0.93]



PSILOCYBIN – fatigue


Study

Estimate [95% CI]




Random-Effects Model

0.26 [-0.94, 1.46]



PSILOCYBIN – illusion



PSILOCYBIN – migraine

Study

Estimate [95% CI]

Bogenschutz2022

-1.18 [-4.41, 2.04]

CarhartHarris2021


-0.04 [-1.73, 1.65]

Rieser2025

1.21 [-2.06, 4.47]

Random-Effects Model

-0.03 [-1.39, 1.33]



PSILOCYBIN – myalgia

Study

Estimate [95% CI]

Bogenschutz2022

-0.07 [-2.87, 2.74]

Goodwin2022


2.46 [-0.45, 5.38]

Goodwin2022

1.69 [-1.36, 4.74]

Random-Effects Model

1.31 [-0.37, 3.00]



PSILOCYBIN – palpitations

Study

Estimate [95% CI]

Bogenschutz2022

-0.07 [-2.87, 2.74]

CarhartHarris2021

-1.21 [-3.53, 1.12]

Mertens2026


-1.18 [-2.25, -0.11]

Mertens2026

-1.79 [-3.41, -0.17]

Random-Effects Model

-1.24 [-2.04, -0.44]



Log(OR) for AE

PSILOCYBIN – restlessness

Study

Estimate [95% CI]

Bogenschutz2022

-1.18 [-4.41, 2.04]

CarhartHarris2021

-0.48 [-2.35, 1.39]

Mertens2026


-0.50 [-1.46, 0.46]

Mertens2026

-1.07 [-2.35, 0.22]

Random-Effects Model

-0.69 [-1.39, 0.00]



PSILOCYBIN – sleep disorder

Study

Estimate [95% CI]


Bogenschutz2022 1.08 [−1.22, 3.38]

CarhartHarris2021 −1.21 [−3.53, 1.12]


Goodwin2022 2.94 [0.07, 5.81]

Goodwin2022 3.34 [0.49, 6.19]

Random-Effects Model 1.41 [−0.65, 3.47]



PSILOCYBIN – suicidal ideation



PSILOCYBIN – vomiting

Study

Estimate [95% CI]

Bogenschutz2022


0.65 [−1.79, 3.08]

CarhartHarris2021

−0.48 [−2.35, 1.39]

Random-Effects Model

−0.06 [−1.54, 1.42]



PSILOCYBIN – withdrawal syndrome

Study

Estimate [95% CI]

Bogenschutz2022


-0.07 [-2.87, 2.74]

Goodwin2022

1.11 [-2.10, 4.33]

Random-Effects Model

0.44 [-1.67, 2.55]



PSILOCYBIN – feeling abnormal

Study

Estimate [95% CI]

CarhartHarris2021


-2.09 [-5.10, 0.92]

Ross2016

1.68 [-1.40, 4.76]

Random-Effects Model

-0.22 [-3.91, 3.47]



PSILOCYBIN – depressed mood

Study

Estimate [95% CI]

Goodwin2022


1.98 [-1.00, 4.96]

Goodwin2022

2.52 [-0.39, 5.43]

Random-Effects Model

2.26 [0.17, 4.34]



PSILOCYBIN – euphoric mood

Study

Estimate [95% CI]

Goodwin2022


2.25 [-0.69, 5.19]

Goodwin2022

2.52 [-0.39, 5.43]

Random-Effects Model

2.38 [0.32, 4.45]



PSILOCYBIN – hospitalisation

Study

Estimate [95% CI]

Goodwin2022


0.00 [-3.93, 3.93]

Goodwin2022


1.16 [-2.05, 4.38]

Random-Effects Model

0.70 [-1.79, 3.19]



PSILOCYBIN – intentional self.injury



PSILOCYBIN – irritability

Study

Estimate [95% CI]

Goodwin2022


2.25 [-0.69, 5.19]

Goodwin2022

1.69 [-1.36, 4.74]

Random-Effects Model

1.98 [-0.14, 4.10]



PSILOCYBIN – mood altered

Study

Estimate [95% CI]

Goodwin2022


2.94 [0.07, 5.81]

Goodwin2022


2.04 [-0.94, 5.02]

Random-Effects Model

2.51 [0.44, 4.57]



PSILOCYBIN – panic reaction



PSILOCYBIN – paresthesia

Study

Estimate [95% CI]

Goodwin2022

1.98 [−1.00, 4.96]

Goodwin2022

2.30 [−0.64, 5.24]

Mertens2026


−0.02 [−0.93, 0.90]

Mertens2026

−0.18 [−1.24, 0.88]

Random-Effects Model

0.14 [−0.52, 0.79]



PSILOCYBIN – suicidal behavior

Study

Estimate [95% CI]

Goodwin2022


1.98 [-1.00, 4.96]

Goodwin2022


0.05 [-3.88, 3.98]

Random-Effects Model


1.28 [-1.10, 3.65]



PSILOCYBIN – thinking abnormal



PSILOCYBIN – physical pain



PSILOCYBIN – temperature perception disturbances

Study

Estimate [95% CI]

VonRotz2023

1.69 [−1.40, 4.77]

Mertens2026


0.03 [−0.88, 0.94]

Mertens2026

0.35 [−0.65, 1.34]

Random-Effects Model

0.24 [−0.41, 0.90]



PSILOCYBIN – confusion

Study

Estimate [95% CI]

Mertens2026


-0.74 [-1.74, 0.25]

Mertens2026

-2.50 [-4.63, -0.36]

Random-Effects Model

-1.36 [-2.99, 0.28]



PSILOCYBIN – dissociation

Study

Estimate [95% CI]

Mertens2026


0.49 [-0.39, 1.38]

Mertens2026

-1.37 [-2.77, 0.04]

Random-Effects Model

-0.35 [-2.17, 1.46]



PSILOCYBIN – hypertensive crisis

Study

Estimate [95% CI]

Mertens2026


-2.60 [-4.21, -0.99]

Mertens2026

-3.27 [-6.15, -0.38]

Random-Effects Model

-2.76 [-4.16, -1.35]



PSILOCYBIN – insomnia

Study

Estimate [95% CI]

Mertens2026


-0.84 [-1.85, 0.17]

Mertens2026


-1.79 [-3.41, -0.17]

Random-Effects Model

-1.10 [-1.96, -0.25]



PSILOCYBIN – mood altered/lability



PSILOCYBIN – perspiration

Study

Estimate [95% CI]

Mertens2026


-0.24 [-1.17, 0.70]

Mertens2026

-3.27 [-6.15, -0.38]

Random-Effects Model

-1.43 [-4.33, 1.47]



PSILOCYBIN – polyuria

Study

Estimate [95% CI]

Mertens2026

-0.94 [-1.97, 0.09]

Mertens2026

-1.37 [-2.77, 0.04]


Random-Effects Model

-1.09 [-1.92, -0.26]

-3 -2 -1 0 1

Log(OR) for AE

PSILOCYBIN – pseudohallucination



PSILOCYBIN – somnolence

Study

Estimate [95% CI]

Mertens2026


-1.18 [-2.25, -0.11]

Mertens2026

-2.50 [-4.63, -0.36]

Random-Effects Model

-1.50 [-2.61, -0.39]



PSILOCYBIN – synaesthesia

Study

Estimate [95% CI]

Mertens2026


-0.18 [-1.11, 0.75]

Mertens2026

-1.37 [-2.77, 0.04]

Random-Effects Model

-0.65 [-1.79, 0.49]



PSILOCYBIN – syncope

Study


Estimate [95% CI]

Mertens2026



-2.60 [-4.21, -0.99]

Mertens2026



-3.27 [-6.15, -0.38]

Random-Effects Model




-2.76 [-4.16, -1.35]

-8 -6 -4 -2 0

Log(OR) for AE

PSILOCYBIN – tension



PSILOCYBIN – thinking abnormal

Study

Estimate [95% CI]

Mertens2026



-0.84 [-1.85, 0.17]

Mertens2026




-2.50 [-4.63, -0.36]

Random-Effects Model



-1.39 [-2.92, 0.14]



Log(OR) for AE

PSILOCYBIN – tremor

Study

Estimate [95% CI]

Mertens2026


-0.84 [-1.85, 0.17]

Mertens2026

-1.79 [-3.41, -0.17]

Random-Effects Model

-1.10 [-1.96, -0.25]



Log(OR) for AE

PSILOCYBIN – vivid imagination

Study

Estimate [95% CI]

Mertens2026

1.99 [1.13, 2.85]

Mertens2026

1.26 [0.32, 2.19]

Random-Effects Model

1.65 [0.93, 2.37]

0 0.5 1 1.5 2 2.5 3

Log(OR) for AE

