


JLC04161H-7628
CONTROLLED IMPEEDANCE



TOTAL SYSTEM POWER IS ~275w
HUB USB SPEC 3.1
THIS IS A 2X 100W USB PD SOURCE
MICK MAKE



Sheet: /
File: usbc-car-module.kicad_sch

Title: 200W USB PD 3.1 HUB

Size: A4 Date: 2023-10-03
KiCad E.D.A. 8.0.2

Rev: A
Id: 1/14

2mhz switching freq



TOTAL SYSTEM POWER IS ~275w
HUB USB SPEC 3.1
THIS IS A 2X 100W USB PD SOURCE
MICK MAKE

Sheet: /12-21V INPUT BOOST CONVERTER/
File: untitled.kicad_sch


Title: 200W USB PD 3.1 HUB

Size: A4 Date: 2023-10-03

KiCad E.D.A. 8.0.2

Rev: A

Id: 2/14



TOTAL SYSTEM POWER IS ~275w

HUB USB SPEC 3.1

THIS IS A 2X 100W USB PD SOURCE

MICK MAKE

Sheet: /5V USB-A AND MCU POWER/

File: 5V USB-A AND MCU POWER.kicad_sch

Title: 200W USB PD 3.1 HUB


Size: A4

Date: 2023-10-03

Rev: A

KiCad E.D.A. 8.0.2

Id: 3/14



F_AND_B_VOUT_FEEDBACK_NETWORKS

File: F_AND_B_VOUT_FEEDBACK_NETWORKS.kicad_sch

TOTAL SYSTEM POWER IS ~275w
HUB USB SPEC 3.1
THIS IS A 2X 100W USB PD SOURCE
MICK MAKE

Sheet: /USB-C_POWER/
File: FRONT USB-C POWER.kicad_sch

Title: 200W USB PD 3.1 HUB


Size: A4 Date: 2023-10-03

KiCad E.D.A. 8.0.2


Rev: A

Id: 4/14

FRONT USB-C BUCK SELECTABLE FEEDBACK NETWORK



BACK USB-C BUCK SELECTABLE FEEDBACK NETWORK



TOTAL SYSTEM POWER IS ~275w

HUB USB SPEC 3.1

THIS IS A 2X 100W USB PD SOURCE

MICK MAKE

Sheet: /USB-C_POWER/F_AND_B_VOUT_FEEDBACK_NETWORKS/

File: F_AND_B_VOUT_FEEDBACK_NETWORKS.kicad_sch

Title: 200W USB PD 3.1 HUB

Size: A4



Date: 2023-10-03

Rev: A



KiCad E.D.A. 8.0.2

Id: 5/14


IO EXPANDERS



ESP-12F



CAN TRANCEVER AND CONTROLER



TOTAL SYSTEM POWER IS ~275w
HUB USB SPEC 3.1
THIS IS A 2X 100W USB PD SOURCE
MICK MAKE

Sheet: /ESP-12F/
File: ESP-12F.kicad_sch


Title: 200W USB PD 3.1 HUB

Size: A4	Date: 2023-10-03
----------	------------------


KiCad E.D.A. 8.0.2

Rev: A
Id: 6/14

I2C ADC



DEVIDER NETWORKS FOR ADC INPUT



TOTAL SYSTEM POWER IS ~275w
HUB USB SPEC 3.1
THIS IS A 2X 100W USB PD SOURCE

MICK MAKE

Sheet: /ADC/
File: ADC.kicad_sch




Title: 200W USB PD 3.1 HUB

Size: A4 Date: 2023-10-03


KiCad E.D.A. 8.0.2





Rev: A

Id: 7/14



Rev: A
Id: 9/14






Title: 200W USB PD 3.1 HUB

KiCad E.D.A. 8.0.2

Id: 13/14


CAR CONNECTOR




MOUNTING HOLES

- H7 MountingHole
- H9 MountingHole
- H4 MountingHole
- H2 MountingHole
- H3 MountingHole
- H1 MountingHole
- H8 MountingHole
- H5 MountingHole

CAR CONNECTOR GPIO OR I2C SELSCTION JUMPERS



SHIELD LINK



TOTAL SYSTEM POWER IS ~275w
HUB USB SPEC 3.1
THIS IS A 2X 100W USB PD SOURCE
MICK MAKE

Sheet: /CAR_12V_IN/
File: CAR_12V_IN.kicad_sch

Title: 200W USB PD 3.1 HUB

Size: A4

Date: 2023-10-03

Rev: A

KiCad E.D.A. 8.0.2

Id: 14/14