

Install ecDB personal V2

Version 1.05

ecDB Electronic
personal V2 Component
Database

 Login

Enter your username and password

Username

Password

 Login

Table of Contents

1 Requirements.....	3
2 Steps to install.....	3
3 Prerequisites.....	3
4 Configure the virtual machine.....	4
5 Set up Debian Trixie.....	7
6 Configuring the system.....	13
6.1 On the Console of VirtualBox.....	13
6.2 Via SSH.....	13
6.3 Set Static IP.....	13
6.4 Disable ipv6.....	14
6.5 Add languages.....	14
6.6 Install apache, mariadb and php.....	14
6.7 Create the database.....	15
6.8 Install git.....	15
6.8.1 Clone the repository.....	15
6.8.2 Import the database.....	15
6.8.3 Configure the database.....	15
6.8.4 Copy all html files to /var/www/html.....	16
6.8.5 Add user to useful groups.....	16
6.8.6 Set up right for apache.....	16
6.8.7 Remove default index.html.....	16
6.8.8 Edit the ecDB personal V2 config file.....	16
7 Start ecDB personal V2.....	17
7.1 Register user and logon.....	17

1 Requirements

To be able to install ecDB personal V2 you will need to have some sort of knowledge about Linux and have a computer running either Linux or Windows.

On that computer you have to install configure and run VirtualBox software.

No support whatsoever will be provided about the above.

The virtual machine needs to have 2 GB of memory allocated to it and a virtual hard drive of 8 GB.

2 Steps to install

This is a summary of how to install ecDB personal V2 in a virtual machine.

The following steps are in this guide

- Set up the virtual machine.
- Install Debian Trixie 13.7
- Install apache and PHP
- Clone and install ecDB personal V2
- Import components

3 Prerequisites

A computer that has enough memory and disk to accept the installation of ecDB personal V2.

A download of the amd64 Netinstall ISO from Debian:

<https://www.debian.org/releases/trixie/debian-installer/>

A cup of coffee of your favorite brand.


4 Configure the virtual machine

Start Virtualbox, click on the New button


Enter ecBD personal V2 as Name

Select your downloaded ISO in the drop down ISO Images


Make sure that you check Skip Unattended Installation, then click Next




enter 2 GB of memory and 2 CPU, click Next



Select 8GB as the size of the Virtual Hard disk, click Next




Check that all is OK, click Finish



Now, click on Settings

Click on Storage, select Controller: IDE and click on Remove Controller




Click on Audio and deselect Enable Audio

Click on USB, deselect Enable USB Controller

Click on System, deselect Floppy and Optical and select PS/2 Mouse as Pointing Device

Click on Network, change Attached Adapter to Bridged Adapter




Click OK

5 Set up Debian Trixie

Click on Start

On the install screen, quickly change to Install and press Enter



Select English as the default language and press Enter



As I use it in Sweden the following if for my setup, you can chose your Region and Country

Select Other and press Enter

Select Europe and press Enter

Select Sweden and press Enter


Press Enter on the Configure locales

On Configure keyboard I select Swedish, you can select whatever you like

Press Enter


The installation starts

Enter a Hostname, I chose ecdbpersonalv2, select Continue and press Enter



Enter a Domain name, chose whatever your domain is or just Press Enter

Now it is time to select a root password




The screenshot shows a terminal window titled "[!!] Set up users and passwords". It contains the following text: "Some account needs to be available with administrative super-user privileges. The password for that account should be something that cannot be guessed." followed by "To allow direct password-based access via the 'root' account, you can set the password for that account here." and "Alternatively, you can lock the root account's password by leaving this setting empty, and instead use the system's initial user account (which will be set up in the next step) to gain administrative privileges. This will be enabled for you by adding that initial user to the 'sudo' group." Below this is a "Note: what you type here will be hidden (unless you select to show it)." and a label "Root password:". A long blue bar represents the password input field. Below the bar is a checkbox labeled "[] Show Password in Clear". At the bottom are two buttons: "<Go Back>" and "<Continue>".

Whatever you enter here, remember it!

Fill in the root password, select Continue, enter the password again and Continue

Now it is time to set up a regular user




The screenshot shows a terminal window titled "[!!] Set up users and passwords". It contains the following text: "A user account will be created for you to use instead of the root account for non-administrative activities." followed by "Please enter the real name of this user. This information will be used for instance as default origin for emails sent by this user as well as any program which displays or uses the user's real name. Your full name is a reasonable choice." Below this is a label "Full name for the new user:". A long blue bar represents the input field. At the bottom are two buttons: "<Go Back>" and "<Continue>".

Enter your first name, select Continue

Enter a short name that is your login name. The Continue

And enter a password for this user. **Remember it!**




The screenshot shows a terminal window titled "[!!] Set up users and passwords". It contains the following text: "Make sure to select a strong password that cannot be guessed." followed by "Choose a password for the new user:". A long blue bar represents the password input field. Below the bar is a checkbox labeled "[] Show Password in Clear". At the bottom are two buttons: "<Go Back>" and "<Continue>".


On the Partition disk just press Enter




And press Enter on the next screen




And Enter



And Enter




And on the summary screen select Yes (easy to miss) and press Enter



Install continues for a couple of minutes, take a sip of your coffee and wait for the next dialogue screen

And press Enter on that



On the Configure the package manager I go for my default Swedish. YMMV

Just press Enter




And press Enter on the next screen

And press Enter on the Proxy screen

Installer will now download more packages.

Select Yes or No on Configure popularity-contest and press Enter



Install continues

Take another sip of that coffee and wait for next screen

Now, under Software selection deselect Debian desktop environment and Gnome, no need for a desktop on a server.

Select SSH server


Press Enter on Continue




Install continues

Take another sip of that coffee and wait for next screen

On the Configuring grub-pc press Enter



On the next screen, select your drive and press Enter



Press Enter on Finish the installation

6 Configuring the system

6.1 On the Console of VirtualBox

When the machine has started up, login as root on the console and enter root password (you wrote it down, did you?)

Now add your user to the sudo group

```
apt install sudo
usermod -a -G sudo <your user>
```

Replace <your user> with the username you entered during installation

Now type:

```
ip a
```

to get what IP the server has, in my case it was 192.168.0.111

Remember that IP

Logout from the server console:

```
logout
```

6.2 Via SSH

SSH into the server, either in a shell or with Putty on Windows:

```
ssh 192.168.0.111
```

You probably will get this text:

```
The authenticity of host '192.168.0.111 (192.168.0.111)' can't be established.
ED25519 key fingerprint is SHA256:xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
```

Enter yes and press Enter

Now enter your password for your user (you wrote it down, did you?)

6.3 Set Static IP

Set static IP (if you want the same IP address for the server

```
sudo nano /etc/network/interfaces
```

Edit the file and replace XXX and YYY with your local network

```
auto eth0
iface eth0 inet static
    address 192.168.XXX.YYY
    netmask 255.255.255.0
    gateway 192.168.XXX.YYY
    dns-domain ZZZZZZZZ.lokal
dns-nameservers 192.168.XXX.YYY
```

6.4 Disable ipv6

```
sudo nano /etc/sysctl.d/99-disable-ipv6.conf
```

Paste the following at the end of the file

```
net.ipv6.conf.all.disable_ipv6 = 1
net.ipv6.conf.default.disable_ipv6 = 1
```

Activate it

```
sudo sysctl --system
```

Generate SSH-keys, might be useful

```
ssh-keygen -t rsa
```

6.5 Add languages

Add languages, in my case I want to add Swedish locale, you chose your locale, currently defined in ecDB personal V2 are de_DE, es_ES, fr_FR, it_IT and sv_SE.

```
sudo dpkg-reconfigure locales
```

Select:

- de_DE.utf8
- es_ES.utf8
- fr_FR.utf8
- it_IT.utf8
- sv_SE.utf8

6.6 Install apache, mariadb and php

```
sudo apt install apache2
```

```
sudo systemctl enable apache2
```

```
sudo apt install mariadb-server mariadb-client
```

```
sudo systemctl enable mariadb
```

Make sure that they are started

```
sudo systemctl start apache2
```

```
sudo systemctl start mariadb
```

Secure the mariadb

```
sudo mariadb-secure-installation
```

On Enter current password for root (enter for none):

Just press Enter

On Switch to unix_socket authentication [Y/n] just press Enter

On Change the root password? [Y/n] enter n and press Enter

On Remove anonymous users? [Y/n] **press Enter**
On Disallow root login remotely? [Y/n] **just press Enter**
On Disallow root login remotely? [Y/n] **just press Enter**
On Reload privilege tables now? [Y/n] **just press Enter**

Install php and gettext

```
sudo apt install php libapache2-mod-php php-cli php-common php-zip php-curl  
php-mysql php-xml php-mbstring php-gd php-intl gettext  
sudo systemctl restart apache2
```

6.7 Create the database

```
sudo mariadb  
CREATE DATABASE IF NOT EXISTS `ecdb` DEFAULT CHARACTER SET utf8mb4;  
exit
```

6.8 Install git

```
sudo apt install git
```

6.8.1 Clone the repository

```
cd  
git clone https://github.com/mickecamino/ECDBpersonalV2.git
```

6.8.2 Import the database

```
cd ECDBpersonalV2  
Import the default database  
sudo mariadb ecdb < ecdb.sql
```

6.8.3 Configure the database

Create user with password and assign right
Replace <YOURPASSWORD> with whatever password you chose

```
sudo mariadb  
use ecdb;  
CREATE USER 'ecdb'@'localhost' IDENTIFIED BY '<YOURPASSWORD>';  
GRANT ALL PRIVILEGES ON ecdb.* TO 'ecdb'@'localhost';  
FLUSH PRIVILEGES
```

6.8.4 Copy all html files to /var/www/html

```
Cd HTML
sudo cp -r . /var/www/html
```

6.8.5 Add user to useful groups

Add local user to adm (for access to apache log files) and www-data (to be able to go to web root)

```
sudo usermod -a -G adm $USER
sudo usermod -a -G www-data $USER
```

Logout from the server

```
logout
```

Then login again so that the groups are picked up

6.8.6 Set up right for apache

Replace the user and groups for all files in the document root of apache

```
sudo chown -R www-data:www-data /var/www/html/
cd /var/www
sudo find html -type f -exec chmod 664 {} + -o -type d -exec chmod 775 {} +
```

6.8.7 Remove default index.html

```
sudo rm index.html
```

6.8.8 Edit the ecDB personal V2 config file

```
sudo nano /var/www/html/include/login/config.php
```


Change <yourpassword> with what you

```
define('DB_HOST', '127.0.0.1');
define('DB_USER', 'ecdb');
define('DB_PASSWORD', '<yourpassword>');
define('DB_DATABASE', 'ecdb');
```

Replace <yourpassword> with the one you entered earlier in section 6.8.3

7 Start ecDB personal V2

Now, start a browser and browse to `http://<your ip>`
If you followed all steps you will be greeted by this:



ecDB Electronic Component Database
personal V2

Login Register

Enter your username and password

Username

Password

 Login

7.1 Register user and logon

Click on Register
Enter your first and last name, an username and a password.
Login with your username and password