Install ecDB personal V2

Version 1.06




Table of Contents

1 Requirements....3
2 Steps to install....3
3 Prerequisites....3
4 Configure the virtual machine....4
5 Set up Debian Trixie....7
6 Configuring the system....13
6.1 On the Console of VirtualBox....13
6.2 Via SSH....13
6.3 Set Static IP....13
6.4 Disable ipv6....14
6.5 Add languages....14
6.6 Install apache, mariadb and php....14
6.7 Create the database....15
6.8 Install git....15
6.8.1 Clone the repository....15
6.8.2 Import the database....15
6.8.3 Configure the database....15
6.8.4 Copy all html files to /var/www/html....16
6.8.5 Add user to useful groups....16
6.8.6 Set up right for apache....16
6.8.7 Remove default index.html....16
6.8.8 Edit the ecDB personal V2 config file....16
7 Start ecDB personal V2....17
7.1 Register user and logon....17

1 Requirements

To be able to install ecDB personal V2 you will need to have some sort of knowledge about Linux and have a computer running either Linux or Windows.
On that computer you have to install, configure and run VirtualBox software.
No support whatsoever will be provided about the above.
The virtual machine needs to have 2 GB of memory allocated to it and a virtual hard drive of 8 GB.

2 Steps to install

This is a summary of how to install ecDB personal V2 in a virtual machine.
The following steps are in this guide


- Set up the virtual machine.
- Install Debian Trixie 13.7
- Install Apache and PHP
- Clone and install ecDB personal V2
- Import components

3 Prerequisites


A computer that has enough memory and disk to accept the installation of ecDB personal V2.
A download of the amd64 Netinstall ISO from Debian:
https://www.debian.org/releases/trixie/debian-installer/
A cup of coffee of your favorite brand.

4 Configure the virtual machine


Start Virtualbox, click on the New button
Enter ecDB personal V2 as Name
Select your downloaded ISO in the drop down ISO Images
Make sure that you check Skip Unattended Installation, then click Next




enter 2 GB of memory and 2 CPU, click Next




Select 8GB as the size of the Virtual Hard disk, click Next




Check that all is OK, click Finish



Now, click on Settings
Click on Storage, select Controller: IDE and click on Remove Controller




Click on Audio and deselect Enable Audio
Click on USB, deselect Enable USB Controller
Click on System, deselect Floppy and Optical and select PS/2 Mouse as Pointing Device
Click on Network, change Attached Adapter to Bridged Adapter



Click OK

5 Set up Debian Trixie

Click on Start
On the install screen, quickly change to Install and press Enter




Select English as the default language and press Enter



As I use it in Sweden the following if for my setup, you can chose your Region and Country
Select Other and press Enter
Select Europe and press Enter
Select Sweden and press Enter
Press Enter on the Configure locales
On Configure keyboard I select Swedish, you can select whatever you like
Press Enter


The installation starts

Enter a Hostname, I chose ecdbpersonalv2, select Continue and press Enter




Enter a Domain name, chose whatever your domain is or just Press Enter

Now it is time to select a root password



Whatever you enter here, remember it!
Fill in the root password, select Continue, enter the password again and Continue


Now it is time to set up a regular user



Enter your first name, select Continue
Enter a short name that is your login name. Click Continue
Enter a password for this user. **Remember it!**




On the Partition disk just press Enter




And press Enter on the next screen




And Enter



And Enter




And on the summary screen select Yes (easy to miss) and press Enter



Install continues for a couple of minutes, take a sip of your coffee and wait for the next dialogue screen

And press Enter on that




On the Configure the package manager I go for my default Swedish. YMMV


Just press Enter



And press Enter on the next screen
And press Enter on the Proxy screen
Installer will now download more packages.
Select Yes or No on Configure popularity-contest and press Enter




Install continues
Take another sip of that coffee and wait for next screen
Now, under Software selection deselect Debian desktop environment and Gnome, no need for a desktop on a server.
Select SSH server
Press Enter on Continue




Install continues
Take another sip of that coffee and wait for next screen

On the Configuring grub-pc press Enter



On the next screen, select your drive and press Enter



Press Enter on Finish the installation

6 Configuring the system

6.1 On the Console of VirtualBox

When the machine has started up, login as root on the console and enter root password (you wrote it down, did you?)
Now add your user to the sudo group

```
apt install sudo
usermod -a -G sudo <your user>
```

Replace <your user> with the username you entered during installation
Now type:

```
ip a
```

to get what IP the server has, in my case it was 192.168.0.111
Remember that IP
Logout from the server console:

```
logout
```

6.2 Via SSH

SSH into the server, either in a shell or with Putty on Windows:

```
ssh 192.168.0.111
```

You probably will get this text:

```
The authenticity of host '192.168.0.111 (192.168.0.111)' can't be established.
ED25519 key fingerprint is SHA256:xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
```

Enter yes and press Enter
Now enter your password for your user (you wrote it down, did you?)

6.3 Set Static IP

Set static IP (if you want the same IP address for the server

```
sudo nano /etc/network/interfaces
```

Edit the file and replace XXX and YYY with your local network

```
auto eth0
iface eth0 inet static
        address 192.168.XXX.YYY
        netmask 255.255.255.0
        gateway 192.168.XXX.YYY
        dns-domain ZZZZZZZZ.lokal
dns-nameservers 192.168.XXX.YYY
```

6.4 Disable ipv6

```
sudo nano /etc/sysctl.d/99-disable-ipv6.conf
```

Paste the following at the end of the file

```
net.ipv6.conf.all.disable_ipv6 = 1
net.ipv6.conf.default.disable_ipv6 = 1
```

Activate it

```
sudo sysctl --system
```

Generate SSH-keys, might be useful

```
ssh-keygen -t rsa
```

6.5 Add languages

Add languages, in my case I want to add Swedish locale, you chose your locale, currently defined in ecDB personal V2 are de_DE, en_GB, es_ES, fr_FR, it_IT and sv_SE.

```
sudo dpkg-reconfigure locales
```

Select:

- de_DE.utf8
- en_GB.utf8
- es_ES.utf8
- fr_FR.utf8
- it_IT.utf8
- sv_SE.utf8

6.6 Install Apache, MariaDB and PHP

```
sudo apt install apache2
sudo systemctl enable apache2
sudo apt install mariadb-server mariadb-client
sudo systemctl enable mariadb
```

Make sure that they are started

```
sudo systemctl start apache2
sudo systemctl start mariadb
```

Secure the mariadb

```
sudo mariadb-secure-installation
```

On `Enter current password for root (enter for none):`

Just press Enter

On `Switch to unix_socket authentication [Y/n]` just press Enter

On `Change the root password? [Y/n]` enter **n** and press Enter
On `Remove anonymous users? [Y/n]` press Enter
On `Disallow root login remotely? [Y/n]` just press Enter
On `Disallow root login remotely? [Y/n]` just press Enter
`On Reload privilege tables now? [Y/n]` just press Enter

Install php and gettext

```
sudo apt install php libapache2-mod-php php-cli php-common php-zip php-curl
php-mysql php-xml php-mbstring php-gd php-intl gettext
```

When installation is finished enter:

```
sudo systemctl restart apache2
```

6.7 Create the database

```
sudo mariadb
```

Enter root password then enter the following:

```
CREATE DATABASE IF NOT EXISTS `ecdb` DEFAULT CHARACTER SET utf8mb4;
exit
```

6.8 Install git

```
sudo apt install git
```

6.8.1 Clone the repository

```
cd
git clone https://github.com/mickecamino/ECDBpersonalV2.git
```

6.8.2 Import the database

```
cd ECDBpersonalV2
```

Import the default datbase

```
sudo mariadb ecdb < ecdb.sql
```

6.8.3 Configure the database

Create user with password and assign right

Replace <YOURPASSWORD> with whatever password you chose

```
sudo mariadb
use ecdb;
CREATE USER 'ecdb'@'localhost' IDENTIFIED BY '<YOURPASSWORD>';
GRANT ALL PRIVILEGES ON ecdb.* TO 'ecdb'@'localhost';
FLUSH PRIVILEGES
```

6.8.4 Copy all html files to /var/www/html

```
cd HTML
sudo cp -r . /var/www/html
```

6.8.5 Add user to useful groups

Add local user to adm (for access to apache log files) and www-data (to be able to go to web root)

```
sudo usermod -a -G adm $USER
sudo usermod -a -G www-data $USER
```

Logout from the server

```
logout
```

Then login again so that the groups are picked up

6.8.6 Set up right for apache

Replace the user and groups for all files in the document root of apache

```
sudo chown -R www-data:www-data /var/www/html/
cd /var/www
sudo find html -type f -exec chmod 664 {} + -o -type d -exec chmod 775 {} +
```

6.8.7 Remove default index.html

```
sudo rm index.html
```

6.8.8 Edit the ecDB personal V2 config file


```
sudo nano /var/www/html/include/login/config.php
```


Replace <yourpassword> with the one you entered earlier in section 6.8.3

```
define('DB_HOST', '127.0.0.1');
define('DB_USER', 'ecdb');
define('DB_PASSWORD', '<yourpassword>');
define('DB_DATABASE', 'ecdb');
```

7 Start ecDB personal V2

Now, start a browser and browse to http://<your ip>
If you followed all steps you will be greeted by this:





7.1 Register user and logon

Click on Register
Enter your first and last name, an username and a password.
Login with your username and password