

Google Search Title:

egfr normal range

Google Search AI Overview:



A normal eGFR (estimated glomerular filtration rate) is generally considered to be 90 mL/min/1.73 m

2squared

2

or higher. However, healthy kidney function eGFR values naturally decline with age, and a result between 60–89 mL/min/1.73 m

2squared

2

is often completely normal in the absence of other signs of kidney damage.

Understanding exactly where your lab results fall can help you track your kidney health over time.

eGFR Result Ranges & What They Mean

Kidney function is typically measured in milliliters per minute per 1.73

m²m squared

m²

of body surface area.

- **90 or higher:**

Considered normal kidney function.

- **60 to 89:** Generally normal, assuming there are no other symptoms or evidence of kidney disease (such as protein in the urine).
- **45 to 59:** Mild to moderate loss of kidney function.
- **30 to 44:** Moderate to severe loss of kidney function.
- **15 to 29:** Severe loss of kidney function.
- **Less than 15:** Kidney failure, requiring dialysis or a transplant.

Important Considerations

- **Natural Age Decline:** eGFR naturally decreases by about 1 mL/min per year as you get older, even in healthy adults.
- **Other Markers:** Doctors usually look at eGFR alongside a urine test checking for albumin (a type of protein) to fully assess kidney health.
- **Accuracy limitations:** eGFR calculations are estimates and may be less reliable if you are very muscular, are an amputee, have had a rapid change in kidney function (like acute kidney injury), or are pregnant.

For official guidance and detailed information on staging, you can check the [UK Kidney Association](#) or the [National Kidney Foundation](#).

- Estimated Glomerular Filtration Rate (eGFR) - National Kidney Foundation

Results * eGFR of 90 or higher is in the normal range. * eGFR of 60 -89 may mean early-stage kidney disease. * eGFR of 15 -59 may ...

National Kidney Foundation

- Measurement of kidney function - UK Kidney Association

There are important practical considerations in interpreting eGFR. Whilst 'normal' eGFR is defined as 90 ml/min/1.73m² or more, ca...

UK Kidney Association

- Understanding blood test results UK | EGFR & creatinine blood tests

EGFR blood test. Estimated glomerular filtration rate is calculated with a blood test which is used to indicate roughly how well t...

Kidney Research UK

- CKD staging - UK Kidney Association

Identifying patients with CKD stages G1 & G2 An eGFR of >90 ml/min/1.73m² is considered normal kidney function. If these patients ...

UK Kidney Association

- Chronic kidney disease - NHS England Digital

90+ ml/min/1.73m², which is considered normal. 60-89 ml/min/1.73m². 30-59 ml/min/1.73m². Less than 30 ml/min/1.73m². The eGFR decr...

NHS England Digital

- eGFR Test Change: Removal of Race from the Calculation

The eGFR is an estimated number to tell doctors what stage of kidney disease you have. This number comes from a blood test of crea...

American Kidney Fund

- Estimated Glomerular Filtration Rate (eGFR)

IF YOUR eGFR IS BELOW 15... An eGFR below 15 means kidney failure. If kidney failure occurs, dialysis or a kidney transplant will ...

National Kidney Foundation

- Chronic Kidney Disease CKD

MEASURING KIDNEY FUNCTION - EGFR. A test called the eGFR (estimated glomerular filtration rate) is used to measure kidney function...

National Kidney Federation

- Kidney Disease Stages Decoded—What Your GFR Says

GFR measures how well kidneys filter waste and excess fluids from the blood. It is measured in milliliters per minute. A healthy G...

9m



YouTube·The Metabolic MD with Dr. Sean Hashmi

- Chronic kidney disease - Diagnosis - NHS

stage 1 (G1) – a normal eGFR above 90ml/min, but other tests have detected signs of kidney damage.

stage 2 (G2) – a slightly reduc...



nhs.uk

- Understanding and Improving Kidney Health

For more detailed information and resources on eGFR, check out the Estimated glomerular filtration rate guide from the National Ki...



Care Access

- Test combinations and profiles

The eGFR (Estimated Glomerular Filtration Rate) is reported as mL/min/1.73 m² and each result is accompanied by a brief explanat...



Barnsley Hospital NHS Foundation Trust

- Estimated Glomerular Filtration Rate (eGFR) - National Kidney Foundation

Results * eGFR of 90 or higher is in the normal range. * eGFR of 60 -89 may mean early-stage kidney disease. * eGFR of 15 -59 may ...

CKD Stages	G1	Normal or high	≥90	Green
	G2	Mildly decreased	60-89	Light Green
	G3a	Mildly to moderately decreased	45-59	Yellow
	G3b	Moderately to severely decreased	30-44	Orange
	G4	Severely decreased	15-29	Red
	G5	Kidney failure	<15	Dark Red



National Kidney Foundation

- Measurement of kidney function - UK Kidney Association

There are important practical considerations in interpreting eGFR. Whilst 'normal' eGFR is defined as 90 ml/min/1.73m² or more, ca...



UK Kidney Association

- Understanding blood test results UK | EGFR & creatinine blood tests


EGFR blood test. Estimated glomerular filtration rate is calculated with a blood test which is used to indicate roughly how well t...



Kidney Research UK

- CKD staging - UK Kidney Association

Identifying patients with CKD stages G1 & G2 An eGFR of >90 ml/min/1.73m² is considered normal kidney function. If these patients ...





UK Kidney Association

Show all

- Understanding blood test results UK | EGFR & creatinine blood tests

EGFR blood test. Estimated glomerular filtration rate is calculated with a blood test which is used to indicate roughly how well t...



Kidney Research UK

- Chronic Kidney Disease CKD

MEASURING KIDNEY FUNCTION - EGFR. A test called the eGFR (estimated glomerular filtration rate) is used to measure kidney function...



National Kidney Federation

- Understanding and Improving Kidney Health

For more detailed information and resources on eGFR, check out the Estimated glomerular filtration rate guide from the National Ki...





Care Access

- Test combinations and profiles

The eGFR (Estimated Glomerular Filtration Rate) is reported as mL/min/1.73 m2 and each result is accompanied by a brief explanat...



Barnsley Hospital NHS Foundation Trust

Estimated Glomerular Filtration Rate (eGFR) - National Kidney Foundation



National Kidney Foundation

			mg/mmol	mg/mmol	mg/mmol
GFR Stages	G1	Normal or high	≥90		
	G2	Mildly decreased	60-90		
	G3a	Mildly to moderately decreased	45-59		
	G3b	Moderately to severely decreased	30-44		
	G4	Severely decreased	15-29		
	G5	Kidney failure	<15		