

Website Change Report

Orator - Neural Speech Analysis

Date: 2026-06-18 Branch: claude/relaxed-sagan-nvpch5 PR: #8

Summary

A full sweep of the Orator web app (Next.js 14 App Router, TypeScript, Tailwind, Supabase). The work fixed a build-breaking bug, two real security issues, several runtime crashes/glitches, branding inconsistencies, accessibility gaps, and inaccurate documentation, plus added standard website polish (error/404 pages, favicon, robots, SEO metadata). Every change was verified with `next build` and `next lint` (both green). Delivered as 9 commits on branch claude/relaxed-sagan-nvpch5 (draft PR #8).

By the numbers: 30 files changed, ~674 insertions / 117 deletions, 9 commits.

1. Build & Stability

BUILD FIX Production build no longer crashes when OPENAI_API_KEY is absent

- OpenAI client was constructed at module load in /api/compare-report and lib/openai.ts.
- `next build` failed during page-data collection (e.g. in CI) with a missing-key error.
- Now instantiated lazily; compare-report returns a clean 503 when unconfigured.
- Files: app/api/compare-report/route.ts, lib/openai.ts

TOOLING Lint is now runnable in CI

- `npm run lint` previously prompted interactively (no ESLint config) and would hang.
- Added .eslintrc.json (next/core-web-vitals) and installed the @typescript-eslint
- plugin that the source's inline disable comments depend on. Lint passes clean.
- Files: .eslintrc.json, package.json

CLEANUP Stopped tracking the tsconfig.tsbuildinfo build artifact

- Removed from git and added to .gitignore.
- Files: .gitignore, tsconfig.tsbuildinfo

2. Security

SECURITY Fixed reflected XSS in the admin action page

- req.name / req.email come from the PUBLIC access-request form and were
- interpolated into the admin-facing HTML page without escaping.
- A malicious requester could run script in the admin's browser when they
- clicked an approve/deny link from email.
- Added lib/escapeHtml.ts and escaped all reflected values.
- Files: app/api/admin/action/route.ts, lib/escapeHtml.ts

SECURITY Escaped user input in all transactional emails

- name / email / reason are now HTML-escaped in the notification, approval
- and rejection email bodies.
- Files: lib/email.ts

SECURITY Hardened admin one-click approve/deny tokens

- Token signature now verified with a constant-time comparison (timingSafeEqual).
- Added validation of the action field and malformed-token guards.
- Documented the previously-undocumented ADMIN_ACTION_SECRET - a known fallback
- secret otherwise makes the approve/deny links forgeable in production.
- Files: lib/adminToken.ts, .env.local.example

SECURITY Sanitized chat input forwarded to the model

- Only user/assistant string turns (last 20) are forwarded - the client can no
- longer inject system messages into the GPT-4o call.
- Files: app/api/analyses/[id]/chat/route.ts

3. Runtime Bug Fixes

Audio waveform no longer flickers during playback

- VideoPlayer called Math.random() inside render, re-randomizing 80 bars on every
- timeupdate (~4x/sec). Now precomputed once with useMemo (stable, deterministic).
- Files: components/VideoPlayer.tsx

Pages no longer hang or crash on failed network requests

- analysis detail: fetchDetail wrapped in try/catch - a network error now shows a
- message instead of an infinite spinner; rename checks res.ok.
- compare: analyses fetch guarded against non-array/error responses (data.filter crash).
- admin requests: fetch made resilient so the page does not hang on failure.
- editor: delete handlers check res.ok before optimistically removing rows.
- Files: analysis/[id]/page.tsx, compare/page.tsx, admin/requests/page.tsx, editor/page.tsx

BrainMap can't crash on out-of-range activation values

- Activation is clamped to [0,1]; a negative value previously indexed the color
- stops out of bounds and threw.
- Files: components/BrainMap.tsx

Chat stream errors are handled gracefully

- A mid-stream failure now closes the stream with a message instead of hanging;
- returns 503 if OPENAI_API_KEY is unset instead of an opaque 500.
- Files: app/api/analyses/[id]/chat/route.ts

4. Admin Access Correctness

Admin layout now reads ADMIN_EMAIL from the environment

- The /api/admin/* routes read process.env.ADMIN_EMAIL, but the layout hardcoded it.
- A deployer who set ADMIN_EMAIL to their own address would pass the API checks yet be
- redirected away from the /admin UI. Now consistent.
- Files: app/admin/layout.tsx

5. Branding Consistency

Replaced leftover 'ACA' branding with 'Orator'

- Navbar logo, all transactional emails, and the chat assistant's system prompt
- still said 'ACA' while the rest of the product said 'Orator'.
- Files: components/Navbar.tsx, lib/email.ts, app/api/analyses/[id]/chat/route.ts

6. Accessibility

Form labels associated with their inputs

- Added htmlFor/id and autoComplete to the login and request-access forms and the
- compare Speech A/B selects (previously visual-only association).
- Files: login/page.tsx, request-access/page.tsx, compare/page.tsx

Icon-only buttons given accessible names

- aria-labels added to the play/pause, rename, delete and editor-delete buttons.

- Files: VideoPlayer.tsx, analysis/[id]/page.tsx, editor/page.tsx

7. Website Polish & SEO

Added standard site infrastructure

- Branded 404 (not-found.tsx) and error boundary (error.tsx).
- App icon / favicon (app/icon.svg).
- robots.txt disallowing all crawlers (app/robots.ts) - invite-only product.
- Richer root metadata: OpenGraph tags, robots noindex, theme color, title template.
- Files: app/not-found.tsx, app/error.tsx, app/icon.svg, app/robots.ts, app/layout.tsx

Internal navigation uses next/link

- Replaced full-page-reload <a> links with <Link> in dashboard, history and admin layout.
- Files: dashboard/page.tsx, history/page.tsx, admin/layout.tsx

8. Documentation

Corrected TRIBE_SERVER_URL behavior

- README and .env.local.example claimed leaving it blank uses mock data, but the
- process route errors when it is unset. Mock data is actually produced server-side.
- Docs now match the code.
- Files: README.md, .env.local.example

Verification

After every batch: `npm run build` compiled successfully and `npm run lint` reported 0 errors (2 pre-existing non-fatal warnings in the Remotion timeline editor were intentionally left, since next/image is not appropriate there). TypeScript `tsc --noEmit` passes. All changes pushed to claude/relaxed-sagan-nvpch5; draft PR #8 opened against main.

Commit Log

1. Fix build-time OpenAI init, unify branding to Orator, add error/404/icon, a11y
2. Make lint runnable, use Next Link for internal nav
3. Fix runtime bugs: waveform flicker, unguarded fetches, BrainMap clamp
4. Security: escape user input in admin page/emails, harden admin tokens
5. Accessibility: add aria-labels to icon buttons, associate compare selects
6. Docs: correct TRIBE_SERVER_URL behavior (required, not blank-for-mock)
7. Fix admin access: read ADMIN_EMAIL from env in admin layout
8. Harden chat route: config guard, message sanitization, stream error handling
9. Add robots.txt (disallow all) and use Link in admin layout