HISTORICAL & PASTORAL STRUCTURE RECORDING FORM

Standard Field Proforma for Standing Fabric & Ruins | Adapted from Burke, Smith & Morrison (2020) & Miles Lewis (1992)

1 HEADER & CROSS-REFERENCE IDENTIFICATION

Property / Site: ..... **Structure ID & Name:** ..... **Date:** ..... **Recorder(s):** .....

GPS Point / Poly ID: ..... **Site Plan Sheet No.:** ..... **Floor Plan Sheet No.:** ..... **Photo Frame Range:** .....

Overall Condition: ☐ Good *(>70% original fabric intact; structurally sound)* ☐ Fair *(30–70% modified / weathered; partial fabric loss)* ☐ Poor / Ruinous *(< 30% surviving; collapse/danger)*

VOLUNTEER SAFETY & WHS PRE-ENTRY CHECK: *Check physical hazards before entering structure or crawlspaces (Burke et al. 2020: 161)*

☐ Suspected Asbestos / Fibro *(lagging/sheets; do not break)* ☐ Flaking Lead Paint *(toxic dust; do not scrape)* ☐ Unstable Roof, Wall Bowing, Rotten Floorboards

☐ Sub-floor Arsenic, Dip, or Pesticide Hazard ☐ Fauna Hazard *(snakes, redbacks, wasps, guano)* **Safe for Entry?** ☐ **YES (Full)** ☐ **PARTIAL** ☐ **EXTERIOR ONLY**

2 FUNCTION, SCALE & LAYOUT

Category & Purpose:
Domestic: ☐ Homestead ☐ Overseers / Cottage ☐ Detached Kitchen ☐ Shearers Quarters ☐ Mess / Cookhouse ☐ Laundry ☐ Privy
Pastoral / Ag: ☐ Woolshed ☐ Shearing Board ☐ Sweat Pens ☐ Stable / Tack ☐ Coach House ☐ Dairy ☐ Meat House ☐ Machinery Shed ☐ Stockyard ☐ Sheep Dip ☐ Hut
Industrial / Trades: ☐ Blacksmith / Forge ☐ Carpentry Shop ☐ Engine / Boiler House ☐ Brick Kiln / Clamp
Water / Services: ☐ Well Shaft ☐ Underground Cistern ☐ CGI Overhead Tank ☐ Rivetted Ship Tank ☐ Earth Dam / Tank

Original Purpose: ..... **Later / Current Use:** .....

Storeys:
☐ Single ☐ Double
☐ Single + Loft ☐ Split

Plan Shape:
☐ Rectangular ☐ Square ☐ L-shape
☐ U-shape ☐ Multi-wing ☐ Open shed

Façade:
☐ Symmetrical
☐ Asymmetrical

Orientation:
☐ N ☐ NE ☐ E ☐ SE
☐ S ☐ SW ☐ W ☐ NW

Approximate External Dimensions:
Length: ..... m Width: ..... m
Est. Floor Area: ..... m²

3 FOUNDATIONS & SUB-FLOOR SPACE (Inspect crawlspace if accessible)

Footings/Stumps: ☐ Earthfast timber posts *(sunk in ground; prone to rot/termites)* ☐ Timber stumps / blocks *(on pads; tin ant-caps post-1880)* ☐ Horizontal bedlogs *(logs laid on ground)*
☐ Dry-stone rubble piers ☐ Mortared stone foundation wall ☐ Brick piers *(230x230mm)* ☐ Concrete piers / slab *(post-1890)* ☐ Steel posts / rail tracks

Sub-Floor Bearer / Joist Conversion Marks:
☐ Round bush poles ☐ Adzed / hewn squared *(scallop axe gouges)*
☐ Pit-sawn *(irregular diagonal criss-cross marks; manual two-man saw pre-1860s)*
☐ Circular-sawn *(distinct curved concentric arcs; steam sawmills post-1850s)*
☐ Modern milled / planed *(fine straight lines or smooth planed)*

Sub-Floor Archaeological Deposit Potential:
☐ High Potential *(intact floorboards & deep void; dropped items trapped)*
☐ Moderate *(partial floor loss, animal disturbance, sheep dung)*
☐ Low *(cleared, eroded, or washed crawlspace)*
☐ None *(earth floor or solid ground concrete slab)*

4 WALLS & STRUCTURAL FRAMING

Primary Wall System: ☐ Stud frame *(light dimensional timber, post-1853)* ☐ Heavy box frame *(mortised posts/beams, pre-1860s)* ☐ Round bush-pole frame
☐ Vertical split timber slab *(slotted in grooved top/bottom plates)* ☐ Horizontal drop-log / slab *(slotted into rebated posts)*
☐ Pisé *(rammed earth tamped in wooden shuttering, 400mm lifts)* ☐ Wattle & daub / Pug & pine *(saplings plastered with mud/straw)*
☐ Mudbrick / Sun-dried adobe ☐ Solid Brick ☐ Cavity Brick *(tied double leaf, post-1880s)* ☐ Stone Masonry ☐ CGI on timber frame

Timber Joints Observed:
☐ Mortise & tenon *(traditional carpentry)* ☐ Pegged / drawbore *(trunnels)*
☐ Halving / notched lap ☐ Bird's mouth rafter notch ☐ Butt & nailed *(post-1853)*

Fasteners & Nails Observed:
☐ Hand-wrought nails *(square tapered shank, rosehead; pre-1850s)*
☐ Machine-cut / Ewbank *(wedge taper on 2 sides; c.1835-1880s)*
☐ Wire nails *(circular drawn wire shank, flat head; post-1870s)* ☐ Baling wire

Brick & Stone Details:
Brick Mfg: ☐ Handmade/sandstock *(creases, thumb marks, no/shallow frog; pre-1850s)* ☐ Machine-pressed *(crisp edges, deep frog; post-1855)*
Brick Bond: ☐ Stretcher ☐ English *(alt rows header/stretcher; strong)* ☐ Flemish *(alt header/stretcher in row)* ☐ Colonial *(3-5 stretchers per header)*
Stone Coursing: ☐ Ashlar *(dressed square blocks, fine joints)* ☐ Coursed rubble *(distinct rows)* ☐ Random uncoursed rubble *(no rows)*
Mortar: ☐ Soft lime-sand *(buff/white, scratches with fingernail)* ☐ Mud / clay ☐ Hard grey Portland cement *(post-1880s)*
Quoins: ☐ Dressed stone ☐ Contrasting brick ☐ Rendered rusticated ☐ None

Cladding & Finishes: ☐ Weatherboard beaded *(quirked edge bead; pre-1860)* ☐ Weatherboard plain splayed *(no bead; post-1860)* ☐ Rough-sawn boarding
☐ CGI 5-inch / 130mm early pitch *(heavy gauge, 1850-65)* ☐ CGI 3-inch / 80mm standard pitch *(dominant post-1860)* ☐ Ripple iron *(25mm flutes; post-1890)*
☐ Flattened tin plate *(kerosene tins)* ☐ Fibro / Asbestos cement + battens *(post-1903)* ☐ Limewash ☐ Stucco / render ☐ Roughcast

Framing Notes / Other Fabric: .....

5 ROOF, CHIMNEYS & VERANDAHS

Roof Form & Cladding:
Form: ☐ Gable ☐ Hipped ☐ Half-hipped / Jerkinhead ☐ Skillion ☐ Curved / Bullnose ☐ Monitor / Sawtooth
Current Cladding: ☐ Corrugated iron (CGI) ☐ Wood shingles ☐ Split palings ☐ Stringybark ☐ Slate ☐ Marseilles tile
Roof Space Clues (inspect cavity): ☐ Shingle battens with nail holes ☐ Remnant shingles/bark in attic ☐ Sawing change

Verandahs & Skillions:
Location: ☐ Front ☐ Rear ☐ Sides ☐ All around ☐ None
Roof Profile: ☐ Straight skillion ☐ Broken-back pitch ☐ Bullnose ☐ Concave / Ogee
Posts: ☐ Bush pole ☐ Square plain ☐ Chamfered ☐ Turned timber ☐ Cast iron
Status: ☐ Original ☐ Added later ☐ Partially enclosed ☐ Fully enclosed as rooms

Chimneys & Fireplaces:
Total Standing Stacks: ..... Remnant Hearths: .....
Material: ☐ Brick ☐ Stone/rubble ☐ CGI sheet stack
☐ Split slab & mud/pug ☐ Concrete / pipe
Location: ☐ External gable ☐ Internal wall ☐ Corner
Detail: ☐ Corbelled cap ☐ Chimney pot ☐ Plain

6 EXTERIOR DOORS & WINDOWS (Summary across structure)

Windows:
Type: ☐ Double-hung sash ☐ Casement ☐ Sliding horizontal ☐ Fixed ☐ Shutter only ☐ Louvre
Panes: ☐ 12-pane (6/6) *(pre-1865)* ☐ 6-pane ☐ 4-pane (2/2) *(1865-1900)* ☐ 2-pane (1/1) ☐ Single large
Lintel / Sill: ☐ Timber head / sill ☐ Brick flat/segmental arch ☐ Stone lintel / sill

Doors & Hardware:
Type: ☐ Ledged & braced ☐ 4-panel Victorian ☐ 6-panel Colonial ☐ High-waisted
☐ French doors (pair glazed) ☐ Half / stable door ☐ Large sliding shed door
Hardware: ☐ Rim lock (surface box) ☐ Mortise lock ☐ Thumb latch ☐ Drop-bar
☐ Strap hinges ☐ Butt hinges

7 INTERNAL ROOM & SPACE INVENTORY MATRIX (Rooms 1 to 5 & Verandah / Hall Infill)

Number all spaces sequentially on manual Floor Plan sketch from front to rear (Miles Lewis 1992). Use Page 3 Continuation Sheet for Rooms 6+.

Attribute / Space	Room 1	Room 2	Room 3	Room 4	Room 5	Hall / Verandah
Room No. & Use *Kit, bed, parl, wool, tack*	☐ Kit ☐ Bed ☐ Parl ☐ Oth:	☐ Kit ☐ Bed ☐ Parl ☐ Oth:	☐ Kit ☐ Bed ☐ Parl ☐ Oth:	☐ Kit ☐ Bed ☐ Parl ☐ Oth:	☐ Kit ☐ Bed ☐ Parl ☐ Oth:	☐ Hall ☐ Pass ☐ Verandah infill ☐ Sleepout: .....
Floor Material *Earth, stone, slats, T&G, conc*	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Grate ☐ Brick Width: ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Grate ☐ Brick Width: ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Grate ☐ Brick Width: ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Grate ☐ Brick Width: ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Grate ☐ Brick Width: ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Grate ☐ Brick Width: ..... mm
Wall Lining *Unlined, board, VJ, plaster*	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/paper ☐ Plaster ☐ Fibro	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/paper ☐ Plaster ☐ Fibro	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/paper ☐ Plaster ☐ Fibro	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/paper ☐ Plaster ☐ Fibro	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/paper ☐ Plaster ☐ Fibro	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/paper ☐ Plaster ☐ Fibro
Ceiling Lining *Open, timber, plaster, metal*	☐ Open rafters ☐ Timber boards ☐ Hessian ☐ Plaster ☐ Pressed metal	☐ Open rafters ☐ Timber boards ☐ Hessian ☐ Plaster ☐ Pressed metal	☐ Open rafters ☐ Timber boards ☐ Hessian ☐ Plaster ☐ Pressed metal	☐ Open rafters ☐ Timber boards ☐ Hessian ☐ Plaster ☐ Pressed metal	☐ Open rafters ☐ Timber boards ☐ Hessian ☐ Plaster ☐ Pressed metal	☐ Sloping pitch ☐ Timber boards ☐ Ripple ☐ Fibro ☐ Open rafters
Joinery / Fittings *Skirting, mantel, meathooks*	.....	.....	.....	.....	.....	.....
Heating & Services *Hearth, stove, pipe, wires*	☐ Hearth ☐ Stove ☐ Col. oven ☐ Pipe ☐ Kero/gas ☐ Wire	☐ Hearth ☐ Stove ☐ Col. oven ☐ Pipe ☐ Kero/gas ☐ Wire	☐ Hearth ☐ Stove ☐ Col. oven ☐ Pipe ☐ Kero/gas ☐ Wire	☐ Hearth ☐ Stove ☐ Col. oven ☐ Pipe ☐ Kero/gas ☐ Wire	☐ Hearth ☐ Stove ☐ Col. oven ☐ Pipe ☐ Kero/gas ☐ Wire	☐ Hearth ☐ Stove ☐ Col. oven ☐ Pipe ☐ Kero/gas ☐ Wire
Alterations / Scars *Partition, blocked door, step*	☐ Part. scar ☐ Step ☐ Blocked open ☐ Paint/paper layer	☐ Part. scar ☐ Step ☐ Blocked open ☐ Paint/paper layer	☐ Part. scar ☐ Step ☐ Blocked open ☐ Paint/paper layer	☐ Part. scar ☐ Step ☐ Blocked open ☐ Paint/paper layer	☐ Part. scar ☐ Step ☐ Blocked open ☐ Paint/paper layer	☐ Part. scar ☐ Step ☐ Verandah beam ☐ Enclosure seam
Room Photo Nos *Manual photo form link*	.....	.....	.....	.....	.....	.....

8 BRANDS, MAKER'S MARKS, INSCRIPTIONS & DATES OBSERVED

Location / Room No.	Item / Feature Type	Exact Text / Brand / Symbol Observed (e.g. Lysaght Orb, Metters Dover, Tally)	Photo No.
.....	.....	.....	.....
.....	.....	.....	.....
.....	.....	.....	.....

9 COMPONENT & ADDITION PHASING LOG (Miles Lewis 1992 Building Developments)

Construction Stage	Rooms / Fabric Included	Physical Clues Observed (Check all indicators present)	Estimated Date / Era
Stage 1: Original Core *Primary footprint & frame*	.....	☐ Vertical seam / crack in wall ☐ Continuous plates/bearings ☐ Consistent pit/circular timber marks ☐ Early nails (wrought/cut)	.....
Stage 2: Early Addition *Rear skillion, kitchen link, wing*	.....	☐ Unbonded vertical joint / crack ☐ Change in brick/timber type ☐ Roof framing break / batten change ☐ Floor step / board width shift	.....
Stage 3: Modification *Verandah infill, re-roofing CGI*	.....	☐ Flashing line / crease on wall ☐ CGI over shingle battens ☐ Blocked door / window aperture ☐ Removed partition joist scar	.....
Stage 4: Modern Repairs *Steel posts, concrete, salvage*	.....	☐ Wire nails / Portland cement patch ☐ Steel pipe / angle iron ☐ Fibro / Masonite lining ☐ Machine removal / salvage scars	.....

10 GENERAL SYNTHESIS, INTEGRITY & ARCHAEOLOGICAL POTENTIAL

Original Fabric Surviving:
☐ >70% Intact ☐ 30–70% Modified ☐ \< 30% Ruinous

Associated Subsurface Features Nearby (10–30m curtilage):
☐ Refuse / bottle dump ☐ Privy / cesspit ☐ Well / cistern
☐ Garden edging / drive ☐ Former post lines / fences

Recorder's Summary Notes, Oral Traditions, Unlisted Variations & Field Interpretation:

.....
.....
.....

Property / Site: ..... **Structure ID & Name:** ..... **Date:** ..... **Recorder(s):** ..... **Continuation Page:** ..... of .....

A EXPANDED INTERNAL ROOM & SPACE INVENTORY MATRIX (Rooms 6 to 12)

Link room numbers directly to measured floor plan sketch. Record measurements using 150mm steel rule.

Attribute / Space	Room 6	Room 7	Room 8	Room 9	Room 10	Room 11	Room 12
Room No. & Use *Bed, mess, board, pen, store*	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store:	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store:	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store:	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store:	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store:	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store:	☐ Bed ☐ Mess ☐ Pen ☐ Board ☐ Store: .....
Floor Material *Earth, brick, slats, T&G, conc*	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm	☐ Butt ☐ T&G ☐ Earth ☐ Conc ☐ Slat ☐ Brick ..... mm
Wall Lining *Unlined, board, VJ, lath, fibro*	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib	☐ Unlined ☐ VJ ☐ Horiz board ☐ Hessian/pap ☐ Plaster ☐ Fib
Ceiling Lining *Open rafters, board, metal*	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met	☐ Open rafter ☐ Boarding ☐ Hessian ☐ Pressed met
Joinery / Fittings *Skirting, meathooks, shaft*	.....	.....	.....	.....	.....	.....	.....
Heating & Services *Hearth, stove, pipe, wiring*	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas	☐ Hearth ☐ Stv ☐ Pipe ☐ Wire ☐ Kero/gas
Alteration Clues *Partition scar, step, door*	☐ Part. scar ☐ Step in floor ☐ Blocked open	☐ Part. scar ☐ Step in floor ☐ Blocked open	☐ Part. scar ☐ Step in floor ☐ Blocked open	☐ Part. scar ☐ Step in floor ☐ Blocked open	☐ Part. scar ☐ Step in floor ☐ Blocked open	☐ Part. scar ☐ Step in floor ☐ Blocked open	☐ Part. scar ☐ Step in floor ☐ Blocked open
Room Photo Nos *Frame numbers*	.....	.....	.....	.....	.....	.....	.....

B EXPANDED INTERNAL FIXTURES, MACHINERY & GRAFFITI / MARKINGS LOG

Location / Room No.	Item / Feature Type	Exact Text, Maker Brand, Patent No., or Shearer Tally Inscription	Dimensions / Mounting Scars / Surviving Parts	Photo No.
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....

C ADDITIONAL PHASING, STRUCTURAL JUNCTIONS & EXPANDED FIELD OBSERVATIONS

Structural Junction & Phasing Checklist (Examine points where wings or walls meet):

☐ Straight unbonded vertical joint / crack between walls ☐ Change from adzed/hewn to circular-sawn timber in roof space
☐ Flashing lead groove on wall from removed skillion / verandah ☐ Abrupt step in floor elevation or change in joist orientation
☐ Ghost paint mark / empty mortise in joist from removed partition ☐ Infilled doorway / former window opening in masonry or slabs

Detailed Phasing, Anomalies, Modifications & Unlisted Pastoral Variations:

.....
.....
.....
.....
.....
.....
.....
.....