ID CODING GUIDE: Link all records to Master Site Map. **Structure ID:** `STR-01`, `STR-02` | **Room ID** (append A–Z sequentially from entrance): `STR-01-A`, `STR-01-B` | **Object ID** (append 2-digit number per room): `STR-01-A-01`.

1 HEADER & CROSS-REFERENCE IDENTIFICATION

Property / Site: ..... **Structure ID:** ..... **Structure Name:** ..... **Date:** .....

Recorder(s): ..... **GNSS Point ID:** ..... **Poly ID:** ..... **Site Plan No.:** ..... **Floor Plan No.:** .....

Camera Make & No.: ..... **Photo Frame Nos.:** ..... **Overall Condition:** ☐ Good *(>70%)* ☐ Fair *(30–70%)* ☐ Poor *(<30%)*

Section 1 Additional Comments / Site Location Context:

.....

.....

VOLUNTEER SAFETY & WHS PRE-ENTRY CHECK: *Assess physical hazards before crossing building threshold or inspecting crawlspaces (Burke, Morrison and Smith 2017: 161)*

☐ Suspected Asbestos / Fibro *(lagging/sheets; do not break)* ☐ Flaking Lead Paint *(toxic dust; do not scrape)* ☐ Unstable Roof, Wall Bowing, Rotten Floorboards

☐ Sub-floor Arsenic, Dip, or Pesticide Hazard ☐ Fauna Hazard *(snakes, redbacks, wasps, guano)* **Safe for Entry?** ☐ **YES (Full)** ☐ **PARTIAL** ☐ **EXTERIOR ONLY**

WHS Hazards & Structural Stability Observations:

.....

.....

2 FUNCTION, SCALE & LAYOUT

Category & Purpose:
Domestic: ☐ Homestead ☐ Overseers / Cottage ☐ Detached Kitchen ☐ Shearers Quarters ☐ Mess / Cookhouse ☐ Laundry ☐ Privy
Pastoral / Ag: ☐ Woolshed ☐ Shearing Board ☐ Sweat Pens ☐ Stable / Tack ☐ Coach House ☐ Dairy ☐ Meat House ☐ Machinery Shed ☐ Stockyard ☐ Sheep Dip ☐ Hut
Industrial / Trades: ☐ Blacksmith / Forge ☐ Carpentry Shop ☐ Engine / Boiler House ☐ Brick Kiln / Clamp
Water / Services: ☐ Well Shaft ☐ Underground Cistern ☐ CGI Overhead Tank ☐ Rivetted Ship Tank ☐ Earth Dam / Tank

Original Purpose: ..... **Later / Current Use:** .....

Storeys:
☐ Single ☐ Double
☐ Single + Loft ☐ Split

Plan Shape:
☐ Rectangular ☐ Square ☐ L-shape
☐ U-shape ☐ Multi-wing ☐ Open shed

Façade:
☐ Symmetrical
☐ Asymmetrical

Orientation:
☐ N ☐ NE ☐ E ☐ SE
☐ S ☐ SW ☐ W ☐ NW

External Dimensions (m):
Length (m): ... **Width (m):** .... **Area (m²):** .....

Section 2 Additional Comments / Functional & Layout History:

.....

.....

.....

3 FOUNDATIONS & SUB-FLOOR SPACE (Inspect crawlspace if accessible)

Footings/Stumps: ☐ Earthfast timber posts *(sunk in ground; prone to rot/termites)* ☐ Timber stumps / blocks *(on pads; tin ant-caps post-1880)* ☐ Horizontal bedlogs *(logs laid on ground)*
☐ Dry-stone rubble piers ☐ Mortared stone foundation wall ☐ Brick piers *(230x230mm)* ☐ Concrete piers / slab *(post-1890)* ☐ Steel posts / rail tracks

Sub-Floor Bearer / Joist Conversion Marks:
☐ Round bush poles ☐ Adzed / hewn squared *(scallop axe gouges)*
☐ Pit-sawn *(irregular diagonal criss-cross marks; manual two-man saw pre-1860s)*
☐ Circular-sawn *(distinct curved concentric arcs; steam sawmills post-1850s)*
☐ Modern milled / planed *(fine straight lines or smooth planed)*

Sub-Floor Archaeological Deposit Potential:
☐ High Potential *(intact floorboards & deep void; dropped items trapped)*
☐ Moderate *(partial floor loss, animal disturbance, sheep dung)*
☐ Low *(cleared, eroded, or washed crawlspace)*
☐ None *(earth floor or solid ground concrete slab)*

Section 3 Additional Comments / Sub-Floor Structure & Deposits:

.....

.....

.....

Structure ID: ..... | Structure Name: ..... | Date: .....

ID CODING GUIDE: Structure ID: `STR-01` | **Room ID**: `STR-01-A` | **Object ID**: `STR-01-A-01`.

4 WALLS & STRUCTURAL FRAMING

Primary Wall System: ☐ Stud frame *(light dimensional timber, post-1853)* ☐ Heavy box frame *(mortised posts/beams, pre-1860s)* ☐ Round bush-pole frame ☐ Vertical split timber slab *(slotted in grooved top/bottom plates)* ☐ Horizontal drop-log / slab *(slotted into rebated posts)* ☐ Pisé *(rammed earth tamped in wooden shuttering, 400mm lifts)* ☐ Wattle & daub / Pug & pine *(saplings plastered with mud/straw)* ☐ Mudbrick / Sun-dried adobe ☐ Solid Brick ☐ Cavity Brick *(tied double leaf, post-1880s)* ☐ Stone Masonry ☐ CGI on timber frame

Timber Joints Observed:
☐ Mortise & tenon *(traditional carpentry)* ☐ Pegged / drawbore *(trunnels)*
☐ Halving / notched lap ☐ Bird's mouth rafter notch ☐ Butt & nailed *(post-1853)*

Fasteners & Nails Observed:
☐ Hand-wrought nails *(square tapered shank, rosehead; pre-1850s)*
☐ Machine-cut / Ewbank *(wedge taper on 2 sides; c.1835-1880s)*
☐ Wire nails *(circular drawn wire shank, flat head; post-1870s)* ☐ Baling wire

Brick & Stone Details:
Brick Mfg: ☐ Handmade/sandstock *(creases, thumb marks, no/shallow frog; pre-1850s)* ☐ Machine-pressed *(crisp edges, deep frog; post-1855)*
Brick Bond: ☐ Stretcher ☐ English *(alt rows header/stretcher; strong)* ☐ Flemish *(alt header/stretcher in row)* ☐ Colonial *(3-5 stretchers per header)*
Stone Coursing: ☐ Ashlar *(dressed square blocks, fine joints)* ☐ Coursed rubble *(distinct rows)* ☐ Random uncoursed rubble *(no rows)*
Mortar: ☐ Soft lime-sand *(buff/white, scratches with fingernail)* ☐ Mud / clay ☐ Hard grey Portland cement *(post-1880s)*
Quoins: ☐ Dressed stone ☐ Contrasting brick ☐ Rendered rusticated ☐ None

Cladding & Finishes: ☐ Weatherboard beaded *(quirked edge bead; pre-1860)* ☐ Weatherboard plain splayed *(no bead; post-1860)* ☐ Rough-sawn boarding ☐ CGI 5-inch / 130mm early pitch *(heavy gauge, 1850-65)* ☐ CGI 3-inch / 80mm standard pitch *(dominant post-1860)* ☐ Ripple iron *(25mm flutes; post-1890)* ☐ Flattened tin plate *(kerosene tins)* ☐ Fibro / Asbestos cement + battens *(post-1903)* ☐ Limewash ☐ Stucco / render ☐ Roughcast

Section 4 Additional Comments / Fabric & Framing Notes (species, scars, tool marks):

.....

.....

.....

.....

5 ROOF, CHIMNEYS & VERANDAHS

Roof Form & Cladding:
Form: ☐ Gable ☐ Hipped ☐ Half-hipped / Jerkinhead ☐ Skillion ☐ Curved / Bullnose ☐ Monitor / Sawtooth
Current Cladding: ☐ Corrugated iron (CGI) ☐ Wood shingles ☐ Split palings ☐ Stringybark ☐ Slate ☐ Marseilles tile
Roof Space Clues (inspect cavity): ☐ Shingle battens with nail holes ☐ Remnant shingles/bark in attic ☐ Sawing change

Verandahs & Skillions:
Location: ☐ Front ☐ Rear ☐ Sides ☐ All around ☐ None
Roof Profile: ☐ Straight skillion ☐ Broken-back pitch ☐ Bullnose ☐ Concave / Ogee
Posts: ☐ Bush pole ☐ Square plain ☐ Chamfered ☐ Turned timber ☐ Cast iron
Status: ☐ Original ☐ Added later ☐ Partially enclosed ☐ Fully enclosed as rooms

Chimneys & Fireplaces:

Standing Stacks: ..... **Remnant Hearths:** .....

Material: ☐ Brick ☐ Stone/rubble ☐ CGI sheet stack ☐ Split slab & mud/pug ☐ Concrete / pipe
Location: ☐ External gable ☐ Internal wall ☐ Corner
Detail: ☐ Corbelled cap ☐ Chimney pot ☐ Plain

Section 5 Additional Comments / Roof & Verandah Notes (flashing lines, alterations):

.....

.....

.....

Structure ID: ..... | Structure Name: ..... | Date: .....

ID CODING GUIDE: Structure ID: STR-01 | **Room ID**: STR-01-A | **Object ID**: STR-01-A-01.

6 EXTERIOR DOORS & WINDOWS (Summary across structure)

Windows:

Type: ☐ Double-hung sash ☐ Casement ☐ Sliding horizontal ☐ Fixed ☐ Shutter only ☐ Louvre

Panes: ☐ 12-pane (6/6) *(pre-1865)* ☐ 6-pane ☐ 4-pane (2/2) *(1865-1900)* ☐ 2-pane (1/1) ☐ Single large

Lintel / Sill: ☐ Timber head / sill ☐ Brick flat/segmental arch ☐ Stone lintel / sill

Doors & Hardware:

Type: ☐ Ledged & braced ☐ 4-panel Victorian ☐ 6-panel Colonial ☐ High-waisted ☐ French doors (pair glazed) ☐ Half / stable door ☐ Large sliding shed door

Hardware: ☐ Rim lock (surface box) ☐ Mortise lock ☐ Thumb latch ☐ Drop-bar ☐ Strap hinges ☐ Butt hinges

Section 6 Additional Comments / Openings Notes (blocked apertures, hardware brands):

.....

.....

.....

7 BRANDS, MAKER'S MARKS & EXTERIOR INSCRIPTIONS

Location / Fabric	Item / Feature Type	Exact Text / Brand / Symbol Observed (e.g. Lysaght Orb, Patent Diamond)	Photo No.

Section 7 Additional Comments / Inscription Details:

.....

.....

8 COMPONENT & ADDITION PHASING LOG (Miles Lewis 1992 Building Developments)

Construction Stage	Rooms / Fabric Included	Physical Clues Observed (Check all indicators present)	Estimated Date / Era
Stage 1: Original Core *Primary footprint & frame*	.....	☐ Vertical seam / crack in wall ☐ Continuous plates/bearings ☐ Consistent pit/circular timber marks ☐ Early nails (wrought/cut)	.....
Stage 2: Early Addition *Rear skillion, kitchen link, wing*	.....	☐ Unbonded vertical joint / crack ☐ Change in brick/timber type ☐ Roof framing break / batten change ☐ Floor step / board width shift	.....
Stage 3: Modification *Verandah infill, re-roofing CGI*	.....	☐ Flashing line / crease on wall ☐ CGI over shingle battens ☐ Blocked door / window aperture ☐ Removed partition joist scar	.....
Stage 4: Modern Repairs *Steel posts, concrete, salvage*	.....	☐ Wire nails / Portland cement patch ☐ Steel pipe / angle iron ☐ Fibro / Masonite lining ☐ Machine removal / salvage scars	.....

Section 8 Additional Comments / Phasing Observations & Structural Junctions:

.....

.....

.....

9 GENERAL SYNTHESIS, INTEGRITY & ARCHAEOLOGICAL POTENTIAL

Original Fabric Surviving:

☐ >70% Intact ☐ 30–70% Modified ☐ \< 30% Ruinous

Associated Subsurface Features Nearby (10–30m curtilage):

☐ Refuse / bottle dump ☐ Privy / cesspit ☐ Well / cistern ☐ Garden edging / drive ☐ Former post lines / fences

Section 9 Synthesis Notes, Oral Traditions, Unlisted Variations & Overall Interpretation:

.....

.....

.....

.....

.....

.....

ID CODING GUIDE: Link all records to Master Site Map. **Structure ID:** `STR-01`, `STR-02` | **Room ID** (append letter A–Z sequentially from front entrance): `STR-01-A`, `STR-01-B` | **Object ID** (append 2-digit number per room): `STR-01-A-01`, `STR-01-A-02`.

SECTION 1 ROOM IDENTIFICATION & ARCHITECTURAL CONTEXT

Structure ID: ..... **Structure Name:** ..... **Room ID (e.g. STR-01-A):** ..... **Date (DD/MM/YYYY):** .....

Inferred Original Use: ..... **Current / Later Use:** ..... **Recorder(s) (Full Names):** .....

GNSS Point / Poly ID: ..... **Floor Plan Sheet No.:** ..... **Camera Make & No.:** ..... **Photo Frame Nos.:** .....

Internal Dimensions: **Length (m):** ..... × **Width (m):** ..... × **Ceiling Ht (m):** ..... **Floor Area:** **Area (sq m):** .....

Section 1 Additional Comments / Room Context:

.....

.....

SECTION 2 ROOM ENVELOPE, FABRIC & FINISHES (INSPECT ALL SURFACES)

2.1 FLOORS & SUB-FLOOR ACCESS

Floor Substrate & Covering:

☐ Earth / packed clay ☐ Flagstone / slate ☐ Brick pavers
☐ Timber floorboards (butt-boarded [square-edge])
☐ Timber floorboards (tongue-and-groove [T&G])
☐ Split / adzed timber slabs ☐ Poured concrete slab
☐ Modern sheet / linoleum / vinyl / carpet ☐ Missing / earth floor

Other Floor Type / Coverings: .....

Floorboard Details & Sawing Marks:

Board Width (mm): ..... **Thickness (mm):** .....

☐ Pit-sawn [diagonal marks] ☐ Circular-sawn [curved arcs]
☐ Modern milled / dressed ☐ Hand-adzed / split face

Sub-floor Access & Clearance:

☐ Trapdoor present ☐ Floorboards lifting / missing ☐ Inaccessible

Steel Rule Test: *Insert 150mm thin steel rule through shrinkage gaps to test clearance depth and probe for under-floor artefactual deposits or earlier floor levels.*

Floor Condition: ☐ Sound/Intact ☐ Borer/Termite hollowed ☐ Dry rot/decay ☐ Water stained ☐ Sagging joists ☐ Broken/Hazardous

Floor Additional Comments / Under-Floor Probing Notes:

.....

.....

2.2 WALLS & INTERNAL PARTITIONS

Wall Structure & Substrate:

☐ Vertical timber slabs (drop-in or pinned) ☐ Horizontal slabs/logs
☐ Timber stud frame (bush pole / adzed / sawn)
☐ Brick (rendered / unrendered / bagged) ☐ Stone masonry
☐ Corrugated iron / ripple iron ☐ Mud brick / pisé / pug
☐ Asbestos / fibro sheeting (**WHS Hazard: Do NOT disturb**)

Internal Wall Linings & Decorative Finishes:

☐ Bare timber / unlined ☐ Lath & plaster (hair mortar)

☐ Timber matchboard / V-joint lining boards (width: _____)
☐ Hessian / scrim canvas backing ☐ Pressed metal / Wunderlich
☐ Beaver board / Cane-ite / hardboard ☐ Fibrous plaster
☐ Limewash / whitewash ☐ Distemper / multiple paint layers

Linings & Wallpaper: *Inspect damaged corners or peeling linings for wallpaper layering, pasted newspapers (dateable mastheads/text), or stencils.*

Wall Condition: ☐ Sound/Intact ☐ Plaster cracked/drummy ☐ Peeling wallpaper/scrim ☐ Termite hollowed ☐ Water ingress/damp ☐ Out of plumb/bowing

Wall Additional Comments / Wallpaper & Newspaper Masthead Notes:

.....

.....

2.3 CEILINGS & OVERHEAD FRAMING

Ceiling Form & Construction Material:

☐ Open to rafters / unceiled (underside of roof / battens visible)
☐ Lath and plaster ceiling ☐ Timber matchboard / bead-board
☐ Pressed metal / Wunderlich panels ☐ Hessian / calico / canvas cloth
☐ Beaver board / Cane-ite sheets ☐ Plasterboard / fibrous plaster
☐ Corrugated iron sheets ☐ Bagging / hessian bags

Other Ceiling Type / Fasteners: .....

Cornice, Rosette & Overhead Details:

☐ Square-stopped (no cornice moulding)
☐ Simple timber quad / bead cornice ☐ Moulded timber cornice
☐ Cast plaster / run plaster cornice ☐ Pressed metal cornice
☐ Ceiling rose / medallion (Cast plaster / Pressed metal / Timber)

☐ Manhole / roof void access hatch present (Location: _____)
☐ Ceiling sagged / partially collapsed ☐ Stained / water damaged

Ceiling Additional Comments / Roof Void Access Notes:

.....

.....

Structure ID: ..... | Room ID: ..... | Room Name/Use: ..... | Date: .....

ID CODING GUIDE: Structure ID: STR-01 | **Room ID**: STR-01-A | **Object ID**: STR-01-A-01.

2.4 INTERNAL OPENINGS & JOINERY (DOORS, WINDOWS, SKIRTINGS)

Internal Doors & Construction:

- ☐ Ledge & brace (vertical tongue-and-groove boards with Z-bracing)
- ☐ Framed ledge & brace ☐ 2-panel ☐ 4-panel (raised/beaded)
- ☐ 4-panel (flat/square) ☐ 6-panel ☐ Modern flush / hollow core
- ☐ Door missing / opening only ☐ Sliding barn / timber batten gate

Door Hardware & Fasteners:

- ☐ Hand-forged thumb latch (Norfolk/Suffolk) ☐ Cast iron rim lock
- ☐ Mortise lock with brass/ceramic knob ☐ Padlock bolt / hasp
- ☐ Cast iron butt hinges ☐ Hand-forged strap/T-hinges on pintles

Windows, Internal Glazing & Reveals:

- ☐ Double-hung sash (timber cords/weights) ☐ Casement (hinged)
- ☐ Fixed sash / hopper ☐ Pivot sash ☐ Multi-pane (e.g. 6-over-6)
- ☐ Cylinder/crown glass (distorted/wavy) ☐ Modern float glass
- ☐ Internal timber architraves intact ☐ Splayed reveals / timber sill

Skirting Boards & Baseboards:

- ☐ No skirting / square stop ☐ Plain square dressed board
- ☐ Moulded profile (Ogee / Torus / Scotia) ☐ Replaced / modern

Skirting Height (mm): .....

Joinery Additional Comments / Hardware & Tooling Marks:

.....

.....

2.5 FIREPLACE, HEATING, COOKING & FIXED SERVICES

Fireplace, Chimney Breast & Stove:

- ☐ None in this room ☐ Brick chimney breast ☐ Stone breast
- ☐ Corrugated iron / timber-framed sheeted bush fireplace
- ☐ Open hearth firebox with iron crane/pot-hooks
- ☐ Cast iron register grate (coal/wood grate)
- ☐ Kitchen fuel stove / range (e.g. Metters, Dover, Crown, Esse)
- ☐ Colonial brick baking oven / alcove ☐ Corner fireplace

Mantelpiece (Timber / Marble / Iron / None): .....

Fixed Built-in Fittings & Joinery:

- ☐ Built-in timber cupboards / press ☐ Wall shelving / plate racks
- ☐ Meat safe / perforated zinc mesh cupboard ☐ Corner pantry
- ☐ Pastoral fittings (shearing chute, wool bin, classing table, wool press)
- ☐ Industrial fittings (blacksmith forge, tuyere, anvil block, water trough)

Fixed Services & Utilities:

- ☐ No services ☐ Surface wiring on porcelain insulators/cleats
- ☐ Early timber capping / conduit ☐ Modern wiring / power points
- ☐ Gas lighting pipe / brackets ☐ Lead / galvanized water supply
- ☐ Sink / wash tub / copper / drain

Heating & Services Additional Comments / Stove Foundry & Model Marks:

.....

.....

2.6 ALTERATIONS, STRUCTURAL SCARS & GRAFFITI (BUILDING ARCHAEOLOGY)

Structural Scars & Blocked Openings:

- ☐ Blocked doorway (infill: brick / timber / iron)
- ☐ Blocked window ☐ Doorway cut through earlier partition
- ☐ Removed partition scar (ghost mark on ceiling/floor/wall)
- ☐ Infilled fireplace / removed stove flue hole
- ☐ Ghost marks from removed shelves, staircases, or counters
- ☐ Lowered ceiling / modern false ceiling framework

Diagnostic Marks, Inscriptions & Graffiti:

- ☐ Carpenter / assembly marks (Roman numerals, chiselled marks)
- ☐ Timber brand / sawmill stencil / shipping mark
- ☐ Manufacturer stamp / paper label / patent date
- ☐ Historic pencil tally marks (wool bales, shearing tallies, livestock)
- ☐ Historic pencil / ink inscriptions or names (Date(s): _____)
- ☐ Historic / modern scratched graffiti

Alterations & Inscriptions Additional Comments / Exact Transcriptions:

.....

.....

SECTION 3 UNSTRUCTURED ROOM NOTES & STRATIGRAPHIC SUMMARY (MILES LEWIS ARCHAEOLOGY)

Phasing Synthesis: *Synthesize chronological sequence of this room (original layout vs. additions/modifications). Note relationships between floor, wall, and ceiling joins, blocked doors, re-used timbers, surface wear patterns, paint stratigraphy, and cross-references to object inventory entries.*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

FORM 3: ROOM OBJECT / MACHINERY / ARTEFACT INVENTORY

Portable & Fixture Heritage Log | Adapted from Burke, Morrison and Smith 2017 & Miles Lewis (1992)

BALALA HERITAGE PROJECT
FORM 3 — SINGLE / REPEATABLE

ID CODING GUIDE: Link all records to Master Site Map. **Structure ID:** `STR-01`, `STR-02` | **Room ID** (append letter A–Z sequentially): `STR-01-A`, `STR-01-B` | **Object ID** (append 2-digit number per room): `STR-01-A-01`, `STR-01-A-02`.

SECTION 1 INVENTORY CONTEXT & ROOM PROVENANCE

Structure ID: ..... **Structure Name:** ..... **Room ID (e.g. STR-01-A):** ..... **Inferred Room Use:** .....

Recorder(s) (Full Names): ..... **Date (DD/MM/YYYY):** ..... **Camera Make & No.:** ..... **Sheet No.:** .....

SECTION 2 ROOM OBJECT & MACHINERY INVENTORY TABLE

Inventory Protocol: *Assign unique Object ID (`<Room ID>-01`, `<Room ID>-02`). Describe material (cast iron, wrought iron, brass, hardwood, softwood, ceramic, glass, leather), dimensions (mm), maker brand/stamps, function, and condition (intact, rusted, broken, fragile). Mark exact location on Room Floor Plan.*

Object ID (e.g. STR-01-A-01)	Item Category (Vocabulary Below)	Description, Material, Maker Marks, Dimensions (mm) & Condition	Photo Frame Number(s)

Controlled Item Categories: Pastoral/Wool: Shearing equipment, wool bale stencils, fleece scales, wool press | **Machinery/Engine:** Stationary engine, pump, shafting, pulley, generator | **Trades/Tools:** Blacksmith tools, forge tongs, anvil, carpentry tools | **Domestic/Furniture:** Table, chair, bedstead, meat safe, washstand | **Cooking/Heating:** Cast iron stove, kettle, camp oven, pots | **Containers:** Historic bottles/glass, tins, wooden boxes, barrels, ceramic stoneware | **Building Fabric:** Loose joinery, bricks, hardware, shingles | **Personal/Apparel:** Footwear, clothing, tobacco tin | **Other** (specify).

SECTION 3 ADDITIONAL COMMENTS, CONSERVATION HAZARDS & CURATION NOTES

Additional Comments / Fragile Heritage & In-Situ Retention Notes:

.....

.....

.....

FORM 4: PHOTOGRAPHIC RECORDING LOG

Archaeological Photo Register | Adapted from Burke, Morrison and Smith 2017 & Miles Lewis (1992)

BALALA HERITAGE PROJECT
FORM 4 — SINGLE / REPEATABLE

ID CODING GUIDE: Link all photos to Master Site Map & Plans. **Structure ID:** `STR-01` | **Room ID**: `STR-01-A` | **Object ID**: `STR-01-A-01` | **Landscape/Site**: `SITE-01`. Mark photo position and facing angle arrow (→) on Floor / Site Plan.

MANDATORY PHOTOGRAPHIC INSTRUCTIONS:

1. **ONE CAMERA PER FORM:** Strictly use one camera body and memory card per recording sheet. Never mix frames from multiple cameras on the same form.
2. **METRIC SCALES:** Always place an appropriate photographic scale (2m ranging pole for building elevations; 1m/50cm scale for wall sections; 20cm/10cm scale for joinery, mason marks, graffiti, or artefacts) parallel to the camera sensor. Do not obscure key fabric details.
3. **NORTH ARROW (OUTDOOR SHOTS):** For all outdoor structural elevations, landscape context shots, and external features, place a north arrow pointing north to verify orientation. Record camera facing direction (N, NE, E, SE, S, SW, W, NW, or Down/Up).

SECTION 1 PHOTOGRAPHIC REGISTER HEADER & CAMERA METADATA

Property / Site Name: ..... **Structure ID / Context (e.g. STR-01):** ..... **Date (DD/MM/YYYY):** ..... **Sheet No.:** .....

Photographer(s) (Full Names): ..... **Camera Make, Model & ID:** ..... **Card / Roll / Folder ID:** ..... **Site / Floor Plan Sheet No.:** .....

SECTION 2 PHOTOGRAPHIC REGISTER TABLE

Table Guidelines: *Assign Photo ID (camera frame No. or range for brackets). List Component Code (e.g. STR-01-EXT-N, STR-01-A, STR-01-A-01). Note Camera Facing Orientation (e.g. Facing N, E, Down, Up). Indicate Scale Size and whether North Arrow was included. Provide full descriptive caption.*

Photo ID / Frame No(s).	Component Code (e.g. STR-01-A)	Orientation / Facing Dir	Scale & North Arrow Used?	Photo Subject, Caption & Architectural / Archaeological Description

Controlled Codes & Conventions: **Facing/Orientation:** N, NE, E, SE, S, SW, W, NW, Down (Plan/Floor), Up (Ceiling/Roof framing), Oblique (Perspective).
Scale Types: 2m pole, 1m scale, 50cm scale, 20cm scale, 10cm scale, Micro scale (1cm), None.
North Arrow: NA = North Arrow in shot (mandatory for outdoor contextual/elevation shots); No NA = Not in shot (e.g. macro close-ups).

SECTION 3 ADDITIONAL COMMENTS, LIGHTING & ARCHIVE BACKUP NOTES

Additional Comments / Harsh Lighting, Storage Media & Archive Ingestion Notes:

.....

.....

.....