

	Document Type:	Document Code	RES- CR-01
	DOCUMENTED INFORMATION ISO 9001:2015	Revision No.	00
	Document Title:	Effective Date	
	COMPLETED RESEARCH	Page	Page 1 of 12

(1) Research Program/Project/Study Title: Taklong <i>Helix promatia</i> Longganisa	
Proponent Name:	Melba Balajadia
Academic Rank:	
Co-Authors (with academic rank):	Evelyn B. Borgonia
Campus/Satellite College/Address:	Capiz State University
Telephone/Cell Phone/Fax Number:	09287688579
E-mail Address:	evelynborgonia@capsu.edu.ph

Program or Project has component (if no proceed to 2)? ☐ Yes ☐ No

Component Title:	
Component Leader:	
Academic Rank:	

(2) Category (please check) ☐ Social Science/Education /Humanities & other related fields ☐ Natural/BiologicalSciences ☒ Food Research/ ☐ Developmental/ Computer/Engineering/ Architecture ☐ Extension ☐ Poster	(3) Research Center [Check the concerned center] ☐ SSITRDC Social Science and Industrial Technology Research Development Center ☐ LRDC Livestock Research Development Center ☒ FFRDC Fisheries and Food Research Development Center ☐ CSRDC Crop Science Research Development Center
--	--

(4) Site of implementation	
Municipality/City:	Pilar
Province:	Capiz
Region:	VI

(5) Classification Research: Development: ☐ Basic ☐ Pilot Testing ☐ Applied ☒ Tech. Promotion/Commercialization	(6) Mode of Implementation ☐ Single Authorship/Proponent ☒ Collaborative Research (within campus) ☐ Collaborative Research (intercampus) ☐ Collaborative Research (external agency)
--	---

(7) Sector/Commodity	(8) Discipline/Field of Specialization

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
	Document Title:	COMPLETED RESEARCH	Revision No.	00
			Effective Date	
			Page	Page 2 of 12

(9A) Abstract (This has a maximum of 250 words. It contains 1-2 sentences of rationale, followed by objectives, brief methodology, major findings, and implications of impact of the study.)

(9B) Keywords (Write 3-6 words you used in the study, preferably not found in the title because words in the title are already given keywords. This would also include process, or methodology employed.)

(10) Introduction (This includes the rationale, background of the study, and objectives which are not divided by subheadings. Incorporate at least three (3) reviews)

Helix pomatia, with common names the **Roman snail**, **Burgundy snail**, **edible snail**, or **escargot**, is a species of large, edible, air-breathing land snail, a pulmonate gastropod terrestrial mollusc in the family Helicidae. It is considered as one of biggest species of land snail in Europe and Asia. We may think of a snails only as a small mollusks that cause destruction of the plants but in many parts of the world such as France, Germany and Portugal, snails are actually a delicacy.

The protein content of snails is similar to the protein found in pork and beef, but snails come with a much lower fat content. In addition to containing significant sources of protein and low amounts of fat, snails are also good sources of iron, calcium, Vitamin A, and a number of other minerals. Vitamin A helps immune system fight off diseases and strengthens your eyes. It also helps cells in the body grow. Calcium helps your body's bones stay strong and diminish risk of developing bone-related problems such as osteoporosis. Iron helps your red blood cells move oxygen to all parts of your body, as well as keeps your hair, nails, and skin healthy.

In Pilar its abundance is observed in the forests of Tabun-can and Blasco and other parts of Yating and San Silvestre. In fact no records have been found to claim its abundance in the mentioned places, however, locals have proven that truly it is abundant because of its copious quantity all times of the year. As to economic importance, it is collected and cultivated and eaten as food, (Rogers, 2018). The locals use to make exotic delicacy of Taklong and serve for special visitors during special occasions. Taklong Longganisa can be a source of income for the local people and good substitute for other frozen meat product. The objectives of this study is to: a. To determine the acceptability of Taklong Longganisa in terms of appearance, aroma, flavour, color, palatability: b. To determine the general acceptability of Taklong Longganisa in terms of appearance, aroma, flavour, color, palatability and general acceptability.

The result of the prior Art Search about Taklong Longganisa are shown:

CN114287573A RIVER SNAIL WIND-FLAVORED SAUSAGE AND PREPARATION METHOD THEREOF

The invention relates to the technical field of genuine sausage, in particular to bellamya quadrata flavored sausage and a preparation method thereof. The method comprises the following steps: wrapping salted snail meat with deep-frying powder, and performing deep-frying treatment twice to obtain deep-fried snails; the frying powder is mainly prepared by mixing yolk powder, sweet potato flour and yeast extract; the snails comprise bellamya aeruginosa; separately treating and crushing pork tenderloin and pork fat in a weight ratio of (12-15): (2-4), and mixing and chopping to obtain meat paste; the obtained fried margarya melanioides and meat paste are mixed according to the weight ratio of (1-3): (1-3) to obtain a mixture, and the mixture is used for sausage filling; and performing two-stage heating and gelation on the mixture after sausage filling to obtain the bellamya quadrata flavored sausage. The deep-fried snail meat, the pork tenderloin and the pork fat are matched, so that the addition of meat products such as the pork tenderloin and the pork fat is reduced, the taste of the genuine sausage can be enriched, and the genuine sausage is rich in layering sense.

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
	Document Title:	COMPLETED RESEARCH	Revision No.	00
			Effective Date	
			Page	Page 3 of 12

CN106666499A SEAFOOD SAUSAGE PREPARED FROM AQUATIC MOLLUSK MEAT AND PREPARATION METHOD THEREOF

The invention discloses a seafood sausage prepared from aquatic mollusk meat and a preparation method thereof. The seafood sausage is prepared from the following ingredients in parts by mass: 20 to 30 parts of sea snail meat, 3 to 5 parts of abalone meat, 4 to 6 parts of clam meat, 10 to 12 parts of peanut oil, 16 to 20 parts of lean pork, 8 to 10 parts of fat pork, 3 to 5 parts of refined salt, 4 to 6 parts of sugar, 1 to 3 parts of soyabean protein, 6 to 8 parts of starch, 6 to 10 parts of carrageenan, 1 to 2 parts of spice and 6 to 10 parts of cooking wine. Compared with the existing seafood sausage prepared from mollusk meat paste as raw materials in the market, the seafood sausage prepared from aquatic mollusk meat provided by the invention has the advantages that the fresh and delicious taste is intense; the mouthfeel is better. Therefore the mollusk meat sausage belongs to the real sense delicious mollusk meat sausage from which mollusk meat can be seen.

(11) Materials and Methods or Methodology (This includes the materials, methods, duration & location of the study. Materials and Methods are headings used in Natural Science researches and methodology is Social Sciences. Presentation of materials may not necessarily be in separate heading but may be incorporated in the specific methods used. Justify paragraphs with main headings in caps.)

Materials, Procedures and Methods:

Materials Used/ Cooking Utensils:

Meat Grinder, steamer, measuring spoons, mixing bowl, cutting board, cutting knives, and stove (gas/electric)

Main Ingredients:

Taklong meat, pork meat, brown sugar, black pepper, table salt, garlic and longganisa casing and turmeric.

Fasting Procedure

Collect the taklong or land snails. Collect live snails. Dead snails could contain parasites and bacteria. Keep the snails in a bucket for two days. Fasting the snails will force them to empty their digestive tracts and will make them more tender. During this time, provide the snails with a small pool of water so that they don't die. Wrap the top of the bucket with plastic wrap and punch holes in it. The plastic wrap will prevent snails from escaping the bucket. It's necessary to fast the snails or they won't be edible.

Cleaning and Removing the meat from the shell Procedure

Place the snails in a salted pot of boiling water for 20 minutes. Bring a large pot of water to a boil and place the snails in the water. Reduce the heat to a simmer until slimes appear. Remove the snails from the pot and wash them off. Put the snails in a bowl and rinse them thoroughly with cold water. Wash each individual snail and set them aside.

Remove the snails from the shells. Stick a small fork or thin knife into the shell and detach the flesh from the shell. Pull on the meat to remove it from the shell. Set the snail flesh and the shells in 2 separate piles. Avoid chopping the meat up as you're extracting it.

Cut off the skin and black. The tail and skin on the snails are inedible and should be removed before you eat it. Use a knife to cut off the black tail, then carefully peel away the snail's skin

Cooking Procedure

Slice the Taklong Meat thinly and place it on the grinder together with all the ingredients so as to incorporate the spices for better taste on the mixture. Set aside for 20 minutes while preparing the working area.

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
	Document Title:	COMPLETED RESEARCH	Revision No.	00
			Effective Date	
			Page	Page 4 of 12

When the working area is all-set, start inserting the Longganisa mixture into the Longganisa Casing. The length of the Longganisa depends on the desired of the Maker. If it is done packed and placed it the refrigerator so that it will not get spoiled.

The product utilized the experimental method of investigation. The study used a single factor experiment in completely randomized design (CRD) with 5 treatments and replicated three (3) times. The following are the treatments: treatment A – 100% Pork Meat; B – 50% Taklong Meat/50% Pork Meat; Treatment C – 75% pork meat/25%Taklong Meat; Treatment D – 75%Taklong Meat/25% Pork Meat; Treatment E – 100% Taklong Meat.

Product Evaluation/Analysis of Data

The acceptability of the product was evaluated by 30 panelists who were students and faculty of CAPSU, Pilar. Sensory qualities of the product using score card were determined or evaluated as to their appearance, flavor, aroma, and color. Coded samples or treatments were presented to the panelists at random to avoid bias judgment. Discussion regarding the process of the evaluation was also given emphases for the validity of the results.

In determining the acceptability of the product, the 9 point hedonic scale was used as to the different sensory qualities (appearance, flavor, aroma and color) as well as the general acceptability of the product.

Each sensory qualities of the product used the same weight and scores and categorized as follows:

Verbal Interpretation	Weight	Range of Score
Extremely liked	9	8.12 – 9.00
Very much liked	8	7.23 - 8.11
Moderately liked	7	6.34 – 7.22
Slightly liked	6	5.45 – 6.33
Neither liked nor disliked	5	4.56 – 5.44
Slightly disliked	4	3.67 – 4.55
Moderately disliked	3	2.78 – 3.66
very much disliked	2	1.89 – 2.77
extremely disliked	1	1.00 – 1.88

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
	Document Title:	COMPLETED RESEARCH	Revision No.	00
			Effective Date	
			Page	Page 5 of 12

(12) Results and Discussions (This part contains presentation of results (data) with reference to the table and figure, to be followed by discussion, with support of reviewed literature. Sequence shall be based on the objectives of the study. Tables are formatted without the vertical lines. Horizontal lines are set at the top and bottom portions as well as below table headings and above major subdivisions. Justify paragraphs with main headings in caps.)

Appearance

Table 1 shows the acceptability of taklong longganisa as evaluated by the consumer panel in terms of appearance. . It shows that the Treatment D ($M=7.58$, $SD=1.225$), Treatment A ($M=7.56$, $SD=1.021$) and Treatment B ($M=7.38$, $SD=0.722$) was very much appealing for the consumers who evaluated taklong longganisa in terms of appearance. It is followed by the Treatment C ($M=7.00$, $SD=0.891$) which was moderately appealing and Treatment E ($M=5.84$, $SD=1.133$) which was slightly appealing for the panel of consumers in terms of appearance. Additionally, the result reveals that the taklong longganisa is acceptable in terms of appearance and was very much appealing for the panel of consumers who reviewed the product.

Table 1. The acceptability of taklong longganisa in terms of appearance.

TREATMENTS	REPLICATION					VERBAL INTERPRETATION
	1	2	3	MEAN	SD	
Treatment A	7.07	7.73	7.87	7.56	1.021	Very Much Appealing
Treatment B	7.27	7.13	7.73	7.38	0.722	Very Much Appealing
Treatment C	7.13	6.87	7.00	7.00	0.891	Moderately Appealing
Treatment D	7.33	8.27	7.13	7.58	1.225	Very Much Appealing
Treatment E	5.53	6.47	5.53	5.84	1.133	Slightly Appealing
TOTAL	6.87	7.29	7.05	7.70	1.182	Very Much Appealing

Note: Interpretation is based on the following scale: 1.00-1.88 – *Extremely Not Appealing*, 1.89-2.77 – *Very Much Not Appealing*, 2.78-3.66 – *Moderately Not Appealing*, 3.67-4.55 – *Slightly Not Appealing*, 4.56-5.44 – *Neither Appealing*, 5.45-6.33 – *Slightly Appealing*, 6.34-7.22 – *Moderately Appealing*, 7.23-8.11 – *Very Much Appealing* and 8.12-9.00 – *Extremely Appealing*.

Table 2 presents the analyzed result from the one-way ANOVA in the experimentation using varying proportions of taklong longganisa. The hypothesis stated that there is no significant difference between taklong longganisa in terms of appearance was rejected due to the significant p -value of .000 which is less than the 0.01 alpha level of significance. This implies that there is a significant difference among the treatments of taklong longganisa in terms of appearance.

Table 2. One-way Analysis of variance in terms of appearance.

	Sum of Squares	df	Mean Square	F	Sig.
--	-------------------	----	----------------	---	------

	Document Type:	Document Code	RES- CR-01
	DOCUMENTED INFORMATION ISO 9001:2015	Revision No.	00
	Document Title:	Effective Date	
	COMPLETED RESEARCH	Page	Page 6 of 12

APPEARANCE	Between Groups	31.428	4	7.857	7.642	.000
	Within Groups	71.970	70	1.028		
	Total	103.399	74			

Table 3 presents the Post hoc analysis (p-values for pairwise t-Test) of taklong longganisa in varying proportions in terms of appearance. According to Bonferroni, the result further affirms that there is a significant difference that exists among the treatments with varying proportions of taklong longganisa since the significant is less than 0.01 alpha level of significance. Moreover, Treatment A vs. Treatment E, Treatment B vs. Treatment E, and Treatment D vs. Treatment E vary from each other and was still interpreted as acceptable regardless of appearance.

Table 3. Post Hoc Analysis in terms of appearance

Appearance					
	T _A	T _B	T _C	T _D	T _E
T _A		1.000	1.000	1.000	.000
T _B	1.000		1.000	1.000	.001
T _C	1.000	1.000		1.000	.026
T _D	1.000	1.000	1.000		.000
T _E	.000	.001	.026	.000	

Flavor

Table 4 shows the acceptability of taklong longganisa as evaluated by the consumer panel in terms of flavor. It shows that the Treatment B ($M=7.51$, $SD=0.517$) and Treatment A ($M=7.47$, $SD=1.240$) was very much delicious for the consumers who evaluated taklong longganisa in terms of flavor. It is followed by the Treatment D ($M=7.22$, $SD=0.888$), Treatment C ($M=7.07$, $SD=0.692$) and Treatment E ($M=6.87$, $SD=0.743$) which was moderately delicious for the panel of consumers in terms of flavor. Additionally, the result reveals that the taklong longganisa is acceptable in terms of flavor and was very much delicious for the panel of consumers who reviewed the product.

Table 4. The acceptability of taklong longganisa in terms of flavor.

REPLICATION						VERBAL INTERPRETATION
TREATMENTS	1	2	3	MEAN	SD	

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
			Revision No.	00
	Document Title:	COMPLETED RESEARCH	Effective Date	
			Page	Page 7 of 12

Treatment A	6.93	7.67	7.80	7.47	1.240	Very Much Delicious
Treatment B	7.60	7.33	7.60	7.51	0.517	Very Much Delicious
Treatment C	7.00	7.00	7.20	7.07	0.692	Moderately Delicious
Treatment D	6.87	7.33	7.47	7.22	0.888	Moderately Delicious
Treatment E	6.27	7.07	7.27	6.87	0.743	Moderately Delicious
TOTAL	6.93	7.28	7.47	7.23	0.863	Very Much Delicious

Note: Interpretation is based on the following scale: 1.00-1.88 – *Extremely Not Delicious*, 1.89-2.77 – *Very Much Not Delicious*, 2.78-3.66 – *Moderately Not Delicious*, 3.67-4.55 – *Slightly Not Delicious*, 4.56-5.44 – *Neither Delicious*, 5.45-6.33 – *Slightly Delicious*, 6.34-7.22 – *Moderately Delicious*, 7.23-8.11 – *Very Much Delicious* and 8.12-9.00 – *Extremely Delicious*.

Table 5 presents the analyzed result from the one-way ANOVA in the experimentation using varying proportions of taklong longganisa. The hypothesis stated that there is no significant difference between taklong longganisa in terms of flavor was accepted due to the significant p -value of .206 which is greater than the 0.01 alpha level of significance. This implies that there is no significant difference among the treatments of taklong longganisa in terms of flavor.

Table 5. One-way Analysis of variance in terms of flavor.

		Sum of Squares	df	Mean Square	F	Sig.
FLAVOR	Between Groups	4.406	4	1.101	1.520	.206
	Within Groups	50.741	70	.725		
	Total	55.147	74			

Aroma

Table 6 shows the acceptability of taklong longganisa as evaluated by the consumer panel in terms of aroma. It shows that the Treatment C ($M=7.40$, $SD=0.789$), Treatment B ($M=7.27$, $SD=0.64$), Treatment D ($M=7.27$, $SD=0.893$) and Treatment A ($M=7.24$, $SD=1.185$) was very much pleasant for the consumers who evaluated taklong longganisa in terms of aroma. It is followed by Treatment E ($M=6.76$, $SD=0.065$) which was moderately pleasant for the panel of consumers in terms of aroma.

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
			Revision No.	00
	Document Title:	COMPLETED RESEARCH	Effective Date	
			Page	Page 8 of 12

Additionally, the result reveals that the taklong longganisa is acceptable in terms of aroma and was moderately pleasant for the panel of consumers who reviewed the product.

Table 6. The acceptability of taklong longganisa in terms of aroma.

TREATMENTS	REPLICATION					VERBAL INTERPRETATION
	1	2	3	MEAN	SD	
Treatment A	6.87	7.73	7.13	7.24	1.185	Very Much Pleasant
Treatment B	7.00	7.60	7.20	7.27	0.645	Very Much Pleasant
Treatment C	7.53	7.13	7.53	7.40	0.789	Very Much Pleasant
Treatment D	7.27	7.27	7.27	7.27	0.893	Very Much Pleasant
Treatment E	6.40	7.07	6.80	6.76	0.065	Moderately Pleasant
TOTAL	7.01	7.63	7.19	7.19	0.937	Moderately Pleasant

Note: Interpretation is based on the following scale: 1.00-1.88 – *Extremely Not Pleasant*, 1.89-2.77 – *Very Much Not Pleasant*, 2.78-3.66 – *Moderately Not Pleasant*, 3.67-4.55 – *Slightly Not Pleasant*, 4.56-5.44 – *Neither Pleasant*, 5.45-6.33 – *Slightly Pleasant*, 6.34-7.22 – *Moderately Pleasant*, 7.23-8.11 – *Very Much Pleasant* and 8.12-9.00 – *Extremely Pleasant*.

Table 7 presents the analyzed result from the one-way ANOVA in the experimentation using varying proportions of taklong longganisa. The hypothesis stated that there is no significant difference between taklong longganisa in terms of aroma was accepted due to the significant p -value of .382 which is greater than the 0.01 alpha level of significance. This implies that there is no significant difference among the treatments of taklong longganisa in terms of aroma.

Table 7. One-way Analysis of variance in terms of aroma.

		Sum of Squares	df	Mean Square	F	Sig.
AROMA	Between Groups	3.713	4	.928	1.061	.382
	Within Groups	61.230	70	.875		
	Total	64.942	74			

Color

Table 8 shows the acceptability of taklong longganisa as evaluated by the consumer panel in terms of color. It shows that the Treatment A ($M=7.62$, $SD=0.899$), Treatment D ($M=7.56$, $SD=1.289$), and Treatment B ($M=7.47$, $SD=0.627$) was very much liked by the consumers who evaluated taklong

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
	Document Title:	COMPLETED RESEARCH	Revision No.	00
			Effective Date	
			Page	Page 9 of 12

longganisa in terms of color. It is followed by Treatment C ($M=7.20$, $SD=0.699$) which was moderately liked and Treatment E ($M=6.13$, $SD=0.688$) which was liked slightly by the panel of consumers in terms of color. Additionally, the result reveals that the taklong longganisa is acceptable in terms of color and was moderately liked by the panel of consumers who reviewed the product.

Table 8. The acceptability of taklong longganisa in terms of color.

TREATMENTS	REPLICATION					VERBAL INTERPRETATION
	1	2	3	MEAN	SD	
Treatment A	7.13	7.87	7.87	7.62	0.899	Very Much Liked
Treatment B	7.13	7.40	7.87	7.47	0.627	Very Much Liked
Treatment C	7.27	7.33	7.00	7.20	0.699	Moderately Liked
Treatment D	7.27	7.80	7.60	7.56	1.289	Very Much Liked
Treatment E	5.20	6.67	6.53	6.13	0.688	Slightly Liked
TOTAL	6.80	7.41	7.37	7.20	1.015	Moderately Liked

Note: Interpretation is based on the following scale: 1.00-1.88 – *Extremely Dislike*, 1.89-2.77 – *Very Much Dislike*, 2.78-3.66 – *Moderately Dislike*, 3.67-4.55 – *Slightly Dislike*, 4.56-5.44 – *Neither like nor Dislike*, 5.45-6.33 – *Like Slightly*, 6.34-7.22 – *Like Moderately*, 7.23-8.11 – *Like Very Much* and 8.12-9.00 – *Like Extremely*.

Table 9 presents the analyzed result from the one-way ANOVA in the experimentation using varying proportions of taklong longganisa. The hypothesis stated that there is no significant difference between taklong longganisa in terms of color was rejected due to the significant p -value of .000 which is less than the 0.01 alpha level of significance. This implies that there is a significant difference among the treatments of taklong longganisa in terms of color.

Table 9. One-way Analysis of variance in terms of color.

		Sum of Squares	df	Mean Square	F	Sig.
COLOR	Between Groups	22.702	4	5.676	7.420	.000
	Within Groups	53.541	70	.765		
	Total	76.243	74			

Table 10 presents the Post hoc analysis (p -values for pairwise t-Test) of taklong longganisa in varying proportions in terms of color. According to Bonferroni, the result further affirms that there is a significant difference that exists among the treatments with varying proportions of taklong longganisa since the significant is less than 0.01 alpha level of significance. Moreover, Treatment A vs. Treatment

	Document Type:	Document Code	RES- CR-01
	DOCUMENTED INFORMATION ISO 9001:2015	Revision No.	00
	Document Title:	Effective Date	
	COMPLETED RESEARCH	Page	Page 10 of 12

E, Treatment B vs. Treatment E, and Treatment D vs. Treatment E vary from each other and was still interpreted as acceptable regardless of color.

Table 3. Post Hoc Analysis in terms of color.

Color					
	T _A	T _B	T _C	T _D	T _E
T _A		1.000	1.000	1.000	.000
T _B	1.000		1.000	1.000	.001
T _C	1.000	1.000		1.000	.013
T _D	1.000	1.000	1.000		.000
T _E	.000	.001	.013	.000	

General Acceptability

Table 11 revealed the overall acceptability of taklong longganisa as varied proportions as tested/evaluated by the panel of consumers. It reveals that the taklong longganisa is acceptable with a mean of 7.22 ($SD=1.2042$) and is sensibly interpreted as moderately liked as evaluated and tested by the panel of consumers. Specifically, Treatment B ($M=7.64$, $SD=0.648$) has the highest mean which means, it is acceptable and was very much liked by the consumers. It is followed by the Treatment A ($M=7.49$, $SD=1.030$), and Treatment D ($M=7.36$, $SD=1.263$), which was also liked very much, Treatment C ($M=7.11$, $SD=.879$) and Treatment E ($M=6.51$, $SD=1.022$) which was moderately liked by the consumers. The result implies that the taklong longganisa is acceptable and liked moderately by the panel of consumers who evaluated the product.

Table 11. The acceptability of taklong longganisa in terms of general acceptability.

TREATMENTS	REPLICATION					VERBAL INTERPRETATION
	1	2	3	MEAN	SD	
Treatment A	7.27	7.80	7.40	7.49	1.030	Very Much Liked
Treatment B	7.73	7.53	7.67	7.64	0.648	Very Much Liked
Treatment C	7.40	7.20	6.73	7.11	0.879	Moderately Liked
Treatment D	7.33	7.80	6.93	7.36	1.263	Very Much Liked
Treatment E	6.20	7.13	6.20	6.51	1.022	Moderately Liked

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
			Revision No.	00
	Document Title:	COMPLETED RESEARCH	Effective Date	
			Page	Page 11 of 12

TOTAL						
	7.19	7.49	6.99	7.22	1.042	Moderately Liked
Note: Interpretation is based on the following scale: 1.00-1.88 – <i>Extremely Dislike</i> , 1.89-2.77 – <i>Very Much Dislike</i> , 2.78-3.66 – <i>Moderately Dislike</i> , 3.67-4.55 – <i>Slightly Dislike</i> , 4.56-5.44 – <i>Neither like nor Dislike</i> , 5.45-6.33 – <i>Like Slightly</i> , 6.34-7.22 – <i>Like Moderately</i> , 7.23-8.11 – <i>Like Very Much</i> and 8.12-9.00 – <i>Like Extremely</i> .						
Table 12 presents the analyzed result from the one-way ANOVA in the experimentation using varying proportions of taklong longganisa. The hypothesis stated that there is no significant difference between taklong longganisa in terms of general acceptability was accepted due to the significant <i>p</i>-value of .024 which is greater than the 0.01 alpha level of significance. This implies that there is a significant difference among the treatments of taklong longganisa in terms of general acceptability Table 9. One-way Analysis of variance in terms of color.						
		Sum of Squares	df	Mean Square	F	Sig.
GENERAL ACCEPTABILITY	Between Groups	11.778	4	2.944	3.008	.024
	Within Groups	68.519	70	.979		
	Total	80.296	74			

(13) Conclusions and Recommendations (This part shall be written in narrative form and arranged based on the objectives and findings. Conclusions are general statements answering the objectives. Recommendations are based on the conclusions. They may be split or combined based on their length, which means, conclusions and recommendations may be split under separate headings if they are long. Justify paragraphs with main headings in caps.)

CONCLUSION

Based on the findings of the study, the following conclusions were drawn:

1. In terms of Appearance Treatment D, Treatment A and Treatment B was very much appealing. While Treatment C which was moderately appealing and Treatment E was slightly appealing for the panel of consumers in terms of appearance. The result also reveals that the taklong longganisa is acceptable in terms of appearance and was very much appealing for the panel of consumers who reviewed the product.
2. Treatment B and Treatment A was very much delicious for the consumers who evaluated taklong longganisa in terms of flavor. It is followed by the Treatment D, Treatment C) and Treatment E which was moderately delicious for the panel of consumers in terms of flavor. Additionally, the result reveals that the taklong longganisa is acceptable in terms of flavor and was very much delicious for the panel of consumers who reviewed the product.

	Document Type:	DOCUMENTED INFORMATION ISO 9001:2015	Document Code	RES- CR-01
	Document Title:	COMPLETED RESEARCH	Revision No.	00
			Effective Date	
			Page	Page 12 of 12

3. It shows that the Treatment C, Treatment B, Treatment D and Treatment A was very much pleasant for the consumers who evaluated taklong longganisa in terms of aroma. It is followed by Treatment E which was moderately pleasant for the panel of consumers in terms of aroma. Additionally, the result reveals that the taklong longganisa is acceptable in terms of aroma and was moderately pleasant for the panel of consumers who reviewed the product.
4. Treatment A, Treatment D, and Treatment B was very much liked by the consumers who evaluated taklong longganisa in terms of color. It is followed by Treatment C which was moderately liked and Treatment E which was liked slightly by the panel of consumers in terms of color. Additionally, the result reveals that the taklong longganisa is acceptable in terms of color and was moderately liked by the panel of consumers who reviewed the product.
5. It reveals that the taklong longganisa is acceptable and is sensibly interpreted as moderately liked as evaluated and tested by the panel of consumers. Specifically, Treatment B has the highest mean which means, it is acceptable and was very much liked by the consumers. It is followed by the Treatment A, and Treatment D, which was also liked very much, Treatment C and Treatment E which was moderately liked by the consumers. The result implies that the taklong longganisa is acceptable and liked moderately by the panel of consumers who evaluated the product.

RECOMMENDATIONS:

Based on the results of the study the following recommendations are drawn:

1. Taklong meat can be used as substitute in the preparation of longganisa.
2. Follow up research should be conducted to determine the shelf life of Taklong Longganisa and commercialization of Taklong Longganisa.
3. For future researchers to conduct the same research using different variables to further test the acceptability of the product.

(14) Output (Indicate the specific products, processes or services which the project has produced; quantify when possible.)

UM and Patent application.

(15) Technology Transfer Activity Conducted (Indicate the specific products, activity design, processes or services transferred as extension activities)

UM, Patent application and Extension and Commercialization

(16) Economic Analysis (This should present the direct cost of project implementation, expenses in the production of technology, revenues generated from technology produced, return on investment (ROI) and payback period.

(17) Acknowledgments (Include only important persons and institutions with involvement in funding and conduct of the research. Justify paragraphs with main headings in caps.)

1. CapSU FFRDC for funding requirements and assistance.
2. Prof. Melba B. Balajadia the main proponent of the research.
3. The Office of the Research Department of CapSU Pilar and the IPMO Office.

(18) References (It should include only works mentioned in the text and should be arranged alphabetically. Citations shall not be less than 13 entries. This must follow the APA latest edition format, in hanging indentation with 12-point space in between.)

Zelman, K.M. (2023). Snails: Are There Health Benefits? Retrieved From: <https://www.webmd.com/diet/health-benefits-snails?fbclid=IwAR2GZp-e5BKKpr-pa5EO6akyXOM7tv3GiEtBb6IChl7y89fOC8nLBN9rchU>