

Cucumber Report

06-Jul-2023, 3:25:57 pm

Start : Jul 06, 3:25:24.708 pm

End : Jul 06, 3:25:54.437 pm

Duration : 29.729 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>LimeRoad Order for a Men product</u>	29.729 s	3	1	2	0	7	2	2	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag1	3	1	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>LimeRoad Order for a Men product</u>	3	1	2	0	29.729 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>LimeRoad Order for a Men product</u>	<u>To search a product for men</u>	2	2	0	0	5.193 s
2	<u>LimeRoad Order for a Men product</u>	<u>Search a T-shirt Style</u>	2	0	1	1	20.622 s
3	<u>LimeRoad Order for a Men product</u>	<u>Pick a T Shirt</u>	3	0	1	2	3.780 s

LimeRoad Order for a Men product



FAILED	DURATION - 29.729 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 7 Pass - 2 Fail - 2 Skip - 3	
/ 3:25:24.708 pm // 3:25:54.437 pm /					
LimeRoad Order for a Men product					
@tag1					

To search a product for men

<div>PASSED</div> <div>DURATION - 5.193 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:25:24.719 pm // 3:25:29.912 pm /</div>			
<div>LimeRoad Order for a Men product</div>			
<div>@tag1</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the url "https://www.limeroad.com/"	PASSED	2.902 s
2	And User click on shop men	PASSED	2.216 s

Search a T-shirt Style

<div>FAILED</div> <div>DURATION - 20.622 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 3:25:29.938 pm // 3:25:50.560 pm /</div>				
<div>LimeRoad Order for a Men product</div>				
<div>@tag1</div>				



#	Step / Hook Details	Status	Duration
1	Given User click on T-shirt	FAILED	20.606 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //img[@alt="T-shirt"]//parent::div' (tried for 20 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.BaseClass.TestBaseClass.explicitWait(TestBaseClass.java:239) at com.stepdefinition.StepDefinition.user_click_on_t_shirt(StepDefinition.java:41) at ?.User click on T-shirt(file:///C:/Users/Michael/JavaSelenium-workspace/limeroad/src/test/java/com/feature/limeroad.feature:11)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@alt="T-shirt"]//parent::div"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-LRG5L8T', ip: '192.168.0.103', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Michael\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55210}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 48eb3f63e2f893b08a69ea7f0b2d8b2d *** Element info: {Using=xpath, value=//img[@alt="T-shirt"]//parent::div}</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor12.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy20.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.BaseClass.TestBaseClass.explicitWait(TestBaseClass.java:239) at com.stepdefinition.StepDefinition.user_click_on_t_shirt(StepDefinition.java:41) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When Choose the first model	SKIPPED	0.003 s

Pick a T Shirt

FAILED DURATION - 3.780 s / 3:25:50.657 pm // 3:25:54.437 pm / LimeRoad Order for a Men product @tag1		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User click on first product <pre> java.lang.IndexOutOfBoundsException: Index 0 out of bounds for length 0 at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:64) at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckIndex(Preconditions.java:70) at java.base/jdk.internal.util.Preconditions.checkIndex(Preconditions.java:266) at java.base/java.util.Objects.checkIndex(Objects.java:359) at java.base/java.util.ArrayList.get(ArrayList.java:427) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy21.get(Unknown Source) at com.stepdefinition.StepDefinition.user_click_on_first_product(StepDefinition.java:63) at ?.User click on first product(file:///C:/Users/Michael/JavaSelenium-workspace/limeroad/src/test/java/com/feature/limeroad.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	3.770 s
2	When Select size	SKIPPED	0.003 s
3	Then Add to Cart	SKIPPED	0.000 s