

Table S6. Nuclear-receptor cohort sizes and analysis eligibility. n is the number of labeled compounds; active counts and percentages refer to these compounds. Symbols denote primary (✓), exploratory (△), and excluded (x) analyses; bold active counts are below the primary-analysis threshold of 20. Total profiled compounds (6 h/paired 6–24 h) are HA1E: 1,012/861; HepG2: 695/46; HT29: 1,005/606; MCF7: 1,332/1,316. Missing-label and inactive counts can be obtained by subtraction. Cohort membership is unchanged by the estimator revision; fold-size ranges in the numeric source are checked against the corrected runs.

Tox21 endpoint	Cell line	Exposure	n	Active	Active (%)	Symbol
NR-AR	HA1E	6	968	72	7.4	✓
NR-AR	HepG2	6	668	46	6.9	✓
NR-AR	HT29	6	960	72	7.5	✓
NR-AR	MCF7	6	1259	82	6.5	✓
NR-AR-LBD	HA1E	6	869	49	5.6	✓
NR-AR-LBD	HepG2	6	598	37	6.2	✓
NR-AR-LBD	HT29	6	862	47	5.5	✓
NR-AR-LBD	MCF7	6	1145	53	4.6	✓
NR-AhR	HA1E	6	849	102	12.0	✓
NR-AhR	HepG2	6	585	65	11.1	✓
NR-AhR	HT29	6	841	95	11.3	✓
NR-AhR	MCF7	6	1111	112	10.1	✓
NR-Aromatase	HA1E	6	759	63	8.3	✓
NR-Aromatase	HepG2	6	512	47	9.2	✓
NR-Aromatase	HT29	6	758	63	8.3	✓
NR-Aromatase	MCF7	6	1021	76	7.4	✓
NR-ER	HA1E	6	805	132	16.4	✓
NR-ER	HepG2	6	540	92	17.0	✓
NR-ER	HT29	6	799	128	16.0	✓
NR-ER	MCF7	6	1067	155	14.5	✓
NR-ER-LBD	HA1E	6	907	55	6.1	✓
NR-ER-LBD	HepG2	6	620	39	6.3	✓
NR-ER-LBD	HT29	6	902	53	5.9	✓
NR-ER-LBD	MCF7	6	1194	61	5.1	✓
NR-PPAR-γ	HA1E	6	811	34	4.2	✓
NR-PPAR-γ	HepG2	6	552	19	3.4	△
NR-PPAR-γ	HT29	6	803	29	3.6	✓
NR-PPAR-γ	MCF7	6	1073	34	3.2	✓
NR-AR	HA1E	6 and 24	830	59	7.1	✓
NR-AR	HepG2	6 and 24	45	5	11.1	x
NR-AR	HT29	6 and 24	585	44	7.5	✓
NR-AR	MCF7	6 and 24	1243	78	6.3	✓
NR-AR-LBD	HA1E	6 and 24	747	39	5.2	✓
NR-AR-LBD	HepG2	6 and 24	31	1	3.2	x
NR-AR-LBD	HT29	6 and 24	523	19	3.6	△
NR-AR-LBD	MCF7	6 and 24	1129	51	4.5	✓
NR-AhR	HA1E	6 and 24	727	91	12.5	✓
NR-AhR	HepG2	6 and 24	36	6	16.7	x
NR-AhR	HT29	6 and 24	516	63	12.2	✓
NR-AhR	MCF7	6 and 24	1099	111	10.1	✓
NR-Aromatase	HA1E	6 and 24	655	57	8.7	✓
NR-Aromatase	HepG2	6 and 24	26	14	53.8	x
NR-Aromatase	HT29	6 and 24	475	45	9.5	✓
NR-Aromatase	MCF7	6 and 24	1012	76	7.5	✓
NR-ER	HA1E	6 and 24	689	112	16.3	✓
NR-ER	HepG2	6 and 24	23	11	47.8	x
NR-ER	HT29	6 and 24	487	76	15.6	✓
NR-ER	MCF7	6 and 24	1054	154	14.6	✓
NR-ER-LBD	HA1E	6 and 24	772	40	5.2	✓
NR-ER-LBD	HepG2	6 and 24	39	8	20.5	x
NR-ER-LBD	HT29	6 and 24	547	25	4.6	✓
NR-ER-LBD	MCF7	6 and 24	1178	59	5.0	✓
NR-PPAR-γ	HA1E	6 and 24	696	29	4.2	✓

Table S6 continued

Tox21 endpoint	Cell line	Exposure	n	Active	Active (%)	Symbol
NR-PPAR-γ	HepG2	6 and 24	29	2	6.9	×
NR-PPAR-γ	HT29	6 and 24	483	17	3.5	△
NR-PPAR-γ	MCF7	6 and 24	1060	33	3.1	✓