



From robot to autonomous agent

How voice and AgentMail turn a desktop robot into an assistant that reads, decides, and acts.

RUNNING 100% ON-DEVICE

Qwen3:4B

Piper TTS

faster-whisper

webrtcvad

openWakeWord

AgentMail

Reachy Mini SDK



Reachy Mini

The instinct is to plug robots into our tools.

A desktop robot lands on your desk. It has a voice, a camera, embodied intelligence running entirely on local models. The first thing everyone reaches for:

“Reachy, here’s access to my inbox.”

But access is not identity.

A robot reading your inbox is a feature hiding inside your account. That creates problems before it creates value:

- **No boundary**

It can see every email you have, not just the ones meant for it.

- **No audit trail**

Its actions blur into yours. You can't tell what the robot did.

- **It acts as you**

Anything it sends goes out under your name. A mistake is your mistake.

Give the robot its own inbox.

AgentMail is email built for agents, not people. So Reachy gets its own address. Now it is not a feature inside your account. It is an entity that acts on its own behalf.

~~Access to your inbox~~

**Its own inbox, its own identity,
its own audit trail.**

Now that it has an inbox...


can it decide what to do with it?

Part II: reading, judging, and knowing when to escalate. How an inbox becomes a decision.

Follow along →



AgentMail



Design for a world with robots.

A free 3-session workshop for designers, PMs, and strategists. Live and demo-led. No robotics background needed.

Tuesdays · June 16, 23, 30 · 7PM ET · 10 seats

DM me and I'll send the details.

TheRobotAge · Robotics for All. Not just engineers.