

Descriptives - i\* concrete syntaxes, GenderMag motivation facet, understanding task

Motivation				Statistic	Std. Error
Precision	Abby	Mean		.6971	.03978
		95% Confidence Interval for Mean	Lower Bound	.6155	
			Upper Bound	.7788	
		5% Trimmed Mean		.7002	
		Median		.6700	
		Variance		.044	
		Std. Deviation		.21048	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		.085	.441
		Kurtosis		-1.006	.858
	Tim	Mean		.6477	.03833
		95% Confidence Interval for Mean	Lower Bound	.5707	
			Upper Bound	.7246	
		5% Trimmed Mean		.6641	
		Median		.6700	
		Variance		.076	
		Std. Deviation		.27637	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.28	
		Skewness		-.985	.330
		Kurtosis		.750	.650
Recall	Abby	Mean		.7379	.04233
		95% Confidence Interval for Mean	Lower Bound	.6510	
			Upper Bound	.8247	
		5% Trimmed Mean		.7516	
		Median		.7700	
		Variance		.050	
		Std. Deviation		.22401	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.33	
		Skewness		-.588	.441
		Kurtosis		-.089	.858
	Tim	Mean		.7242	.04109
		95% Confidence Interval for Mean	Lower Bound	.6417	
			Upper Bound	.8067	
		5% Trimmed Mean		.7491	
		Median		.7700	
		Variance		.088	
		Std. Deviation		.29633	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.47	

		Skewness		-1.302	.330
		Kurtosis		1.106	.650
FMeasure	Abby	Mean		.6998	.03581
		95% Confidence Interval for Mean	Lower Bound	.6263	
			Upper Bound	.7733	
		5% Trimmed Mean		.7068	
		Median		.6700	
		Variance		.036	
		Std. Deviation		.18948	
		Minimum		.24	
		Maximum		1.00	
		Range		.76	
		Interquartile Range		.25	
		Skewness		-.324	.441
		Kurtosis		.061	.858
	Tim	Mean		.6568	.03391
		95% Confidence Interval for Mean	Lower Bound	.5887	
			Upper Bound	.7249	
		5% Trimmed Mean		.6762	
		Median		.6928	
		Variance		.060	
		Std. Deviation		.24455	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.16	
		Skewness		-1.782	.330
		Kurtosis		2.847	.650
Duration	Abby	Mean		983.8571	56.76224
		95% Confidence Interval for Mean	Lower Bound	867.3907	
			Upper Bound	1100.3236	
		5% Trimmed Mean		1003.3413	
		Median		858.0000	
		Variance		90214.646	
		Std. Deviation		300.35753	
		Minimum		251.00	
		Maximum		1314.00	
		Range		1063.00	
		Interquartile Range		484.25	
		Skewness		-.461	.441
		Kurtosis		-.407	.858
	Tim	Mean		839.2115	43.08837
		95% Confidence Interval for Mean	Lower Bound	752.7080	
			Upper Bound	925.7150	
		5% Trimmed Mean		847.5000	
		Median		850.0000	
		Variance		96543.582	
		Std. Deviation		310.71463	
		Minimum		193.00	
		Maximum		1323.00	
		Range		1130.00	
		Interquartile Range		418.25	
		Skewness		-.125	.330

FirstActDet	Abby	Kurtosis		- .670	.650
		Mean		616.0000	32.57344
		95% Confidence Interval for Mean	Lower Bound	549.1648	
			Upper Bound	682.8352	
		5% Trimmed Mean		621.2698	
		Median		665.0000	
		Variance		29708.815	
		Std. Deviation		172.36245	
		Minimum		215.00	
		Maximum		885.00	
		Range		670.00	
		Interquartile Range		289.50	
		Skewness		-.560	.441
		Kurtosis		-.424	.858
	Tim	Mean		427.0000	17.53490
		95% Confidence Interval for Mean	Lower Bound	391.7972	
			Upper Bound	462.2028	
		5% Trimmed Mean		422.4145	
		Median		415.0000	
		Variance		15988.588	
		Std. Deviation		126.44599	
		Minimum		170.00	
		Maximum		840.00	
		Range		670.00	
		Interquartile Range		70.75	
		Skewness		.794	.330
		Kurtosis		2.033	.650
LastActDet	Abby	Mean		946.3571	55.15143
		95% Confidence Interval for Mean	Lower Bound	833.1958	
			Upper Bound	1059.5185	
		5% Trimmed Mean		964.1905	
		Median		832.0000	
		Variance		85167.053	
		Std. Deviation		291.83395	
		Minimum		245.00	
		Maximum		1277.00	
		Range		1032.00	
		Interquartile Range		489.50	
		Skewness		-.419	.441
		Kurtosis		-.522	.858
		Tim	Mean		817.8462
	95% Confidence Interval for Mean		Lower Bound	731.6073	
			Upper Bound	904.0850	
	5% Trimmed Mean		826.1838		
	Median		831.5000		
	Variance		95953.662		
	Std. Deviation		309.76388		
	Minimum		168.00		
	Maximum		1299.00		
	Range		1131.00		
	Interquartile Range		432.75		
	Skewness		-.146	.330	
	Kurtosis		-.645	.650	

ProcDur	Abby	Mean		37.5000	3.28396
		95% Confidence Interval for Mean	Lower Bound	30.7619	
			Upper Bound	44.2381	
		5% Trimmed Mean		37.8651	
		Median		41.5000	
		Variance		301.963	
		Std. Deviation		17.37708	
		Minimum		6.00	
		Maximum		63.00	
		Range		57.00	
		Interquartile Range		32.75	
		Skewness		-.535	.441
		Kurtosis		-.976	.858
	Tim	Mean		21.3654	1.92801
		95% Confidence Interval for Mean	Lower Bound	17.4947	
			Upper Bound	25.2360	
		5% Trimmed Mean		20.3889	
		Median		16.0000	
		Variance		193.295	
		Std. Deviation		13.90307	
		Minimum		6.00	
		Maximum		59.00	
		Range		53.00	
		Interquartile Range		12.00	
		Skewness		1.197	.330
		Kurtosis		.322	.650
FixRel	Abby	Mean		3.0832	.31630
		95% Confidence Interval for Mean	Lower Bound	2.4342	
			Upper Bound	3.7322	
		5% Trimmed Mean		3.0869	
		Median		3.2500	
		Variance		2.801	
		Std. Deviation		1.67371	
		Minimum		.25	
		Maximum		5.85	
		Range		5.60	
		Interquartile Range		3.04	
		Skewness		-.111	.441
		Kurtosis		-1.271	.858
	Tim	Mean		3.3237	.23734
		95% Confidence Interval for Mean	Lower Bound	2.8472	
			Upper Bound	3.8001	
		5% Trimmed Mean		3.3181	
		Median		2.8500	
		Variance		2.929	
		Std. Deviation		1.71147	
		Minimum		.75	
		Maximum		5.85	
		Range		5.10	
		Interquartile Range		3.08	
		Skewness		.080	.330
		Kurtosis		-1.595	.650
FixIrrel	Abby	Mean		3.9250	.73769

		95% Confidence Interval for Mean	Lower Bound	2.4114	
			Upper Bound	5.4386	
		5% Trimmed Mean		3.4444	
		Median		2.7950	
		Variance		15.237	
		Std. Deviation		3.90351	
		Minimum		.65	
		Maximum		15.85	
		Range		15.20	
		Interquartile Range		1.84	
		Skewness		2.338	.441
		Kurtosis		5.203	.858
	Tim	Mean		5.1200	.63984
		95% Confidence Interval for Mean	Lower Bound	3.8355	
			Upper Bound	6.4045	
		5% Trimmed Mean		4.6578	
		Median		3.7800	
		Variance		21.288	
		Std. Deviation		4.61393	
		Minimum		.71	
		Maximum		17.85	
		Range		17.14	
		Interquartile Range		4.43	
		Skewness		1.667	.330
		Kurtosis		2.195	.650
AvDurRelFix	Abby	Mean		251.3214	14.92261
		95% Confidence Interval for Mean	Lower Bound	220.7028	
			Upper Bound	281.9401	
		5% Trimmed Mean		256.2321	
		Median		214.5000	
		Variance		6235.161	
		Std. Deviation		78.96304	
		Minimum		62.75	
		Maximum		338.50	
		Range		275.75	
		Interquartile Range		125.19	
		Skewness		-.403	.441
		Kurtosis		-.561	.858
	Tim	Mean		214.6106	11.27671
		95% Confidence Interval for Mean	Lower Bound	191.9716	
			Upper Bound	237.2495	
		5% Trimmed Mean		216.6613	
		Median		212.5000	
		Variance		6612.535	
		Std. Deviation		81.31750	
		Minimum		48.25	
		Maximum		340.75	
		Range		292.50	
		Interquartile Range		112.06	
		Skewness		-.100	.330
		Kurtosis		-.726	.650
AvDurlrrelFix	Abby	Mean		637.3571	33.65926
		95% Confidence Interval for Mean	Lower Bound	568.2940	

		Upper Bound		706.4202	
		5% Trimmed Mean		651.4107	
		Median		618.5000	
		Variance		31722.488	
		Std. Deviation		178.10808	
		Minimum		163.25	
		Maximum		819.50	
		Range		656.25	
		Interquartile Range		283.50	
		Skewness		-.936	.441
		Kurtosis		.563	.858
	Tim	Mean		536.6202	26.30058
		95% Confidence Interval for Mean	Lower Bound	483.8196	
			Upper Bound	589.4208	
		5% Trimmed Mean		543.1378	
		Median		560.3750	
		Variance		35969.464	
		Std. Deviation		189.65617	
		Minimum		119.75	
		Maximum		826.25	
		Range		706.50	
		Interquartile Range		295.50	
		Skewness		-.291	.330
		Kurtosis		-.617	.650
TotSac	Abby	Mean		88.2857	1.95509
		95% Confidence Interval for Mean	Lower Bound	84.2742	
			Upper Bound	92.2972	
		5% Trimmed Mean		88.7540	
		Median		91.5000	
		Variance		107.026	
		Std. Deviation		10.34536	
		Minimum		65.00	
		Maximum		102.00	
		Range		37.00	
		Interquartile Range		17.25	
		Skewness		-.701	.441
		Kurtosis		-.411	.858
	Tim	Mean		89.9615	1.65523
		95% Confidence Interval for Mean	Lower Bound	86.6385	
			Upper Bound	93.2846	
		5% Trimmed Mean		90.0855	
		Median		90.0000	
		Variance		142.469	
		Std. Deviation		11.93604	
		Minimum		67.00	
		Maximum		109.00	
		Range		42.00	
		Interquartile Range		18.25	
		Skewness		-.119	.330
		Kurtosis		-.928	.650
Sac2Key	Abby	Mean		73.0000	3.04812
		95% Confidence Interval for Mean	Lower Bound	66.7458	
			Upper Bound	79.2542	

				5% Trimmed Mean	72.7619	
				Median	78.0000	
				Variance	260.148	
				Std. Deviation	16.12911	
				Minimum	45.00	
				Maximum	105.00	
				Range	60.00	
				Interquartile Range	27.00	
				Skewness	.076	.441
				Kurtosis	-.865	.858
	Tim			Mean	72.1923	2.14554
				95% Confidence Interval for Mean	Lower Bound	67.8850
					Upper Bound	76.4997
				5% Trimmed Mean	71.8205	
				Median	70.0000	
				Variance	239.374	
				Std. Deviation	15.47172	
				Minimum	45.00	
				Maximum	107.00	
				Range	62.00	
				Interquartile Range	24.75	
				Skewness	.274	.330
				Kurtosis	-.578	.650
AvAttention	Abby			Mean	.5357	.03958
				95% Confidence Interval for Mean	Lower Bound	.4545
					Upper Bound	.6169
				5% Trimmed Mean	.5357	
				Median	.5500	
				Variance	.044	
				Std. Deviation	.20943	
				Minimum	.20	
				Maximum	.90	
				Range	.70	
				Interquartile Range	.40	
				Skewness	-.200	.441
				Kurtosis	-1.169	.858
	Tim			Mean	.5885	.02728
				95% Confidence Interval for Mean	Lower Bound	.5337
					Upper Bound	.6432
				5% Trimmed Mean	.5885	
				Median	.6000	
				Variance	.039	
				Std. Deviation	.19669	
				Minimum	.20	
				Maximum	1.00	
				Range	.80	
				Interquartile Range	.27	
				Skewness	-.058	.330
				Kurtosis	-.385	.650
AvMentWL	Abby			Mean	.5143	.04041
				95% Confidence Interval for Mean	Lower Bound	.4314
					Upper Bound	.5972
				5% Trimmed Mean	.5032	

			Median		.5000	
			Variance		.046	
			Std. Deviation		.21381	
			Minimum		.20	
			Maximum		1.00	
			Range		.80	
			Interquartile Range		.20	
			Skewness		1.098	.441
			Kurtosis		.867	.858
	Tim	95% Confidence Interval for Mean	Mean		.5846	.03195
			Lower Bound		.5205	
			Upper Bound		.6488	
		5% Trimmed Mean			.5872	
		Median			.6000	
		Variance			.053	
		Std. Deviation			.23042	
		Minimum			.10	
		Maximum			1.00	
		Range			.90	
		Interquartile Range			.30	
		Skewness			-.165	.330
		Kurtosis			-.289	.650
AvFam	Abby	95% Confidence Interval for Mean	Mean		.5929	.03370
			Lower Bound		.5237	
			Upper Bound		.6620	
		5% Trimmed Mean			.6016	
		Median			.6500	
		Variance			.032	
		Std. Deviation			.17832	
		Minimum			.20	
		Maximum			.80	
		Range			.60	
		Interquartile Range			.27	
		Skewness			-.729	.441
		Kurtosis			-.593	.858
	Tim	95% Confidence Interval for Mean	Mean		.5154	.02186
			Lower Bound		.4715	
			Upper Bound		.5593	
		5% Trimmed Mean			.5171	
		Median			.5000	
		Variance			.025	
		Std. Deviation			.15766	
		Minimum			.20	
		Maximum			.80	
		Range			.60	
AvSCL	Abby	Interquartile Range			.20	
		Skewness			-.170	.330
		Kurtosis			-.964	.650
		95% Confidence Interval for Mean	Mean		673.5357	25.74033
			Lower Bound		620.7209	
			Upper Bound		726.3505	
		5% Trimmed Mean			681.1111	
		Median			741.0000	



		Variance		18551.813	
		Std. Deviation		136.20504	
		Minimum		361.00	
		Maximum		824.00	
		Range		463.00	
		Interquartile Range		245.75	
		Skewness		-.688	.441
		Kurtosis		-.794	.858
	Tim	Mean		655.9808	18.42384
		95% Confidence Interval for Mean	Lower Bound	618.9934	
			Upper Bound	692.9682	
		5% Trimmed Mean		660.6453	
		Median		668.0000	
		Variance		17650.764	
		Std. Deviation		132.85618	
		Minimum		368.00	
		Maximum		868.00	
		Range		500.00	
		Interquartile Range		216.25	
		Skewness		-.491	.330
		Kurtosis		-.666	.650
		HRVar_RMSSD	Abby	Mean	
95% Confidence Interval for Mean	Lower Bound			23.4394	
	Upper Bound			34.9649	
5% Trimmed Mean				28.0044	
Median				21.2200	
Variance				220.870	
Std. Deviation				14.86170	
Minimum				9.74	
Maximum				70.71	
Range				60.97	
Interquartile Range				15.73	
Skewness				1.470	.441
Kurtosis				1.612	.858
Tim	Mean		40.3546	2.94419	
	95% Confidence Interval for Mean		Lower Bound	34.4439	
			Upper Bound	46.2653	
	5% Trimmed Mean		40.2068		
	Median		39.5400		
	Variance		450.748		
	Std. Deviation		21.23082		
	Minimum		5.92		
	Maximum		77.39		
	Range		71.47		
	Interquartile Range		36.44		
Skewness		.220	.330		
Kurtosis		-1.252	.650		
HRVar_NN50	Abby	Mean		20.0168	3.36505
		95% Confidence Interval for Mean	Lower Bound	13.1123	
			Upper Bound	26.9213	
		5% Trimmed Mean		19.4278	
		Median		14.6050	
		Variance		317.059	

				Std. Deviation		17.80616		
				Minimum		1.31		
				Maximum		51.40		
				Range		50.09		
				Interquartile Range		35.20		
				Skewness		.361	.441	
				Kurtosis		-1.649	.858	
				Tim	Mean		25.2994	2.60054
					95% Confidence Interval for Mean	Lower Bound	20.0786	
						Upper Bound	30.5202	
					5% Trimmed Mean		24.7896	
					Median		21.9150	
					Variance		351.665	
					Std. Deviation		18.75274	
					Minimum		1.34	
					Maximum		58.61	
					Range		57.27	
					Interquartile Range		33.19	
					Skewness		.365	.330
					Kurtosis		-1.348	.650
NASA_MD	Abby	Mean		64.8214	2.48650			
		95% Confidence Interval for Mean	Lower Bound	59.7196				
			Upper Bound	69.9233				
		5% Trimmed Mean		64.6825				
		Median		60.0000				
		Variance		173.115				
		Std. Deviation		13.15732				
		Minimum		40.00				
		Maximum		95.00				
		Range		55.00				
		Interquartile Range		17.50				
		Skewness		.423	.441			
		Kurtosis		.118	.858			
	Tim	Mean		71.3462	1.44739			
		95% Confidence Interval for Mean	Lower Bound	68.4404				
			Upper Bound	74.2519				
		5% Trimmed Mean		71.6026				
		Median		70.0000				
		Variance		108.937				
		Std. Deviation		10.43727				
Minimum		45.00						
Maximum		95.00						
Range		50.00						
Interquartile Range		15.00						
Skewness		-.212	.330					
Kurtosis		.289	.650					
NASA_PD	Abby	Mean		31.6071	4.60800			
		95% Confidence Interval for Mean	Lower Bound	22.1523				
			Upper Bound	41.0620				
		5% Trimmed Mean		31.5873				
		Median		35.0000				
		Variance		594.544				
		Std. Deviation		24.38327				

			Minimum	5.00	
			Maximum	60.00	
			Range	55.00	
			Interquartile Range	50.00	
			Skewness	-.039	.441
			Kurtosis	-2.093	.858
	Tim	95% Confidence Interval for Mean	Mean	14.9038	2.29963
			Lower Bound	10.2872	
			Upper Bound	19.5205	
			5% Trimmed Mean	13.0128	
			Median	5.0000	
			Variance	274.991	
			Std. Deviation	16.58284	
			Minimum	5.00	
			Maximum	60.00	
			Range	55.00	
			Interquartile Range	10.00	
			Skewness	1.694	.330
			Kurtosis	1.510	.650
NASA_TD	Abby	95% Confidence Interval for Mean	Mean	42.1429	4.31428
			Lower Bound	33.2907	
			Upper Bound	50.9950	
			5% Trimmed Mean	41.4286	
			Median	45.0000	
			Variance	521.164	
			Std. Deviation	22.82902	
			Minimum	10.00	
			Maximum	90.00	
			Range	80.00	
			Interquartile Range	33.75	
			Skewness	.171	.441
			Kurtosis	-.502	.858
	Tim	95% Confidence Interval for Mean	Mean	29.4231	3.03839
			Lower Bound	23.3233	
			Upper Bound	35.5229	
			5% Trimmed Mean	27.6496	
			Median	22.5000	
			Variance	480.053	
			Std. Deviation	21.91011	
			Minimum	5.00	
			Maximum	90.00	
			Range	85.00	
			Interquartile Range	30.00	
			Skewness	1.279	.330
			Kurtosis	.884	.650
NASA_Performance	Abby	95% Confidence Interval for Mean	Mean	66.7857	5.26553
			Lower Bound	55.9817	
			Upper Bound	77.5897	
			5% Trimmed Mean	68.1746	
			Median	75.0000	
			Variance	776.323	
			Std. Deviation	27.86257	
			Minimum	10.00	

	Tim	Maximum		100.00		
		Range		90.00		
		Interquartile Range		33.75		
		Skewness		-1.195	.441	
		Kurtosis		.107	.858	
		Mean		48.8462	3.94297	
		95% Confidence Interval for Mean	Lower Bound	40.9303		
			Upper Bound	56.7620		
		5% Trimmed Mean		48.3333		
		Median		45.0000		
		Variance		808.446		
		Std. Deviation		28.43319		
		Minimum		5.00		
		Maximum		105.00		
		Range		100.00		
		Interquartile Range		48.75		
		Skewness		.366	.330	
		Kurtosis		-.860	.650	
		NASA_Effort	Abby	Mean		61.7857
	95% Confidence Interval for Mean			Lower Bound	55.4709	
Upper Bound				68.1005		
5% Trimmed Mean				61.5873		
Median				55.0000		
Variance				265.212		
Std. Deviation				16.28532		
Minimum				30.00		
Maximum				100.00		
Range				70.00		
Interquartile Range				23.75		
Skewness				.328	.441	
Kurtosis				.272	.858	
Tim	Mean		69.1346	1.80456		
	95% Confidence Interval for Mean		Lower Bound	65.5118		
			Upper Bound	72.7574		
	5% Trimmed Mean		69.3590			
	Median		70.0000			
	Variance		169.334			
	Std. Deviation		13.01286			
	Minimum		35.00			
	Maximum		100.00			
	Range		65.00			
	Interquartile Range		15.00			
	Skewness		-.191	.330		
	Kurtosis		.820	.650		
	NASA_Frustration	Abby	Mean		57.3214	4.22172
			95% Confidence Interval for Mean	Lower Bound	48.6592	
				Upper Bound	65.9837	
			5% Trimmed Mean		58.6905	
Median			65.0000			
Variance			499.041			
Std. Deviation			22.33923			
Minimum			5.00			
Maximum			85.00			

	Tim	Range		80.00	
		Interquartile Range		15.00	
		Skewness		-1.101	.441
		Kurtosis		.681	.858
		Mean		44.9038	3.12356
		95% Confidence Interval for Mean	Lower Bound	38.6330	
			Upper Bound	51.1746	
		5% Trimmed Mean		44.8932	
		Median		42.5000	
		Variance		507.344	
		Std. Deviation		22.52429	
		Minimum		5.00	
		Maximum		85.00	
		Range		80.00	
		Interquartile Range		31.25	
		Skewness		.206	.330
		Kurtosis		-.600	.650
NASA_Score	Abby	Mean		56.1557	2.72809
		95% Confidence Interval for Mean	Lower Bound	50.5581	
			Upper Bound	61.7533	
		5% Trimmed Mean		56.0010	
		Median		59.6700	
		Variance		208.389	
		Std. Deviation		14.43567	
		Minimum		29.00	
		Maximum		86.67	
		Range		57.67	
		Interquartile Range		14.33	
		Skewness		-.106	.441
		Kurtosis		.192	.858
	Tim	Mean		50.5457	2.15102
		95% Confidence Interval for Mean	Lower Bound	46.2273	
			Upper Bound	54.8641	
		5% Trimmed Mean		49.6775	
		Median		45.8333	
		Variance		240.599	
		Std. Deviation		15.51125	
		Minimum		29.00	
		Maximum		90.00	
		Range		61.00	
		Interquartile Range		15.50	
		Skewness		.945	.330
		Kurtosis		.367	.650

Descriptives - i* concrete syntaxes, GenderMag information processing facet, understanding task					
	InformationProcessing			Statistic	Std. Error
Precision	Abby	Mean		.7663	.02535
		95% Confidence Interval for Mean	Lower Bound	.7155	
			Upper Bound	.8172	
		5% Trimmed Mean		.7738	
		Median		.7700	
		Variance		.033	
		Std. Deviation		.18279	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.37	
		Skewness		-.198	.330
		Kurtosis		-.731	.650
		Tim	Mean		.4768
	95% Confidence Interval for Mean		Lower Bound	.3738	
			Upper Bound	.5798	
	5% Trimmed Mean		.4830		
	Median		.5300		
	Variance		.071		
	Std. Deviation		.26571		
	Minimum		.00		
	Maximum		.87		
	Range		.87		
	Interquartile Range		.26		
	Skewness		-.715	.441	
	Kurtosis		-.352	.858	
Recall	Abby	Mean		.7835	.02754
		95% Confidence Interval for Mean	Lower Bound	.7282	
			Upper Bound	.8387	
		5% Trimmed Mean		.7925	
		Median		.8100	
		Variance		.039	
		Std. Deviation		.19857	
		Minimum		.35	
		Maximum		1.00	
		Range		.65	
		Interquartile Range		.44	
		Skewness		-.433	.330
		Kurtosis		-1.157	.650
		Tim	Mean		.6279
	95% Confidence Interval for Mean		Lower Bound	.4906	
			Upper Bound	.7652	
	5% Trimmed Mean		.6421		
	Median		.7200		
	Variance		.125		
	Std. Deviation		.35407		
	Minimum		.00		
	Maximum		1.00		
	Range		1.00		
	Interquartile Range		.55		

		Skewness		- .871	.441
		Kurtosis		-.541	.858
FMeasure	Abby	Mean		.7477	.01884
		95% Confidence Interval for Mean	Lower Bound	.7098	
			Upper Bound	.7855	
		5% Trimmed Mean		.7503	
		Median		.7445	
		Variance		.018	
		Std. Deviation		.13583	
		Minimum		.39	
		Maximum		1.00	
		Range		.61	
		Interquartile Range		.17	
		Skewness		-.163	.330
		Kurtosis		.159	.650
	Tim	Mean		.5311	.05466
		95% Confidence Interval for Mean	Lower Bound	.4190	
			Upper Bound	.6432	
		5% Trimmed Mean		.5394	
		Median		.6278	
		Variance		.084	
		Std. Deviation		.28922	
		Minimum		.00	
		Maximum		.93	
		Range		.93	
		Interquartile Range		.30	
		Skewness		-.946	.441
		Kurtosis		-.252	.858
Duration	Abby	Mean		822.8846	44.36198
		95% Confidence Interval for Mean	Lower Bound	733.8242	
			Upper Bound	911.9450	
		5% Trimmed Mean		829.5684	
		Median		839.5000	
		Variance		102335.241	
		Std. Deviation		319.89880	
		Minimum		193.00	
		Maximum		1323.00	
		Range		1130.00	
		Interquartile Range		478.25	
		Skewness		-.081	.330
		Kurtosis		-.718	.650
	Tim	Mean		1014.1786	49.53765
		95% Confidence Interval for Mean	Lower Bound	912.5357	
			Upper Bound	1115.8214	
		5% Trimmed Mean		1025.3333	
		Median		970.0000	
		Variance		68711.411	
		Std. Deviation		262.12862	
		Minimum		513.00	
		Maximum		1314.00	
		Range		801.00	
		Interquartile Range		456.00	
		Skewness		-.209	.441

FirstActDet	Abby	Kurtosis		-1.107	.858
		Mean		433.1154	18.79609
		95% Confidence Interval for Mean	Lower Bound	395.3807	
			Upper Bound	470.8501	
		5% Trimmed Mean		430.9188	
		Median		422.5000	
		Variance		18371.241	
		Std. Deviation		135.54055	
		Minimum		170.00	
		Maximum		750.00	
		Range		580.00	
		Interquartile Range		73.75	
		Skewness		.449	.330
		Kurtosis		.286	.650
	Tim	Mean		604.6429	32.43370
		95% Confidence Interval for Mean	Lower Bound	538.0944	
			Upper Bound	671.1913	
		5% Trimmed Mean		603.1349	
		Median		656.0000	
		Variance		29454.460	
		Std. Deviation		171.62302	
		Minimum		350.00	
		Maximum		885.00	
		Range		535.00	
		Interquartile Range		314.50	
		Skewness		-.017	.441
		Kurtosis		-1.324	.858
LastActDet	Abby	Mean		799.8846	44.04408
		95% Confidence Interval for Mean	Lower Bound	711.4624	
			Upper Bound	888.3068	
		5% Trimmed Mean		806.4487	
		Median		823.5000	
		Variance		100873.790	
		Std. Deviation		317.60634	
		Minimum		168.00	
		Maximum		1299.00	
		Range		1131.00	
		Interquartile Range		464.25	
		Skewness		-.090	.330
		Kurtosis		-.704	.650
		Tim	Mean		979.7143
	95% Confidence Interval for Mean		Lower Bound	880.6972	
			Upper Bound	1078.7314	
	5% Trimmed Mean		989.5079		
	Median		951.0000		
	Variance		65207.175		
	Std. Deviation		255.35696		
	Minimum		494.00		
	Maximum		1290.00		
	Range		796.00		
	Interquartile Range		449.50		
	Skewness		-.199	.441	
	Kurtosis		-1.182	.858	



ProcDur	Abby	Mean		23.0000	2.29351
		95% Confidence Interval for Mean	Lower Bound	18.3956	
			Upper Bound	27.6044	
		5% Trimmed Mean		22.0171	
		Median		16.5000	
		Variance		273.529	
		Std. Deviation		16.53872	
		Minimum		6.00	
		Maximum		59.00	
		Range		53.00	
		Interquartile Range		31.75	
		Skewness		.948	.330
		Kurtosis		-.598	.650
	Tim	Mean		34.4643	2.91115
		95% Confidence Interval for Mean	Lower Bound	28.4911	
			Upper Bound	40.4375	
		5% Trimmed Mean		34.1984	
		Median		37.5000	
		Variance		237.295	
		Std. Deviation		15.40438	
		Minimum		11.00	
		Maximum		63.00	
		Range		52.00	
		Interquartile Range		27.00	
		Skewness		.066	.441
		Kurtosis		-1.210	.858
FixRel	Abby	Mean		3.3525	.22740
		95% Confidence Interval for Mean	Lower Bound	2.8960	
			Upper Bound	3.8090	
		5% Trimmed Mean		3.3345	
		Median		2.8500	
		Variance		2.689	
		Std. Deviation		1.63983	
		Minimum		1.14	
		Maximum		5.85	
		Range		4.71	
		Interquartile Range		3.00	
		Skewness		.090	.330
		Kurtosis		-1.616	.650
	Tim	Mean		3.0296	.33930
		95% Confidence Interval for Mean	Lower Bound	2.3335	
			Upper Bound	3.7258	
		5% Trimmed Mean		3.0274	
		Median		3.2500	
		Variance		3.223	
		Std. Deviation		1.79541	
		Minimum		.25	
		Maximum		5.85	
		Range		5.60	
		Interquartile Range		3.20	
		Skewness		-.015	.441
		Kurtosis		-1.373	.858
FixIrrel	Abby	Mean		6.1490	.66701

		95% Confidence Interval for Mean	Lower Bound	4.8100	
			Upper Bound	7.4881	
		5% Trimmed Mean		5.7889	
		Median		4.4150	
		Variance		23.135	
		Std. Deviation		4.80991	
		Minimum		.71	
		Maximum		17.85	
		Range		17.14	
		Interquartile Range		5.67	
		Skewness		1.362	.330
		Kurtosis		.845	.650
	Tim	Mean		2.0139	.20575
		95% Confidence Interval for Mean	Lower Bound	1.5918	
			Upper Bound	2.4361	
		5% Trimmed Mean		1.9844	
		Median		2.6500	
		Variance		1.185	
		Std. Deviation		1.08874	
		Minimum		.65	
		Maximum		3.91	
		Range		3.26	
		Interquartile Range		2.01	
		Skewness		-.041	.441
		Kurtosis		-1.449	.858
AvDurRelFix	Abby	Mean		210.5288	11.57703
		95% Confidence Interval for Mean	Lower Bound	187.2870	
			Upper Bound	233.7707	
		5% Trimmed Mean		212.1784	
		Median		211.3750	
		Variance		6969.433	
		Std. Deviation		83.48313	
		Minimum		48.25	
		Maximum		340.75	
		Range		292.50	
		Interquartile Range		119.56	
		Skewness		-.059	.330
		Kurtosis		-.749	.650
	Tim	Mean		258.9018	13.21818
		95% Confidence Interval for Mean	Lower Bound	231.7803	
			Upper Bound	286.0233	
		5% Trimmed Mean		261.7302	
		Median		252.5000	
		Variance		4892.168	
		Std. Deviation		69.94404	
		Minimum		128.25	
		Maximum		338.50	
		Range		210.25	
		Interquartile Range		124.00	
		Skewness		-.191	.441
		Kurtosis		-1.212	.858
AvDurlrrelFix	Abby	Mean		524.3750	27.54095
		95% Confidence Interval for Mean	Lower Bound	469.0842	

		Upper Bound		579.6658	
		5% Trimmed Mean		529.6891	
		Median		530.7500	
		Variance		39442.202	
		Std. Deviation		198.60061	
		Minimum		119.75	
		Maximum		826.25	
		Range		706.50	
		Interquartile Range		365.44	
		Skewness		-.228	.330
		Kurtosis		-.816	.650
	Tim	Mean		660.0982	26.44830
		95% Confidence Interval for Mean	Lower Bound	605.8308	
			Upper Bound	714.3656	
		5% Trimmed Mean		667.9048	
		Median		618.5000	
		Variance		19586.353	
		Std. Deviation		139.95125	
		Minimum		359.75	
		Maximum		819.50	
		Range		459.75	
		Interquartile Range		238.69	
		Skewness		-.427	.441
		Kurtosis		-.465	.858
TotSac	Abby	Mean		88.8077	1.61839
		95% Confidence Interval for Mean	Lower Bound	85.5586	
			Upper Bound	92.0567	
		5% Trimmed Mean		88.9957	
		Median		89.5000	
		Variance		136.198	
		Std. Deviation		11.67037	
		Minimum		65.00	
		Maximum		109.00	
		Range		44.00	
		Interquartile Range		18.50	
		Skewness		-.261	.330
		Kurtosis		-.928	.650
	Tim	Mean		90.4286	2.06151
		95% Confidence Interval for Mean	Lower Bound	86.1987	
			Upper Bound	94.6584	
		5% Trimmed Mean		90.5238	
		Median		91.5000	
		Variance		118.995	
		Std. Deviation		10.90847	
		Minimum		69.00	
		Maximum		109.00	
		Range		40.00	
		Interquartile Range		8.75	
		Skewness		-.126	.441
		Kurtosis		-.280	.858
Sac2Key	Abby	Mean		71.3846	2.11298
		95% Confidence Interval for Mean	Lower Bound	67.1426	
			Upper Bound	75.6266	

		5% Trimmed Mean		71.0726	
		Median		70.0000	
		Variance		232.163	
		Std. Deviation		15.23689	
		Minimum		45.00	
		Maximum		105.00	
		Range		60.00	
		Interquartile Range		24.75	
		Skewness		.184	.330
		Kurtosis		-.775	.650
	Tim	Mean		74.5000	3.09185
		95% Confidence Interval for Mean	Lower Bound	68.1561	
			Upper Bound	80.8439	
		5% Trimmed Mean		74.1746	
		Median		80.0000	
		Variance		267.667	
		Std. Deviation		16.36052	
		Minimum		45.00	
		Maximum		107.00	
		Range		62.00	
		Interquartile Range		27.00	
		Skewness		.193	.441
		Kurtosis		-.638	.858
AvAttention	Abby	Mean		.6558	.02204
		95% Confidence Interval for Mean	Lower Bound	.6115	
			Upper Bound	.7000	
		5% Trimmed Mean		.6521	
		Median		.7000	
		Variance		.025	
		Std. Deviation		.15893	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		.104	.330
		Kurtosis		-.620	.650
	Tim	Mean		.4107	.03307
		95% Confidence Interval for Mean	Lower Bound	.3429	
			Upper Bound	.4786	
		5% Trimmed Mean		.4063	
		Median		.3500	
		Variance		.031	
		Std. Deviation		.17499	
		Minimum		.20	
		Maximum		.70	
		Range		.50	
		Interquartile Range		.30	
		Skewness		.316	.441
		Kurtosis		-1.356	.858
AvMentWL	Abby	Mean		.6231	.03151
		95% Confidence Interval for Mean	Lower Bound	.5598	
			Upper Bound	.6863	
		5% Trimmed Mean		.6265	

			Median		.6000	
			Variance		.052	
			Std. Deviation		.22719	
			Minimum		.10	
			Maximum		1.00	
			Range		.90	
			Interquartile Range		.27	
			Skewness		.026	.330
			Kurtosis		-.413	.650
	Tim		Mean		.4429	.03270
			95% Confidence Interval for Mean	Lower Bound	.3758	
				Upper Bound	.5100	
			5% Trimmed Mean		.4421	
			Median		.4500	
			Variance		.030	
			Std. Deviation		.17305	
			Minimum		.10	
			Maximum		.80	
			Range		.70	
			Interquartile Range		.30	
			Skewness		.014	.441
			Kurtosis		-.554	.858
AvFam	Abby		Mean		.5077	.02228
			95% Confidence Interval for Mean	Lower Bound	.4630	
				Upper Bound	.5524	
			5% Trimmed Mean		.5098	
			Median		.5000	
			Variance		.026	
			Std. Deviation		.16069	
			Minimum		.20	
			Maximum		.80	
			Range		.60	
			Interquartile Range		.20	
			Skewness		-.189	.330
			Kurtosis		-.899	.650
	Tim		Mean		.6071	.03126
			95% Confidence Interval for Mean	Lower Bound	.5430	
				Upper Bound	.6713	
			5% Trimmed Mean		.6135	
			Median		.7000	
			Variance		.027	
			Std. Deviation		.16539	
			Minimum		.30	
			Maximum		.80	
			Range		.50	
AvSCL	Abby		Interquartile Range		.27	
			Skewness		-.704	.441
			Kurtosis		-.777	.858
			Mean		670.4423	17.85112
			95% Confidence Interval for Mean	Lower Bound	634.6047	
				Upper Bound	706.2799	
			5% Trimmed Mean		675.9530	
			Median		718.0000	

		Variance		16570.448	
		Std. Deviation		128.72625	
		Minimum		361.00	
		Maximum		868.00	
		Range		507.00	
		Interquartile Range		216.75	
		Skewness		-.541	.330
		Kurtosis		-.612	.650
	Tim	Mean		646.6786	27.00495
		95% Confidence Interval for Mean	Lower Bound	591.2690	
			Upper Bound	702.0882	
		5% Trimmed Mean		653.2857	
		Median		647.0000	
		Variance		20419.485	
		Std. Deviation		142.89677	
		Minimum		368.00	
		Maximum		803.00	
		Range		435.00	
		Interquartile Range		302.75	
		Skewness		-.524	.441
		Kurtosis		-1.030	.858
HRVar_RMSSD	Abby	Mean		39.5906	3.00462
		95% Confidence Interval for Mean	Lower Bound	33.5585	
			Upper Bound	45.6226	
		5% Trimmed Mean		39.3579	
		Median		35.7000	
		Variance		469.443	
		Std. Deviation		21.66664	
		Minimum		5.92	
		Maximum		77.39	
		Range		71.47	
		Interquartile Range		39.04	
		Skewness		.205	.330
		Kurtosis		-1.321	.650
	Tim	Mean		30.6211	2.77209
		95% Confidence Interval for Mean	Lower Bound	24.9332	
			Upper Bound	36.3089	
		5% Trimmed Mean		28.9670	
		Median		23.7300	
		Variance		215.165	
		Std. Deviation		14.66851	
		Minimum		19.97	
		Maximum		71.08	
		Range		51.11	
		Interquartile Range		15.67	
		Skewness		1.689	.441
		Kurtosis		2.422	.858
HRVar_NN50	Abby	Mean		24.8437	2.58622
		95% Confidence Interval for Mean	Lower Bound	19.6516	
			Upper Bound	30.0357	
		5% Trimmed Mean		24.3566	
		Median		21.3700	
		Variance		347.803	

				Std. Deviation	18.64947	
				Minimum	1.31	
				Maximum	58.61	
				Range	57.30	
				Interquartile Range	34.42	
				Skewness	.318	.330
				Kurtosis	-1.382	.650
	Tim			Mean	20.8632	3.44594
				95% Confidence Interval for Mean	Lower Bound	13.7927
					Upper Bound	27.9337
				5% Trimmed Mean	19.9924	
				Median	15.2250	
				Variance	332.486	
				Std. Deviation	18.23420	
				Minimum	2.31	
				Maximum	55.10	
				Range	52.79	
				Interquartile Range	35.19	
				Skewness	.490	.441
				Kurtosis	-1.302	.858
NASA_MD	Abby			Mean	72.1154	1.74952
				95% Confidence Interval for Mean	Lower Bound	68.6031
					Upper Bound	75.6277
				5% Trimmed Mean	72.6282	
				Median	70.0000	
				Variance	159.163	
				Std. Deviation	12.61598	
				Minimum	40.00	
				Maximum	95.00	
				Range	55.00	
				Interquartile Range	15.00	
				Skewness	-.691	.330
				Kurtosis	.553	.650
	Tim			Mean	63.3929	1.40985
				95% Confidence Interval for Mean	Lower Bound	60.5001
					Upper Bound	66.2856
				5% Trimmed Mean	62.7381	
				Median	60.0000	
				Variance	55.655	
				Std. Deviation	7.46021	
				Minimum	55.00	
				Maximum	85.00	
				Range	30.00	
				Interquartile Range	8.75	
				Skewness	1.175	.441
				Kurtosis	1.633	.858
NASA_PD	Abby			Mean	13.0769	2.25686
				95% Confidence Interval for Mean	Lower Bound	8.5461
					Upper Bound	17.6078
				5% Trimmed Mean	10.9188	
				Median	5.0000	
				Variance	264.857	
				Std. Deviation	16.27442	

			Minimum	5.00	
			Maximum	60.00	
			Range	55.00	
			Interquartile Range	5.00	
			Skewness	2.101	.330
			Kurtosis	3.064	.650
	Tim	Mean		35.0000	4.13080
		95% Confidence Interval for Mean	Lower Bound	26.5243	
			Upper Bound	43.4757	
		5% Trimmed Mean		35.5556	
		Median		47.5000	
		Variance		477.778	
		Std. Deviation		21.85813	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		40.00	
		Skewness		-.286	.441
		Kurtosis		-1.901	.858
NASA_TD	Abby	Mean		34.9038	3.54483
		95% Confidence Interval for Mean	Lower Bound	27.7873	
			Upper Bound	42.0204	
		5% Trimmed Mean		33.5043	
		Median		25.0000	
		Variance		653.422	
		Std. Deviation		25.56212	
		Minimum		5.00	
		Maximum		90.00	
		Range		85.00	
		Interquartile Range		35.00	
		Skewness		.879	.330
		Kurtosis		-.527	.650
	Tim	Mean		31.9643	3.25645
		95% Confidence Interval for Mean	Lower Bound	25.2826	
			Upper Bound	38.6460	
		5% Trimmed Mean		32.3810	
		Median		37.5000	
		Variance		296.925	
		Std. Deviation		17.23150	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		35.00	
		Skewness		-.254	.441
		Kurtosis		-1.765	.858
NASA_Performance	Abby	Mean		55.0000	3.95106
		95% Confidence Interval for Mean	Lower Bound	47.0679	
			Upper Bound	62.9321	
		5% Trimmed Mean		54.9359	
		Median		45.0000	
		Variance		811.765	
		Std. Deviation		28.49148	
		Minimum		5.00	



	Tim	Maximum		105.00		
		Range		100.00		
		Interquartile Range		57.50		
		Skewness		.184	.330	
		Kurtosis		-1.164	.650	
		Mean		55.3571	5.93688	
		95% Confidence Interval for Mean	Lower Bound	43.1757		
			Upper Bound	67.5386		
		5% Trimmed Mean		56.3095		
		Median		75.0000		
		Variance		986.905		
		Std. Deviation		31.41504		
		Minimum		5.00		
		Maximum		90.00		
		Range		85.00		
		Interquartile Range		66.25		
		Skewness		-.591	.441	
		Kurtosis		-1.411	.858	
		NASA_Effort	Abby	Mean		69.2308
	95% Confidence Interval for Mean			Lower Bound	64.8863	
Upper Bound				73.5752		
5% Trimmed Mean				69.7009		
Median				70.0000		
Variance				243.514		
Std. Deviation				15.60495		
Minimum				30.00		
Maximum				100.00		
Range				70.00		
Interquartile Range				20.00		
Skewness				-.568	.330	
Kurtosis				.805	.650	
Tim	Mean		61.6071	2.09012		
	95% Confidence Interval for Mean		Lower Bound	57.3186		
			Upper Bound	65.8957		
	5% Trimmed Mean		60.7540			
	Median		57.5000			
	Variance		122.321			
	Std. Deviation		11.05990			
	Minimum		50.00			
	Maximum		90.00			
	Range		40.00			
Interquartile Range		13.75				
Skewness		1.020	.441			
Kurtosis		.456	.858			
NASA_Frustration	Abby	Mean		51.0577	3.02808	
		95% Confidence Interval for Mean	Lower Bound	44.9786		
			Upper Bound	57.1368		
		5% Trimmed Mean		51.4744		
		Median		50.0000		
		Variance		476.801		
		Std. Deviation		21.83576		
		Minimum		5.00		
		Maximum		85.00		

	Tim	Range		80.00	
		Interquartile Range		35.00	
		Skewness		.160	.330
		Kurtosis		-.721	.650
		Mean		45.8929	4.79096
		95% Confidence Interval for Mean	Lower Bound	36.0626	
			Upper Bound	55.7231	
		5% Trimmed Mean		46.5476	
		Median		65.0000	
		Variance		642.692	
		Std. Deviation		25.35137	
		Minimum		5.00	
		Maximum		75.00	
		Range		70.00	
		Interquartile Range		40.00	
		Skewness		-.566	.441
		Kurtosis		-1.394	.858
NASA_Score	Abby	Mean		53.6963	2.24308
		95% Confidence Interval for Mean	Lower Bound	49.1931	
			Upper Bound	58.1994	
		5% Trimmed Mean		53.0778	
		Median		50.0000	
		Variance		261.633	
		Std. Deviation		16.17506	
		Minimum		29.00	
		Maximum		90.00	
		Range		61.00	
		Interquartile Range		25.33	
		Skewness		.837	.330
		Kurtosis		-.291	.650
	Tim	Mean		50.3046	2.55035
		95% Confidence Interval for Mean	Lower Bound	45.0718	
			Upper Bound	55.5375	
		5% Trimmed Mean		50.4071	
		Median		59.6700	
		Variance		182.119	
		Std. Deviation		13.49516	
		Minimum		29.00	
		Maximum		73.67	
		Range		44.67	
		Interquartile Range		25.46	
		Skewness		-.538	.441
		Kurtosis		-1.175	.858

Descriptives - i\* concrete syntaxes, GenderMag self-efficacy facet, understanding task

	SelfEfficacy		Statistic	Std. Error
Precision	Abby	Mean	.7089	.03947
		95% Confidence Interval for Mean	Lower Bound	.6294
			Upper Bound	.7884
		5% Trimmed Mean	.7321	
		Median	.7600	
		Variance	.070	
		Std. Deviation	.26474	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.34	
		Skewness	-1.163	.354
		Kurtosis	1.462	.695
	Tim	Mean	.6086	.03947
		95% Confidence Interval for Mean	Lower Bound	.5284
			Upper Bound	.6888
		5% Trimmed Mean	.6206	
		Median	.6300	
		Variance	.055	
		Std. Deviation	.23353	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.27	
		Skewness	-.658	.398
		Kurtosis	1.122	.778
Recall	Abby	Mean	.7300	.04153
		95% Confidence Interval for Mean	Lower Bound	.6463
			Upper Bound	.8137
		5% Trimmed Mean	.7556	
		Median	.7700	
		Variance	.078	
		Std. Deviation	.27856	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.47	
		Skewness	-1.117	.354
		Kurtosis	1.012	.695
	Tim	Mean	.7277	.04512
		95% Confidence Interval for Mean	Lower Bound	.6360
			Upper Bound	.8194
		5% Trimmed Mean	.7530	
		Median	.7700	
		Variance	.071	
		Std. Deviation	.26691	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.24	

		Skewness		-1.379	.398
		Kurtosis		1.748	.778
FMeasure	Abby	Mean		.6918	.03434
		95% Confidence Interval for Mean	Lower Bound	.6226	
			Upper Bound	.7610	
		5% Trimmed Mean		.7131	
		Median		.7165	
		Variance		.053	
		Std. Deviation		.23037	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.18	
		Skewness		-1.713	.354
		Kurtosis		3.631	.695
	Tim	Mean		.6462	.03754
		95% Confidence Interval for Mean	Lower Bound	.5699	
			Upper Bound	.7225	
		5% Trimmed Mean		.6641	
		Median		.6928	
		Variance		.049	
		Std. Deviation		.22209	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.20	
		Skewness		-1.478	.398
		Kurtosis		2.737	.778
Duration	Abby	Mean		832.0000	46.98140
		95% Confidence Interval for Mean	Lower Bound	737.3152	
			Upper Bound	926.6848	
		5% Trimmed Mean		840.1420	
		Median		846.0000	
		Variance		99326.318	
		Std. Deviation		315.16078	
		Minimum		193.00	
		Maximum		1323.00	
		Range		1130.00	
		Interquartile Range		565.50	
		Skewness		-.226	.354
		Kurtosis		-.746	.695
	Tim	Mean		964.2000	50.42568
		95% Confidence Interval for Mean	Lower Bound	861.7227	
			Upper Bound	1066.6773	
		5% Trimmed Mean		978.7619	
		Median		858.0000	
		Variance		88996.224	
		Std. Deviation		298.32235	
		Minimum		264.00	
		Maximum		1314.00	
		Range		1050.00	
		Interquartile Range		567.00	
		Skewness		-.196	.398

FirstActDet	Abby	Kurtosis		- .779	.778
		Mean		430.8444	19.76810
		95% Confidence Interval for Mean	Lower Bound	391.0045	
			Upper Bound	470.6844	
		5% Trimmed Mean		424.9506	
		Median		420.0000	
		Variance		17584.998	
		Std. Deviation		132.60844	
		Minimum		170.00	
		Maximum		840.00	
		Range		670.00	
		Interquartile Range		64.50	
		Skewness		.893	.354
		Kurtosis		2.093	.695
	Tim	Mean		573.2571	30.32941
		95% Confidence Interval for Mean	Lower Bound	511.6204	
			Upper Bound	634.8939	
		5% Trimmed Mean		575.3254	
		Median		645.0000	
		Variance		32195.550	
		Std. Deviation		179.43118	
		Minimum		205.00	
		Maximum		885.00	
		Range		680.00	
		Interquartile Range		303.00	
		Skewness		-.193	.398
		Kurtosis		-.922	.778
LastActDet	Abby	Mean		807.9333	46.63430
		95% Confidence Interval for Mean	Lower Bound	713.9481	
			Upper Bound	901.9186	
		5% Trimmed Mean		816.0000	
		Median		828.0000	
		Variance		97864.109	
		Std. Deviation		312.83240	
		Minimum		168.00	
		Maximum		1299.00	
		Range		1131.00	
		Interquartile Range		544.00	
		Skewness		-.247	.354
		Kurtosis		-.723	.695
	Tim	Mean		933.4000	49.17626
		95% Confidence Interval for Mean	Lower Bound	833.4618	
			Upper Bound	1033.3382	
		5% Trimmed Mean		946.4206	
		Median		838.0000	
		Variance		84640.659	
		Std. Deviation		290.93068	
		Minimum		258.00	
		Maximum		1290.00	
		Range		1032.00	
		Interquartile Range		529.00	
		Skewness		-.169	.398
		Kurtosis		-.833	.778

ProcDur	Abby	Mean		24.0667	2.36395
		95% Confidence Interval for Mean	Lower Bound	19.3024	
			Upper Bound	28.8309	
		5% Trimmed Mean		23.1481	
		Median		18.0000	
		Variance		251.473	
		Std. Deviation		15.85789	
		Minimum		6.00	
		Maximum		59.00	
		Range		53.00	
		Interquartile Range		29.50	
		Skewness		.908	.354
		Kurtosis		-.621	.695
	Tim	Mean		30.8000	3.01141
		95% Confidence Interval for Mean	Lower Bound	24.6801	
			Upper Bound	36.9199	
		5% Trimmed Mean		30.4841	
		Median		33.0000	
		Variance		317.400	
		Std. Deviation		17.81572	
		Minimum		6.00	
		Maximum		63.00	
		Range		57.00	
		Interquartile Range		33.00	
		Skewness		.121	.398
		Kurtosis		-1.392	.778
FixRel	Abby	Mean		3.3447	.25008
		95% Confidence Interval for Mean	Lower Bound	2.8407	
			Upper Bound	3.8487	
		5% Trimmed Mean		3.3362	
		Median		3.7500	
		Variance		2.814	
		Std. Deviation		1.67761	
		Minimum		.90	
		Maximum		5.85	
		Range		4.95	
		Interquartile Range		3.02	
		Skewness		-.015	.354
		Kurtosis		-1.648	.695
	Tim	Mean		3.1043	.29148
		95% Confidence Interval for Mean	Lower Bound	2.5119	
			Upper Bound	3.6966	
		5% Trimmed Mean		3.1103	
		Median		2.8500	
		Variance		2.974	
		Std. Deviation		1.72441	
		Minimum		.25	
		Maximum		5.85	
		Range		5.60	
		Interquartile Range		2.93	
		Skewness		.084	.398
		Kurtosis		-1.227	.778
Fixlrrel	Abby	Mean		5.7840	.74146

		95% Confidence Interval for Mean	Lower Bound	4.2897	
			Upper Bound	7.2783	
		5% Trimmed Mean		5.3952	
		Median		3.8800	
		Variance		24.739	
		Std. Deviation		4.97384	
		Minimum		.71	
		Maximum		17.85	
		Range		17.14	
		Interquartile Range		4.72	
		Skewness		1.465	.354
		Kurtosis		1.026	.695
	Tim	Mean		3.3103	.51377
		95% Confidence Interval for Mean	Lower Bound	2.2662	
			Upper Bound	4.3544	
		5% Trimmed Mean		2.9381	
		Median		2.7100	
		Variance		9.239	
		Std. Deviation		3.03951	
		Minimum		.65	
		Maximum		15.85	
		Range		15.20	
		Interquartile Range		2.93	
		Skewness		2.382	.398
		Kurtosis		7.718	.778
AvDurRelFix	Abby	Mean		213.1111	12.29862
		95% Confidence Interval for Mean	Lower Bound	188.3249	
			Upper Bound	237.8973	
		5% Trimmed Mean		215.1590	
		Median		211.7500	
		Variance		6806.519	
		Std. Deviation		82.50163	
		Minimum		48.25	
		Maximum		340.75	
		Range		292.50	
		Interquartile Range		146.38	
		Skewness		-.205	.354
		Kurtosis		-.800	.695
	Tim	Mean		245.9071	13.26695
		95% Confidence Interval for Mean	Lower Bound	218.9455	
			Upper Bound	272.8688	
		5% Trimmed Mean		249.5317	
		Median		214.5000	
		Variance		6160.419	
		Std. Deviation		78.48834	
		Minimum		66.00	
		Maximum		338.50	
		Range		272.50	
		Interquartile Range		146.50	
		Skewness		-.144	.398
		Kurtosis		-.882	.778
AvDurlrrelFix	Abby	Mean		526.9333	28.56220
		95% Confidence Interval for Mean	Lower Bound	469.3700	

		Upper Bound		584.4967	
		5% Trimmed Mean		532.8657	
		Median		532.2500	
		Variance		36710.970	
		Std. Deviation		191.60107	
		Minimum		119.75	
		Maximum		826.25	
		Range		706.50	
		Interquartile Range		348.38	
		Skewness		-.354	.354
		Kurtosis		-.671	.695
	Tim	Mean		629.6643	29.74096
		95% Confidence Interval for Mean	Lower Bound	569.2234	
			Upper Bound	690.1052	
		5% Trimmed Mean		640.8095	
		Median		614.0000	
		Variance		30958.371	
		Std. Deviation		175.94991	
		Minimum		173.00	
		Maximum		819.50	
		Range		646.50	
		Interquartile Range		284.25	
		Skewness		-.645	.398
		Kurtosis		-.149	.778
TotSac	Abby	Mean		89.5778	1.83828
		95% Confidence Interval for Mean	Lower Bound	85.8730	
			Upper Bound	93.2826	
		5% Trimmed Mean		89.8086	
		Median		90.0000	
		Variance		152.068	
		Std. Deviation		12.33157	
		Minimum		65.00	
		Maximum		109.00	
		Range		44.00	
		Interquartile Range		19.50	
		Skewness		-.352	.354
		Kurtosis		-.966	.695
	Tim	Mean		89.1143	1.71781
		95% Confidence Interval for Mean	Lower Bound	85.6233	
			Upper Bound	92.6053	
		5% Trimmed Mean		89.0317	
		Median		91.0000	
		Variance		103.281	
		Std. Deviation		10.16271	
		Minimum		69.00	
		Maximum		109.00	
		Range		40.00	
		Interquartile Range		13.00	
		Skewness		.011	.398
		Kurtosis		-.232	.778
Sac2Key	Abby	Mean		73.3556	2.43691
		95% Confidence Interval for Mean	Lower Bound	68.4443	
			Upper Bound	78.2668	



				5% Trimmed Mean	73.0617	
				Median	76.0000	
				Variance	267.234	
				Std. Deviation	16.34730	
				Minimum	45.00	
				Maximum	107.00	
				Range	62.00	
				Interquartile Range	24.50	
				Skewness	.205	.354
				Kurtosis	-.547	.695
	Tim			Mean	71.3429	2.49468
				95% Confidence Interval for Mean	Lower Bound	66.2731
					Upper Bound	76.4127
				5% Trimmed Mean	71.1111	
				Median	70.0000	
				Variance	217.820	
				Std. Deviation	14.75873	
				Minimum	45.00	
				Maximum	101.00	
				Range	56.00	
				Interquartile Range	26.00	
				Skewness	.144	.398
				Kurtosis	-1.130	.778
AvAttention	Abby			Mean	.6111	.02701
				95% Confidence Interval for Mean	Lower Bound	.5567
					Upper Bound	.6655
				5% Trimmed Mean	.6148	
				Median	.6000	
				Variance	.033	
				Std. Deviation	.18119	
				Minimum	.20	
				Maximum	1.00	
				Range	.80	
				Interquartile Range	.20	
				Skewness	-.293	.354
				Kurtosis	-.173	.695
	Tim			Mean	.5171	.03655
				95% Confidence Interval for Mean	Lower Bound	.4429
					Upper Bound	.5914
				5% Trimmed Mean	.5103	
				Median	.5000	
				Variance	.047	
				Std. Deviation	.21623	
				Minimum	.20	
				Maximum	1.00	
				Range	.80	
				Interquartile Range	.40	
				Skewness	.210	.398
				Kurtosis	-.759	.778
AvMentWL	Abby			Mean	.6111	.03441
				95% Confidence Interval for Mean	Lower Bound	.5418
					Upper Bound	.6805
				5% Trimmed Mean	.6117	

		Median		.6000	
		Variance		.053	
		Std. Deviation		.23083	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.30	
		Skewness		.195	.354
		Kurtosis		-.690	.695
		Tim	Mean		.4943
	95% Confidence Interval for Mean		Lower Bound	.4241	
			Upper Bound	.5645	
	5% Trimmed Mean		.4929		
	Median		.5000		
	Variance		.042		
	Std. Deviation		.20428		
	Minimum		.10		
	Maximum		1.00		
	Range		.90		
	Interquartile Range		.30		
Skewness		.082	.398		
Kurtosis		.005	.778		
AvFam	Abby	Mean		.5200	.02433
		95% Confidence Interval for Mean	Lower Bound	.4710	
			Upper Bound	.5690	
		5% Trimmed Mean		.5222	
		Median		.5000	
		Variance		.027	
		Std. Deviation		.16321	
		Minimum		.20	
		Maximum		.80	
		Range		.60	
	Interquartile Range		.30		
	Skewness		-.206	.354	
	Kurtosis		-1.010	.695	
	Tim	Mean		.5714	.02915
		95% Confidence Interval for Mean	Lower Bound	.5122	
			Upper Bound	.6307	
		5% Trimmed Mean		.5770	
		Median		.6000	
		Variance		.030	
		Std. Deviation		.17248	
Minimum		.20			
Maximum		.80			
Range		.60			
Interquartile Range		.30			
Skewness		-.477	.398		
Kurtosis		-.855	.778		
AvSCL	Abby	Mean		661.0667	20.91595
		95% Confidence Interval for Mean	Lower Bound	618.9133	
			Upper Bound	703.2200	
		5% Trimmed Mean		666.3395	
		Median		712.0000	

		Variance		19686.473	
		Std. Deviation		140.30849	
		Minimum		361.00	
		Maximum		868.00	
		Range		507.00	
		Interquartile Range		240.50	
		Skewness		-.494	.354
		Kurtosis		-.833	.695
	Tim	Mean		663.4857	21.30958
		95% Confidence Interval for Mean	Lower Bound	620.1794	
			Upper Bound	706.7920	
		5% Trimmed Mean		669.8889	
		Median		648.0000	
		Variance		15893.434	
		Std. Deviation		126.06916	
		Minimum		368.00	
		Maximum		812.00	
		Range		444.00	
		Interquartile Range		187.00	
		Skewness		-.646	.398
		Kurtosis		-.613	.778
HRVar_RMSSD	Abby	Mean		39.7744	3.23351
		95% Confidence Interval for Mean	Lower Bound	33.2577	
			Upper Bound	46.2912	
		5% Trimmed Mean		39.4718	
		Median		35.6400	
		Variance		470.502	
		Std. Deviation		21.69106	
		Minimum		6.04	
		Maximum		77.39	
		Range		71.35	
		Interquartile Range		38.07	
		Skewness		.243	.354
		Kurtosis		-1.354	.695
	Tim	Mean		32.1786	2.80715
		95% Confidence Interval for Mean	Lower Bound	26.4738	
			Upper Bound	37.8834	
		5% Trimmed Mean		31.1184	
		Median		26.3600	
		Variance		275.802	
		Std. Deviation		16.60730	
		Minimum		5.92	
		Maximum		73.83	
		Range		67.91	
		Interquartile Range		19.82	
HRVar_NN50	Abby	Mean		26.3882	2.87555
		95% Confidence Interval for Mean	Lower Bound	20.5929	
			Upper Bound	32.1835	
		5% Trimmed Mean		25.9991	
		Median		21.9000	
		Variance		372.095	

				Std. Deviation	19.28977	
				Minimum	1.31	
				Maximum	58.61	
				Range	57.30	
				Interquartile Range	34.54	
				Skewness	.237	.354
				Kurtosis	-1.504	.695
	Tim			Mean	19.6734	2.86144
				95% Confidence Interval for Mean	Lower Bound	13.8583
					Upper Bound	25.4886
				5% Trimmed Mean	18.8910	
				Median	14.5900	
				Variance	286.575	
				Std. Deviation	16.92853	
				Minimum	1.34	
				Maximum	51.97	
				Range	50.63	
				Interquartile Range	35.17	
				Skewness	.482	.398
				Kurtosis	-1.284	.778
NASA_MD	Abby			Mean	73.3333	1.76955
				95% Confidence Interval for Mean	Lower Bound	69.7670
					Upper Bound	76.8996
				5% Trimmed Mean	73.7963	
				Median	75.0000	
				Variance	140.909	
				Std. Deviation	11.87051	
				Minimum	40.00	
				Maximum	95.00	
				Range	55.00	
				Interquartile Range	17.50	
				Skewness	-.585	.354
				Kurtosis	.569	.695
	Tim			Mean	63.5714	1.56875
				95% Confidence Interval for Mean	Lower Bound	60.3833
					Upper Bound	66.7595
				5% Trimmed Mean	63.6905	
				Median	65.0000	
				Variance	86.134	
				Std. Deviation	9.28086	
				Minimum	40.00	
				Maximum	85.00	
				Range	45.00	
				Interquartile Range	10.00	
				Skewness	.065	.398
				Kurtosis	.954	.778
NASA_PD	Abby			Mean	14.6667	2.65623
				95% Confidence Interval for Mean	Lower Bound	9.3134
					Upper Bound	20.0199
				5% Trimmed Mean	12.6852	
				Median	5.0000	
				Variance	317.500	
				Std. Deviation	17.81853	

			Minimum	5.00	
			Maximum	60.00	
			Range	55.00	
			Interquartile Range	5.00	
			Skewness	1.829	.354
			Kurtosis	1.805	.695
	Tim	95% Confidence Interval for Mean	Mean	28.5714	3.82150
			Lower Bound	20.8052	
			Upper Bound	36.3376	
			5% Trimmed Mean	28.4127	
			Median	15.0000	
			Variance	511.134	
			Std. Deviation	22.60828	
			Minimum	5.00	
			Maximum	55.00	
			Range	50.00	
			Interquartile Range	50.00	
			Skewness	.196	.398
			Kurtosis	-1.910	.778
NASA_TD	Abby	95% Confidence Interval for Mean	Mean	34.7778	3.93108
			Lower Bound	26.8552	
			Upper Bound	42.7004	
			5% Trimmed Mean	33.3642	
			Median	25.0000	
			Variance	695.404	
			Std. Deviation	26.37051	
			Minimum	5.00	
			Maximum	90.00	
			Range	85.00	
			Interquartile Range	37.50	
			Skewness	.873	.354
			Kurtosis	-.583	.695
	Tim	95% Confidence Interval for Mean	Mean	32.7143	3.01497
			Lower Bound	26.5871	
			Upper Bound	38.8414	
			5% Trimmed Mean	32.3810	
			Median	30.0000	
			Variance	318.151	
			Std. Deviation	17.83680	
			Minimum	5.00	
			Maximum	75.00	
			Range	70.00	
			Interquartile Range	35.00	
			Skewness	.139	.398
			Kurtosis	-.977	.778
NASA_Performance	Abby	95% Confidence Interval for Mean	Mean	55.3333	4.47609
			Lower Bound	46.3124	
			Upper Bound	64.3543	
			5% Trimmed Mean	55.4630	
			Median	45.0000	
			Variance	901.591	
			Std. Deviation	30.02650	
			Minimum	5.00	

	Tim	Maximum		105.00			
		Range		100.00			
		Interquartile Range		60.00			
		Skewness		.071	.354		
		Kurtosis		-1.331	.695		
		Mean		54.8571	4.88303		
		95% Confidence Interval for Mean	Lower Bound	44.9336			
			Upper Bound	64.7806			
		5% Trimmed Mean		55.2381			
		Median		60.0000			
		Variance		834.538			
		Std. Deviation		28.88837			
		Minimum		5.00			
		Maximum		100.00			
		Range		95.00			
		Interquartile Range		40.00			
		Skewness		-.428	.398		
		Kurtosis		-1.182	.778		
		NASA_Effort	Abby	Mean		70.3333	2.20994
				95% Confidence Interval for Mean	Lower Bound	65.8795	
Upper Bound	74.7872						
5% Trimmed Mean				70.7099			
Median				70.0000			
Variance				219.773			
Std. Deviation				14.82473			
Minimum				30.00			
Maximum				100.00			
Range				70.00			
Interquartile Range				20.00			
Skewness				-.320	.354		
Kurtosis				.664	.695		
Tim	Mean		61.7143	2.17842			
	95% Confidence Interval for Mean		Lower Bound	57.2872			
			Upper Bound	66.1414			
	5% Trimmed Mean		61.9048				
	Median		65.0000				
	Variance		166.092				
	Std. Deviation		12.88769				
	Minimum		30.00				
	Maximum		90.00				
	Range		60.00				
	Interquartile Range		15.00				
	Skewness		-.076	.398			
	Kurtosis		.405	.778			
NASA_Frustration	Abby	Mean		52.1111	3.33897		
		95% Confidence Interval for Mean	Lower Bound	45.3819			
			Upper Bound	58.8404			
		5% Trimmed Mean		52.6543			
		Median		50.0000			
		Variance		501.692			
		Std. Deviation		22.39848			
		Minimum		5.00			
		Maximum		85.00			

	Tim	Range		80.00	
		Interquartile Range		40.00	
		Skewness		.067	.354
		Kurtosis		-.950	.695
		Mean		45.5714	4.02080
		95% Confidence Interval for Mean	Lower Bound	37.4002	
			Upper Bound	53.7427	
		5% Trimmed Mean		45.8730	
		Median		50.0000	
		Variance		565.840	
		Std. Deviation		23.78740	
		Minimum		5.00	
		Maximum		85.00	
		Range		80.00	
		Interquartile Range		40.00	
		Skewness		-.466	.398
		Kurtosis		-1.042	.778
NASA_Score	Abby	Mean		54.0045	2.44989
		95% Confidence Interval for Mean	Lower Bound	49.0671	
			Upper Bound	58.9419	
		5% Trimmed Mean		53.3949	
		Median		50.0000	
		Variance		270.088	
		Std. Deviation		16.43435	
		Minimum		30.00	
		Maximum		90.00	
		Range		60.00	
		Interquartile Range		27.25	
		Skewness		.744	.354
		Kurtosis		-.450	.695
	Tim	Mean		50.5867	2.31110
		95% Confidence Interval for Mean	Lower Bound	45.8900	
			Upper Bound	55.2834	
		5% Trimmed Mean		50.1543	
		Median		51.6700	
		Variance		186.941	
		Std. Deviation		13.67263	
		Minimum		29.00	
		Maximum		84.67	
		Range		55.67	
		Interquartile Range		18.33	
		Skewness		-.001	.398
		Kurtosis		-.224	.778

Descriptives - i\* concrete syntaxes, GenderMag risk facet, understanding task

	Risk		Statistic	Std. Error	
Precision	Abby	Mean		.7836	.03899
		95% Confidence Interval for Mean	Lower Bound	.7042	
			Upper Bound	.8631	
		5% Trimmed Mean		.7957	
		Median		.8100	
		Variance		.050	
		Std. Deviation		.22397	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.40	
		Skewness		-.622	.409
		Kurtosis		-.929	.798
		Tim	Mean		.5817
	95% Confidence Interval for Mean		Lower Bound	.5100	
			Upper Bound	.6534	
	5% Trimmed Mean		.5949		
	Median		.6300		
	Variance		.060		
	Std. Deviation		.24408		
	Minimum		.00		
	Maximum		1.00		
	Range		1.00		
	Interquartile Range		.24		
	Skewness		-1.235	.347	
	Kurtosis		1.316	.681	
Recall	Abby	Mean		.7115	.03696
		95% Confidence Interval for Mean	Lower Bound	.6362	
			Upper Bound	.7868	
		5% Trimmed Mean		.7217	
		Median		.6700	
		Variance		.045	
		Std. Deviation		.21234	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.28	
		Skewness		-.403	.409
		Kurtosis		-.085	.798
		Tim	Mean		.7413
	95% Confidence Interval for Mean		Lower Bound	.6507	
			Upper Bound	.8318	
	5% Trimmed Mean		.7681		
	Median		.8100		
	Variance		.095		
	Std. Deviation		.30845		
	Minimum		.00		
	Maximum		1.00		
	Range		1.00		
	Interquartile Range		.47		
	Skewness		-1.411	.347	



FMeasure	Abby	Kurtosis		1.190	.681
		Mean		.7236	.03238
		95% Confidence Interval for Mean	Lower Bound	.6577	
			Upper Bound	.7896	
		5% Trimmed Mean		.7327	
		Median		.6928	
		Variance		.035	
		Std. Deviation		.18603	
		Minimum		.24	
		Maximum		1.00	
		Range		.76	
		Interquartile Range		.24	
		Skewness		-.423	.409
		Kurtosis		.185	.798
	Tim	Mean		.6355	.03596
		95% Confidence Interval for Mean	Lower Bound	.5631	
			Upper Bound	.7079	
		5% Trimmed Mean		.6565	
		Median		.6928	
		Variance		.061	
		Std. Deviation		.24650	
		Minimum		.00	
		Maximum		.92	
		Range		.92	
		Interquartile Range		.17	
		Skewness		-1.784	.347
		Kurtosis		2.481	.681
Duration	Abby	Mean		949.6364	57.83506
		95% Confidence Interval for Mean	Lower Bound	831.8302	
			Upper Bound	1067.4425	
		5% Trimmed Mean		971.0572	
		Median		858.0000	
		Variance		110381.489	
		Std. Deviation		332.23710	
		Minimum		193.00	
		Maximum		1314.00	
		Range		1121.00	
		Interquartile Range		571.50	
		Skewness		-.565	.409
		Kurtosis		-.318	.798
	Tim	Mean		847.8511	43.05214
		95% Confidence Interval for Mean	Lower Bound	761.1916	
			Upper Bound	934.5105	
		5% Trimmed Mean		853.2943	
		Median		850.0000	
		Variance		87113.869	
		Std. Deviation		295.15059	
		Minimum		251.00	
		Maximum		1323.00	
		Range		1072.00	
		Interquartile Range		318.00	
		Skewness		-.046	.347
		Kurtosis		-.704	.681

FirstActDet	Abby	Mean		559.6970	38.06174
		95% Confidence Interval for Mean	Lower Bound	482.1677	
			Upper Bound	637.2262	
		5% Trimmed Mean		562.8367	
		Median		647.0000	
		Variance		47806.968	
		Std. Deviation		218.64805	
		Minimum		170.00	
		Maximum		885.00	
		Range		715.00	
		Interquartile Range		335.50	
		Skewness		-.344	.409
		Kurtosis		-1.157	.798
	Tim	Mean		446.4255	15.04089
		95% Confidence Interval for Mean	Lower Bound	416.1498	
			Upper Bound	476.7013	
		5% Trimmed Mean		443.9965	
		Median		425.0000	
		Variance		10632.728	
		Std. Deviation		103.11512	
		Minimum		205.00	
		Maximum		695.00	
		Range		490.00	
		Interquartile Range		61.00	
		Skewness		.908	.347
		Kurtosis		1.347	.681
LastActDet	Abby	Mean		904.6970	57.23277
		95% Confidence Interval for Mean	Lower Bound	788.1176	
			Upper Bound	1021.2763	
		5% Trimmed Mean		924.8098	
		Median		820.0000	
		Variance		108094.468	
		Std. Deviation		328.77723	
		Minimum		168.00	
		Maximum		1277.00	
		Range		1109.00	
		Interquartile Range		559.00	
		Skewness		-.549	.409
		Kurtosis		-.359	.798
	Tim	Mean		833.4255	42.66892
		95% Confidence Interval for Mean	Lower Bound	747.5374	
			Upper Bound	919.3136	
		5% Trimmed Mean		838.7742	
		Median		836.0000	
		Variance		85569.945	
		Std. Deviation		292.52341	
		Minimum		245.00	
		Maximum		1299.00	
		Range		1054.00	
		Interquartile Range		323.00	
		Skewness		-.045	.347
		Kurtosis		-.712	.681
ProcDur	Abby	Mean		44.9394	1.79274

		95% Confidence Interval for Mean	Lower Bound	41.2877	
			Upper Bound	48.5911	
		5% Trimmed Mean		45.5993	
		Median		45.0000	
		Variance		106.059	
		Std. Deviation		10.29848	
		Minimum		15.00	
		Maximum		63.00	
		Range		48.00	
		Interquartile Range		12.50	
		Skewness		-.924	.409
		Kurtosis		1.856	.798
	Tim	Mean		14.4255	.77647
		95% Confidence Interval for Mean	Lower Bound	12.8626	
			Upper Bound	15.9885	
		5% Trimmed Mean		14.3617	
		Median		15.0000	
		Variance		28.337	
		Std. Deviation		5.32323	
		Minimum		6.00	
		Maximum		24.00	
		Range		18.00	
		Interquartile Range		9.00	
		Skewness		.066	.347
		Kurtosis		-.967	.681
FixRel	Abby	Mean		3.1045	.30176
		95% Confidence Interval for Mean	Lower Bound	2.4899	
			Upper Bound	3.7192	
		5% Trimmed Mean		3.1106	
		Median		3.2500	
		Variance		3.005	
		Std. Deviation		1.73349	
		Minimum		.25	
		Maximum		5.85	
		Range		5.60	
		Interquartile Range		3.18	
		Skewness		-.094	.409
		Kurtosis		-1.443	.798
	Tim	Mean		3.3343	.24416
		95% Confidence Interval for Mean	Lower Bound	2.8428	
			Upper Bound	3.8257	
		5% Trimmed Mean		3.3254	
		Median		2.8500	
		Variance		2.802	
		Std. Deviation		1.67390	
		Minimum		.75	
		Maximum		5.85	
		Range		5.10	
		Interquartile Range		3.08	
		Skewness		.125	.347
		Kurtosis		-1.550	.681
FixIrrel	Abby	Mean		5.3839	.95340
		95% Confidence Interval for Mean	Lower Bound	3.4419	

		Upper Bound		7.3260	
		5% Trimmed Mean		4.9544	
		Median		2.9800	
		Variance		29.996	
		Std. Deviation		5.47686	
		Minimum		.65	
		Maximum		17.85	
		Range		17.20	
		Interquartile Range		3.83	
		Skewness		1.490	.409
		Kurtosis		.930	.798
	Tim	Mean		4.2228	.49842
		95% Confidence Interval for Mean	Lower Bound	3.2195	
			Upper Bound	5.2260	
		5% Trimmed Mean		3.8158	
		Median		2.8800	
		Variance		11.676	
		Std. Deviation		3.41700	
		Minimum		.71	
		Maximum		15.85	
		Range		15.14	
		Interquartile Range		2.97	
		Skewness		1.908	.347
		Kurtosis		4.184	.681
AvDurRelFix	Abby	Mean		242.8636	15.06658
		95% Confidence Interval for Mean	Lower Bound	212.1740	
			Upper Bound	273.5533	
		5% Trimmed Mean		248.2694	
		Median		214.5000	
		Variance		7491.059	
		Std. Deviation		86.55090	
		Minimum		48.25	
		Maximum		338.50	
		Range		290.25	
		Interquartile Range		152.88	
		Skewness		-.510	.409
		Kurtosis		-.412	.798
	Tim	Mean		216.6436	11.32061
		95% Confidence Interval for Mean	Lower Bound	193.8564	
			Upper Bound	239.4308	
		5% Trimmed Mean		217.9690	
		Median		212.5000	
		Variance		6023.347	
		Std. Deviation		77.61023	
		Minimum		62.75	
		Maximum		340.75	
		Range		278.00	
		Interquartile Range		89.50	
		Skewness		-.025	.347
		Kurtosis		-.776	.681
AvDurIrrelFix	Abby	Mean		610.3182	36.18287
		95% Confidence Interval for Mean	Lower Bound	536.6161	
			Upper Bound	684.0203	

				5% Trimmed Mean	625.6717	
				Median	618.5000	
				Variance	43203.599	
				Std. Deviation	207.85475	
				Minimum	119.75	
				Maximum	819.50	
				Range	699.75	
				Interquartile Range	291.00	
				Skewness	-.938	.409
				Kurtosis	.070	.798
	Tim			Mean	544.8883	25.53885
				95% Confidence Interval for Mean	Lower Bound	493.4813
					Upper Bound	596.2953
				5% Trimmed Mean	549.4707	
				Median	560.0000	
				Variance	30654.953	
				Std. Deviation	175.08556	
				Minimum	163.25	
				Maximum	826.25	
				Range	663.00	
				Interquartile Range	261.00	
				Skewness	-.182	.347
				Kurtosis	-.567	.681
TotSac	Abby			Mean	88.1818	1.57601
				95% Confidence Interval for Mean	Lower Bound	84.9716
					Upper Bound	91.3921
				5% Trimmed Mean	88.5253	
				Median	91.0000	
				Variance	81.966	
				Std. Deviation	9.05350	
				Minimum	67.00	
				Maximum	102.00	
				Range	35.00	
				Interquartile Range	10.50	
				Skewness	-.828	.409
				Kurtosis	-.153	.798
	Tim			Mean	90.2128	1.86301
				95% Confidence Interval for Mean	Lower Bound	86.4627
					Upper Bound	93.9628
				5% Trimmed Mean	90.4421	
				Median	90.0000	
				Variance	163.128	
				Std. Deviation	12.77214	
				Minimum	65.00	
				Maximum	109.00	
				Range	44.00	
				Interquartile Range	22.00	
				Skewness	-.186	.347
				Kurtosis	-1.103	.681
Sac2Key	Abby			Mean	72.1212	2.50672
				95% Confidence Interval for Mean	Lower Bound	67.0152
					Upper Bound	77.2272
				5% Trimmed Mean	71.9764	

		Median		77.0000	
		Variance		207.360	
		Std. Deviation		14.39999	
		Minimum		45.00	
		Maximum		105.00	
		Range		60.00	
		Interquartile Range		25.00	
		Skewness		.043	.409
		Kurtosis		-.800	.798
	Tim	Mean		72.7234	2.41425
		95% Confidence Interval for Mean	Lower Bound	67.8638	
			Upper Bound	77.5830	
		5% Trimmed Mean		72.3842	
		Median		71.0000	
		Variance		273.944	
		Std. Deviation		16.55124	
		Minimum		45.00	
		Maximum		107.00	
		Range		62.00	
		Interquartile Range		25.00	
		Skewness		.262	.347
		Kurtosis		-.732	.681
AvAttention	Abby	Mean		.5273	.03379
		95% Confidence Interval for Mean	Lower Bound	.4585	
			Upper Bound	.5961	
		5% Trimmed Mean		.5303	
		Median		.6000	
		Variance		.038	
		Std. Deviation		.19409	
		Minimum		.20	
		Maximum		.80	
		Range		.60	
		Interquartile Range		.40	
		Skewness		-.438	.409
		Kurtosis		-1.087	.798
	Tim	Mean		.6000	.02964
		95% Confidence Interval for Mean	Lower Bound	.5403	
			Upper Bound	.6597	
		5% Trimmed Mean		.6000	
		Median		.6000	
		Variance		.041	
		Std. Deviation		.20323	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.40	
		Skewness		.000	.347
		Kurtosis		-.665	.681
AvMentWL	Abby	Mean		.5000	.03769
		95% Confidence Interval for Mean	Lower Bound	.4232	
			Upper Bound	.5768	
		5% Trimmed Mean		.4889	
		Median		.5000	

		Variance		.047	
		Std. Deviation		.21651	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.30	
		Skewness		1.003	.409
		Kurtosis		.599	.798
	Tim	Mean		.6021	.03283
		95% Confidence Interval for Mean	Lower Bound	.5361	
			Upper Bound	.6682	
		5% Trimmed Mean		.6071	
		Median		.6000	
		Variance		.051	
		Std. Deviation		.22505	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.20	
		Skewness		-.255	.347
		Kurtosis		.053	.681
AvFam	Abby	Mean		.5909	.02899
		95% Confidence Interval for Mean	Lower Bound	.5319	
			Upper Bound	.6500	
		5% Trimmed Mean		.5955	
		Median		.6000	
		Variance		.028	
		Std. Deviation		.16652	
		Minimum		.30	
		Maximum		.80	
		Range		.50	
		Interquartile Range		.30	
		Skewness		-.539	.409
		Kurtosis		-1.021	.798
	Tim	Mean		.5085	.02372
		95% Confidence Interval for Mean	Lower Bound	.4608	
			Upper Bound	.5563	
		5% Trimmed Mean		.5103	
		Median		.5000	
		Variance		.026	
		Std. Deviation		.16263	
		Minimum		.20	
		Maximum		.80	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.206	.347
		Kurtosis		-.876	.681
AvSCL	Abby	Mean		669.8182	23.10038
		95% Confidence Interval for Mean	Lower Bound	622.7642	
			Upper Bound	716.8721	
		5% Trimmed Mean		670.2980	
		Median		646.0000	
		Variance		17609.716	

		Std. Deviation		132.70160	
		Minimum		463.00	
		Maximum		868.00	
		Range		405.00	
		Interquartile Range		256.50	
		Skewness		-.162	.409
		Kurtosis		-1.633	.798
	Tim	Mean		656.7234	19.70952
		95% Confidence Interval for Mean	Lower Bound	617.0502	
			Upper Bound	696.3966	
		5% Trimmed Mean		663.4066	
		Median		678.0000	
		Variance		18257.857	
		Std. Deviation		135.12164	
		Minimum		361.00	
		Maximum		833.00	
		Range		472.00	
		Interquartile Range		171.00	
		Skewness		-.806	.347
		Kurtosis		-.303	.681
HRVar_RMSSD	Abby	Mean		23.5448	1.30792
		95% Confidence Interval for Mean	Lower Bound	20.8807	
			Upper Bound	26.2090	
		5% Trimmed Mean		23.6372	
		Median		21.2200	
		Variance		56.452	
		Std. Deviation		7.51344	
		Minimum		9.62	
		Maximum		35.76	
		Range		26.14	
		Interquartile Range		8.80	
		Skewness		.229	.409
		Kurtosis		-.316	.798
	Tim	Mean		45.5132	3.04547
		95% Confidence Interval for Mean	Lower Bound	39.3830	
			Upper Bound	51.6434	
		5% Trimmed Mean		45.8753	
		Median		50.1400	
		Variance		435.919	
		Std. Deviation		20.87867	
		Minimum		5.92	
		Maximum		77.39	
		Range		71.47	
HRVar_NN50	Abby	Mean		14.6597	2.47337
		95% Confidence Interval for Mean	Lower Bound	9.6216	
			Upper Bound	19.6978	
		5% Trimmed Mean		13.8737	
		Median		7.9700	
		Variance		201.879	
		Std. Deviation		14.20841	



			Minimum	2.31	
			Maximum	41.17	
			Range	38.86	
			Interquartile Range	16.71	
			Skewness	1.071	.409
			Kurtosis	-.447	.798
	Tim	Mean		29.6228	2.73756
		95% Confidence Interval for Mean	Lower Bound	24.1123	
			Upper Bound	35.1332	
		5% Trimmed Mean		29.6119	
		Median		28.6300	
		Variance		352.230	
		Std. Deviation		18.76779	
		Minimum		1.31	
		Maximum		58.61	
		Range		57.30	
		Interquartile Range		34.47	
		Skewness		-.106	.347
		Kurtosis		-1.382	.681
NASA_MD	Abby	Mean		68.3333	2.50631
		95% Confidence Interval for Mean	Lower Bound	63.2282	
			Upper Bound	73.4385	
		5% Trimmed Mean		68.3165	
		Median		65.0000	
		Variance		207.292	
		Std. Deviation		14.39763	
		Minimum		40.00	
		Maximum		95.00	
		Range		55.00	
		Interquartile Range		22.50	
		Skewness		.214	.409
		Kurtosis		-.857	.798
	Tim	Mean		69.5745	1.41707
		95% Confidence Interval for Mean	Lower Bound	66.7221	
			Upper Bound	72.4269	
		5% Trimmed Mean		70.1182	
		Median		70.0000	
		Variance		94.380	
		Std. Deviation		9.71495	
		Minimum		40.00	
		Maximum		85.00	
		Range		45.00	
		Interquartile Range		15.00	
		Skewness		-.544	.347
		Kurtosis		1.192	.681
NASA_PD	Abby	Mean		32.5758	4.28131
		95% Confidence Interval for Mean	Lower Bound	23.8550	
			Upper Bound	41.2965	
		5% Trimmed Mean		32.5842	
		Median		55.0000	
		Variance		604.877	
		Std. Deviation		24.59425	
		Minimum		5.00	

			Maximum	60.00	
			Range	55.00	
			Interquartile Range	50.00	
			Skewness	-.091	.409
			Kurtosis	-2.058	.798
	Tim	95% Confidence Interval for Mean	Mean	12.4468	1.91682
			Lower Bound	8.5885	
			Upper Bound	16.3052	
		5% Trimmed Mean			10.9752
		Median			5.0000
		Variance			172.687
		Std. Deviation			13.14106
		Minimum			5.00
		Maximum			55.00
		Range			50.00
		Interquartile Range			10.00
		Skewness			1.915
					.347
		Kurtosis			2.459
					.681
NASA_TD	Abby	95% Confidence Interval for Mean	Mean	46.9697	4.48556
			Lower Bound	37.8329	
			Upper Bound	56.1065	
		5% Trimmed Mean			46.6330
		Median			50.0000
		Variance			663.968
		Std. Deviation			25.76757
		Minimum			10.00
		Maximum			90.00
		Range			80.00
		Interquartile Range			55.00
		Skewness			.092
					.409
		Kurtosis			-1.102
					.798
	Tim	95% Confidence Interval for Mean	Mean	24.6809	2.21635
			Lower Bound	20.2196	
			Upper Bound	29.1421	
		5% Trimmed Mean			24.0898
		Median			20.0000
		Variance			230.874
		Std. Deviation			15.19454
		Minimum			5.00
		Maximum			55.00
		Range			50.00
		Interquartile Range			15.00
		Skewness			.758
					.347
		Kurtosis			-.601
					.681
NASA_Performance	Abby	95% Confidence Interval for Mean	Mean	71.0606	4.61981
			Lower Bound	61.6504	
			Upper Bound	80.4709	
		5% Trimmed Mean			72.6768
		Median			75.0000
		Variance			704.309
		Std. Deviation			26.53882
		Minimum			10.00
		Maximum			105.00

	Tim	Range		95.00	
		Interquartile Range		32.50	
		Skewness		-1.163	.409
		Kurtosis		.572	.798
		Mean		43.9362	3.80168
		95% Confidence Interval for Mean	Lower Bound	36.2838	
			Upper Bound	51.5885	
		5% Trimmed Mean		43.5402	
		Median		45.0000	
		Variance		679.278	
		Std. Deviation		26.06297	
		Minimum		5.00	
		Maximum		90.00	
		Range		85.00	
		Interquartile Range		30.00	
		Skewness		.397	.347
		Kurtosis		-.800	.681
NASA_Effort	Abby	Mean		62.8788	2.86229
		95% Confidence Interval for Mean	Lower Bound	57.0485	
			Upper Bound	68.7091	
		5% Trimmed Mean		62.5337	
		Median		55.0000	
		Variance		270.360	
		Std. Deviation		16.44262	
		Minimum		30.00	
		Maximum		100.00	
		Range		70.00	
		Interquartile Range		22.50	
		Skewness		.615	.409
		Kurtosis		.391	.798
	Tim	Mean		69.1489	1.84581
		95% Confidence Interval for Mean	Lower Bound	65.4335	
			Upper Bound	72.8644	
		5% Trimmed Mean		69.8818	
		Median		70.0000	
		Variance		160.130	
		Std. Deviation		12.65423	
		Minimum		30.00	
		Maximum		90.00	
		Range		60.00	
		Interquartile Range		15.00	
		Skewness		-.741	.347
		Kurtosis		1.535	.681
NASA_Frustration	Abby	Mean		60.7576	3.92955
		95% Confidence Interval for Mean	Lower Bound	52.7533	
			Upper Bound	68.7618	
		5% Trimmed Mean		62.5084	
		Median		65.0000	
		Variance		509.564	
		Std. Deviation		22.57353	
		Minimum		5.00	
		Maximum		85.00	
		Range		80.00	

		Interquartile Range		35.00	
		Skewness		-1.068	.409
		Kurtosis		.792	.798
	Tim	Mean		41.1702	2.91814
		95% Confidence Interval for Mean	Lower Bound	35.2963	
			Upper Bound	47.0441	
		5% Trimmed Mean		41.3002	
		Median		35.0000	
		Variance		400.231	
		Std. Deviation		20.00578	
		Minimum		5.00	
		Maximum		75.00	
		Range		70.00	
		Interquartile Range		20.00	
		Skewness		.097	.347
		Kurtosis		-.532	.681
NASA_Score	Abby	Mean		59.6929	2.94203
		95% Confidence Interval for Mean	Lower Bound	53.7002	
			Upper Bound	65.6857	
		5% Trimmed Mean		59.7873	
		Median		60.0000	
		Variance		285.633	
		Std. Deviation		16.90068	
		Minimum		29.00	
		Maximum		90.00	
		Range		61.00	
		Interquartile Range		22.33	
		Skewness		.033	.409
		Kurtosis		-.460	.798
	Tim	Mean		47.4653	1.72467
		95% Confidence Interval for Mean	Lower Bound	43.9937	
			Upper Bound	50.9369	
		5% Trimmed Mean		47.0271	
		Median		45.6700	
		Variance		139.801	
		Std. Deviation		11.82377	
		Minimum		29.00	
		Maximum		73.67	
		Range		44.67	
		Interquartile Range		10.84	
		Skewness		.613	.347
		Kurtosis		.096	.681

Descriptives - i\* concrete syntaxes, GenderMag learning style facet, understanding task

LearningStyle				Statistic	Std. Error
Precision	Abby	Mean		.6063	.04183
		95% Confidence Interval for Mean	Lower Bound	.5216	
			Upper Bound	.6911	
		5% Trimmed Mean		.6181	
		Median		.6500	
		Variance		.066	
		Std. Deviation		.25788	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.34	
		Skewness		-.627	.383
		Kurtosis		.697	.750
	Tim	Mean		.7181	.03754
		95% Confidence Interval for Mean	Lower Bound	.6423	
			Upper Bound	.7939	
		5% Trimmed Mean		.7415	
		Median		.7700	
		Variance		.059	
		Std. Deviation		.24327	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.28	
		Skewness		-1.177	.365
		Kurtosis		1.908	.717
Recall	Abby	Mean		.7153	.04673
		95% Confidence Interval for Mean	Lower Bound	.6206	
			Upper Bound	.8099	
		5% Trimmed Mean		.7392	
		Median		.7700	
		Variance		.083	
		Std. Deviation		.28804	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.33	
		Skewness		-1.267	.383
		Kurtosis		1.188	.750
	Tim	Mean		.7414	.03998
		95% Confidence Interval for Mean	Lower Bound	.6607	
			Upper Bound	.8222	
		5% Trimmed Mean		.7673	
		Median		.7700	
		Variance		.067	
		Std. Deviation		.25913	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.47	

		Skewness		-1.133	.365
		Kurtosis		1.252	.717
FMeasure	Abby	Mean		.6375	.03933
		95% Confidence Interval for Mean	Lower Bound	.5578	
			Upper Bound	.7172	
		5% Trimmed Mean		.6528	
		Median		.6700	
		Variance		.059	
		Std. Deviation		.24244	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.18	
		Skewness		-1.371	.383
		Kurtosis		2.100	.750
	Tim	Mean		.7030	.03227
		95% Confidence Interval for Mean	Lower Bound	.6378	
			Upper Bound	.7681	
		5% Trimmed Mean		.7246	
		Median		.7445	
		Variance		.044	
		Std. Deviation		.20911	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.19	
		Skewness		-1.812	.365
		Kurtosis		4.608	.717
Duration	Abby	Mean		1034.7105	43.59754
		95% Confidence Interval for Mean	Lower Bound	946.3735	
			Upper Bound	1123.0475	
		5% Trimmed Mean		1049.1725	
		Median		1040.0000	
		Variance		72228.319	
		Std. Deviation		268.75327	
		Minimum		470.00	
		Maximum		1323.00	
		Range		853.00	
		Interquartile Range		456.00	
		Skewness		-.515	.383
		Kurtosis		-.910	.750
	Tim	Mean		758.7619	45.39612
		95% Confidence Interval for Mean	Lower Bound	667.0826	
			Upper Bound	850.4412	
		5% Trimmed Mean		759.1429	
		Median		785.5000	
		Variance		86553.942	
		Std. Deviation		294.20051	
		Minimum		193.00	
		Maximum		1308.00	
		Range		1115.00	
		Interquartile Range		353.00	
		Skewness		.022	.365

FirstActDet	Abby	Kurtosis		- .190	.717
		Mean		557.8684	28.61189
		95% Confidence Interval for Mean	Lower Bound	499.8952	
			Upper Bound	615.8416	
		5% Trimmed Mean		558.2164	
		Median		480.5000	
		Variance		31108.334	
		Std. Deviation		176.37555	
		Minimum		215.00	
		Maximum		885.00	
		Range		670.00	
		Interquartile Range		280.50	
		Skewness		.105	.383
		Kurtosis		-.983	.750
	Tim	Mean		434.5952	21.73518
		95% Confidence Interval for Mean	Lower Bound	390.7001	
			Upper Bound	478.4903	
		5% Trimmed Mean		430.1799	
		Median		406.0000	
		Variance		19841.564	
		Std. Deviation		140.86009	
		Minimum		170.00	
		Maximum		840.00	
		Range		670.00	
		Interquartile Range		77.00	
		Skewness		.685	.365
		Kurtosis		.927	.717
LastActDet	Abby	Mean		1001.7368	42.66852
		95% Confidence Interval for Mean	Lower Bound	915.2822	
			Upper Bound	1088.1915	
		5% Trimmed Mean		1014.5965	
		Median		1020.5000	
		Variance		69182.902	
		Std. Deviation		263.02643	
		Minimum		464.00	
		Maximum		1299.00	
		Range		835.00	
		Interquartile Range		445.25	
		Skewness		-.505	.383
		Kurtosis		-.987	.750
	Tim	Mean		737.1429	45.32279
		95% Confidence Interval for Mean	Lower Bound	645.6116	
			Upper Bound	828.6741	
		5% Trimmed Mean		737.7328	
		Median		763.0000	
		Variance		86274.516	
		Std. Deviation		293.72524	
		Minimum		168.00	
		Maximum		1290.00	
		Range		1122.00	
		Interquartile Range		350.25	
		Skewness		.024	.365
		Kurtosis		-.172	.717

ProcDur	Abby	Mean		32.9737	2.70674
		95% Confidence Interval for Mean	Lower Bound	27.4893	
			Upper Bound	38.4581	
		5% Trimmed Mean		32.7778	
		Median		37.0000	
		Variance		278.405	
		Std. Deviation		16.68546	
		Minimum		6.00	
		Maximum		63.00	
		Range		57.00	
		Interquartile Range		30.00	
		Skewness		.056	.383
		Kurtosis		-1.400	.750
	Tim	Mean		21.6190	2.39481
		95% Confidence Interval for Mean	Lower Bound	16.7826	
			Upper Bound	26.4555	
		5% Trimmed Mean		20.5291	
		Median		16.5000	
		Variance		240.876	
		Std. Deviation		15.52017	
		Minimum		6.00	
		Maximum		59.00	
		Range		53.00	
		Interquartile Range		17.50	
		Skewness		1.129	.365
		Kurtosis		-.026	.717
FixRel	Abby	Mean		3.8926	.27383
		95% Confidence Interval for Mean	Lower Bound	3.3378	
			Upper Bound	4.4475	
		5% Trimmed Mean		3.9863	
		Median		4.3350	
		Variance		2.849	
		Std. Deviation		1.68799	
		Minimum		.25	
		Maximum		5.85	
		Range		5.60	
		Interquartile Range		2.63	
		Skewness		-.784	.383
		Kurtosis		-.506	.750
	Tim	Mean		2.6486	.22832
		95% Confidence Interval for Mean	Lower Bound	2.1875	
			Upper Bound	3.1097	
		5% Trimmed Mean		2.5854	
		Median		2.1150	
		Variance		2.190	
		Std. Deviation		1.47971	
		Minimum		.75	
		Maximum		5.85	
		Range		5.10	
		Interquartile Range		2.76	
		Skewness		.724	.365
		Kurtosis		-.908	.717
FixIrrel	Abby	Mean		4.2134	.66142



		95% Confidence Interval for Mean	Lower Bound	2.8733	
			Upper Bound	5.5536	
		5% Trimmed Mean		3.6538	
		Median		2.8300	
		Variance		16.624	
		Std. Deviation		4.07726	
		Minimum		.65	
		Maximum		17.85	
		Range		17.20	
		Interquartile Range		3.09	
		Skewness		2.212	.383
		Kurtosis		5.257	.750
	Tim	Mean		5.1436	.71922
		95% Confidence Interval for Mean	Lower Bound	3.6911	
			Upper Bound	6.5961	
		5% Trimmed Mean		4.7421	
		Median		3.6500	
		Variance		21.726	
		Std. Deviation		4.66109	
		Minimum		.71	
		Maximum		17.85	
		Range		17.14	
		Interquartile Range		4.23	
		Skewness		1.612	.365
		Kurtosis		1.662	.717
AvDurRelFix	Abby	Mean		266.0461	11.39911
		95% Confidence Interval for Mean	Lower Bound	242.9493	
			Upper Bound	289.1429	
		5% Trimmed Mean		269.9247	
		Median		270.0000	
		Variance		4937.712	
		Std. Deviation		70.26886	
		Minimum		117.50	
		Maximum		340.75	
		Range		223.25	
		Interquartile Range		123.25	
		Skewness		-.528	.383
		Kurtosis		-.906	.750
	Tim	Mean		192.5476	11.79704
		95% Confidence Interval for Mean	Lower Bound	168.7230	
			Upper Bound	216.3722	
		5% Trimmed Mean		192.4048	
		Median		199.0000	
		Variance		5845.144	
		Std. Deviation		76.45354	
		Minimum		48.25	
		Maximum		337.00	
		Range		288.75	
		Interquartile Range		88.25	
		Skewness		.096	.365
		Kurtosis		-.175	.717
AvDurlrrelFix	Abby	Mean		647.1382	26.91040
		95% Confidence Interval for Mean	Lower Bound	592.6125	
			Upper Bound		

		Upper Bound		701.6638	
		5% Trimmed Mean		655.3202	
		Median		642.1250	
		Variance		27518.438	
		Std. Deviation		165.88682	
		Minimum		320.75	
		Maximum		826.25	
		Range		505.50	
		Interquartile Range		281.25	
		Skewness		-.603	.383
		Kurtosis		-.788	.750
	Tim	Mean		503.7857	28.99286
		95% Confidence Interval for Mean	Lower Bound	445.2334	
			Upper Bound	562.3380	
		5% Trimmed Mean		507.4286	
		Median		529.2500	
		Variance		35304.611	
		Std. Deviation		187.89521	
		Minimum		119.75	
		Maximum		815.00	
		Range		695.25	
		Interquartile Range		279.56	
		Skewness		-.351	.365
		Kurtosis		-.519	.717
TotSac	Abby	Mean		91.1579	1.79041
		95% Confidence Interval for Mean	Lower Bound	87.5302	
			Upper Bound	94.7856	
		5% Trimmed Mean		91.2310	
		Median		92.0000	
		Variance		121.812	
		Std. Deviation		11.03686	
		Minimum		72.00	
		Maximum		109.00	
		Range		37.00	
		Interquartile Range		13.75	
		Skewness		-.275	.383
		Kurtosis		-.731	.750
	Tim	Mean		87.7619	1.78222
		95% Confidence Interval for Mean	Lower Bound	84.1626	
			Upper Bound	91.3612	
		5% Trimmed Mean		87.8466	
		Median		87.0000	
		Variance		133.405	
		Std. Deviation		11.55012	
		Minimum		65.00	
		Maximum		109.00	
		Range		44.00	
		Interquartile Range		16.50	
		Skewness		-.179	.365
		Kurtosis		-.732	.717
Sac2Key	Abby	Mean		78.4211	2.19777
		95% Confidence Interval for Mean	Lower Bound	73.9679	
			Upper Bound	82.8742	

				5% Trimmed Mean	78.1345	
				Median	81.0000	
				Variance	183.548	
				Std. Deviation	13.54798	
				Minimum	55.00	
				Maximum	107.00	
				Range	52.00	
				Interquartile Range	16.75	
				Skewness	.064	.383
				Kurtosis	-.143	.750
	Tim			Mean	67.0952	2.39696
				95% Confidence Interval for Mean	Lower Bound	62.2545
					Upper Bound	71.9360
				5% Trimmed Mean	66.4259	
				Median	62.0000	
				Variance	241.308	
				Std. Deviation	15.53408	
				Minimum	45.00	
				Maximum	102.00	
				Range	57.00	
				Interquartile Range	24.25	
				Skewness	.614	.365
				Kurtosis	-.485	.717
AvAttention	Abby			Mean	.5289	.03329
				95% Confidence Interval for Mean	Lower Bound	.4615
					Upper Bound	.5964
				5% Trimmed Mean	.5266	
				Median	.5000	
				Variance	.042	
				Std. Deviation	.20521	
				Minimum	.20	
				Maximum	.90	
				Range	.70	
				Interquartile Range	.40	
				Skewness	-.057	.383
				Kurtosis	-1.015	.750
	Tim			Mean	.6071	.02979
				95% Confidence Interval for Mean	Lower Bound	.5470
					Upper Bound	.6673
				5% Trimmed Mean	.6079	
				Median	.6000	
				Variance	.037	
				Std. Deviation	.19304	
				Minimum	.20	
				Maximum	1.00	
				Range	.80	
AvMentWL	Abby			Interquartile Range	.22	
				Skewness	-.149	.365
				Kurtosis	-.223	.717
				Mean	.5079	.03296
				95% Confidence Interval for Mean	Lower Bound	.4411
					Upper Bound	.5747
				5% Trimmed Mean	.4977	

			Median	.5000	
			Variance	.041	
			Std. Deviation	.20319	
			Minimum	.20	
			Maximum	1.00	
			Range	.80	
			Interquartile Range	.30	
			Skewness	.642	.383
			Kurtosis	.059	.750
	Tim	95% Confidence Interval for Mean	Mean	.6071	.03661
			Lower Bound	.5332	
			Upper Bound	.6811	
		5% Trimmed Mean			.6132
		Median			.6000
		Variance			.056
		Std. Deviation			.23725
		Minimum			.10
		Maximum			1.00
		Range			.90
		Interquartile Range			.20
		Skewness			-.147
		Kurtosis			-.137
					.365
					.717
AvFam	Abby	95% Confidence Interval for Mean	Mean	.5816	.02742
			Lower Bound	.5260	
			Upper Bound	.6371	
		5% Trimmed Mean			.5851
		Median			.6000
		Variance			.029
		Std. Deviation			.16903
		Minimum			.30
		Maximum			.80
		Range			.50
		Interquartile Range			.30
		Skewness			-.333
		Kurtosis			-1.313
					.383
					.750
	Tim	95% Confidence Interval for Mean	Mean	.5071	.02490
			Lower Bound	.4569	
			Upper Bound	.5574	
		5% Trimmed Mean			.5108
		Median			.5500
		Variance			.026
		Std. Deviation			.16139
		Minimum			.20
		Maximum			.80
		Range			.60
		Interquartile Range			.20
		Skewness			-.377
		Kurtosis			-.879
					.365
					.717
AvSCL	Abby	95% Confidence Interval for Mean	Mean	655.2105	21.59366
			Lower Bound	611.4576	
			Upper Bound	698.9634	
		5% Trimmed Mean			658.6345
		Median			662.0000

		Variance		17718.873	
		Std. Deviation		133.11226	
		Minimum		380.00	
		Maximum		856.00	
		Range		476.00	
		Interquartile Range		260.00	
		Skewness		-.378	.383
		Kurtosis		-1.166	.750
	Tim	Mean		668.3810	20.83671
		95% Confidence Interval for Mean	Lower Bound	626.3004	
			Upper Bound	710.4615	
		5% Trimmed Mean		675.1931	
		Median		715.0000	
		Variance		18235.071	
		Std. Deviation		135.03729	
		Minimum		361.00	
		Maximum		868.00	
		Range		507.00	
		Interquartile Range		210.25	
		Skewness		-.714	.365
		Kurtosis		-.302	.717
HRVar_RMSSD	Abby	Mean		32.8558	3.03469
		95% Confidence Interval for Mean	Lower Bound	26.7069	
			Upper Bound	39.0047	
		5% Trimmed Mean		32.0407	
		Median		24.2150	
		Variance		349.955	
		Std. Deviation		18.70709	
		Minimum		6.04	
		Maximum		73.95	
		Range		67.91	
		Interquartile Range		19.92	
		Skewness		1.047	.383
		Kurtosis		-.042	.750
	Tim	Mean		39.7043	3.17248
		95% Confidence Interval for Mean	Lower Bound	33.2973	
			Upper Bound	46.1112	
		5% Trimmed Mean		39.3921	
		Median		35.6400	
		Variance		422.714	
		Std. Deviation		20.56000	
		Minimum		5.92	
		Maximum		77.39	
		Range		71.47	
		Interquartile Range		36.74	
		Skewness		.255	.365
		Kurtosis		-1.173	.717
HRVar_NN50	Abby	Mean		22.0889	2.99276
		95% Confidence Interval for Mean	Lower Bound	16.0250	
			Upper Bound	28.1528	
		5% Trimmed Mean		21.3830	
		Median		17.5400	
		Variance		340.350	

				Std. Deviation	18.44859	
				Minimum	1.34	
				Maximum	55.10	
				Range	53.76	
				Interquartile Range	37.40	
				Skewness	.414	.383
				Kurtosis	-1.404	.750
	Tim			Mean	24.6824	2.87933
				95% Confidence Interval for Mean	Lower Bound	18.8675
					Upper Bound	30.4973
				5% Trimmed Mean	24.1040	
				Median	21.3550	
				Variance	348.202	
				Std. Deviation	18.66017	
				Minimum	1.31	
				Maximum	58.61	
				Range	57.30	
				Interquartile Range	31.91	
				Skewness	.344	.365
				Kurtosis	-1.320	.717
NASA_MD	Abby			Mean	69.0789	1.93102
				95% Confidence Interval for Mean	Lower Bound	65.1663
					Upper Bound	72.9916
				5% Trimmed Mean	68.7135	
				Median	65.0000	
				Variance	141.696	
				Std. Deviation	11.90363	
				Minimum	45.00	
				Maximum	95.00	
				Range	50.00	
				Interquartile Range	16.25	
				Skewness	.497	.383
				Kurtosis	-.321	.750
	Tim			Mean	69.0476	1.82922
				95% Confidence Interval for Mean	Lower Bound	65.3534
					Upper Bound	72.7418
				5% Trimmed Mean	69.6296	
				Median	70.0000	
				Variance	140.534	
				Std. Deviation	11.85471	
				Minimum	40.00	
				Maximum	90.00	
				Range	50.00	
				Interquartile Range	16.25	
				Skewness	-.615	.365
				Kurtosis	.250	.717
NASA_PD	Abby			Mean	27.7632	3.72746
				95% Confidence Interval for Mean	Lower Bound	20.2106
					Upper Bound	35.3157
				5% Trimmed Mean	27.2368	
				Median	15.0000	
				Variance	527.969	
				Std. Deviation	22.97759	

			Minimum	5.00	
			Maximum	60.00	
			Range	55.00	
			Interquartile Range	50.00	
			Skewness	.336	.383
			Kurtosis	-1.843	.750
	Tim	95% Confidence Interval for Mean	Mean	14.4048	2.64642
			Lower Bound	9.0602	
			Upper Bound	19.7493	
			5% Trimmed Mean	12.5397	
			Median	5.0000	
			Variance	294.149	
			Std. Deviation	17.15078	
			Minimum	5.00	
			Maximum	60.00	
			Range	55.00	
			Interquartile Range	6.25	
			Skewness	1.728	.365
			Kurtosis	1.464	.717
NASA_TD	Abby	95% Confidence Interval for Mean	Mean	36.7105	3.92984
			Lower Bound	28.7479	
			Upper Bound	44.6731	
			5% Trimmed Mean	35.3801	
			Median	30.0000	
			Variance	586.860	
			Std. Deviation	24.22519	
			Minimum	5.00	
			Maximum	90.00	
			Range	85.00	
			Interquartile Range	35.00	
			Skewness	.739	.383
			Kurtosis	-.315	.750
	Tim	95% Confidence Interval for Mean	Mean	31.3095	3.33939
			Lower Bound	24.5655	
			Upper Bound	38.0536	
			5% Trimmed Mean	30.0661	
			Median	25.0000	
			Variance	468.365	
			Std. Deviation	21.64175	
			Minimum	5.00	
			Maximum	85.00	
			Range	80.00	
			Interquartile Range	31.25	
			Skewness	.855	.365
			Kurtosis	-.186	.717
NASA_Performance	Abby	95% Confidence Interval for Mean	Mean	55.2632	4.96054
			Lower Bound	45.2122	
			Upper Bound	65.3142	
			5% Trimmed Mean	55.9795	
			Median	67.5000	
			Variance	935.064	
			Std. Deviation	30.57882	
			Minimum	5.00	





	Tim	Range		80.00	
		Interquartile Range		35.00	
		Skewness		-.377	.383
		Kurtosis		-.999	.750
		Mean		48.9286	3.23102
		95% Confidence Interval for Mean	Lower Bound	42.4034	
			Upper Bound	55.4537	
		5% Trimmed Mean		49.3122	
		Median		50.0000	
		Variance		438.458	
		Std. Deviation		20.93939	
		Minimum		5.00	
		Maximum		85.00	
		Range		80.00	
		Interquartile Range		31.25	
		Skewness		.054	.365
		Kurtosis		-.544	.717
NASA_Score	Abby	Mean		51.4875	2.57149
		95% Confidence Interval for Mean	Lower Bound	46.2772	
			Upper Bound	56.6979	
		5% Trimmed Mean		50.7825	
		Median		54.5850	
		Variance		251.277	
		Std. Deviation		15.85171	
		Minimum		29.00	
		Maximum		86.67	
		Range		57.67	
		Interquartile Range		20.42	
		Skewness		.353	.383
		Kurtosis		-.567	.750
	Tim	Mean		53.4336	2.29844
		95% Confidence Interval for Mean	Lower Bound	48.7918	
			Upper Bound	58.0754	
		5% Trimmed Mean		52.9010	
		Median		50.6650	
		Variance		221.879	
		Std. Deviation		14.89561	
		Minimum		29.00	
		Maximum		90.00	
		Range		61.00	
		Interquartile Range		14.75	
		Skewness		.846	.365
		Kurtosis		.362	.717