

Descriptives - use case templates

	Task		Statistic		Std. Error	
Precision	ARNE Understand	Mean		.7130	.02728	
		95% Confidence Interval for Mean	Lower Bound	.6578		
			Upper Bound	.7682		
		5% Trimmed Mean		.7142		
		Median		.7100		
		Variance		.030		
		Std. Deviation		.17254		
		Minimum		.38		
		Maximum		1.00		
		Range		.62		
		Interquartile Range		.27		
		Skewness		.027	.374	
		Kurtosis		-.670	.733	
		ARNE Review	Mean		.4518	.03169
	95% Confidence Interval for Mean		Lower Bound	.3876		
			Upper Bound	.5159		
	5% Trimmed Mean		.4586			
	Median		.4500			
	Variance		.040			
	Std. Deviation		.20045			
	Minimum		.08			
	Maximum		.70			
	Range		.62			
	Interquartile Range		.33			
	Skewness		-.339	.374		
	Kurtosis		-.987	.733		
	ARNE Create		Mean		.6550	.03347
		95% Confidence Interval for Mean	Lower Bound	.5873		
			Upper Bound	.7227		
		5% Trimmed Mean		.6622		
		Median		.6900		
		Variance		.045		
		Std. Deviation		.21167		
		Minimum		.28		
		Maximum		.90		
		Range		.62		
		Interquartile Range		.44		
		Skewness		-.413	.374	
		Kurtosis		-1.059	.733	
		ARNE Modify	Mean		.6718	.03258
	95% Confidence Interval for Mean		Lower Bound	.6058		
			Upper Bound	.7377		
	5% Trimmed Mean		.6753			
Median			.6600			
Variance			.042			
Std. Deviation			.20607			
Minimum			.33			
Maximum			.95			
Range			.62			
Interquartile Range		.39				
Skewness		-.153	.374			

ALCO Understand	Kurtosis		-1.055	.733
	Mean		.9158	.02463
	95% Confidence Interval for Mean	Lower Bound	.8659	
		Upper Bound	.9656	
	5% Trimmed Mean		.9339	
	Median		1.0000	
	Variance		.024	
	Std. Deviation		.15578	
	Minimum		.50	
	Maximum		1.00	
	Range		.50	
	Interquartile Range		.10	
	Skewness		-2.062	.374
	Kurtosis		2.971	.733
ALCO Review	Mean		.8015	.03998
	95% Confidence Interval for Mean	Lower Bound	.7206	
		Upper Bound	.8824	
	5% Trimmed Mean		.8233	
	Median		.8400	
	Variance		.064	
	Std. Deviation		.25287	
	Minimum		.21	
	Maximum		1.00	
	Range		.79	
	Interquartile Range		.26	
	Skewness		-1.544	.374
	Kurtosis		1.420	.733
ALCO Create	Mean		.7908	.03768
	95% Confidence Interval for Mean	Lower Bound	.7145	
		Upper Bound	.8670	
	5% Trimmed Mean		.8058	
	Median		.8700	
	Variance		.057	
	Std. Deviation		.23828	
	Minimum		.31	
	Maximum		1.00	
	Range		.69	
	Interquartile Range		.20	
	Skewness		-1.346	.374
	Kurtosis		.411	.733
ALCO Modify	Mean		.7800	.03814
	95% Confidence Interval for Mean	Lower Bound	.7029	
		Upper Bound	.8571	
	5% Trimmed Mean		.7939	
	Median		.8700	
	Variance		.058	
	Std. Deviation		.24119	
	Minimum		.31	
	Maximum		1.00	
	Range		.69	
	Interquartile Range		.22	
	Skewness		-1.177	.374
	Kurtosis		-.072	.733

Recall	ARNE Understand	Mean		.7760	.02404
		95% Confidence Interval for Mean	Lower Bound	.7274	
			Upper Bound	.8246	
		5% Trimmed Mean		.7808	
		Median		.7700	
		Variance		.023	
		Std. Deviation		.15203	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.24	
		Skewness		-.280	.374
		Kurtosis		-.784	.733
	ARNE Review	Mean		.5340	.02479
		95% Confidence Interval for Mean	Lower Bound	.4839	
			Upper Bound	.5841	
		5% Trimmed Mean		.5353	
		Median		.5000	
		Variance		.025	
		Std. Deviation		.15681	
		Minimum		.22	
		Maximum		.79	
		Range		.57	
		Interquartile Range		.28	
		Skewness		.066	.374
		Kurtosis		-.931	.733
	ARNE Create	Mean		.6580	.02482
		95% Confidence Interval for Mean	Lower Bound	.6078	
			Upper Bound	.7082	
		5% Trimmed Mean		.6619	
		Median		.6200	
		Variance		.025	
		Std. Deviation		.15695	
		Minimum		.32	
		Maximum		.89	
		Range		.57	
		Interquartile Range		.25	
		Skewness		-.101	.374
		Kurtosis		-.950	.733
	ARNE Modify	Mean		.6830	.02487
		95% Confidence Interval for Mean	Lower Bound	.6327	
			Upper Bound	.7333	
		5% Trimmed Mean		.6861	
		Median		.6500	
		Variance		.025	
		Std. Deviation		.15727	
		Minimum		.37	
		Maximum		.94	
		Range		.57	
		Interquartile Range		.28	
		Skewness		-.031	.374
		Kurtosis		-.711	.733
	ALCO Understand	Mean		.9157	.02599

		95% Confidence Interval for Mean	Lower Bound	.8632	
			Upper Bound	.9683	
		5% Trimmed Mean		.9342	
		Median		1.0000	
		Variance		.027	
		Std. Deviation		.16435	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.10	
		Skewness		-2.011	.374
		Kurtosis		2.602	.733
	ALCO Review	Mean		.8538	.04330
		95% Confidence Interval for Mean	Lower Bound	.7662	
			Upper Bound	.9413	
		5% Trimmed Mean		.8814	
		Median		1.0000	
		Variance		.075	
		Std. Deviation		.27387	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.15	
		Skewness		-1.761	.374
		Kurtosis		1.538	.733
	ALCO Create	Mean		.7998	.04070
		95% Confidence Interval for Mean	Lower Bound	.7174	
			Upper Bound	.8821	
		5% Trimmed Mean		.8158	
		Median		.9200	
		Variance		.066	
		Std. Deviation		.25741	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.30	
		Skewness		-1.079	.374
		Kurtosis		-.270	.733
	ALCO Modify	Mean		.7948	.04178
		95% Confidence Interval for Mean	Lower Bound	.7102	
			Upper Bound	.8793	
		5% Trimmed Mean		.8103	
		Median		.9200	
		Variance		.070	
		Std. Deviation		.26424	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.37	
		Skewness		-1.028	.374
		Kurtosis		-.499	.733
FMeasure	ARNE Understand	Mean		.7375	.02399
		95% Confidence Interval for Mean	Lower Bound	.6890	

	Upper Bound		.7860	
	5% Trimmed Mean		.7397	
	Median		.7200	
	Variance		.023	
	Std. Deviation		.15172	
	Minimum		.43	
	Maximum		1.00	
	Range		.57	
	Interquartile Range		.20	
	Skewness		-.013	.374
	Kurtosis		-.675	.733
ARNE Review	Mean		.4777	.02934
	95% Confidence Interval for Mean	Lower Bound	.4183	
		Upper Bound	.5370	
	5% Trimmed Mean		.4836	
	Median		.4807	
	Variance		.034	
	Std. Deviation		.18558	
	Minimum		.13	
	Maximum		.72	
	Range		.59	
	Interquartile Range		.36	
	Skewness		-.240	.374
	Kurtosis		-.881	.733
ARNE Create	Mean		.6501	.02869
	95% Confidence Interval for Mean	Lower Bound	.5921	
		Upper Bound	.7082	
	5% Trimmed Mean		.6555	
	Median		.6419	
	Variance		.033	
	Std. Deviation		.18148	
	Minimum		.32	
	Maximum		.87	
	Range		.55	
	Interquartile Range		.34	
	Skewness		-.246	.374
	Kurtosis		-1.086	.733
ARNE Modify	Mean		.6719	.02813
	95% Confidence Interval for Mean	Lower Bound	.6150	
		Upper Bound	.7288	
	5% Trimmed Mean		.6748	
	Median		.6550	
	Variance		.032	
	Std. Deviation		.17792	
	Minimum		.37	
	Maximum		.92	
	Range		.55	
	Interquartile Range		.33	
	Skewness		-.039	.374
	Kurtosis		-.980	.733
ALCO Understand	Mean		.9147	.02486
	95% Confidence Interval for Mean	Lower Bound	.8644	
		Upper Bound	.9650	

		5% Trimmed Mean		.9327	
		Median		.9796	
		Variance		.025	
		Std. Deviation		.15720	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.05	
		Skewness		-2.144	.374
		Kurtosis		3.106	.733
	ALCO Review	Mean		.8242	.04038
		95% Confidence Interval for Mean	Lower Bound	.7425	
			Upper Bound	.9059	
		5% Trimmed Mean		.8485	
		Median		.9130	
		Variance		.065	
		Std. Deviation		.25536	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.14	
		Skewness		-1.808	.374
		Kurtosis		1.919	.733
	ALCO Create	Mean		.7928	.03826
		95% Confidence Interval for Mean	Lower Bound	.7154	
			Upper Bound	.8702	
		5% Trimmed Mean		.8081	
		Median		.8763	
		Variance		.059	
		Std. Deviation		.24198	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.21	
		Skewness		-1.301	.374
		Kurtosis		.255	.733
	ALCO Modify	Mean		.7839	.03894
		95% Confidence Interval for Mean	Lower Bound	.7052	
			Upper Bound	.8627	
		5% Trimmed Mean		.7983	
		Median		.8763	
		Variance		.061	
		Std. Deviation		.24630	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.27	
		Skewness		-1.197	.374
		Kurtosis		-.132	.733
Duration	ARNE Understand	Mean		269.6250	15.63275
		95% Confidence Interval for Mean	Lower Bound	238.0048	
			Upper Bound	301.2452	
		5% Trimmed Mean		265.3056	

	Median		273.0000	
	Variance		9775.317	
	Std. Deviation		98.87020	
	Minimum		135.00	
	Maximum		483.00	
	Range		348.00	
	Interquartile Range		120.00	
	Skewness		.655	.374
	Kurtosis		-.322	.733
ARNE Review	Mean		808.3750	19.31340
	95% Confidence Interval for Mean	Lower Bound	769.3100	
		Upper Bound	847.4400	
	5% Trimmed Mean		803.7500	
	Median		815.5000	
	Variance		14920.292	
	Std. Deviation		122.14865	
	Minimum		676.00	
	Maximum		1024.00	
	Range		348.00	
	Interquartile Range		127.50	
	Skewness		.781	.374
	Kurtosis		-.733	.733
ARNE Create	Mean		859.3750	18.62245
	95% Confidence Interval for Mean	Lower Bound	821.7075	
		Upper Bound	897.0425	
	5% Trimmed Mean		857.0833	
	Median		847.0000	
	Variance		13871.830	
	Std. Deviation		117.77873	
	Minimum		706.00	
	Maximum		1054.00	
	Range		348.00	
	Interquartile Range		207.00	
	Skewness		.606	.374
	Kurtosis		-.861	.733
ARNE Modify	Mean		627.1000	18.75376
	95% Confidence Interval for Mean	Lower Bound	589.1669	
		Upper Bound	665.0331	
	5% Trimmed Mean		624.6667	
	Median		616.0000	
	Variance		14068.144	
	Std. Deviation		118.60921	
	Minimum		475.00	
	Maximum		823.00	
	Range		348.00	
	Interquartile Range		210.25	
	Skewness		.613	.374
	Kurtosis		-.883	.733
ALCO Understand	Mean		291.6500	15.68743
	95% Confidence Interval for Mean	Lower Bound	259.9192	
		Upper Bound	323.3808	
	5% Trimmed Mean		288.7778	
	Median		299.0000	

		Variance		9843.823	
		Std. Deviation		99.21604	
		Minimum		102.00	
		Maximum		506.00	
		Range		404.00	
		Interquartile Range		106.00	
		Skewness		.732	.374
		Kurtosis		.458	.733
	ALCO Review	Mean		317.2500	15.18927
		95% Confidence Interval for Mean	Lower Bound	286.5268	
			Upper Bound	347.9732	
		5% Trimmed Mean		316.2222	
		Median		308.0000	
		Variance		9228.551	
		Std. Deviation		96.06535	
		Minimum		111.00	
		Maximum		515.00	
		Range		404.00	
		Interquartile Range		21.25	
		Skewness		.553	.374
		Kurtosis		.497	.733
ALCO Create	Mean		652.8000	15.46693	
	95% Confidence Interval for Mean	Lower Bound	621.5152		
		Upper Bound	684.0848		
	5% Trimmed Mean		651.8889		
	Median		643.0000		
	Variance		9569.036		
	Std. Deviation		97.82145		
	Minimum		445.00		
	Maximum		849.00		
	Range		404.00		
	Interquartile Range		12.50		
	Skewness		.584	.374	
	Kurtosis		.489	.733	
ALCO Modify	Mean		537.7750	16.22536	
	95% Confidence Interval for Mean	Lower Bound	504.9561		
		Upper Bound	570.5939		
	5% Trimmed Mean		537.4167		
	Median		523.0000		
	Variance		10530.487		
	Std. Deviation		102.61816		
	Minimum		325.00		
	Maximum		729.00		
	Range		404.00		
	Interquartile Range		12.50		
	Skewness		.541	.374	
	Kurtosis		.105	.733	
FirstActDet	ARNE Understand	Mean		53.1000	9.05990
		95% Confidence Interval for Mean	Lower Bound	34.7746	
			Upper Bound	71.4254	
		5% Trimmed Mean		50.2778	
		Median		9.0000	
		Variance		3283.272	

	Std. Deviation		57.29984	
	Minimum		.00	
	Maximum		157.00	
	Range		157.00	
	Interquartile Range		96.00	
	Skewness		.581	.374
	Kurtosis		-1.268	.733
ARNE Review	Mean		139.9750	10.82859
	95% Confidence Interval for Mean	Lower Bound	118.0721	
		Upper Bound	161.8779	
	5% Trimmed Mean		141.5833	
	Median		100.0000	
	Variance		4690.333	
	Std. Deviation		68.48600	
	Minimum		3.00	
	Maximum		248.00	
	Range		245.00	
	Interquartile Range		96.00	
	Skewness		-.102	.374
	Kurtosis		-.715	.733
ARNE Create	Mean		149.1750	9.30866
	95% Confidence Interval for Mean	Lower Bound	130.3465	
		Upper Bound	168.0035	
	5% Trimmed Mean		147.1944	
	Median		157.0000	
	Variance		3466.046	
	Std. Deviation		58.87313	
	Minimum		88.00	
	Maximum		245.00	
	Range		157.00	
	Interquartile Range		113.25	
	Skewness		.364	.374
	Kurtosis		-1.508	.733
ARNE Modify	Mean		117.8500	8.69656
	95% Confidence Interval for Mean	Lower Bound	100.2595	
		Upper Bound	135.4405	
	5% Trimmed Mean		115.3056	
	Median		74.0000	
	Variance		3025.208	
	Std. Deviation		55.00189	
	Minimum		65.00	
	Maximum		222.00	
	Range		157.00	
	Interquartile Range		94.25	
	Skewness		.526	.374
	Kurtosis		-1.294	.733
ALCO Understand	Mean		69.2000	8.73375
	95% Confidence Interval for Mean	Lower Bound	51.5343	
		Upper Bound	86.8657	
	5% Trimmed Mean		67.8889	
	Median		74.0000	
	Variance		3051.138	
	Std. Deviation		55.23711	

LastActDet	ALCO Review	Minimum		2.00		
		Maximum		159.00		
		Range		157.00		
		Interquartile Range		98.50		
		Skewness		.105	.374	
		Kurtosis		-1.420	.733	
		Mean		169.7500	8.88969	
		95% Confidence Interval for Mean	Lower Bound	151.7689		
			Upper Bound	187.7311		
		5% Trimmed Mean		168.0833		
		Median		138.0000		
		Variance		3161.064		
		Std. Deviation		56.22334		
		Minimum		63.00		
		Maximum		280.00		
		Range		217.00		
		Interquartile Range		89.75		
		Skewness		.458	.374	
	Kurtosis		-.947	.733		
	ALCO Create	Mean		194.1750	9.26268	
		95% Confidence Interval for Mean	Lower Bound	175.4395		
			Upper Bound	212.9105		
		5% Trimmed Mean		192.6667		
		Median		161.0000		
		Variance		3431.892		
		Std. Deviation		58.58235		
		Minimum		86.00		
		Maximum		303.00		
		Range		217.00		
		Interquartile Range		89.75		
		Skewness		.486	.374	
		Kurtosis		-.978	.733	
		ALCO Modify	Mean		73.2000	8.76175
			95% Confidence Interval for Mean	Lower Bound	55.4777	
				Upper Bound	90.9223	
			5% Trimmed Mean		72.2778	
			Median		83.5000	
	Variance		3070.728			
	Std. Deviation		55.41415			
	Minimum		3.00			
	Maximum		164.00			
	Range		161.00			
	Interquartile Range		99.75			
	Skewness		.019	.374		
	Kurtosis		-1.494	.733		
ARNE Understand	Mean		259.3750	16.32855		
	95% Confidence Interval for Mean		Lower Bound	226.3474		
			Upper Bound	292.4026		
	5% Trimmed Mean		255.5278			
	Median		255.0000			
	Variance		10664.856			
	Std. Deviation		103.27079			
	Minimum		111.00			

ARNE Review	Maximum		482.00	
	Range		371.00	
	Interquartile Range		134.00	
	Skewness		.623	.374
	Kurtosis		-.373	.733
	Mean		784.9750	19.17716
	95% Confidence Interval for Mean	Lower Bound	746.1855	
		Upper Bound	823.7645	
	5% Trimmed Mean		779.4722	
	Median		769.5000	
	Variance		14710.538	
	Std. Deviation		121.28701	
	Minimum		649.00	
	Maximum		1020.00	
	Range		371.00	
ARNE Create	Interquartile Range		122.25	
	Skewness		.930	.374
	Kurtosis		-.316	.733
	Mean		837.8000	19.54515
	95% Confidence Interval for Mean	Lower Bound	798.2662	
		Upper Bound	877.3338	
	5% Trimmed Mean		834.8333	
	Median		804.0000	
	Variance		15280.523	
	Std. Deviation		123.61441	
	Minimum		679.00	
	Maximum		1050.00	
	Range		371.00	
	Interquartile Range		214.25	
	Skewness		.749	.374
	Kurtosis		-.792	.733
ARNE Modify	Mean		608.4750	19.49793
	95% Confidence Interval for Mean	Lower Bound	569.0367	
		Upper Bound	647.9133	
	5% Trimmed Mean		605.6944	
	Median		573.0000	
	Variance		15206.769	
	Std. Deviation		123.31573	
	Minimum		448.00	
	Maximum		819.00	
	Range		371.00	
	Interquartile Range		212.00	
	Skewness		.721	.374
	Kurtosis		-.827	.733
ALCO Understand	Mean		269.8000	16.58731
	95% Confidence Interval for Mean	Lower Bound	236.2490	
		Upper Bound	303.3510	
	5% Trimmed Mean		266.2778	
	Median		269.5000	
	Variance		11005.549	
	Std. Deviation		104.90733	
	Minimum		87.00	
	Maximum		500.00	

	ALCO Review	Range		413.00	
		Interquartile Range		106.00	
		Skewness		.768	.374
		Kurtosis		.389	.733
		Mean		296.8000	15.78470
		95% Confidence Interval for Mean	Lower Bound	264.8724	
			Upper Bound	328.7276	
		5% Trimmed Mean		295.2778	
		Median		283.5000	
		Variance		9966.267	
		Std. Deviation		99.83119	
		Minimum		96.00	
		Maximum		509.00	
		Range		413.00	
		Interquartile Range		46.50	
		Skewness		.699	.374
		Kurtosis		.426	.733
	ALCO Create	Mean		633.1500	16.10843
		95% Confidence Interval for Mean	Lower Bound	600.5676	
			Upper Bound	665.7324	
		5% Trimmed Mean		631.5000	
		Median		618.5000	
		Variance		10379.259	
		Std. Deviation		101.87865	
		Minimum		431.00	
		Maximum		844.00	
		Range		413.00	
		Interquartile Range		44.75	
		Skewness		.746	.374
		Kurtosis		.450	.733
	ALCO Modify	Mean		516.8000	16.94150
		95% Confidence Interval for Mean	Lower Bound	482.5326	
			Upper Bound	551.0674	
		5% Trimmed Mean		515.7778	
		Median		497.0000	
		Variance		11480.574	
		Std. Deviation		107.14744	
		Minimum		309.00	
		Maximum		722.00	
		Range		413.00	
		Interquartile Range		44.75	
		Skewness		.680	.374
		Kurtosis		.045	.733
ProcDur	ARNE Understand	Mean		10.2500	2.19841
		95% Confidence Interval for Mean	Lower Bound	5.8033	
			Upper Bound	14.6967	
		5% Trimmed Mean		8.7222	
		Median		4.0000	
		Variance		193.321	
		Std. Deviation		13.90397	
		Minimum		1.00	
		Maximum		49.00	
		Range		48.00	

	Interquartile Range		7.75	
	Skewness		1.840	.374
	Kurtosis		2.029	.733
ARNE Review	Mean		22.0000	2.86065
	95% Confidence Interval for Mean	Lower Bound	16.2138	
		Upper Bound	27.7862	
	5% Trimmed Mean		21.3333	
	Median		12.0000	
	Variance		327.333	
	Std. Deviation		18.09236	
	Minimum		4.00	
	Maximum		52.00	
	Range		48.00	
	Interquartile Range		35.00	
	Skewness		.499	.374
	Kurtosis		-1.495	.733
ARNE Create	Mean		21.5750	2.78270
	95% Confidence Interval for Mean	Lower Bound	15.9464	
		Upper Bound	27.2036	
	5% Trimmed Mean		20.8611	
	Median		12.0000	
	Variance		309.738	
	Std. Deviation		17.59937	
	Minimum		4.00	
	Maximum		52.00	
	Range		48.00	
	Interquartile Range		35.00	
	Skewness		.525	.374
	Kurtosis		-1.419	.733
ARNE Modify	Mean		18.6250	2.76672
	95% Confidence Interval for Mean	Lower Bound	13.0288	
		Upper Bound	24.2212	
	5% Trimmed Mean		17.5833	
	Median		9.0000	
	Variance		306.189	
	Std. Deviation		17.49826	
	Minimum		4.00	
	Maximum		52.00	
	Range		48.00	
	Interquartile Range		28.00	
	Skewness		.920	.374
	Kurtosis		-.889	.733
ALCO Understand	Mean		21.8500	2.78838
	95% Confidence Interval for Mean	Lower Bound	16.2100	
		Upper Bound	27.4900	
	5% Trimmed Mean		21.2222	
	Median		14.5000	
	Variance		311.003	
	Std. Deviation		17.63526	
	Minimum		1.00	
	Maximum		54.00	
	Range		53.00	
	Interquartile Range		29.75	

	ALCO Review	Skewness		.471	.374
		Kurtosis		-1.272	.733
		Mean		20.4500	2.58421
		95% Confidence Interval for Mean	Lower Bound	15.2229	
			Upper Bound	25.6771	
		5% Trimmed Mean		19.6667	
		Median		14.0000	
		Variance		267.126	
		Std. Deviation		16.34398	
		Minimum		1.00	
		Maximum		54.00	
		Range		53.00	
		Interquartile Range		25.75	
		Skewness		.595	.374
		Kurtosis		-.971	.733
	ALCO Create	Mean		19.6500	2.57865
		95% Confidence Interval for Mean	Lower Bound	14.4342	
			Upper Bound	24.8658	
		5% Trimmed Mean		18.8889	
		Median		13.0000	
		Variance		265.977	
		Std. Deviation		16.30880	
		Minimum		.00	
		Maximum		53.00	
		Range		53.00	
		Interquartile Range		25.75	
		Skewness		.555	.374
		Kurtosis		-1.002	.733
	ALCO Modify	Mean		20.9750	2.58410
		95% Confidence Interval for Mean	Lower Bound	15.7482	
			Upper Bound	26.2018	
		5% Trimmed Mean		20.1389	
		Median		15.0000	
		Variance		267.102	
		Std. Deviation		16.34325	
		Minimum		2.00	
		Maximum		55.00	
		Range		53.00	
		Interquartile Range		26.75	
		Skewness		.651	.374
		Kurtosis		-.904	.733
FixRel	ARNE Understand	Mean		10.2623	.09241
		95% Confidence Interval for Mean	Lower Bound	10.0753	
			Upper Bound	10.4492	
		5% Trimmed Mean		10.2533	
		Median		9.9800	
		Variance		.342	
		Std. Deviation		.58446	
		Minimum		9.30	
		Maximum		11.25	
		Range		1.95	
		Interquartile Range		1.12	
		Skewness		.396	.374

	Kurtosis		-1.397	.733
ARNE Review	Mean		10.2727	.10711
	95% Confidence Interval for Mean	Lower Bound	10.0561	
		Upper Bound	10.4894	
	5% Trimmed Mean		10.2681	
	Median		10.0200	
	Variance		.459	
	Std. Deviation		.67743	
	Minimum		9.34	
	Maximum		11.29	
	Range		1.95	
	Interquartile Range		1.17	
	Skewness		.295	.374
	Kurtosis		-1.577	.733
	ARNE Create	Mean		10.2045
95% Confidence Interval for Mean		Lower Bound	9.9728	
		Upper Bound	10.4362	
5% Trimmed Mean		10.1978		
Median		9.8600		
Variance		.525		
Std. Deviation		.72443		
Minimum		9.29		
Maximum		11.24		
Range		1.95		
Interquartile Range		1.23		
Skewness		.273	.374	
Kurtosis		-1.649	.733	
ARNE Modify		Mean		10.3220
	95% Confidence Interval for Mean	Lower Bound	10.1037	
		Upper Bound	10.5403	
	5% Trimmed Mean		10.3217	
	Median		10.0300	
	Variance		.466	
	Std. Deviation		.68258	
	Minimum		9.35	
	Maximum		11.30	
	Range		1.95	
	Interquartile Range		1.21	
	Skewness		.165	.374
	Kurtosis		-1.652	.733
	ALCO Understand	Mean		11.0495
95% Confidence Interval for Mean		Lower Bound	10.8365	
		Upper Bound	11.2625	
5% Trimmed Mean		11.0606		
Median		10.9100		
Variance		.444		
Std. Deviation		.66599		
Minimum		9.65		
Maximum		12.25		
Range		2.60		
Interquartile Range		1.11		
Skewness		.182	.374	
Kurtosis		-.414	.733	

	ALCO Review	Mean		1.8770	.11150
		95% Confidence Interval for Mean	Lower Bound	1.6515	
			Upper Bound	2.1025	
		5% Trimmed Mean		1.8911	
		Median		1.7800	
		Variance		.497	
		Std. Deviation		.70516	
		Minimum		.45	
		Maximum		3.05	
		Range		2.60	
		Interquartile Range		1.20	
		Skewness		.217	.374
		Kurtosis		-.566	.733
	ALCO Create	Mean		3.8253	.11280
		95% Confidence Interval for Mean	Lower Bound	3.5971	
			Upper Bound	4.0534	
		5% Trimmed Mean		3.8336	
		Median		3.7450	
		Variance		.509	
		Std. Deviation		.71343	
		Minimum		2.45	
		Maximum		5.05	
		Range		2.60	
		Interquartile Range		1.20	
		Skewness		.060	.374
		Kurtosis		-.568	.733
	ALCO Modify	Mean		4.0473	.11480
		95% Confidence Interval for Mean	Lower Bound	3.8150	
			Upper Bound	4.2795	
		5% Trimmed Mean		4.0581	
		Median		3.9450	
		Variance		.527	
		Std. Deviation		.72609	
		Minimum		2.65	
		Maximum		5.25	
		Range		2.60	
		Interquartile Range		1.23	
		Skewness		.005	.374
		Kurtosis		-.700	.733
Fixlrrel	ARNE Understand	Mean		239.5125	22.63457
		95% Confidence Interval for Mean	Lower Bound	193.7298	
			Upper Bound	285.2952	
		5% Trimmed Mean		241.3889	
		Median		232.8750	
		Variance		20492.958	
		Std. Deviation		143.15362	
		Minimum		41.75	
		Maximum		403.50	
		Range		361.75	
		Interquartile Range		279.00	
		Skewness		-.020	.374
		Kurtosis		-1.807	.733
	ARNE Review	Mean		261.3675	20.96020

		95% Confidence Interval for Mean	Lower Bound	218.9715	
			Upper Bound	303.7635	
		5% Trimmed Mean		264.7925	
		Median		313.7300	
		Variance		17573.195	
		Std. Deviation		132.56393	
		Minimum		41.98	
		Maximum		403.73	
		Range		361.75	
		Interquartile Range		274.31	
		Skewness		-.255	.374
		Kurtosis		-1.669	.733
ARNE Create		Mean		275.0050	20.46880
	95% Confidence Interval for Mean	Lower Bound	233.6029		
		Upper Bound	316.4071		
		5% Trimmed Mean		279.9564	
		Median		320.3800	
		Variance		16758.875	
		Std. Deviation		129.45607	
		Minimum		41.88	
		Maximum		403.63	
		Range		361.75	
		Interquartile Range		252.75	
		Skewness		-.362	.374
		Kurtosis		-1.597	.733
ARNE Modify		Mean		265.6912	20.37407
	95% Confidence Interval for Mean	Lower Bound	224.4808		
		Upper Bound	306.9017		
		5% Trimmed Mean		270.4697	
		Median		320.3100	
		Variance		16604.103	
		Std. Deviation		128.85691	
		Minimum		41.81	
		Maximum		403.56	
		Range		361.75	
		Interquartile Range		252.75	
		Skewness		-.274	.374
		Kurtosis		-1.586	.733
ALCO Understand		Mean		277.1813	21.53134
	95% Confidence Interval for Mean	Lower Bound	233.6300		
		Upper Bound	320.7325		
		5% Trimmed Mean		282.6875	
		Median		322.2500	
		Variance		18543.936	
		Std. Deviation		136.17612	
		Minimum		43.75	
		Maximum		411.50	
		Range		367.75	
		Interquartile Range		253.31	
		Skewness		-.450	.374
		Kurtosis		-1.512	.733
ALCO Review		Mean		1.9677	.43317
	95% Confidence Interval for Mean	Lower Bound	1.0916		

		Upper Bound		2.8439	
		5% Trimmed Mean		1.4917	
		Median		.9100	
		Variance		7.506	
		Std. Deviation		2.73963	
		Minimum		.48	
		Maximum		15.68	
		Range		15.20	
		Interquartile Range		1.56	
		Skewness		3.773	.374
		Kurtosis		16.641	.733
	ALCO Create	Mean		2.8770	.43361
		95% Confidence Interval for Mean	Lower Bound	1.9999	
			Upper Bound	3.7541	
		5% Trimmed Mean		2.3908	
		Median		1.8100	
		Variance		7.521	
		Std. Deviation		2.74238	
		Minimum		1.48	
		Maximum		16.68	
		Range		15.20	
		Interquartile Range		1.57	
		Skewness		3.856	.374
		Kurtosis		17.120	.733
	ALCO Modify	Mean		2.9715	.43399
		95% Confidence Interval for Mean	Lower Bound	2.0937	
			Upper Bound	3.8493	
		5% Trimmed Mean		2.4847	
		Median		1.9100	
		Variance		7.534	
		Std. Deviation		2.74480	
		Minimum		1.58	
		Maximum		16.78	
		Range		15.20	
		Interquartile Range		1.57	
		Skewness		3.851	.374
		Kurtosis		17.083	.733
AvDurRelFix	ARNE Understand	Mean		84.6175	8.04238
		95% Confidence Interval for Mean	Lower Bound	68.3503	
			Upper Bound	100.8847	
		5% Trimmed Mean		85.8133	
		Median		84.6050	
		Variance		2587.195	
		Std. Deviation		50.86448	
		Minimum		6.23	
		Maximum		141.48	
		Range		135.25	
		Interquartile Range		93.00	
		Skewness		-.146	.374
		Kurtosis		-1.623	.733
	ARNE Review	Mean		92.9425	7.45132
		95% Confidence Interval for Mean	Lower Bound	77.8708	
			Upper Bound	108.0142	

	5% Trimmed Mean		94.6953	
	Median		112.2300	
	Variance		2220.886	
	Std. Deviation		47.12628	
	Minimum		6.98	
	Maximum		142.23	
	Range		135.25	
	Interquartile Range		91.44	
	Skewness		-.385	.374
	Kurtosis		-1.419	.733
ARNE Create	Mean		97.5550	7.13675
	95% Confidence Interval for Mean	Lower Bound	83.1196	
		Upper Bound	111.9904	
	5% Trimmed Mean		99.8981	
	Median		113.7800	
	Variance		2037.326	
	Std. Deviation		45.13675	
	Minimum		6.28	
	Maximum		141.53	
	Range		135.25	
	Interquartile Range		84.25	
	Skewness		-.478	.374
	Kurtosis		-1.305	.733
ARNE Modify	Mean		94.4938	7.10789
	95% Confidence Interval for Mean	Lower Bound	80.1167	
		Upper Bound	108.8708	
	5% Trimmed Mean		96.7792	
	Median		113.8000	
	Variance		2020.886	
	Std. Deviation		44.95427	
	Minimum		6.30	
	Maximum		141.55	
	Range		135.25	
	Interquartile Range		84.25	
	Skewness		-.405	.374
	Kurtosis		-1.274	.733
ALCO Understand	Mean		97.8938	7.67147
	95% Confidence Interval for Mean	Lower Bound	82.3767	
		Upper Bound	113.4108	
	5% Trimmed Mean		100.3403	
	Median		114.7500	
	Variance		2354.061	
	Std. Deviation		48.51866	
	Minimum		7.25	
	Maximum		144.50	
	Range		137.25	
	Interquartile Range		84.44	
	Skewness		-.575	.374
	Kurtosis		-1.227	.733
ALCO Review	Mean		191.4625	7.77156
	95% Confidence Interval for Mean	Lower Bound	175.7430	
		Upper Bound	207.1820	
5% Trimmed Mean		195.4444		

		Median		215.3750	
		Variance		2415.886	
		Std. Deviation		49.15167	
		Minimum		71.50	
		Maximum		235.75	
		Range		164.25	
		Interquartile Range		84.25	
		Skewness		-.840	.374
		Kurtosis		-.545	.733
	ALCO Create	Mean		147.5000	7.55905
		95% Confidence Interval for Mean	Lower Bound	132.2104	
			Upper Bound	162.7896	
		5% Trimmed Mean		151.6597	
		Median		170.3750	
		Variance		2285.567	
		Std. Deviation		47.80761	
		Minimum		26.50	
		Maximum		188.50	
		Range		162.00	
		Interquartile Range		84.25	
		Skewness		-.858	.374
		Kurtosis		-.404	.733
	ALCO Modify	Mean		135.3563	7.56488
		95% Confidence Interval for Mean	Lower Bound	120.0548	
			Upper Bound	150.6577	
		5% Trimmed Mean		139.2778	
		Median		148.7500	
		Variance		2289.099	
		Std. Deviation		47.84453	
		Minimum		16.50	
		Maximum		178.50	
		Range		162.00	
		Interquartile Range		84.25	
		Skewness		-.753	.374
		Kurtosis		-.569	.733
AvDurlrrelFix	ARNE Understand	Mean		191.8465	22.34080
		95% Confidence Interval for Mean	Lower Bound	146.6580	
			Upper Bound	237.0350	
		5% Trimmed Mean		193.1767	
		Median		183.8550	
		Variance		19964.446	
		Std. Deviation		141.29560	
		Minimum		5.27	
		Maximum		354.48	
		Range		349.21	
		Interquartile Range		279.00	
		Skewness		.005	.374
		Kurtosis		-1.842	.733
	ARNE Review	Mean		212.7810	20.83200
		95% Confidence Interval for Mean	Lower Bound	170.6443	
			Upper Bound	254.9177	
		5% Trimmed Mean		215.8592	
		Median		264.6300	

	Variance		17358.894	
	Std. Deviation		131.75316	
	Minimum		5.42	
	Maximum		354.63	
	Range		349.21	
	Interquartile Range		274.31	
	Skewness		-.242	.374
	Kurtosis		-1.695	.733
ARNE Create	Mean		226.3685	20.35406
	95% Confidence Interval for Mean	Lower Bound	185.1985	
		Upper Bound	267.5385	
	5% Trimmed Mean		230.9619	
	Median		271.3300	
	Variance		16571.507	
	Std. Deviation		128.73036	
	Minimum		5.37	
	Maximum		354.58	
	Range		349.21	
	Interquartile Range		252.75	
	Skewness		-.348	.374
	Kurtosis		-1.633	.733
	ARNE Modify	Mean		217.3583
95% Confidence Interval for Mean		Lower Bound	176.5219	
		Upper Bound	258.1946	
5% Trimmed Mean		221.5153		
Median		271.3000		
Variance		16304.045		
Std. Deviation		127.68729		
Minimum		5.34		
Maximum		354.55		
Range		349.21		
Interquartile Range		252.75		
Skewness		-.249	.374	
Kurtosis		-1.641	.733	
ALCO Understand		Mean		276.4313
	95% Confidence Interval for Mean	Lower Bound	233.0091	
		Upper Bound	319.8534	
	5% Trimmed Mean		281.8542	
	Median		321.2500	
	Variance		18434.138	
	Std. Deviation		135.77237	
	Minimum		44.75	
	Maximum		410.50	
	Range		365.75	
	Interquartile Range		253.31	
	Skewness		-.444	.374
	Kurtosis		-1.523	.733
	ALCO Review	Mean		467.3875
95% Confidence Interval for Mean		Lower Bound	420.2291	
		Upper Bound	514.5459	
5% Trimmed Mean		479.3333		
Median		539.1250		
Variance		21742.977		

		Std. Deviation		147.45500	
		Minimum		107.50	
		Maximum		600.25	
		Range		492.75	
		Interquartile Range		252.75	
		Skewness		-.840	.374
		Kurtosis		-.545	.733
	ALCO Create	Mean		420.5000	22.67714
		95% Confidence Interval for Mean	Lower Bound	374.6312	
			Upper Bound	466.3688	
		5% Trimmed Mean		432.9792	
		Median		489.1250	
		Variance		20570.106	
		Std. Deviation		143.42282	
		Minimum		57.50	
		Maximum		543.50	
		Range		486.00	
		Interquartile Range		252.75	
		Skewness		-.858	.374
		Kurtosis		-.404	.733
	ALCO Modify	Mean		402.0688	22.69465
		95% Confidence Interval for Mean	Lower Bound	356.1645	
			Upper Bound	447.9730	
		5% Trimmed Mean		413.8333	
		Median		442.2500	
		Variance		20601.891	
		Std. Deviation		143.53359	
		Minimum		45.50	
		Maximum		531.50	
		Range		486.00	
		Interquartile Range		252.75	
		Skewness		-.753	.374
		Kurtosis		-.569	.733
TotSac	ARNE Understand	Mean		87.2000	1.78210
		95% Confidence Interval for Mean	Lower Bound	83.5954	
			Upper Bound	90.8046	
		5% Trimmed Mean		87.1389	
		Median		87.5000	
		Variance		127.036	
		Std. Deviation		11.27102	
		Minimum		72.00	
		Maximum		103.00	
		Range		31.00	
		Interquartile Range		26.00	
		Skewness		-.069	.374
		Kurtosis		-1.525	.733
	ARNE Review	Mean		91.3000	1.59454
		95% Confidence Interval for Mean	Lower Bound	88.0747	
			Upper Bound	94.5253	
		5% Trimmed Mean		91.3889	
		Median		92.0000	
		Variance		101.703	
		Std. Deviation		10.08477	

	Minimum		75.00	
	Maximum		106.00	
	Range		31.00	
	Interquartile Range		12.75	
	Skewness		-.159	.374
	Kurtosis		-.827	.733
ARNE Create	Mean		87.3250	1.57072
	95% Confidence Interval for Mean	Lower Bound	84.1479	
		Upper Bound	90.5021	
	5% Trimmed Mean		87.5278	
	Median		87.0000	
	Variance		98.687	
	Std. Deviation		9.93411	
	Minimum		70.00	
	Maximum		101.00	
	Range		31.00	
	Interquartile Range		13.75	
	Skewness		-.135	.374
	Kurtosis		-.750	.733
ARNE Modify	Mean		84.6750	1.63079
	95% Confidence Interval for Mean	Lower Bound	81.3764	
		Upper Bound	87.9736	
	5% Trimmed Mean		84.9167	
	Median		84.0000	
	Variance		106.379	
	Std. Deviation		10.31401	
	Minimum		67.00	
	Maximum		98.00	
	Range		31.00	
	Interquartile Range		17.50	
	Skewness		-.180	.374
	Kurtosis		-.997	.733
ALCO Understand	Mean		89.9000	1.66787
	95% Confidence Interval for Mean	Lower Bound	86.5264	
		Upper Bound	93.2736	
	5% Trimmed Mean		90.0556	
	Median		91.0000	
	Variance		111.272	
	Std. Deviation		10.54854	
	Minimum		70.00	
	Maximum		105.00	
	Range		35.00	
	Interquartile Range		15.00	
	Skewness		-.235	.374
	Kurtosis		-.850	.733
ALCO Review	Mean		95.4500	1.67560
	95% Confidence Interval for Mean	Lower Bound	92.0608	
		Upper Bound	98.8392	
	5% Trimmed Mean		95.6667	
	Median		97.0000	
	Variance		112.305	
	Std. Deviation		10.59741	
	Minimum		76.00	

	ALCO Create	Maximum	111.00	
		Range	35.00	
		Interquartile Range	14.00	
		Skewness	-.244	.374
		Kurtosis	-.739	.733
		Mean	86.1250	1.72619
		95% Confidence Interval for Mean	Lower Bound	82.6335
			Upper Bound	89.6165
		5% Trimmed Mean	86.4167	
		Median	87.0000	
		Variance	119.189	
		Std. Deviation	10.91738	
		Minimum	66.00	
		Maximum	101.00	
		Range	35.00	
		Interquartile Range	16.50	
	ALCO Modify	Skewness	-.299	.374
		Kurtosis	-.801	.733
		Mean	89.4500	1.76539
		95% Confidence Interval for Mean	Lower Bound	85.8792
			Upper Bound	93.0208
		5% Trimmed Mean	89.7778	
		Median	90.0000	
		Variance	124.664	
		Std. Deviation	11.16531	
		Minimum	69.00	
		Maximum	104.00	
		Range	35.00	
		Interquartile Range	16.75	
Sac2Key	ARNE Understand	Skewness	-.308	.374
		Kurtosis	-.883	.733
		Mean	11.4750	1.27047
		95% Confidence Interval for Mean	Lower Bound	8.9052
			Upper Bound	14.0448
		5% Trimmed Mean	11.0278	
		Median	10.0000	
		Variance	64.563	
		Std. Deviation	8.03514	
		Minimum	.00	
		Maximum	34.00	
		Range	34.00	
		Interquartile Range	6.50	
		Skewness	1.118	.374
		Kurtosis	1.345	.733
	ARNE Review	Mean	11.5500	1.27950
		95% Confidence Interval for Mean	Lower Bound	8.9620
			Upper Bound	14.1380
		5% Trimmed Mean	10.8611	
		Median	10.0000	
		Variance	65.485	
		Std. Deviation	8.09226	
		Minimum	1.00	
		Maximum	34.00	

	Range		33.00	
	Interquartile Range		6.75	
	Skewness		1.702	.374
	Kurtosis		2.902	.733
ARNE Create	Mean		14.5500	1.36577
	95% Confidence Interval for Mean	Lower Bound	11.7875	
		Upper Bound	17.3125	
	5% Trimmed Mean		13.9722	
	Median		12.0000	
	Variance		74.613	
	Std. Deviation		8.63787	
	Minimum		3.00	
	Maximum		36.00	
	Range		33.00	
	Interquartile Range		7.00	
	Skewness		1.567	.374
	Kurtosis		1.888	.733
ARNE Modify	Mean		13.3500	1.39392
	95% Confidence Interval for Mean	Lower Bound	10.5305	
		Upper Bound	16.1695	
	5% Trimmed Mean		12.8611	
	Median		11.0000	
	Variance		77.721	
	Std. Deviation		8.81592	
	Minimum		1.00	
	Maximum		34.00	
	Range		33.00	
	Interquartile Range		7.00	
	Skewness		1.350	.374
	Kurtosis		1.153	.733
ALCO Understand	Mean		14.3250	1.30796
	95% Confidence Interval for Mean	Lower Bound	11.6794	
		Upper Bound	16.9706	
	5% Trimmed Mean		13.8333	
	Median		12.0000	
	Variance		68.430	
	Std. Deviation		8.27225	
	Minimum		1.00	
	Maximum		36.00	
	Range		35.00	
	Interquartile Range		9.00	
	Skewness		1.050	.374
	Kurtosis		1.140	.733
ALCO Review	Mean		29.6000	1.36710
	95% Confidence Interval for Mean	Lower Bound	26.8348	
		Upper Bound	32.3652	
	5% Trimmed Mean		29.2778	
	Median		28.0000	
	Variance		74.759	
	Std. Deviation		8.64633	
	Minimum		14.00	
	Maximum		51.00	
	Range		37.00	

	ALCO Create	Interquartile Range		9.00	
		Skewness		.868	.374
		Kurtosis		1.085	.733
		Mean		16.8500	1.38562
		95% Confidence Interval for Mean	Lower Bound	14.0473	
			Upper Bound	19.6527	
		5% Trimmed Mean		16.5556	
		Median		15.0000	
		Variance		76.797	
		Std. Deviation		8.76341	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		9.75	
		Skewness		.853	.374
		Kurtosis		1.087	.733
	ALCO Modify	Mean		18.2750	1.48021
		95% Confidence Interval for Mean	Lower Bound	15.2810	
			Upper Bound	21.2690	
		5% Trimmed Mean		18.0278	
		Median		16.0000	
		Variance		87.640	
		Std. Deviation		9.36164	
		Minimum		2.00	
		Maximum		39.00	
		Range		37.00	
		Interquartile Range		9.75	
		Skewness		.865	.374
		Kurtosis		.671	.733
AvAttention	ARNE Understand	Mean		.6500	.02655
		95% Confidence Interval for Mean	Lower Bound	.5963	
			Upper Bound	.7037	
		5% Trimmed Mean		.6556	
		Median		.6000	
		Variance		.028	
		Std. Deviation		.16794	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.18	
		Skewness		-.171	.374
		Kurtosis		.140	.733
	ARNE Review	Mean		.7550	.02263
		95% Confidence Interval for Mean	Lower Bound	.7092	
			Upper Bound	.8008	
		5% Trimmed Mean		.7611	
		Median		.8000	
		Variance		.020	
		Std. Deviation		.14313	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.10	

ARNE Create	Skewness		-.962	.374
	Kurtosis		1.067	.733
	Mean		.7175	.02290
	95% Confidence Interval for Mean	Lower Bound	.6712	
		Upper Bound	.7638	
	5% Trimmed Mean		.7222	
	Median		.7500	
	Variance		.021	
	Std. Deviation		.14480	
	Minimum		.40	
	Maximum		1.00	
	Range		.60	
	Interquartile Range		.20	
	Skewness		-.748	.374
	Kurtosis		.393	.733
ARNE Modify	Mean		.6350	.02596
	95% Confidence Interval for Mean	Lower Bound	.5825	
		Upper Bound	.6875	
	5% Trimmed Mean		.6333	
	Median		.7000	
	Variance		.027	
	Std. Deviation		.16416	
	Minimum		.30	
	Maximum		1.00	
	Range		.70	
	Interquartile Range		.20	
	Skewness		-.269	.374
	Kurtosis		.551	.733
ALCO Understand	Mean		.5325	.03497
	95% Confidence Interval for Mean	Lower Bound	.4618	
		Upper Bound	.6032	
	5% Trimmed Mean		.5306	
	Median		.5500	
	Variance		.049	
	Std. Deviation		.22117	
	Minimum		.20	
	Maximum		.90	
	Range		.70	
	Interquartile Range		.30	
	Skewness		.029	.374
	Kurtosis		-.847	.733
ALCO Review	Mean		.5550	.03261
	95% Confidence Interval for Mean	Lower Bound	.4890	
		Upper Bound	.6210	
	5% Trimmed Mean		.5472	
	Median		.6000	
	Variance		.043	
	Std. Deviation		.20625	
	Minimum		.30	
	Maximum		1.00	
	Range		.70	
	Interquartile Range		.40	
	Skewness		.257	.374

	ALCO Create	Kurtosis		-.883	.733
		Mean		.3350	.03518
		95% Confidence Interval for Mean	Lower Bound	.2638	
			Upper Bound	.4062	
		5% Trimmed Mean		.3194	
		Median		.3500	
		Variance		.050	
		Std. Deviation		.22251	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.40	
		Skewness		.709	.374
		Kurtosis		.339	.733
	ALCO Modify	Mean		.5600	.03700
		95% Confidence Interval for Mean	Lower Bound	.4852	
			Upper Bound	.6348	
		5% Trimmed Mean		.5500	
		Median		.6000	
		Variance		.055	
		Std. Deviation		.23403	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		.423	.374
		Kurtosis		-.889	.733
AvMentWL		ARNE Understand	Mean		.5500
	95% Confidence Interval for Mean		Lower Bound	.5042	
			Upper Bound	.5958	
	5% Trimmed Mean		.5500		
	Median		.6000		
	Variance		.021		
	Std. Deviation		.14322		
	Minimum		.30		
	Maximum		.90		
	Range		.60		
	Interquartile Range		.10		
	Skewness		-.303	.374	
	Kurtosis		-.107	.733	
	ARNE Review		Mean		.8525
		95% Confidence Interval for Mean	Lower Bound	.8067	
			Upper Bound	.8983	
		5% Trimmed Mean		.8583	
		Median		.9000	
		Variance		.021	
		Std. Deviation		.14320	
		Minimum		.60	
		Maximum		1.00	
		Range		.40	
		Interquartile Range		.20	
		Skewness		-.742	.374
		Kurtosis		-.733	.733

ARNE Create	Mean		.7325	.02712
	95% Confidence Interval for Mean	Lower Bound	.6776	
		Upper Bound	.7874	
	5% Trimmed Mean		.7306	
	Median		.8000	
	Variance		.029	
	Std. Deviation		.17155	
	Minimum		.50	
	Maximum		1.00	
	Range		.50	
	Interquartile Range		.35	
	Skewness		-.055	.374
	Kurtosis		-1.176	.733
ARNE Modify	Mean		.6250	.02768
	95% Confidence Interval for Mean	Lower Bound	.5690	
		Upper Bound	.6810	
	5% Trimmed Mean		.6167	
	Median		.6000	
	Variance		.031	
	Std. Deviation		.17505	
	Minimum		.40	
	Maximum		1.00	
	Range		.60	
	Interquartile Range		.27	
	Skewness		.351	.374
	Kurtosis		-.355	.733
ALCO Understand	Mean		.4900	.02626
	95% Confidence Interval for Mean	Lower Bound	.4369	
		Upper Bound	.5431	
	5% Trimmed Mean		.4889	
	Median		.5000	
	Variance		.028	
	Std. Deviation		.16610	
	Minimum		.20	
	Maximum		.90	
	Range		.70	
	Interquartile Range		.30	
	Skewness		.131	.374
	Kurtosis		-.595	.733
ALCO Review	Mean		.5675	.03046
	95% Confidence Interval for Mean	Lower Bound	.5059	
		Upper Bound	.6291	
	5% Trimmed Mean		.5694	
	Median		.6000	
	Variance		.037	
	Std. Deviation		.19267	
	Minimum		.20	
	Maximum		1.00	
	Range		.80	
	Interquartile Range		.30	
	Skewness		-.032	.374
	Kurtosis		-.724	.733
ALCO Create	Mean		.3725	.02582

		95% Confidence Interval for Mean	Lower Bound	.3203	
			Upper Bound	.4247	
		5% Trimmed Mean		.3750	
		Median		.4000	
		Variance		.027	
		Std. Deviation		.16328	
		Minimum		.10	
		Maximum		.60	
		Range		.50	
		Interquartile Range		.30	
		Skewness		-.052	.374
		Kurtosis		-1.317	.733
	ALCO Modify	Mean		.5950	.03058
		95% Confidence Interval for Mean	Lower Bound	.5331	
			Upper Bound	.6569	
		5% Trimmed Mean		.5889	
		Median		.6000	
		Variance		.037	
		Std. Deviation		.19342	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.388	.374
		Kurtosis		-.534	.733
AvFam	ARNE Understand	Mean		.8450	.02117
		95% Confidence Interval for Mean	Lower Bound	.8022	
			Upper Bound	.8878	
		5% Trimmed Mean		.8500	
		Median		.9000	
		Variance		.018	
		Std. Deviation		.13388	
		Minimum		.60	
		Maximum		1.00	
		Range		.40	
		Interquartile Range		.10	
		Skewness		-.698	.374
		Kurtosis		-.610	.733
	ARNE Review	Mean		.6525	.02264
		95% Confidence Interval for Mean	Lower Bound	.6067	
			Upper Bound	.6983	
		5% Trimmed Mean		.6583	
		Median		.7000	
		Variance		.021	
		Std. Deviation		.14320	
		Minimum		.40	
		Maximum		.80	
		Range		.40	
	ARNE Create	Interquartile Range		.20	
		Skewness		-.742	.374
		Kurtosis		-.733	.733
		Mean		.7200	.02434
		95% Confidence Interval for Mean	Lower Bound	.6708	

	Upper Bound		.7692	
	5% Trimmed Mean		.7222	
	Median		.8000	
	Variance		.024	
	Std. Deviation		.15392	
	Minimum		.50	
	Maximum		.90	
	Range		.40	
	Interquartile Range		.35	
	Skewness		-.353	.374
	Kurtosis		-1.381	.733
ARNE Modify	Mean		.7100	.02342
	95% Confidence Interval for Mean	Lower Bound	.6626	
		Upper Bound	.7574	
	5% Trimmed Mean		.7111	
	Median		.7000	
	Variance		.022	
	Std. Deviation		.14815	
	Minimum		.50	
	Maximum		.90	
	Range		.40	
	Interquartile Range		.28	
	Skewness		-.280	.374
	Kurtosis		-1.319	.733
ALCO Understand	Mean		.6075	.02331
	95% Confidence Interval for Mean	Lower Bound	.5603	
		Upper Bound	.6547	
	5% Trimmed Mean		.6056	
	Median		.6000	
	Variance		.022	
	Std. Deviation		.14744	
	Minimum		.40	
	Maximum		.90	
	Range		.50	
	Interquartile Range		.20	
	Skewness		.016	.374
	Kurtosis		-1.134	.733
ALCO Review	Mean		.3725	.03262
	95% Confidence Interval for Mean	Lower Bound	.3065	
		Upper Bound	.4385	
	5% Trimmed Mean		.3694	
	Median		.4000	
	Variance		.043	
	Std. Deviation		.20630	
	Minimum		.00	
	Maximum		1.00	
	Range		1.00	
	Interquartile Range		.30	
	Skewness		.427	.374
	Kurtosis		.688	.733
ALCO Create	Mean		.3100	.02476
	95% Confidence Interval for Mean	Lower Bound	.2599	
		Upper Bound	.3601	

		5% Trimmed Mean		.3056	
		Median		.3000	
		Variance		.025	
		Std. Deviation		.15657	
		Minimum		.10	
		Maximum		.60	
		Range		.50	
		Interquartile Range		.20	
		Skewness		.122	.374
		Kurtosis		-1.218	.733
	ALCO Modify	Mean		.6175	.02504
		95% Confidence Interval for Mean	Lower Bound	.5669	
			Upper Bound	.6681	
		5% Trimmed Mean		.6139	
		Median		.6000	
		Variance		.025	
		Std. Deviation		.15834	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.28	
		Skewness		.023	.374
		Kurtosis		-1.273	.733
AvSCL	ARNE Understand	Mean		570.5500	19.94393
		95% Confidence Interval for Mean	Lower Bound	530.2096	
			Upper Bound	610.8904	
		5% Trimmed Mean		577.1667	
		Median		632.0000	
		Variance		15910.408	
		Std. Deviation		126.13646	
		Minimum		281.00	
		Maximum		741.00	
		Range		460.00	
		Interquartile Range		157.00	
		Skewness		-.870	.374
		Kurtosis		-.045	.733
	ARNE Review	Mean		506.6500	20.84582
		95% Confidence Interval for Mean	Lower Bound	464.4854	
			Upper Bound	548.8146	
		5% Trimmed Mean		507.1667	
		Median		533.0000	
		Variance		17381.926	
		Std. Deviation		131.84053	
		Minimum		287.00	
		Maximum		717.00	
		Range		430.00	
		Interquartile Range		216.50	
		Skewness		-.166	.374
		Kurtosis		-.988	.733
	ARNE Create	Mean		505.3250	21.48343
		95% Confidence Interval for Mean	Lower Bound	461.8707	
			Upper Bound	548.7793	
		5% Trimmed Mean		505.7222	

	Median		531.0000	
	Variance		18461.507	
	Std. Deviation		135.87313	
	Minimum		285.00	
	Maximum		715.00	
	Range		430.00	
	Interquartile Range		232.25	
	Skewness		-.154	.374
	Kurtosis		-1.152	.733
ARNE Modify	Mean		527.6750	21.00209
	95% Confidence Interval for Mean	Lower Bound	485.1943	
		Upper Bound	570.1557	
	5% Trimmed Mean		529.7222	
	Median		558.0000	
	Variance		17643.507	
	Std. Deviation		132.82886	
	Minimum		285.00	
	Maximum		745.00	
	Range		460.00	
	Interquartile Range		244.50	
	Skewness		-.284	.374
	Kurtosis		-.997	.733
ALCO Understand	Mean		532.2000	22.71761
	95% Confidence Interval for Mean	Lower Bound	486.2493	
		Upper Bound	578.1507	
	5% Trimmed Mean		534.9722	
	Median		556.0000	
	Variance		20643.600	
	Std. Deviation		143.67881	
	Minimum		283.00	
	Maximum		743.00	
	Range		460.00	
	Interquartile Range		277.00	
	Skewness		-.160	.374
	Kurtosis		-1.268	.733
ALCO Review	Mean		547.6000	23.69352
	95% Confidence Interval for Mean	Lower Bound	499.6753	
		Upper Bound	595.5247	
	5% Trimmed Mean		551.3889	
	Median		574.0000	
	Variance		22455.323	
	Std. Deviation		149.85100	
	Minimum		273.00	
	Maximum		768.00	
	Range		495.00	
	Interquartile Range		296.75	
	Skewness		-.437	.374
	Kurtosis		-1.105	.733
ALCO Create	Mean		551.6000	24.22623
	95% Confidence Interval for Mean	Lower Bound	502.5978	
		Upper Bound	600.6022	
	5% Trimmed Mean		555.4167	
	Median		568.0000	

		Variance		23476.400	
		Std. Deviation		153.22010	
		Minimum		293.00	
		Maximum		753.00	
		Range		460.00	
		Interquartile Range		296.75	
		Skewness		-.324	.374
		Kurtosis		-1.333	.733
	ALCO Modify	Mean		538.0250	24.61278
		95% Confidence Interval for Mean	Lower Bound	488.2409	
			Upper Bound	587.8091	
		5% Trimmed Mean		540.6667	
		Median		564.0000	
		Variance		24231.563	
		Std. Deviation		155.66491	
		Minimum		290.00	
		Maximum		750.00	
		Range		460.00	
		Interquartile Range		295.75	
		Skewness		-.244	.374
		Kurtosis		-1.396	.733
HRVar_RMSSD	ARNE Understand	Mean		39.0380	3.52504
		95% Confidence Interval for Mean	Lower Bound	31.9079	
			Upper Bound	46.1681	
		5% Trimmed Mean		39.2972	
		Median		49.9800	
		Variance		497.035	
		Std. Deviation		22.29429	
		Minimum		3.04	
		Maximum		70.37	
		Range		67.33	
		Interquartile Range		44.38	
		Skewness		-.280	.374
		Kurtosis		-1.616	.733
	ARNE Review	Mean		34.1370	3.29233
		95% Confidence Interval for Mean	Lower Bound	27.4776	
			Upper Bound	40.7964	
		5% Trimmed Mean		33.6283	
		Median		22.8800	
		Variance		433.578	
		Std. Deviation		20.82253	
		Minimum		12.30	
Maximum		65.13			
Range		52.83			
Interquartile Range		39.78			
Skewness		.457	.374		
Kurtosis		-1.604	.733		
ARNE Create	Mean		33.3622	3.27403	
	95% Confidence Interval for Mean	Lower Bound	26.7399		
		Upper Bound	39.9846		
	5% Trimmed Mean		32.7164		
	Median		20.4100		
Variance		428.771			

	Std. Deviation		20.70680	
	Minimum		12.30	
	Maximum		65.13	
	Range		52.83	
	Interquartile Range		40.49	
	Skewness		.537	.374
	Kurtosis		-1.496	.733
ARNE Modify	Mean		33.7598	3.42250
	95% Confidence Interval for Mean	Lower Bound	26.8371	
		Upper Bound	40.6824	
	5% Trimmed Mean		33.2647	
	Median		22.8500	
	Variance		468.541	
	Std. Deviation		21.64580	
	Minimum		4.08	
	Maximum		71.41	
	Range		67.33	
	Interquartile Range		40.77	
	Skewness		.420	.374
	Kurtosis		-1.536	.733
ALCO Understand	Mean		29.8335	3.04778
	95% Confidence Interval for Mean	Lower Bound	23.6688	
		Upper Bound	35.9982	
	5% Trimmed Mean		29.0400	
	Median		24.0800	
	Variance		371.558	
	Std. Deviation		19.27583	
	Minimum		2.84	
	Maximum		70.17	
	Range		67.33	
	Interquartile Range		34.10	
	Skewness		.762	.374
	Kurtosis		-.805	.733
ALCO Review	Mean		35.8590	3.21269
	95% Confidence Interval for Mean	Lower Bound	29.3607	
		Upper Bound	42.3573	
	5% Trimmed Mean		35.2203	
	Median		27.1300	
	Variance		412.855	
	Std. Deviation		20.31882	
	Minimum		3.92	
	Maximum		75.27	
	Range		71.35	
	Interquartile Range		37.04	
	Skewness		.631	.374
	Kurtosis		-1.011	.733
ALCO Create	Mean		31.8552	3.18283
	95% Confidence Interval for Mean	Lower Bound	25.4174	
		Upper Bound	38.2931	
	5% Trimmed Mean		31.2758	
	Median		23.1300	
	Variance		405.215	
	Std. Deviation		20.12996	

		Minimum		-1.08	
		Maximum		71.27	
		Range		71.35	
		Interquartile Range		37.04	
		Skewness		.625	.374
		Kurtosis		-1.025	.733
	ALCO Modify	Mean		31.4843	3.14346
		95% Confidence Interval for Mean	Lower Bound	25.1260	
			Upper Bound	37.8425	
		5% Trimmed Mean		30.8186	
		Median		22.5300	
		Variance		395.253	
		Std. Deviation		19.88097	
		Minimum		3.34	
		Maximum		70.67	
		Range		67.33	
		Interquartile Range		37.04	
		Skewness		.660	.374
		Kurtosis		-1.041	.733
HRVar_NN50	ARNE Understand	Mean		26.4855	3.10797
		95% Confidence Interval for Mean	Lower Bound	20.1990	
			Upper Bound	32.7720	
		5% Trimmed Mean		26.3183	
		Median		32.9800	
		Variance		386.379	
		Std. Deviation		19.65653	
		Minimum		.53	
		Maximum		55.40	
		Range		54.87	
		Interquartile Range		37.13	
		Skewness		-.170	.374
		Kurtosis		-1.591	.733
	ARNE Review	Mean		22.0767	3.05207
		95% Confidence Interval for Mean	Lower Bound	15.9034	
			Upper Bound	28.2501	
		5% Trimmed Mean		21.5942	
		Median		15.2750	
		Variance		372.605	
		Std. Deviation		19.30298	
		Minimum		.74	
		Maximum		52.10	
		Range		51.36	
		Interquartile Range		35.88	
		Skewness		.322	.374
		Kurtosis		-1.647	.733
	ARNE Create	Mean		23.0870	3.05114
		95% Confidence Interval for Mean	Lower Bound	16.9155	
			Upper Bound	29.2585	
		5% Trimmed Mean		22.7167	
		Median		18.9300	
		Variance		372.379	
		Std. Deviation		19.29712	
		Minimum		.74	

	Maximum		52.10	
	Range		51.36	
	Interquartile Range		35.20	
	Skewness		.213	.374
	Kurtosis		-1.651	.733
ARNE Modify	Mean		23.6873	3.13621
	95% Confidence Interval for Mean	Lower Bound	17.3437	
		Upper Bound	30.0308	
	5% Trimmed Mean		23.2872	
	Median		18.9200	
	Variance		393.432	
	Std. Deviation		19.83511	
	Minimum		.73	
	Maximum		55.60	
	Range		54.87	
	Interquartile Range		37.81	
	Skewness		.177	.374
	Kurtosis		-1.612	.733
ALCO Understand	Mean		21.5762	2.93542
	95% Confidence Interval for Mean	Lower Bound	15.6388	
		Upper Bound	27.5137	
	5% Trimmed Mean		20.9583	
	Median		17.6500	
	Variance		344.667	
	Std. Deviation		18.56520	
	Minimum		-.47	
	Maximum		55.80	
	Range		56.27	
	Interquartile Range		33.17	
	Skewness		.437	.374
	Kurtosis		-1.294	.733
ALCO Review	Mean		25.2257	3.06134
	95% Confidence Interval for Mean	Lower Bound	19.0336	
		Upper Bound	31.4179	
	5% Trimmed Mean		24.8044	
	Median		21.6000	
	Variance		374.871	
	Std. Deviation		19.36160	
	Minimum		1.01	
	Maximum		58.28	
	Range		57.27	
	Interquartile Range		34.42	
	Skewness		.236	.374
	Kurtosis		-1.496	.733
ALCO Create	Mean		23.3790	3.07299
	95% Confidence Interval for Mean	Lower Bound	17.1633	
		Upper Bound	29.5947	
	5% Trimmed Mean		22.9469	
	Median		19.6000	
	Variance		377.730	
	Std. Deviation		19.43527	
	Minimum		.01	
	Maximum		56.28	

	ALCO Modify	Range		56.27	
		Interquartile Range		34.42	
		Skewness		.252	.374
		Kurtosis		-1.483	.733
		Mean		23.5560	3.04812
		95% Confidence Interval for Mean	Lower Bound	17.3906	
			Upper Bound	29.7214	
		5% Trimmed Mean		23.1414	
		Median		19.6200	
		Variance		371.641	
		Std. Deviation		19.27798	
		Minimum		.03	
		Maximum		56.30	
		Range		56.27	
		Interquartile Range		32.82	
		Skewness		.258	.374
		Kurtosis		-1.472	.733
NASA_MD	ARNE Understand	Mean		37.8750	1.69735
		95% Confidence Interval for Mean	Lower Bound	34.4418	
			Upper Bound	41.3082	
		5% Trimmed Mean		38.7500	
		Median		35.0000	
		Variance		115.240	
		Std. Deviation		10.73501	
		Minimum		10.00	
		Maximum		50.00	
		Range		40.00	
		Interquartile Range		18.75	
		Skewness		-.673	.374
		Kurtosis		.391	.733
	ARNE Review	Mean		69.5000	1.78850
		95% Confidence Interval for Mean	Lower Bound	65.8824	
			Upper Bound	73.1176	
		5% Trimmed Mean		70.4167	
		Median		67.5000	
		Variance		127.949	
		Std. Deviation		11.31144	
		Minimum		40.00	
		Maximum		85.00	
		Range		45.00	
		Interquartile Range		15.00	
		Skewness		-.793	.374
		Kurtosis		.294	.733
	ARNE Create	Mean		51.3750	1.59112
		95% Confidence Interval for Mean	Lower Bound	48.1567	
			Upper Bound	54.5933	
		5% Trimmed Mean		51.6667	
		Median		50.0000	
		Variance		101.266	
		Std. Deviation		10.06310	
		Minimum		25.00	
		Maximum		65.00	
		Range		40.00	

ARNE Modify	Interquartile Range		20.00	
	Skewness		-.080	.374
	Kurtosis		-.322	.733
	Mean		46.6250	1.58506
	95% Confidence Interval for Mean	Lower Bound	43.4189	
		Upper Bound	49.8311	
	5% Trimmed Mean		46.9444	
	Median		45.0000	
	Variance		100.497	
	Std. Deviation		10.02481	
	Minimum		20.00	
	Maximum		60.00	
	Range		40.00	
	Interquartile Range		20.00	
	Skewness		-.151	.374
	Kurtosis		-.269	.733
ALCO Understand	Mean		38.8750	1.85610
	95% Confidence Interval for Mean	Lower Bound	35.1207	
		Upper Bound	42.6293	
	5% Trimmed Mean		39.3056	
	Median		40.0000	
	Variance		137.804	
	Std. Deviation		11.73902	
	Minimum		15.00	
	Maximum		55.00	
	Range		40.00	
	Interquartile Range		15.00	
	Skewness		-.366	.374
	Kurtosis		-.157	.733
ALCO Review	Mean		54.3750	1.61312
	95% Confidence Interval for Mean	Lower Bound	51.1122	
		Upper Bound	57.6378	
	5% Trimmed Mean		54.8611	
	Median		55.0000	
	Variance		104.087	
	Std. Deviation		10.20228	
	Minimum		30.00	
	Maximum		70.00	
	Range		40.00	
	Interquartile Range		13.75	
	Skewness		-.146	.374
	Kurtosis		.220	.733
ALCO Create	Mean		49.2500	1.47142
	95% Confidence Interval for Mean	Lower Bound	46.2738	
		Upper Bound	52.2262	
	5% Trimmed Mean		49.3056	
	Median		50.0000	
	Variance		86.603	
	Std. Deviation		9.30605	
	Minimum		25.00	
	Maximum		65.00	
	Range		40.00	
	Interquartile Range		10.00	

	ALCO Modify	Skewness		.155	.374
		Kurtosis		.184	.733
		Mean		44.5000	1.45223
		95% Confidence Interval for Mean	Lower Bound	41.5626	
			Upper Bound	47.4374	
		5% Trimmed Mean		44.5833	
		Median		45.0000	
		Variance		84.359	
		Std. Deviation		9.18471	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		.102	.374
		Kurtosis		.320	.733
NASA_PD	ARNE Understand	Mean		12.6250	1.87756
		95% Confidence Interval for Mean	Lower Bound	8.8273	
			Upper Bound	16.4227	
		5% Trimmed Mean		11.2500	
		Median		5.0000	
		Variance		141.010	
		Std. Deviation		11.87475	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		5.00	
		Skewness		1.533	.374
		Kurtosis		1.127	.733
	ARNE Review	Mean		20.5000	2.42053
		95% Confidence Interval for Mean	Lower Bound	15.6040	
			Upper Bound	25.3960	
		5% Trimmed Mean		19.4444	
		Median		10.0000	
		Variance		234.359	
		Std. Deviation		15.30879	
		Minimum		10.00	
		Maximum		50.00	
		Range		40.00	
		Interquartile Range		25.00	
		Skewness		1.091	.374
		Kurtosis		-.472	.733
	ARNE Create	Mean		23.3750	2.57196
		95% Confidence Interval for Mean	Lower Bound	18.1727	
			Upper Bound	28.5773	
		5% Trimmed Mean		22.6389	
		Median		15.0000	
		Variance		264.599	
		Std. Deviation		16.26651	
		Minimum		10.00	
		Maximum		50.00	
		Range		40.00	
		Interquartile Range		25.00	
		Skewness		.716	.374
		Kurtosis			

	Kurtosis		-1.205	.733
ARNE Modify	Mean		21.0000	2.43637
	95% Confidence Interval for Mean	Lower Bound	16.0720	
		Upper Bound	25.9280	
	5% Trimmed Mean		20.0000	
	Median		10.0000	
	Variance		237.436	
	Std. Deviation		15.40896	
	Minimum		10.00	
	Maximum		50.00	
	Range		40.00	
	Interquartile Range		25.00	
	Skewness		.997	.374
	Kurtosis		-.677	.733
ALCO Understand	Mean		15.3750	2.41116
	95% Confidence Interval for Mean	Lower Bound	10.4980	
		Upper Bound	20.2520	
	5% Trimmed Mean		14.3056	
	Median		5.0000	
	Variance		232.548	
	Std. Deviation		15.24953	
	Minimum		5.00	
	Maximum		45.00	
	Range		40.00	
	Interquartile Range		25.00	
	Skewness		1.078	.374
	Kurtosis		-.554	.733
ALCO Review	Mean		18.8750	3.02494
	95% Confidence Interval for Mean	Lower Bound	12.7565	
		Upper Bound	24.9935	
	5% Trimmed Mean		17.9167	
	Median		5.0000	
	Variance		366.010	
	Std. Deviation		19.13138	
	Minimum		5.00	
	Maximum		50.00	
	Range		45.00	
	Interquartile Range		30.00	
	Skewness		.878	.374
	Kurtosis		-1.117	.733
ALCO Create	Mean		19.1250	2.85823
	95% Confidence Interval for Mean	Lower Bound	13.3437	
		Upper Bound	24.9063	
	5% Trimmed Mean		18.4722	
	Median		5.0000	
	Variance		326.779	
	Std. Deviation		18.07703	
	Minimum		5.00	
	Maximum		45.00	
	Range		40.00	
	Interquartile Range		40.00	
	Skewness		.591	.374
	Kurtosis		-1.577	.733

ALCO Modify		Mean		18.6250	2.66138
		95% Confidence Interval for Mean	Lower Bound	13.2419	
			Upper Bound	24.0081	
		5% Trimmed Mean		17.9167	
		Median		5.0000	
		Variance		283.317	
		Std. Deviation		16.83203	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		25.00	
		Skewness		.633	.374
		Kurtosis		-1.406	.733
NASA_TD	ARNE Understand	Mean		17.8750	2.57507
		95% Confidence Interval for Mean	Lower Bound	12.6664	
			Upper Bound	23.0836	
		5% Trimmed Mean		15.9722	
		Median		15.0000	
		Variance		265.240	
		Std. Deviation		16.28620	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		23.75	
		Skewness		1.362	.374
		Kurtosis		1.568	.733
	ARNE Review	Mean		52.6250	3.27670
		95% Confidence Interval for Mean	Lower Bound	45.9972	
			Upper Bound	59.2528	
		5% Trimmed Mean		51.2500	
		Median		45.0000	
		Variance		429.471	
		Std. Deviation		20.72369	
		Minimum		35.00	
		Maximum		95.00	
		Range		60.00	
		Interquartile Range		28.75	
		Skewness		1.152	.374
		Kurtosis		.148	.733
	ARNE Create	Mean		34.0000	2.68662
		95% Confidence Interval for Mean	Lower Bound	28.5658	
			Upper Bound	39.4342	
		5% Trimmed Mean		32.2222	
		Median		30.0000	
		Variance		288.718	
		Std. Deviation		16.99170	
		Minimum		20.00	
		Maximum		80.00	
		Range		60.00	
		Interquartile Range		25.00	
		Skewness		1.489	.374
		Kurtosis		1.916	.733
	ARNE Modify	Mean		22.3750	2.55069

		95% Confidence Interval for Mean	Lower Bound	17.2157	
			Upper Bound	27.5343	
		5% Trimmed Mean		20.4167	
		Median		15.0000	
		Variance		260.240	
		Std. Deviation		16.13197	
		Minimum		10.00	
		Maximum		70.00	
		Range		60.00	
		Interquartile Range		25.00	
		Skewness		1.418	.374
		Kurtosis		1.840	.733
ALCO Understand		Mean		17.3750	2.52543
		95% Confidence Interval for Mean	Lower Bound	12.2668	
			Upper Bound	22.4832	
		5% Trimmed Mean		15.4167	
		Median		10.0000	
		Variance		255.112	
		Std. Deviation		15.97223	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		25.00	
		Skewness		1.475	.374
		Kurtosis		2.027	.733
ALCO Review		Mean		20.5000	2.74329
		95% Confidence Interval for Mean	Lower Bound	14.9512	
			Upper Bound	26.0488	
		5% Trimmed Mean		19.3056	
		Median		15.0000	
		Variance		301.026	
		Std. Deviation		17.35009	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		35.00	
		Skewness		.830	.374
		Kurtosis		-.228	.733
ALCO Create		Mean		18.2500	2.33802
		95% Confidence Interval for Mean	Lower Bound	13.5209	
			Upper Bound	22.9791	
		5% Trimmed Mean		17.0833	
		Median		15.0000	
		Variance		218.654	
		Std. Deviation		14.78695	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		28.75	
		Skewness		.981	.374
		Kurtosis		.642	.733
ALCO Modify		Mean		17.1250	2.22088
		95% Confidence Interval for Mean	Lower Bound	12.6329	

		Upper Bound		21.6171	
		5% Trimmed Mean		15.8333	
		Median		15.0000	
		Variance		197.292	
		Std. Deviation		14.04606	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		25.00	
		Skewness		1.263	.374
		Kurtosis		1.753	.733
NASA_Performance	ARNE Understand	Mean		68.5000	2.85437
		95% Confidence Interval for Mean	Lower Bound	62.7265	
			Upper Bound	74.2735	
		5% Trimmed Mean		68.6111	
		Median		60.0000	
		Variance		325.897	
		Std. Deviation		18.05263	
		Minimum		30.00	
		Maximum		95.00	
		Range		65.00	
		Interquartile Range		30.00	
		Skewness		.287	.374
		Kurtosis		-1.085	.733
	ARNE Review	Mean		46.6250	3.21449
		95% Confidence Interval for Mean	Lower Bound	40.1231	
			Upper Bound	53.1269	
		5% Trimmed Mean		47.6389	
		Median		50.0000	
		Variance		413.317	
		Std. Deviation		20.33021	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		30.00	
		Skewness		-.479	.374
		Kurtosis		-.893	.733
	ARNE Create	Mean		49.7500	3.30574
		95% Confidence Interval for Mean	Lower Bound	43.0635	
			Upper Bound	56.4365	
		5% Trimmed Mean		50.5556	
		Median		45.0000	
		Variance		437.115	
		Std. Deviation		20.90730	
		Minimum		10.00	
		Maximum		75.00	
		Range		65.00	
		Interquartile Range		30.00	
		Skewness		-.368	.374
		Kurtosis		-.932	.733
	ARNE Modify	Mean		55.2500	3.31542
		95% Confidence Interval for Mean	Lower Bound	48.5439	
			Upper Bound	61.9561	

	5% Trimmed Mean		56.1111	
	Median		50.0000	
	Variance		439.679	
	Std. Deviation		20.96854	
	Minimum		15.00	
	Maximum		80.00	
	Range		65.00	
	Interquartile Range		30.00	
	Skewness		-.384	.374
	Kurtosis		-.890	.733
ALCO Understand	Mean		68.5000	3.44462
	95% Confidence Interval for Mean	Lower Bound	61.5326	
		Upper Bound	75.4674	
	5% Trimmed Mean		69.1667	
	Median		70.0000	
	Variance		474.615	
	Std. Deviation		21.78567	
	Minimum		25.00	
	Maximum		100.00	
	Range		75.00	
	Interquartile Range		30.00	
	Skewness		-.503	.374
	Kurtosis		-.582	.733
ALCO Review	Mean		42.5000	4.64095
	95% Confidence Interval for Mean	Lower Bound	33.1128	
		Upper Bound	51.8872	
	5% Trimmed Mean		41.5278	
	Median		35.0000	
	Variance		861.538	
	Std. Deviation		29.35198	
	Minimum		5.00	
	Maximum		100.00	
	Range		95.00	
	Interquartile Range		56.25	
	Skewness		.126	.374
	Kurtosis		-1.155	.733
ALCO Create	Mean		54.0000	4.57558
	95% Confidence Interval for Mean	Lower Bound	44.7450	
		Upper Bound	63.2550	
	5% Trimmed Mean		53.3333	
	Median		52.5000	
	Variance		837.436	
	Std. Deviation		28.93848	
	Minimum		15.00	
	Maximum		105.00	
	Range		90.00	
	Interquartile Range		56.25	
	Skewness		-.082	.374
	Kurtosis		-1.275	.733
ALCO Modify	Mean		63.6250	3.67331
	95% Confidence Interval for Mean	Lower Bound	56.1950	
		Upper Bound	71.0550	
	5% Trimmed Mean		64.0278	

		Median		60.0000	
		Variance		539.728	
		Std. Deviation		23.23204	
		Minimum		20.00	
		Maximum		100.00	
		Range		80.00	
		Interquartile Range		30.00	
		Skewness		-.234	.374
		Kurtosis		-.758	.733
NASA_Effort	ARNE Understand	Mean		39.5000	2.20576
		95% Confidence Interval for Mean	Lower Bound	35.0384	
			Upper Bound	43.9616	
		5% Trimmed Mean		40.2778	
		Median		37.5000	
		Variance		194.615	
		Std. Deviation		13.95046	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.324	.374
		Kurtosis		.208	.733
	ARNE Review	Mean		55.3750	2.26729
		95% Confidence Interval for Mean	Lower Bound	50.7890	
			Upper Bound	59.9610	
		5% Trimmed Mean		56.2500	
		Median		55.0000	
		Variance		205.625	
		Std. Deviation		14.33963	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		18.75	
		Skewness		-.477	.374
		Kurtosis		.024	.733
	ARNE Create	Mean		48.7500	2.03140
		95% Confidence Interval for Mean	Lower Bound	44.6411	
			Upper Bound	52.8589	
		5% Trimmed Mean		48.8889	
		Median		45.0000	
		Variance		165.064	
		Std. Deviation		12.84773	
		Minimum		15.00	
		Maximum		70.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		.063	.374
		Kurtosis		-.043	.733
	ARNE Modify	Mean		43.7500	2.07820
		95% Confidence Interval for Mean	Lower Bound	39.5464	
			Upper Bound	47.9536	
		5% Trimmed Mean		43.8889	
		Median		40.0000	

	Variance		172.756	
	Std. Deviation		13.14368	
	Minimum		10.00	
	Maximum		65.00	
	Range		55.00	
	Interquartile Range		20.00	
	Skewness		.135	.374
	Kurtosis		-.143	.733
ALCO Understand	Mean		36.1250	2.44482
	95% Confidence Interval for Mean	Lower Bound	31.1799	
		Upper Bound	41.0701	
	5% Trimmed Mean		36.5278	
	Median		35.0000	
	Variance		239.087	
	Std. Deviation		15.46242	
	Minimum		5.00	
	Maximum		60.00	
	Range		55.00	
	Interquartile Range		23.75	
	Skewness		-.282	.374
	Kurtosis		-.114	.733
ALCO Review	Mean		52.1250	2.11745
	95% Confidence Interval for Mean	Lower Bound	47.8421	
		Upper Bound	56.4079	
	5% Trimmed Mean		52.6389	
	Median		50.0000	
	Variance		179.343	
	Std. Deviation		13.39190	
	Minimum		20.00	
	Maximum		75.00	
	Range		55.00	
	Interquartile Range		20.00	
	Skewness		-.153	.374
	Kurtosis		.304	.733
ALCO Create	Mean		46.6250	1.96433
	95% Confidence Interval for Mean	Lower Bound	42.6518	
		Upper Bound	50.5982	
	5% Trimmed Mean		46.5278	
	Median		45.0000	
	Variance		154.343	
	Std. Deviation		12.42348	
	Minimum		15.00	
	Maximum		70.00	
	Range		55.00	
	Interquartile Range		15.00	
	Skewness		.315	.374
	Kurtosis		.270	.733
ALCO Modify	Mean		41.8750	1.94217
	95% Confidence Interval for Mean	Lower Bound	37.9466	
		Upper Bound	45.8034	
	5% Trimmed Mean		41.8056	
	Median		40.0000	
	Variance		150.881	

		Std. Deviation		12.28338	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		.284	.374
		Kurtosis		.380	.733
NASA_Frustration	ARNE Understand	Mean		23.8750	2.84474
		95% Confidence Interval for Mean	Lower Bound	18.1210	
			Upper Bound	29.6290	
		5% Trimmed Mean		22.9167	
		Median		25.0000	
		Variance		323.702	
		Std. Deviation		17.99172	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		30.00	
		Skewness		.533	.374
		Kurtosis		-1.138	.733
	ARNE Review	Mean		33.8750	3.37547
		95% Confidence Interval for Mean	Lower Bound	27.0475	
			Upper Bound	40.7025	
		5% Trimmed Mean		33.4722	
		Median		30.0000	
		Variance		455.753	
		Std. Deviation		21.34838	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		45.00	
		Skewness		.151	.374
		Kurtosis		-1.634	.733
	ARNE Create	Mean		24.8750	3.21499
		95% Confidence Interval for Mean	Lower Bound	18.3721	
			Upper Bound	31.3779	
		5% Trimmed Mean		24.0278	
		Median		17.5000	
		Variance		413.446	
		Std. Deviation		20.33336	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		35.00	
		Skewness		.356	.374
		Kurtosis		-1.543	.733
	ARNE Modify	Mean		25.0000	3.09051
		95% Confidence Interval for Mean	Lower Bound	18.7488	
			Upper Bound	31.2512	
		5% Trimmed Mean		24.1667	
		Median		25.0000	
		Variance		382.051	
		Std. Deviation		19.54613	

	Minimum		5.00	
	Maximum		60.00	
	Range		55.00	
	Interquartile Range		35.00	
	Skewness		.282	.374
	Kurtosis		-1.571	.733
ALCO Understand	Mean		28.6250	3.20250
	95% Confidence Interval for Mean	Lower Bound	22.1473	
		Upper Bound	35.1027	
	5% Trimmed Mean		27.9167	
	Median		30.0000	
	Variance		410.240	
	Std. Deviation		20.25439	
	Minimum		5.00	
	Maximum		65.00	
	Range		60.00	
	Interquartile Range		35.00	
	Skewness		.205	.374
	Kurtosis		-1.473	.733
ALCO Review	Mean		27.1250	3.07954
	95% Confidence Interval for Mean	Lower Bound	20.8960	
		Upper Bound	33.3540	
	5% Trimmed Mean		26.5278	
	Median		30.0000	
	Variance		379.343	
	Std. Deviation		19.47673	
	Minimum		5.00	
	Maximum		65.00	
	Range		60.00	
	Interquartile Range		38.75	
	Skewness		.245	.374
	Kurtosis		-1.476	.733
ALCO Create	Mean		27.1250	3.20700
	95% Confidence Interval for Mean	Lower Bound	20.6382	
		Upper Bound	33.6118	
	5% Trimmed Mean		26.5278	
	Median		22.5000	
	Variance		411.394	
	Std. Deviation		20.28286	
	Minimum		5.00	
	Maximum		65.00	
	Range		60.00	
	Interquartile Range		40.00	
	Skewness		.208	.374
	Kurtosis		-1.651	.733
ALCO Modify	Mean		26.2500	3.20131
	95% Confidence Interval for Mean	Lower Bound	19.7747	
		Upper Bound	32.7253	
	5% Trimmed Mean		25.5556	
	Median		15.0000	
	Variance		409.936	
	Std. Deviation		20.24687	
	Minimum		5.00	

		Maximum		65.00	
		Range		60.00	
		Interquartile Range		40.00	
		Skewness		.311	.374
		Kurtosis		-1.596	.733
NASA_Score	ARNE Understand	Mean		33.3750	1.54063
		95% Confidence Interval for Mean	Lower Bound	30.2588	
			Upper Bound	36.4912	
		5% Trimmed Mean		33.0556	
		Median		29.5833	
		Variance		94.941	
		Std. Deviation		9.74378	
		Minimum		19.17	
		Maximum		52.50	
		Range		33.33	
		Interquartile Range		17.29	
		Skewness		.663	.374
		Kurtosis		-.884	.733
	ARNE Review	Mean		46.4167	1.80075
		95% Confidence Interval for Mean	Lower Bound	42.7743	
			Upper Bound	50.0590	
		5% Trimmed Mean		46.4815	
		Median		40.8333	
		Variance		129.708	
		Std. Deviation		11.38894	
		Minimum		29.17	
		Maximum		62.50	
		Range		33.33	
		Interquartile Range		20.00	
		Skewness		.083	.374
		Kurtosis		-1.554	.733
	ARNE Create	Mean		38.6875	1.59763
		95% Confidence Interval for Mean	Lower Bound	35.4560	
			Upper Bound	41.9190	
		5% Trimmed Mean		38.5417	
		Median		34.1667	
		Variance		102.097	
		Std. Deviation		10.10431	
		Minimum		23.33	
		Maximum		56.67	
		Range		33.33	
		Interquartile Range		16.67	
		Skewness		.244	.374
		Kurtosis		-1.240	.733
	ARNE Modify	Mean		35.6667	1.60467
		95% Confidence Interval for Mean	Lower Bound	32.4209	
			Upper Bound	38.9124	
		5% Trimmed Mean		35.4630	
		Median		32.0833	
		Variance		102.999	
		Std. Deviation		10.14882	
		Minimum		20.83	
		Maximum		54.17	

	Range		33.33	
	Interquartile Range		17.50	
	Skewness		.205	.374
	Kurtosis		-1.265	.733
ALCO Understand	Mean		34.1458	1.65635
	95% Confidence Interval for Mean	Lower Bound	30.7956	
		Upper Bound	37.4961	
	5% Trimmed Mean		33.8657	
	Median		30.8333	
	Variance		109.740	
	Std. Deviation		10.47567	
	Minimum		20.00	
	Maximum		53.33	
	Range		33.33	
	Interquartile Range		18.13	
	Skewness		.260	.374
	Kurtosis		-1.305	.733
ALCO Review	Mean		41.2438	2.29266
	95% Confidence Interval for Mean	Lower Bound	36.6064	
		Upper Bound	45.8811	
	5% Trimmed Mean		40.9281	
	Median		41.6700	
	Variance		210.251	
	Std. Deviation		14.50003	
	Minimum		19.00	
	Maximum		74.67	
	Range		55.67	
	Interquartile Range		21.75	
	Skewness		.104	.374
	Kurtosis		-.456	.733
ALCO Create	Mean		37.5350	2.31859
	95% Confidence Interval for Mean	Lower Bound	32.8452	
		Upper Bound	42.2248	
	5% Trimmed Mean		37.2981	
	Median		36.6700	
	Variance		215.035	
	Std. Deviation		14.66407	
	Minimum		14.00	
	Maximum		69.67	
	Range		55.67	
	Interquartile Range		28.00	
	Skewness		.042	.374
	Kurtosis		-.791	.733
ALCO Modify	Mean		35.3333	1.54318
	95% Confidence Interval for Mean	Lower Bound	32.2120	
		Upper Bound	38.4547	
	5% Trimmed Mean		35.0694	
	Median		31.6667	
	Variance		95.256	
	Std. Deviation		9.75994	
	Minimum		20.83	
	Maximum		58.33	
	Range		37.50	

	Interquartile Range	18.12	
	Skewness	.278	.374
	Kurtosis	-.972	.733