Descriptives - use case templates, GenderMag motivation facet, creation task

	Motivation			Statistic	Std. Error
Precision	Abby	Mean		.7475	.04126
		95% Confidence Interval for Mean	Lower Bound	.6637	
			Upper Bound	.8313	
		5% Trimmed Mean		.7594	
		Median		.8400	
		Variance		.061	
		Std. Deviation		.24759	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.27	
		Skewness		-1.054	.393
		Kurtosis		-.430	.768
	Tim	Mean		.7027	.03367
		95% Confidence Interval for Mean	Lower Bound	.6348	
			Upper Bound	.7706	
		5% Trimmed Mean		.7095	
		Median		.7100	
		Variance		.050	
		Std. Deviation		.22335	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.33	
		Skewness		-.492	.357
		Kurtosis		-.923	.702
Recall	Abby	Mean		.7336	.03909
		95% Confidence Interval for Mean	Lower Bound	.6543	
			Upper Bound	.8130	
		5% Trimmed Mean		.7423	
		Median		.8000	
		Variance		.055	
		Std. Deviation		.23451	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.36	
		Skewness		-.615	.393
		Kurtosis		-.800	.768
	Tim	Mean		.7250	.03268
		95% Confidence Interval for Mean	Lower Bound	.6591	
			Upper Bound	.7909	
		5% Trimmed Mean		.7327	
		Median		.7150	
		Variance		.047	
		Std. Deviation		.21676	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.38	
		Skewness		-.222	.357

		Kurtosis		-.975	.702
FMeasure	Abby	Mean		.7356	.03927
		95% Confidence Interval for Mean	Lower Bound	.6559	
			Upper Bound	.8153	
		5% Trimmed Mean		.7445	
		Median		.8526	
		Variance		.056	
		Std. Deviation		.23559	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.32	
		Skewness		-.902	.393
		Kurtosis		-.634	.768
	Tim	Mean		.7099	.03267
		95% Confidence Interval for Mean	Lower Bound	.6441	
			Upper Bound	.7758	
		5% Trimmed Mean		.7160	
		Median		.6896	
		Variance		.047	
		Std. Deviation		.21671	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.33	
		Skewness		-.350	.357
		Kurtosis		-1.008	.702
Duration	Abby	Mean		722.8333	23.99482
		95% Confidence Interval for Mean	Lower Bound	674.1213	
			Upper Bound	771.5454	
		5% Trimmed Mean		717.9691	
		Median		695.5000	
		Variance		20727.057	
		Std. Deviation		143.96895	
		Minimum		445.00	
		Maximum		1054.00	
		Range		609.00	
		Interquartile Range		204.50	
		Skewness		.714	.393
		Kurtosis		.539	.768
	Tim	Mean		783.2955	22.64055
		95% Confidence Interval for Mean	Lower Bound	737.6364	
			Upper Bound	828.9545	
		5% Trimmed Mean		783.0404	
		Median		816.5000	
		Variance		22554.166	
		Std. Deviation		150.18045	
		Minimum		501.00	
		Maximum		1054.00	
		Range		553.00	
		Interquartile Range		203.00	
		Skewness		.231	.357
		Kurtosis		-.617	.702

				Statistic	Std. Error
FirstActDet	Abby	Mean		165.0278	9.85574
		95% Confidence Interval for Mean	Lower Bound	145.0196	
			Upper Bound	185.0360	
		5% Trimmed Mean		162.7407	
		Median		156.0000	
		Variance		3496.885	
		Std. Deviation		59.13446	
		Minimum		86.00	
		Maximum		303.00	
		Range		217.00	
		Interquartile Range		126.50	
		Skewness		.487	.393
		Kurtosis		-.749	.768
	Tim	Mean		177.1136	9.86796
		95% Confidence Interval for Mean	Lower Bound	157.2130	
			Upper Bound	197.0143	
		5% Trimmed Mean		175.0101	
		Median		161.0000	
		Variance		4284.568	
		Std. Deviation		65.45661	
		Minimum		88.00	
		Maximum		303.00	
		Range		215.00	
		Interquartile Range		122.00	
		Skewness		.207	.357
		Kurtosis		-.938	.702
LastActDet	Abby	Mean		701.3056	24.16188
		95% Confidence Interval for Mean	Lower Bound	652.2543	
			Upper Bound	750.3568	
		5% Trimmed Mean		695.9136	
		Median		670.5000	
		Variance		21016.675	
		Std. Deviation		144.97129	
		Minimum		431.00	
		Maximum		1050.00	
		Range		619.00	
		Interquartile Range		177.00	
		Skewness		.818	.393
		Kurtosis		.957	.768
	Tim	Mean		763.4318	23.29105
		95% Confidence Interval for Mean	Lower Bound	716.4609	
			Upper Bound	810.4027	
		5% Trimmed Mean		761.4141	
		Median		799.5000	
		Variance		23868.809	
		Std. Deviation		154.49534	
		Minimum		495.00	
		Maximum		1050.00	
		Range		555.00	
		Interquartile Range		216.25	
		Skewness		.316	.357
		Kurtosis		-.670	.702
ProcDur	Abby	Mean		21.5278	2.81055

				Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound	15.8221	
			Upper Bound	27.2335	
		5% Trimmed Mean		20.9815	
		Median		13.0000	
		Variance		284.371	
		Std. Deviation		16.86329	
		Minimum		.00	
		Maximum		52.00	
		Range		52.00	
		Interquartile Range		26.75	
		Skewness		.474	.393
		Kurtosis		-1.273	.768
	Tim	Mean		19.8636	2.57233
		95% Confidence Interval for Mean	Lower Bound	14.6760	
			Upper Bound	25.0512	
		5% Trimmed Mean		19.1010	
		Median		12.0000	
		Variance		291.144	
		Std. Deviation		17.06294	
		Minimum		.00	
		Maximum		53.00	
		Range		53.00	
		Interquartile Range		26.50	
		Skewness		.617	.357
		Kurtosis		-1.142	.702
FixRel	Abby	Mean		6.3747	.52813
		95% Confidence Interval for Mean	Lower Bound	5.3026	
			Upper Bound	7.4469	
		5% Trimmed Mean		6.3001	
		Median		4.6200	
		Variance		10.041	
		Std. Deviation		3.16879	
		Minimum		2.95	
		Maximum		11.24	
		Range		8.29	
		Interquartile Range		6.07	
		Skewness		.368	.393
		Kurtosis		-1.825	.768
	Tim	Mean		7.5386	.50156
		95% Confidence Interval for Mean	Lower Bound	6.5272	
			Upper Bound	8.5501	
		5% Trimmed Mean		7.6157	
		Median		9.4250	
		Variance		11.069	
		Std. Deviation		3.32695	
		Minimum		2.45	
		Maximum		11.24	
		Range		8.79	
		Interquartile Range		6.92	
		Skewness		-.295	.357
		Kurtosis		-1.742	.702
FixIrrel	Abby	Mean		118.6597	26.61481
		95% Confidence Interval for Mean	Lower Bound	64.6288	

			Upper Bound	172.6907	
		5% Trimmed Mean		109.3347	
		Median		3.4250	
		Variance		25500.534	
		Std. Deviation		159.68887	
		Minimum		1.54	
		Maximum		403.63	
		Range		402.09	
		Interquartile Range		311.82	
		Skewness		.911	.393
		Kurtosis		-.949	.768
	Tim	Mean		155.5348	25.34665
		95% Confidence Interval for Mean	Lower Bound	104.4184	
			Upper Bound	206.6512	
		5% Trimmed Mean		150.3103	
		Median		122.3800	
		Variance		28267.913	
		Std. Deviation		168.13064	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		370.97	
		Skewness		.558	.357
		Kurtosis		-1.429	.702
AvDurRelFix	Abby	Mean		120.1097	8.72309
		95% Confidence Interval for Mean	Lower Bound	102.4009	
			Upper Bound	137.8185	
		5% Trimmed Mean		122.0647	
		Median		113.7800	
		Variance		2739.321	
		Std. Deviation		52.33852	
		Minimum		16.53	
		Maximum		188.50	
		Range		171.97	
		Interquartile Range		66.00	
		Skewness		-.396	.393
		Kurtosis		-.693	.768
	Tim	Mean		124.5057	8.03744
		95% Confidence Interval for Mean	Lower Bound	108.2966	
			Upper Bound	140.7147	
		5% Trimmed Mean		126.5261	
		Median		141.5300	
		Variance		2842.420	
		Std. Deviation		53.31435	
		Minimum		6.28	
		Maximum		188.50	
		Range		182.22	
		Interquartile Range		119.79	
		Skewness		-.407	.357
		Kurtosis		-1.011	.702
AvDurIrrelFix	Abby	Mean		320.8806	26.99156
		95% Confidence Interval for Mean	Lower Bound	266.0848	
			Upper Bound	375.6763	

		5% Trimmed Mean		324.9184	
		Median		285.5000	
		Variance		26227.603	
		Std. Deviation		161.94938	
		Minimum		25.58	
		Maximum		543.50	
		Range		517.92	
		Interquartile Range		198.00	
		Skewness		-.185	.393
		Kurtosis		-.868	.768
	Tim	Mean		325.5236	26.04954
		95% Confidence Interval for Mean	Lower Bound	272.9897	
			Upper Bound	378.0575	
		5% Trimmed Mean		329.9362	
		Median		354.5800	
		Variance		29857.459	
		Std. Deviation		172.79311	
		Minimum		5.37	
		Maximum		543.50	
		Range		538.13	
		Interquartile Range		395.38	
		Skewness		-.240	.357
		Kurtosis		-1.135	.702
TotSac	Abby	Mean		86.9444	1.67140
		95% Confidence Interval for Mean	Lower Bound	83.5513	
			Upper Bound	90.3376	
		5% Trimmed Mean		87.3272	
		Median		87.0000	
		Variance		100.568	
		Std. Deviation		10.02837	
		Minimum		66.00	
		Maximum		101.00	
		Range		35.00	
		Interquartile Range		11.50	
		Skewness		-.436	.393
		Kurtosis		-.027	.768
	Tim	Mean		86.5455	1.62611
		95% Confidence Interval for Mean	Lower Bound	83.2661	
			Upper Bound	89.8248	
		5% Trimmed Mean		86.6616	
		Median		84.0000	
		Variance		116.347	
		Std. Deviation		10.78641	
		Minimum		70.00	
		Maximum		101.00	
		Range		31.00	
		Interquartile Range		16.75	
		Skewness		-.114	.357
		Kurtosis		-1.141	.702
Sac2Key	Abby	Mean		16.0833	1.56366
		95% Confidence Interval for Mean	Lower Bound	12.9089	
			Upper Bound	19.2577	
		5% Trimmed Mean		15.7531	

		Median		15.0000	
		Variance		88.021	
		Std. Deviation		9.38197	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		11.25	
		Skewness		.733	.393
		Kurtosis		.266	.768
	Tim	Mean		15.3864	1.24240
		95% Confidence Interval for Mean	Lower Bound	12.8808	
			Upper Bound	17.8919	
		5% Trimmed Mean		14.7727	
		Median		13.0000	
		Variance		67.917	
		Std. Deviation		8.24118	
		Minimum		3.00	
		Maximum		38.00	
		Range		35.00	
		Interquartile Range		5.75	
		Skewness		1.662	.357
		Kurtosis		2.496	.702
AvAttention	Abby	Mean		.4861	.04403
		95% Confidence Interval for Mean	Lower Bound	.3967	
			Upper Bound	.5755	
		5% Trimmed Mean		.4870	
		Median		.6000	
		Variance		.070	
		Std. Deviation		.26420	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.50	
		Skewness		-.363	.393
		Kurtosis		-1.297	.768
	Tim	Mean		.5591	.04065
		95% Confidence Interval for Mean	Lower Bound	.4771	
			Upper Bound	.6411	
		5% Trimmed Mean		.5606	
		Median		.6000	
		Variance		.073	
		Std. Deviation		.26964	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.40	
		Skewness		-.280	.357
		Kurtosis		-1.008	.702
AvMentWL	Abby	Mean		.5278	.04133
		95% Confidence Interval for Mean	Lower Bound	.4439	
			Upper Bound	.6117	
		5% Trimmed Mean		.5253	
		Median		.5000	

		Variance		.061	
		Std. Deviation		.24798	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.27	
		Skewness		.317	.393
		Kurtosis		-.326	.768
	Tim	Mean		.5727	.03698
		95% Confidence Interval for Mean	Lower Bound	.4982	
			Upper Bound	.6473	
		5% Trimmed Mean		.5727	
		Median		.6000	
		Variance		.060	
		Std. Deviation		.24529	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.48	
		Skewness		-.194	.357
		Kurtosis		-1.036	.702
AvFam	Abby	Mean		.4972	.04033
		95% Confidence Interval for Mean	Lower Bound	.4153	
			Upper Bound	.5791	
		5% Trimmed Mean		.4969	
		Median		.5000	
		Variance		.059	
		Std. Deviation		.24200	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.35	
		Skewness		.265	.393
		Kurtosis		-.639	.768
	Tim	Mean		.5295	.04094
		95% Confidence Interval for Mean	Lower Bound	.4470	
			Upper Bound	.6121	
		5% Trimmed Mean		.5328	
		Median		.5000	
		Variance		.074	
		Std. Deviation		.27158	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.58	
		Skewness		-.247	.357
		Kurtosis		-1.334	.702
AvSCL	Abby	Mean		499.0833	22.38411
		95% Confidence Interval for Mean	Lower Bound	453.6412	
			Upper Bound	544.5255	
		5% Trimmed Mean		498.2716	
		Median		486.5000	
		Variance		18037.736	

		Std. Deviation		134.30464	
		Minimum		292.00	
		Maximum		723.00	
		Range		431.00	
		Interquartile Range		174.00	
		Skewness		.017	.393
		Kurtosis		-.924	.768
	Tim	Mean		552.5000	22.88159
		95% Confidence Interval for Mean	Lower Bound	506.3549	
			Upper Bound	598.6451	
		5% Trimmed Mean		556.9192	
		Median		582.0000	
		Variance		23036.953	
		Std. Deviation		151.77929	
		Minimum		285.00	
		Maximum		753.00	
		Range		468.00	
		Interquartile Range		293.75	
		Skewness		-.423	.357
		Kurtosis		-1.286	.702
HRVar_RMSSD	Abby	Mean		30.2528	3.04150
		95% Confidence Interval for Mean	Lower Bound	24.0782	
			Upper Bound	36.4274	
		5% Trimmed Mean		29.6628	
		Median		23.1300	
		Variance		333.027	
		Std. Deviation		18.24902	
		Minimum		-.08	
		Maximum		64.96	
		Range		65.04	
		Interquartile Range		24.99	
		Skewness		.844	.393
		Kurtosis		-.386	.768
	Tim	Mean		34.5364	3.29582
		95% Confidence Interval for Mean	Lower Bound	27.8897	
			Upper Bound	41.1830	
		5% Trimmed Mean		33.9129	
		Median		20.4100	
		Variance		477.945	
		Std. Deviation		21.86196	
		Minimum		12.13	
		Maximum		71.27	
		Range		59.14	
		Interquartile Range		43.68	
		Skewness		.377	.357
		Kurtosis		-1.691	.702
HRVar_NN50	Abby	Mean		19.8814	2.96046
		95% Confidence Interval for Mean	Lower Bound	13.8713	
			Upper Bound	25.8914	
		5% Trimmed Mean		19.1402	
		Median		15.2100	
		Variance		315.515	
		Std. Deviation		17.76274	

			Minimum	.01	
			Maximum	52.77	
			Range	52.76	
			Interquartile Range	31.41	
			Skewness	.756	.393
			Kurtosis	-.863	.768
	Tim		Mean	25.9752	3.03935
		95% Confidence Interval for Mean	Lower Bound	19.8458	
			Upper Bound	32.1047	
			5% Trimmed Mean	25.8516	
			Median	34.8850	
			Variance	406.457	
			Std. Deviation	20.16077	
			Minimum	.01	
			Maximum	56.28	
			Range	56.27	
			Interquartile Range	38.80	
			Skewness	-.140	.357
			Kurtosis	-1.670	.702
NASA_MD	Abby		Mean	50.6944	1.83823
		95% Confidence Interval for Mean	Lower Bound	46.9626	
			Upper Bound	54.4262	
			5% Trimmed Mean	51.3272	
			Median	50.0000	
			Variance	121.647	
			Std. Deviation	11.02936	
			Minimum	25.00	
			Maximum	65.00	
			Range	40.00	
			Interquartile Range	23.75	
			Skewness	-.305	.393
			Kurtosis	-.102	.768
	Tim		Mean	50.0000	1.29031
		95% Confidence Interval for Mean	Lower Bound	47.3978	
			Upper Bound	52.6022	
			5% Trimmed Mean	49.7222	
			Median	50.0000	
			Variance	73.256	
			Std. Deviation	8.55896	
			Minimum	40.00	
			Maximum	65.00	
			Range	25.00	
			Interquartile Range	13.75	
			Skewness	.583	.357
			Kurtosis	-.587	.702
NASA_PD	Abby		Mean	19.3056	2.83230
		95% Confidence Interval for Mean	Lower Bound	13.5557	
			Upper Bound	25.0554	
			5% Trimmed Mean	18.3951	
			Median	10.0000	
			Variance	288.790	
			Std. Deviation	16.99381	
			Minimum	5.00	

					Statistic	Std. Error
			Maximum		50.00	
			Range		45.00	
			Interquartile Range		30.00	
			Skewness		.755	.393
			Kurtosis		-1.130	.768
	Tim	Mean			22.8409	2.62830
		95% Confidence Interval for Mean	Lower Bound		17.5404	
			Upper Bound		28.1414	
		5% Trimmed Mean			22.3232	
		Median			15.0000	
		Variance			303.951	
		Std. Deviation			17.43419	
		Minimum			5.00	
		Maximum			50.00	
		Range			45.00	
		Interquartile Range			35.00	
		Skewness			.470	.357
		Kurtosis			-1.534	.702
NASA_TD	Abby	Mean			25.9722	3.69373
		95% Confidence Interval for Mean	Lower Bound		18.4736	
			Upper Bound		33.4709	
		5% Trimmed Mean			24.1358	
		Median			20.0000	
		Variance			491.171	
		Std. Deviation			22.16237	
		Minimum			5.00	
		Maximum			80.00	
		Range			75.00	
		Interquartile Range			30.00	
		Skewness			1.280	.393
		Kurtosis			1.020	.768
	Tim	Mean			26.2500	1.99845
		95% Confidence Interval for Mean	Lower Bound		22.2197	
			Upper Bound		30.2803	
		5% Trimmed Mean			26.1111	
		Median			30.0000	
		Variance			175.727	
		Std. Deviation			13.25620	
		Minimum			5.00	
		Maximum			50.00	
		Range			45.00	
		Interquartile Range			15.00	
		Skewness			-.032	.357
		Kurtosis			-.779	.702
NASA_Performance	Abby	Mean			57.7778	4.19488
		95% Confidence Interval for Mean	Lower Bound		49.2617	
			Upper Bound		66.2938	
		5% Trimmed Mean			57.5309	
		Median			65.0000	
		Variance			633.492	
		Std. Deviation			25.16927	
		Minimum			15.00	
		Maximum			105.00	

		Range		90.00	
		Interquartile Range		35.00	
		Skewness		-.165	.393
		Kurtosis		-.562	.768
	Tim	Mean		47.0455	3.67955
		95% Confidence Interval for Mean	Lower Bound	39.6249	
			Upper Bound	54.4660	
		5% Trimmed Mean		47.2727	
		Median		45.0000	
		Variance		595.719	
		Std. Deviation		24.40735	
		Minimum		10.00	
		Maximum		80.00	
		Range		70.00	
		Interquartile Range		45.00	
		Skewness		-.059	.357
		Kurtosis		-1.432	.702
NASA_Effort	Abby	Mean		48.4722	2.40551
		95% Confidence Interval for Mean	Lower Bound	43.5888	
			Upper Bound	53.3557	
		5% Trimmed Mean		49.1358	
		Median		45.0000	
		Variance		208.313	
		Std. Deviation		14.43307	
		Minimum		15.00	
		Maximum		70.00	
		Range		55.00	
		Interquartile Range		23.75	
		Skewness		-.242	.393
		Kurtosis		-.038	.768
	Tim	Mean		47.0455	1.66037
		95% Confidence Interval for Mean	Lower Bound	43.6970	
			Upper Bound	50.3939	
		5% Trimmed Mean		46.4394	
		Median		45.0000	
		Variance		121.300	
		Std. Deviation		11.01364	
		Minimum		35.00	
		Maximum		70.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		.832	.357
		Kurtosis		-.063	.702
NASA_Frustration	Abby	Mean		29.0278	3.61774
		95% Confidence Interval for Mean	Lower Bound	21.6834	
			Upper Bound	36.3722	
		5% Trimmed Mean		28.4877	
		Median		27.5000	
		Variance		471.171	
		Std. Deviation		21.70647	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

				Statistic	Std. Error
		Interquartile Range		45.00	
		Skewness		.158	.393
		Kurtosis		-1.687	.768
	Tim	Mean		23.5227	2.83244
		95% Confidence Interval for Mean	Lower Bound	17.8106	
			Upper Bound	29.2349	
		5% Trimmed Mean		22.8283	
		Median		12.5000	
		Variance		352.999	
		Std. Deviation		18.78828	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		40.00	
		Skewness		.311	.357
		Kurtosis		-1.696	.702
NASA_Score	Abby	Mean		39.2973	2.37578
		95% Confidence Interval for Mean	Lower Bound	34.4742	
			Upper Bound	44.1204	
		5% Trimmed Mean		39.2294	
		Median		36.6700	
		Variance		203.197	
		Std. Deviation		14.25470	
		Minimum		14.00	
		Maximum		69.67	
		Range		55.67	
		Interquartile Range		17.41	
		Skewness		-.088	.393
		Kurtosis		-.683	.768
	Tim	Mean		37.1408	1.65636
		95% Confidence Interval for Mean	Lower Bound	33.8005	
			Upper Bound	40.4812	
		5% Trimmed Mean		37.0452	
		Median		35.0000	
		Variance		120.715	
		Std. Deviation		10.98705	
		Minimum		15.00	
		Maximum		58.67	
		Range		43.67	
		Interquartile Range		16.67	
		Skewness		.089	.357
		Kurtosis		-.759	.702

Descriptives - use case templates, GenderMag information processing facet, creation task

	InformationProcessing			Statistic	Std. Error
Precision	Abby	Mean		.7642	.04151
		95% Confidence Interval for Mean	Lower Bound	.6787	
			Upper Bound	.8497	
		5% Trimmed Mean		.7747	
		Median		.7800	
		Variance		.045	
		Std. Deviation		.21164	
		Minimum		.33	
		Maximum		1.00	
		Range		.67	
		Interquartile Range		.35	
		Skewness		-.462	.456
		Kurtosis		-.971	.887
	Tim	Mean		.7030	.03315
		95% Confidence Interval for Mean	Lower Bound	.6365	
			Upper Bound	.7694	
		5% Trimmed Mean		.7100	
		Median		.8300	
		Variance		.059	
		Std. Deviation		.24358	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.46	
		Skewness		-.781	.325
		Kurtosis		-.990	.639
Recall	Abby	Mean		.7500	.04443
		95% Confidence Interval for Mean	Lower Bound	.6585	
			Upper Bound	.8415	
		5% Trimmed Mean		.7591	
		Median		.7550	
		Variance		.051	
		Std. Deviation		.22654	
		Minimum		.32	
		Maximum		1.00	
		Range		.68	
		Interquartile Range		.43	
		Skewness		-.213	.456
		Kurtosis		-1.333	.887
	Tim	Mean		.7187	.03041
		95% Confidence Interval for Mean	Lower Bound	.6577	
			Upper Bound	.7797	
		5% Trimmed Mean		.7258	
		Median		.8000	
		Variance		.050	
		Std. Deviation		.22346	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.29	

		Skewness		-.517	.325
		Kurtosis		-.771	.639
FMeasure	Abby	Mean		.7536	.04191
		95% Confidence Interval for Mean	Lower Bound	.6673	
			Upper Bound	.8399	
		5% Trimmed Mean		.7630	
		Median		.7772	
		Variance		.046	
		Std. Deviation		.21370	
		Minimum		.32	
		Maximum		1.00	
		Range		.68	
		Interquartile Range		.38	
		Skewness		-.340	.456
		Kurtosis		-1.173	.887
	Tim	Mean		.7060	.03124
		95% Confidence Interval for Mean	Lower Bound	.6434	
			Upper Bound	.7687	
		5% Trimmed Mean		.7120	
		Median		.8195	
		Variance		.053	
		Std. Deviation		.22959	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.693	.325
		Kurtosis		-.955	.639
Duration	Abby	Mean		723.8077	25.60553
		95% Confidence Interval for Mean	Lower Bound	671.0721	
			Upper Bound	776.5433	
		5% Trimmed Mean		720.5470	
		Median		731.5000	
		Variance		17046.722	
		Std. Deviation		130.56309	
		Minimum		501.00	
		Maximum		1009.00	
		Range		508.00	
		Interquartile Range		175.00	
		Skewness		.193	.456
		Kurtosis		-.139	.887
	Tim	Mean		771.6296	21.32372
		95% Confidence Interval for Mean	Lower Bound	728.8597	
			Upper Bound	814.3996	
		5% Trimmed Mean		771.0802	
		Median		736.0000	
		Variance		24553.860	
		Std. Deviation		156.69671	
		Minimum		445.00	
		Maximum		1054.00	
		Range		609.00	
		Interquartile Range		203.00	
		Skewness		.409	.325

			Kurtosis	-.574	.639
FirstActDet	Abby	Mean		153.8077	10.10210
		95% Confidence Interval for Mean	Lower Bound	133.0020	
			Upper Bound	174.6134	
		5% Trimmed Mean		152.4829	
		Median		155.0000	
		Variance		2653.362	
		Std. Deviation		51.51079	
		Minimum		86.00	
		Maximum		245.00	
		Range		159.00	
		Interquartile Range		91.50	
		Skewness		.256	.456
		Kurtosis		-.947	.887
	Tim	Mean		180.2778	8.98187
		95% Confidence Interval for Mean	Lower Bound	162.2624	
			Upper Bound	198.2931	
		5% Trimmed Mean		178.3642	
		Median		161.0000	
		Variance		4356.393	
		Std. Deviation		66.00298	
		Minimum		92.00	
		Maximum		303.00	
		Range		211.00	
		Interquartile Range		96.00	
		Skewness		.217	.325
		Kurtosis		-1.081	.639
LastActDet	Abby	Mean		709.8077	26.45309
		95% Confidence Interval for Mean	Lower Bound	655.3265	
			Upper Bound	764.2889	
		5% Trimmed Mean		706.8846	
		Median		707.5000	
		Variance		18193.922	
		Std. Deviation		134.88485	
		Minimum		473.00	
		Maximum		1002.00	
		Range		529.00	
		Interquartile Range		183.50	
		Skewness		.203	.456
		Kurtosis		-.098	.887
	Tim	Mean		747.8333	21.78399
		95% Confidence Interval for Mean	Lower Bound	704.1402	
			Upper Bound	791.5265	
		5% Trimmed Mean		745.3704	
		Median		727.0000	
		Variance		25625.274	
		Std. Deviation		160.07896	
		Minimum		431.00	
		Maximum		1050.00	
		Range		619.00	
		Interquartile Range		202.50	
		Skewness		.544	.325
		Kurtosis		-.454	.639

ProcDur	Abby	Mean		14.0000	3.17199
		95% Confidence Interval for Mean	Lower Bound	7.4672	
			Upper Bound	20.5328	
		5% Trimmed Mean		12.8462	
		Median		6.5000	
		Variance		261.600	
		Std. Deviation		16.17405	
		Minimum		.00	
		Maximum		49.00	
		Range		49.00	
		Interquartile Range		14.50	
		Skewness		1.366	.456
		Kurtosis		.312	.887
	Tim	Mean		23.7963	2.23550
		95% Confidence Interval for Mean	Lower Bound	19.3124	
			Upper Bound	28.2801	
		5% Trimmed Mean		23.3704	
		Median		27.0000	
		Variance		269.863	
		Std. Deviation		16.42752	
		Minimum		1.00	
		Maximum		53.00	
		Range		52.00	
		Interquartile Range		27.00	
		Skewness		.291	.325
		Kurtosis		-1.316	.639
FixRel	Abby	Mean		7.7558	.62980
		95% Confidence Interval for Mean	Lower Bound	6.4587	
			Upper Bound	9.0529	
		5% Trimmed Mean		7.7974	
		Median		9.7250	
		Variance		10.313	
		Std. Deviation		3.21134	
		Minimum		3.51	
		Maximum		11.24	
		Range		7.73	
		Interquartile Range		6.39	
		Skewness		-.310	.456
		Kurtosis		-1.921	.887
	Tim	Mean		6.6581	.44833
		95% Confidence Interval for Mean	Lower Bound	5.7589	
			Upper Bound	7.5574	
		5% Trimmed Mean		6.6374	
		Median		4.8650	
		Variance		10.854	
		Std. Deviation		3.29452	
		Minimum		2.45	
		Maximum		11.24	
		Range		8.79	
		Interquartile Range		6.15	
		Skewness		.155	.325
		Kurtosis		-1.825	.639
FixIrrel	Abby	Mean		127.6550	28.90555

				Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound	68.1229	
			Upper Bound	187.1871	
		5% Trimmed Mean		119.2929	
		Median		72.6300	
		Variance		21723.797	
		Std. Deviation		147.38995	
		Minimum		2.71	
		Maximum		403.63	
		Range		400.92	
		Interquartile Range		309.93	
		Skewness		.889	.456
		Kurtosis		-.826	.887
	Tim	Mean		144.3750	23.54769
		95% Confidence Interval for Mean	Lower Bound	97.1443	
			Upper Bound	191.6057	
		5% Trimmed Mean		137.9106	
		Median		2.9300	
		Variance		29942.665	
		Std. Deviation		173.03949	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		339.61	
		Skewness		.622	.325
		Kurtosis		-1.421	.639
AvDurRelFix	Abby	Mean		94.2096	11.04132
		95% Confidence Interval for Mean	Lower Bound	71.4696	
			Upper Bound	116.9496	
		5% Trimmed Mean		93.8456	
		Median		97.3750	
		Variance		3169.677	
		Std. Deviation		56.29989	
		Minimum		6.28	
		Maximum		186.50	
		Range		180.22	
		Interquartile Range		95.81	
		Skewness		.096	.456
		Kurtosis		-1.174	.887
	Tim	Mean		136.1620	6.15298
		95% Confidence Interval for Mean	Lower Bound	123.8207	
			Upper Bound	148.5033	
		5% Trimmed Mean		137.6367	
		Median		141.5300	
		Variance		2044.394	
		Std. Deviation		45.21497	
		Minimum		57.28	
		Maximum		188.50	
		Range		131.22	
		Interquartile Range		83.88	
		Skewness		-.428	.325
		Kurtosis		-.960	.639
AvDurIrrelFix	Abby	Mean		238.6438	33.56561
		95% Confidence Interval for Mean	Lower Bound	169.5142	

			Upper Bound	307.7735	
		5% Trimmed Mean		234.7701	
		Median		260.4150	
		Variance		29292.898	
		Std. Deviation		171.15168	
		Minimum		5.37	
		Maximum		537.50	
		Range		532.13	
		Interquartile Range		279.56	
		Skewness		.296	.456
		Kurtosis		-1.046	.887
	Tim	Mean		364.2593	20.41683
		95% Confidence Interval for Mean	Lower Bound	323.3083	
			Upper Bound	405.2102	
		5% Trimmed Mean		368.8808	
		Median		354.5800	
		Variance		22509.730	
		Std. Deviation		150.03243	
		Minimum		101.83	
		Maximum		543.50	
		Range		441.67	
		Interquartile Range		266.17	
		Skewness		-.335	.325
		Kurtosis		-.897	.639
TotSac	Abby	Mean		84.9615	2.08177
		95% Confidence Interval for Mean	Lower Bound	80.6740	
			Upper Bound	89.2490	
		5% Trimmed Mean		85.2094	
		Median		87.0000	
		Variance		112.678	
		Std. Deviation		10.61501	
		Minimum		66.00	
		Maximum		99.00	
		Range		33.00	
		Interquartile Range		17.75	
		Skewness		-.265	.456
		Kurtosis		-1.138	.887
	Tim	Mean		87.5741	1.39746
		95% Confidence Interval for Mean	Lower Bound	84.7711	
			Upper Bound	90.3770	
		5% Trimmed Mean		87.8868	
		Median		87.0000	
		Variance		105.457	
		Std. Deviation		10.26921	
		Minimum		66.00	
		Maximum		101.00	
		Range		35.00	
		Interquartile Range		17.00	
		Skewness		-.229	.325
		Kurtosis		-.583	.639
Sac2Key	Abby	Mean		12.8462	1.40952
		95% Confidence Interval for Mean	Lower Bound	9.9432	
			Upper Bound	15.7491	

		5% Trimmed Mean		12.4402	
		Median		13.0000	
		Variance		51.655	
		Std. Deviation		7.18717	
		Minimum		1.00	
		Maximum		32.00	
		Range		31.00	
		Interquartile Range		8.50	
		Skewness		.868	.456
		Kurtosis		1.798	.887
	Tim	Mean		17.0741	1.24072
		95% Confidence Interval for Mean	Lower Bound	14.5855	
			Upper Bound	19.5626	
		5% Trimmed Mean		16.5247	
		Median		15.0000	
		Variance		83.126	
		Std. Deviation		9.11737	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		9.25	
		Skewness		1.161	.325
		Kurtosis		.593	.639
AvAttention	Abby	Mean		.7346	.03417
		95% Confidence Interval for Mean	Lower Bound	.6642	
			Upper Bound	.8050	
		5% Trimmed Mean		.7415	
		Median		.8000	
		Variance		.030	
		Std. Deviation		.17422	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.23	
		Skewness		-.679	.456
		Kurtosis		.020	.887
	Tim	Mean		.4259	.03367
		95% Confidence Interval for Mean	Lower Bound	.3584	
			Upper Bound	.4935	
		5% Trimmed Mean		.4233	
		Median		.4000	
		Variance		.061	
		Std. Deviation		.24739	
		Minimum		.10	
		Maximum		.80	
		Range		.70	
		Interquartile Range		.60	
		Skewness		-.038	.325
		Kurtosis		-1.377	.639
AvMentWL	Abby	Mean		.6500	.04048
		95% Confidence Interval for Mean	Lower Bound	.5666	
			Upper Bound	.7334	
		5% Trimmed Mean		.6598	

			Median	.6500	
			Variance	.043	
			Std. Deviation	.20640	
			Minimum	.20	
			Maximum	.90	
			Range	.70	
			Interquartile Range	.30	
			Skewness	-.414	.456
			Kurtosis	-.875	.887
	Tim		Mean	.5056	.03420
			95% Confidence Interval for Mean	Lower Bound	.4370	
				Upper Bound	.5742	
			5% Trimmed Mean	.5006	
			Median	.5000	
			Variance	.063	
			Std. Deviation	.25135	
			Minimum	.10	
			Maximum	1.00	
			Range	.90	
			Interquartile Range	.40	
			Skewness	.327	.325
			Kurtosis	-.538	.639
AvFam	Abby		Mean	.6077	.04865
			95% Confidence Interval for Mean	Lower Bound	.5075	
				Upper Bound	.7079	
			5% Trimmed Mean	.6184	
			Median	.6000	
			Variance	.062	
			Std. Deviation	.24807	
			Minimum	.10	
			Maximum	.90	
			Range	.80	
			Interquartile Range	.40	
			Skewness	-.351	.456
			Kurtosis	-1.163	.887
	Tim		Mean	.4704	.03433
			95% Confidence Interval for Mean	Lower Bound	.4015	
				Upper Bound	.5392	
			5% Trimmed Mean	.4671	
			Median	.5000	
			Variance	.064	
			Std. Deviation	.25226	
			Minimum	.10	
			Maximum	.90	
			Range	.80	
			Interquartile Range	.50	
			Skewness	.099	.325
			Kurtosis	-1.038	.639
AvSCL	Abby		Mean	563.5000	24.55570
			95% Confidence Interval for Mean	Lower Bound	512.9266	
				Upper Bound	614.0734	
			5% Trimmed Mean	569.0598	
			Median	587.5000	

			Variance	15677.540	
			Std. Deviation	125.20998	
			Minimum	285.00	
			Maximum	753.00	
			Range	468.00	
			Interquartile Range	205.75	
			Skewness	-.656	.456
			Kurtosis	-.273	.887
		Tim	Mean	511.5926	20.80811
			95% Confidence Interval for Mean	Lower Bound	469.8568	
				Upper Bound	553.3284	
			5% Trimmed Mean	512.0473	
			Median	558.0000	
			Variance	23380.774	
			Std. Deviation	152.90773	
			Minimum	292.00	
			Maximum	723.00	
			Range	431.00	
			Interquartile Range	228.75	
			Skewness	.036	.325
			Kurtosis	-1.393	.639
HRVar_RMSSD	Abby	Mean	43.2508	4.21097
		95% Confidence Interval for Mean	Lower Bound	34.5781	
			Upper Bound	51.9234	
		5% Trimmed Mean	44.0268	
		Median	52.9250	
		Variance	461.040	
		Std. Deviation	21.47183	
		Minimum	-.08	
		Maximum	71.27	
		Range	71.35	
		Interquartile Range	42.15	
		Skewness	-.640	.456
		Kurtosis	-1.158	.887
	Tim	Mean	27.4848	2.41433
		95% Confidence Interval for Mean	Lower Bound	22.6423	
			Upper Bound	32.3274	
		5% Trimmed Mean	26.1442	
		Median	20.2400	
		Variance	314.766	
		Std. Deviation	17.74164	
		Minimum	13.97	
		Maximum	65.13	
		Range	51.16	
		Interquartile Range	19.51	
		Skewness	1.327	.325
		Kurtosis	.406	.639
HRVar_NN50	Abby	Mean	29.0985	3.66666
		95% Confidence Interval for Mean	Lower Bound	21.5468	
			Upper Bound	36.6501	
		5% Trimmed Mean	29.2704	
		Median	36.0150	
		Variance	349.554	

		Std. Deviation		18.69637	
		Minimum		.23	
		Maximum		56.28	
		Range		56.05	
		Interquartile Range		37.76	
		Skewness		-.389	.456
		Kurtosis		-1.466	.887
	Tim	Mean		20.4089	2.58955
		95% Confidence Interval for Mean	Lower Bound	15.2149	
			Upper Bound	25.6029	
		5% Trimmed Mean		19.7338	
		Median		18.1300	
		Variance		362.111	
		Std. Deviation		19.02922	
		Minimum		.01	
		Maximum		52.77	
		Range		52.76	
		Interquartile Range		36.09	
		Skewness		.536	.325
		Kurtosis		-1.256	.639
NASA_MD	Abby	Mean		54.4231	2.29258
		95% Confidence Interval for Mean	Lower Bound	49.7014	
			Upper Bound	59.1447	
		5% Trimmed Mean		55.4701	
		Median		55.0000	
		Variance		136.654	
		Std. Deviation		11.68990	
		Minimum		25.00	
		Maximum		65.00	
		Range		40.00	
		Interquartile Range		16.25	
		Skewness		-1.131	.456
		Kurtosis		1.153	.887
	Tim	Mean		48.3333	1.08190
		95% Confidence Interval for Mean	Lower Bound	46.1633	
			Upper Bound	50.5034	
		5% Trimmed Mean		47.8704	
		Median		50.0000	
		Variance		63.208	
		Std. Deviation		7.95032	
		Minimum		40.00	
		Maximum		65.00	
		Range		25.00	
		Interquartile Range		10.00	
		Skewness		.838	.325
		Kurtosis		.165	.639
NASA_PD	Abby	Mean		11.3462	1.72220
		95% Confidence Interval for Mean	Lower Bound	7.7992	
			Upper Bound	14.8931	
		5% Trimmed Mean		10.3846	
		Median		10.0000	
		Variance		77.115	
		Std. Deviation		8.78154	

		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		6.25	
		Skewness		1.953	.456
		Kurtosis		3.138	.887
	Tim	Mean		26.0185	2.48820
		95% Confidence Interval for Mean	Lower Bound	21.0278	
			Upper Bound	31.0092	
		5% Trimmed Mean		25.8539	
		Median		30.0000	
		Variance		334.320	
		Std. Deviation		18.28443	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		40.00	
		Skewness		.066	.325
		Kurtosis		-1.769	.639
NASA_TD	Abby	Mean		29.8077	4.63665
		95% Confidence Interval for Mean	Lower Bound	20.2583	
			Upper Bound	39.3571	
		5% Trimmed Mean		28.3974	
		Median		20.0000	
		Variance		558.962	
		Std. Deviation		23.64237	
		Minimum		5.00	
		Maximum		80.00	
		Range		75.00	
		Interquartile Range		23.75	
		Skewness		1.086	.456
		Kurtosis		.371	.887
	Tim	Mean		24.3519	1.89268
		95% Confidence Interval for Mean	Lower Bound	20.5556	
			Upper Bound	28.1481	
		5% Trimmed Mean		24.0021	
		Median		20.0000	
		Variance		193.440	
		Std. Deviation		13.90827	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		21.25	
		Skewness		.150	.325
		Kurtosis		-.984	.639
NASA_Performance	Abby	Mean		48.4615	4.26767
		95% Confidence Interval for Mean	Lower Bound	39.6721	
			Upper Bound	57.2510	
		5% Trimmed Mean		47.7137	
		Median		42.5000	
		Variance		473.538	
		Std. Deviation		21.76094	
		Minimum		15.00	

				Statistic	Std. Error
		Maximum		100.00	
		Range		85.00	
		Interquartile Range		35.00	
		Skewness		.567	.456
		Kurtosis		-.328	.887
	Tim	Mean		53.5185	3.63333
		95% Confidence Interval for Mean	Lower Bound	46.2310	
			Upper Bound	60.8061	
		5% Trimmed Mean		53.4362	
		Median		70.0000	
		Variance		712.858	
		Std. Deviation		26.69940	
		Minimum		10.00	
		Maximum		105.00	
		Range		95.00	
		Interquartile Range		36.25	
		Skewness		-.306	.325
		Kurtosis		-1.032	.639
NASA_Effort	Abby	Mean		51.3462	2.86300
		95% Confidence Interval for Mean	Lower Bound	45.4497	
			Upper Bound	57.2426	
		5% Trimmed Mean		52.3291	
		Median		52.5000	
		Variance		213.115	
		Std. Deviation		14.59847	
		Minimum		15.00	
		Maximum		70.00	
		Range		55.00	
		Interquartile Range		16.25	
		Skewness		-.999	.456
		Kurtosis		1.187	.887
	Tim	Mean		45.9259	1.53046
		95% Confidence Interval for Mean	Lower Bound	42.8562	
			Upper Bound	48.9956	
		5% Trimmed Mean		45.1955	
		Median		45.0000	
		Variance		126.485	
		Std. Deviation		11.24655	
		Minimum		35.00	
		Maximum		70.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		1.051	.325
		Kurtosis		.341	.639
NASA_Frustration	Abby	Mean		28.0769	4.01992
		95% Confidence Interval for Mean	Lower Bound	19.7977	
			Upper Bound	36.3561	
		5% Trimmed Mean		27.3718	
		Median		25.0000	
		Variance		420.154	
		Std. Deviation		20.49765	
		Minimum		5.00	
		Maximum		65.00	

		Range		60.00	
		Interquartile Range		40.00	
		Skewness		.575	.456
		Kurtosis		-1.200	.887
	Tim	Mean		25.0000	2.74721
		95% Confidence Interval for Mean	Lower Bound	19.4898	
			Upper Bound	30.5102	
		5% Trimmed Mean		24.4444	
		Median		12.5000	
		Variance		407.547	
		Std. Deviation		20.18780	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		40.00	
		Skewness		.143	.325
		Kurtosis		-1.899	.639
NASA_Score	Abby	Mean		39.7632	2.46818
		95% Confidence Interval for Mean	Lower Bound	34.6799	
			Upper Bound	44.8465	
		5% Trimmed Mean		39.2480	
		Median		35.0000	
		Variance		158.389	
		Std. Deviation		12.58528	
		Minimum		20.67	
		Maximum		69.67	
		Range		49.00	
		Interquartile Range		22.79	
		Skewness		.811	.456
		Kurtosis		-.361	.887
	Tim	Mean		37.3159	1.70602
		95% Confidence Interval for Mean	Lower Bound	33.8940	
			Upper Bound	40.7377	
		5% Trimmed Mean		37.3625	
		Median		36.6700	
		Variance		157.167	
		Std. Deviation		12.53664	
		Minimum		14.00	
		Maximum		60.00	
		Range		46.00	
		Interquartile Range		22.08	
		Skewness		-.303	.325
		Kurtosis		-.961	.639

Descriptives - use case templates, GenderMag self-efficacy facet, creation task

	SelfEfficacy			Statistic	Std. Error
Precision	Abby	Mean		.7125	.04444
		95% Confidence Interval for Mean	Lower Bound	.6219	
			Upper Bound	.8031	
		5% Trimmed Mean		.7206	
		Median		.8350	
		Variance		.063	
		Std. Deviation		.25141	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.46	
		Skewness		-.578	.414
		Kurtosis		-1.192	.809
	Tim	Mean		.7298	.03238
		95% Confidence Interval for Mean	Lower Bound	.6647	
			Upper Bound	.7949	
		5% Trimmed Mean		.7395	
		Median		.8150	
		Variance		.050	
		Std. Deviation		.22432	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.29	
		Skewness		-.877	.343
		Kurtosis		-.423	.674
Recall	Abby	Mean		.7219	.04100
		95% Confidence Interval for Mean	Lower Bound	.6382	
			Upper Bound	.8055	
		5% Trimmed Mean		.7293	
		Median		.7650	
		Variance		.054	
		Std. Deviation		.23195	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.44	
		Skewness		-.342	.414
		Kurtosis		-1.071	.809
	Tim	Mean		.7335	.03176
		95% Confidence Interval for Mean	Lower Bound	.6696	
			Upper Bound	.7974	
		5% Trimmed Mean		.7423	
		Median		.8000	
		Variance		.048	
		Std. Deviation		.22006	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.30	
		Skewness		-.466	.343

		Kurtosis		-.757	.674
FMeasure	Abby	Mean		.7128	.04238
		95% Confidence Interval for Mean	Lower Bound	.6264	
			Upper Bound	.7992	
		5% Trimmed Mean		.7192	
		Median		.7916	
		Variance		.057	
		Std. Deviation		.23976	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.44	
		Skewness		-.438	.414
		Kurtosis		-1.228	.809
	Tim	Mean		.7273	.03115
		95% Confidence Interval for Mean	Lower Bound	.6646	
			Upper Bound	.7899	
		5% Trimmed Mean		.7353	
		Median		.8353	
		Variance		.047	
		Std. Deviation		.21582	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.28	
		Skewness		-.751	.343
		Kurtosis		-.576	.674
Duration	Abby	Mean		793.6250	26.33292
		95% Confidence Interval for Mean	Lower Bound	739.9186	
			Upper Bound	847.3314	
		5% Trimmed Mean		793.4792	
		Median		836.5000	
		Variance		22189.532	
		Std. Deviation		148.96151	
		Minimum		531.00	
		Maximum		1054.00	
		Range		523.00	
		Interquartile Range		198.50	
		Skewness		.163	.414
		Kurtosis		-.580	.809
	Tim	Mean		731.0625	21.10251
		95% Confidence Interval for Mean	Lower Bound	688.6097	
			Upper Bound	773.5153	
		5% Trimmed Mean		727.0231	
		Median		706.0000	
		Variance		21375.166	
		Std. Deviation		146.20248	
		Minimum		445.00	
		Maximum		1054.00	
		Range		609.00	
		Interquartile Range		205.00	
		Skewness		.641	.343
		Kurtosis		.175	.674

FirstActDet	Abby	Mean		155.0000	11.33418
		95% Confidence Interval for Mean	Lower Bound	131.8838	
			Upper Bound	178.1162	
		5% Trimmed Mean		150.5694	
		Median		155.0000	
		Variance		4110.839	
		Std. Deviation		64.11582	
		Minimum		86.00	
		Maximum		303.00	
		Range		217.00	
		Interquartile Range		89.25	
		Skewness		.839	.414
		Kurtosis		-.051	.809
	Tim	Mean		182.7917	8.61031
		95% Confidence Interval for Mean	Lower Bound	165.4700	
			Upper Bound	200.1134	
		5% Trimmed Mean		181.5833	
		Median		171.0000	
		Variance		3558.594	
		Std. Deviation		59.65395	
		Minimum		92.00	
		Maximum		303.00	
		Range		211.00	
		Interquartile Range		95.00	
		Skewness		.077	.343
		Kurtosis		-.997	.674
LastActDet	Abby	Mean		776.1250	27.01485
		95% Confidence Interval for Mean	Lower Bound	721.0279	
			Upper Bound	831.2221	
		5% Trimmed Mean		775.3472	
		Median		804.0000	
		Variance		23353.661	
		Std. Deviation		152.81905	
		Minimum		508.00	
		Maximum		1050.00	
		Range		542.00	
		Interquartile Range		218.00	
		Skewness		.221	.414
		Kurtosis		-.570	.809
	Tim	Mean		708.3750	21.32856
		95% Confidence Interval for Mean	Lower Bound	665.4675	
			Upper Bound	751.2825	
		5% Trimmed Mean		703.3333	
		Median		690.0000	
		Variance		21835.559	
		Std. Deviation		147.76860	
		Minimum		431.00	
		Maximum		1050.00	
		Range		619.00	
		Interquartile Range		192.00	
		Skewness		.766	.343
		Kurtosis		.445	.674
ProcDur	Abby	Mean		17.5000	2.95770

		95% Confidence Interval for Mean	Lower Bound	11.4677	
			Upper Bound	23.5323	
		5% Trimmed Mean		16.5208	
		Median		10.5000	
		Variance		279.935	
		Std. Deviation		16.73127	
		Minimum		.00	
		Maximum		53.00	
		Range		53.00	
		Interquartile Range		26.00	
		Skewness		.910	.414
		Kurtosis		-.553	.809
	Tim	Mean		22.6875	2.43099
		95% Confidence Interval for Mean	Lower Bound	17.7970	
			Upper Bound	27.5780	
		5% Trimmed Mean		22.1667	
		Median		13.5000	
		Variance		283.666	
		Std. Deviation		16.84239	
		Minimum		1.00	
		Maximum		53.00	
		Range		52.00	
		Interquartile Range		27.00	
		Skewness		.348	.343
		Kurtosis		-1.431	.674
FixRel	Abby	Mean		7.1378	.58579
		95% Confidence Interval for Mean	Lower Bound	5.9431	
			Upper Bound	8.3325	
		5% Trimmed Mean		7.1703	
		Median		9.2900	
		Variance		10.981	
		Std. Deviation		3.31373	
		Minimum		2.45	
		Maximum		11.24	
		Range		8.79	
		Interquartile Range		6.19	
		Skewness		-.128	.414
		Kurtosis		-1.913	.809
	Tim	Mean		6.9329	.47686
		95% Confidence Interval for Mean	Lower Bound	5.9736	
			Upper Bound	7.8922	
		5% Trimmed Mean		6.9251	
		Median		5.0500	
		Variance		10.915	
		Std. Deviation		3.30378	
		Minimum		2.45	
		Maximum		11.24	
		Range		8.79	
		Interquartile Range		6.03	
		Skewness		.090	.343
		Kurtosis		-1.869	.674
FixIrrel	Abby	Mean		150.1847	30.14397
		95% Confidence Interval for Mean	Lower Bound	88.7056	

			Upper Bound	211.6637	
		5% Trimmed Mean		144.3658	
		Median		82.1300	
		Variance		29077.092	
		Std. Deviation		170.52006	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		369.98	
		Skewness		.604	.414
		Kurtosis		-1.421	.809
	Tim	Mean		131.4452	23.31968
		95% Confidence Interval for Mean	Lower Bound	84.5321	
			Upper Bound	178.3584	
		5% Trimmed Mean		123.5422	
		Median		13.0250	
		Variance		26102.768	
		Std. Deviation		161.56351	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		318.72	
		Skewness		.777	.343
		Kurtosis		-1.136	.674
AvDurRelFix	Abby	Mean		113.1488	9.37440
		95% Confidence Interval for Mean	Lower Bound	94.0295	
			Upper Bound	132.2680	
		5% Trimmed Mean		114.4785	
		Median		112.6550	
		Variance		2812.139	
		Std. Deviation		53.02961	
		Minimum		6.28	
		Maximum		188.50	
		Range		182.22	
		Interquartile Range		83.75	
		Skewness		-.193	.414
		Kurtosis		-.964	.809
	Tim	Mean		128.7800	7.49158
		95% Confidence Interval for Mean	Lower Bound	113.7089	
			Upper Bound	143.8511	
		5% Trimmed Mean		131.5062	
		Median		141.5300	
		Variance		2693.944	
		Std. Deviation		51.90321	
		Minimum		16.53	
		Maximum		188.50	
		Range		171.97	
		Interquartile Range		91.38	
		Skewness		-.547	.343
		Kurtosis		-.712	.674
AvDurIrrelFix	Abby	Mean		293.7078	28.98678
		95% Confidence Interval for Mean	Lower Bound	234.5889	
			Upper Bound	352.8267	

				Statistic	Std. Error
		5% Trimmed Mean		294.7632	
		Median		286.2500	
		Variance		26887.470	
		Std. Deviation		163.97399	
		Minimum		5.37	
		Maximum		543.50	
		Range		538.13	
		Interquartile Range		251.25	
		Skewness		.013	.414
		Kurtosis		-.973	.809
	Tim	Mean		343.2519	24.20384
		95% Confidence Interval for Mean	Lower Bound	294.5600	
			Upper Bound	391.9437	
		5% Trimmed Mean		349.6250	
		Median		354.5800	
		Variance		28119.649	
		Std. Deviation		167.68914	
		Minimum		25.58	
		Maximum		543.50	
		Range		517.92	
		Interquartile Range		279.17	
		Skewness		-.383	.343
		Kurtosis		-.935	.674
TotSac	Abby	Mean		86.9063	2.08652
		95% Confidence Interval for Mean	Lower Bound	82.6508	
			Upper Bound	91.1617	
		5% Trimmed Mean		87.2431	
		Median		85.5000	
		Variance		139.314	
		Std. Deviation		11.80311	
		Minimum		66.00	
		Maximum		101.00	
		Range		35.00	
		Interquartile Range		19.25	
		Skewness		-.243	.414
		Kurtosis		-1.217	.809
	Tim	Mean		86.6042	1.36533
		95% Confidence Interval for Mean	Lower Bound	83.8575	
			Upper Bound	89.3509	
		5% Trimmed Mean		86.8194	
		Median		87.0000	
		Variance		89.478	
		Std. Deviation		9.45930	
		Minimum		66.00	
		Maximum		101.00	
		Range		35.00	
		Interquartile Range		10.00	
		Skewness		-.261	.343
		Kurtosis		-.248	.674
Sac2Key	Abby	Mean		16.2500	1.81059
		95% Confidence Interval for Mean	Lower Bound	12.5573	
			Upper Bound	19.9427	
		5% Trimmed Mean		15.8472	

		Median		13.5000	
		Variance		104.903	
		Std. Deviation		10.24223	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		10.00	
		Skewness		1.011	.414
		Kurtosis		.184	.809
	Tim	Mean		15.3333	1.10260
		95% Confidence Interval for Mean	Lower Bound	13.1152	
			Upper Bound	17.5515	
		5% Trimmed Mean		14.8426	
		Median		14.0000	
		Variance		58.355	
		Std. Deviation		7.63902	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		7.00	
		Skewness		1.249	.343
		Kurtosis		2.184	.674
AvAttention	Abby	Mean		.5781	.04682
		95% Confidence Interval for Mean	Lower Bound	.4826	
			Upper Bound	.6736	
		5% Trimmed Mean		.5812	
		Median		.6000	
		Variance		.070	
		Std. Deviation		.26486	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.40	
		Skewness		-.404	.414
		Kurtosis		-.715	.809
	Tim	Mean		.4917	.03857
		95% Confidence Interval for Mean	Lower Bound	.4141	
			Upper Bound	.5693	
		5% Trimmed Mean		.4917	
		Median		.5000	
		Variance		.071	
		Std. Deviation		.26724	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.48	
		Skewness		-.242	.343
		Kurtosis		-1.296	.674
AvMentWL	Abby	Mean		.6031	.04590
		95% Confidence Interval for Mean	Lower Bound	.5095	
			Upper Bound	.6967	
		5% Trimmed Mean		.6069	
		Median		.6000	

		Variance		.067	
		Std. Deviation		.25963	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.45	
		Skewness		-.284	.414
		Kurtosis		-.917	.809
	Tim	Mean		.5188	.03364
		95% Confidence Interval for Mean	Lower Bound	.4511	
			Upper Bound	.5864	
		5% Trimmed Mean		.5153	
		Median		.5000	
		Variance		.054	
		Std. Deviation		.23307	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.30	
		Skewness		.216	.343
		Kurtosis		-.486	.674
AvFam	Abby	Mean		.5531	.04918
		95% Confidence Interval for Mean	Lower Bound	.4528	
			Upper Bound	.6534	
		5% Trimmed Mean		.5590	
		Median		.5500	
		Variance		.077	
		Std. Deviation		.27823	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.55	
		Skewness		-.304	.414
		Kurtosis		-1.319	.809
	Tim	Mean		.4896	.03501
		95% Confidence Interval for Mean	Lower Bound	.4192	
			Upper Bound	.5600	
		5% Trimmed Mean		.4884	
		Median		.5000	
		Variance		.059	
		Std. Deviation		.24254	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.40	
		Skewness		.117	.343
		Kurtosis		-.844	.674
AvSCL	Abby	Mean		541.4688	27.42832
		95% Confidence Interval for Mean	Lower Bound	485.5283	
			Upper Bound	597.4092	
		5% Trimmed Mean		545.2431	
		Median		558.0000	
		Variance		24073.999	

		Std. Deviation		155.15798	
		Minimum		292.00	
		Maximum		723.00	
		Range		431.00	
		Interquartile Range		284.00	
		Skewness		-.447	.414
		Kurtosis		-1.186	.809
	Tim	Mean		519.7917	20.22798
		95% Confidence Interval for Mean	Lower Bound	479.0982	
			Upper Bound	560.4851	
		5% Trimmed Mean		520.6250	
		Median		558.0000	
		Variance		19640.211	
		Std. Deviation		140.14354	
		Minimum		285.00	
		Maximum		753.00	
		Range		468.00	
		Interquartile Range		257.50	
		Skewness		-.004	.343
		Kurtosis		-1.224	.674
HRVar_RMSSD	Abby	Mean		33.5672	3.81473
		95% Confidence Interval for Mean	Lower Bound	25.7870	
			Upper Bound	41.3474	
		5% Trimmed Mean		33.4286	
		Median		20.4100	
		Variance		465.670	
		Std. Deviation		21.57940	
		Minimum		-.08	
		Maximum		65.13	
		Range		65.21	
		Interquartile Range		39.64	
		Skewness		.394	.414
		Kurtosis		-1.531	.809
	Tim	Mean		31.9698	2.83141
		95% Confidence Interval for Mean	Lower Bound	26.2737	
			Upper Bound	37.6659	
		5% Trimmed Mean		30.9870	
		Median		23.1300	
		Variance		384.811	
		Std. Deviation		19.61661	
		Minimum		13.97	
		Maximum		71.27	
		Range		57.30	
		Interquartile Range		36.87	
		Skewness		.722	.343
		Kurtosis		-1.045	.674
HRVar_NN50	Abby	Mean		20.2166	3.44681
		95% Confidence Interval for Mean	Lower Bound	13.1867	
			Upper Bound	27.2464	
		5% Trimmed Mean		19.5450	
		Median		7.6900	
		Variance		380.176	
		Std. Deviation		19.49811	

		Minimum		.23	
		Maximum		52.10	
		Range		51.87	
		Interquartile Range		38.12	
		Skewness		.481	.414
		Kurtosis		-1.482	.809
	Tim	Mean		25.2440	2.74388
		95% Confidence Interval for Mean	Lower Bound	19.7240	
			Upper Bound	30.7639	
		5% Trimmed Mean		25.0286	
		Median		19.2650	
		Variance		361.387	
		Std. Deviation		19.01019	
		Minimum		.01	
		Maximum		56.28	
		Range		56.27	
		Interquartile Range		31.82	
		Skewness		.085	.343
		Kurtosis		-1.530	.674
NASA_MD	Abby	Mean		51.0938	1.64572
		95% Confidence Interval for Mean	Lower Bound	47.7373	
			Upper Bound	54.4502	
		5% Trimmed Mean		50.9375	
		Median		50.0000	
		Variance		86.668	
		Std. Deviation		9.30958	
		Minimum		40.00	
		Maximum		65.00	
		Range		25.00	
		Interquartile Range		21.25	
		Skewness		.427	.414
		Kurtosis		-1.099	.809
	Tim	Mean		49.7917	1.44306
		95% Confidence Interval for Mean	Lower Bound	46.8886	
			Upper Bound	52.6947	
		5% Trimmed Mean		50.1852	
		Median		50.0000	
		Variance		99.956	
		Std. Deviation		9.99778	
		Minimum		25.00	
		Maximum		65.00	
		Range		40.00	
		Interquartile Range		13.75	
		Skewness		-.124	.343
		Kurtosis		.172	.674
NASA_PD	Abby	Mean		23.5938	3.07201
		95% Confidence Interval for Mean	Lower Bound	17.3284	
			Upper Bound	29.8591	
		5% Trimmed Mean		23.1597	
		Median		15.0000	
		Variance		301.991	
		Std. Deviation		17.37789	
		Minimum		5.00	

				Statistic	Std. Error
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		36.25	
		Skewness		.336	.414
		Kurtosis		-1.581	.809
	Tim	Mean		19.6875	2.47060
		95% Confidence Interval for Mean	Lower Bound	14.7173	
			Upper Bound	24.6577	
		5% Trimmed Mean		18.8194	
		Median		10.0000	
		Variance		292.985	
		Std. Deviation		17.11682	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		30.00	
		Skewness		.776	.343
		Kurtosis		-1.146	.674
NASA_TD	Abby	Mean		29.5313	3.10566
		95% Confidence Interval for Mean	Lower Bound	23.1972	
			Upper Bound	35.8653	
		5% Trimmed Mean		28.4028	
		Median		30.0000	
		Variance		308.644	
		Std. Deviation		17.56827	
		Minimum		5.00	
		Maximum		80.00	
		Range		75.00	
		Interquartile Range		18.75	
		Skewness		.806	.414
		Kurtosis		.996	.809
	Tim	Mean		23.8542	2.54063
		95% Confidence Interval for Mean	Lower Bound	18.7431	
			Upper Bound	28.9652	
		5% Trimmed Mean		22.0602	
		Median		20.0000	
		Variance		309.829	
		Std. Deviation		17.60197	
		Minimum		5.00	
		Maximum		80.00	
		Range		75.00	
		Interquartile Range		28.75	
		Skewness		1.328	.343
		Kurtosis		2.519	.674
NASA_Performance	Abby	Mean		52.8125	4.35877
		95% Confidence Interval for Mean	Lower Bound	43.9227	
			Upper Bound	61.7023	
		5% Trimmed Mean		52.9861	
		Median		45.0000	
		Variance		607.964	
		Std. Deviation		24.65692	
		Minimum		10.00	
		Maximum		100.00	

		Range		90.00	
		Interquartile Range		38.75	
		Skewness		-.186	.414
		Kurtosis		-.993	.809
	Tim	Mean		51.2500	3.71735
		95% Confidence Interval for Mean	Lower Bound	43.7717	
			Upper Bound	58.7283	
		5% Trimmed Mean		50.6250	
		Median		45.0000	
		Variance		663.298	
		Std. Deviation		25.75457	
		Minimum		10.00	
		Maximum		105.00	
		Range		95.00	
		Interquartile Range		45.00	
		Skewness		-.016	.343
		Kurtosis		-.951	.674
NASA_Effort	Abby	Mean		48.5938	2.17938
		95% Confidence Interval for Mean	Lower Bound	44.1489	
			Upper Bound	53.0386	
		5% Trimmed Mean		48.1597	
		Median		45.0000	
		Variance		151.991	
		Std. Deviation		12.32846	
		Minimum		35.00	
		Maximum		70.00	
		Range		35.00	
		Interquartile Range		23.75	
		Skewness		.635	.414
		Kurtosis		-.906	.809
	Tim	Mean		47.0833	1.85843
		95% Confidence Interval for Mean	Lower Bound	43.3447	
			Upper Bound	50.8220	
		5% Trimmed Mean		47.4074	
		Median		45.0000	
		Variance		165.780	
		Std. Deviation		12.87556	
		Minimum		15.00	
		Maximum		70.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		-.048	.343
		Kurtosis		.431	.674
NASA_Frustration	Abby	Mean		27.1875	3.75630
		95% Confidence Interval for Mean	Lower Bound	19.5265	
			Upper Bound	34.8485	
		5% Trimmed Mean		26.4236	
		Median		20.0000	
		Variance		451.512	
		Std. Deviation		21.24881	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

		Interquartile Range		40.00	
		Skewness		.249	.414
		Kurtosis		-1.643	.809
	Tim	Mean		25.2083	2.84015
		95% Confidence Interval for Mean	Lower Bound	19.4947	
			Upper Bound	30.9220	
		5% Trimmed Mean		24.4444	
		Median		20.0000	
		Variance		387.190	
		Std. Deviation		19.67714	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		40.00	
		Skewness		.289	.343
		Kurtosis		-1.607	.674
NASA_Score	Abby	Mean		41.0896	2.11839
		95% Confidence Interval for Mean	Lower Bound	36.7691	
			Upper Bound	45.4101	
		5% Trimmed Mean		40.8099	
		Median		36.6700	
		Variance		143.603	
		Std. Deviation		11.98344	
		Minimum		20.67	
		Maximum		69.67	
		Range		49.00	
		Interquartile Range		13.96	
		Skewness		.406	.414
		Kurtosis		-.402	.809
	Tim	Mean		36.1257	1.81965
		95% Confidence Interval for Mean	Lower Bound	32.4650	
			Upper Bound	39.7864	
		5% Trimmed Mean		36.1042	
		Median		35.0000	
		Variance		158.935	
		Std. Deviation		12.60693	
		Minimum		14.00	
		Maximum		60.00	
		Range		46.00	
		Interquartile Range		21.96	
		Skewness		-.105	.343
		Kurtosis		-1.038	.674

Descriptives - use case templates, GenderMag risk facet, creation task

	Risk			Statistic	Std. Error
Precision	Abby	Mean		.8341	.01822
		95% Confidence Interval for Mean	Lower Bound	.7970	
			Upper Bound	.8712	
		5% Trimmed Mean		.8355	
		Median		.8400	
		Variance		.011	
		Std. Deviation		.10626	
		Minimum		.61	
		Maximum		1.00	
		Range		.39	
		Interquartile Range		.18	
		Skewness		-.289	.403
		Kurtosis		-.825	.788
	Tim	Mean		.6407	.03948
		95% Confidence Interval for Mean	Lower Bound	.5611	
			Upper Bound	.7202	
		5% Trimmed Mean		.6407	
		Median		.6100	
		Variance		.072	
		Std. Deviation		.26774	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.58	
		Skewness		-.078	.350
		Kurtosis		-1.642	.688
Recall	Abby	Mean		.7626	.02366
		95% Confidence Interval for Mean	Lower Bound	.7145	
			Upper Bound	.8108	
		5% Trimmed Mean		.7615	
		Median		.8000	
		Variance		.019	
		Std. Deviation		.13798	
		Minimum		.53	
		Maximum		1.00	
		Range		.47	
		Interquartile Range		.21	
		Skewness		.088	.403
		Kurtosis		-.841	.788
	Tim	Mean		.7039	.03963
		95% Confidence Interval for Mean	Lower Bound	.6241	
			Upper Bound	.7837	
		5% Trimmed Mean		.7093	
		Median		.6600	
		Variance		.072	
		Std. Deviation		.26878	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.54	
		Skewness		-.214	.350

			Kurtosis	-1.541	.688
FMeasure	Abby	Mean		.7947	.01969
		95% Confidence Interval for Mean	Lower Bound	.7546	
			Upper Bound	.8347	
		5% Trimmed Mean		.7946	
		Median		.8296	
		Variance		.013	
		Std. Deviation		.11482	
		Minimum		.57	
		Maximum		1.00	
		Range		.43	
		Interquartile Range		.20	
		Skewness		-.270	.403
		Kurtosis		-.863	.788
	Tim	Mean		.6674	.03946
		95% Confidence Interval for Mean	Lower Bound	.5879	
			Upper Bound	.7469	
		5% Trimmed Mean		.6688	
		Median		.6184	
		Variance		.072	
		Std. Deviation		.26763	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.60	
		Skewness		-.109	.350
		Kurtosis		-1.667	.688
Duration	Abby	Mean		726.9118	17.98655
		95% Confidence Interval for Mean	Lower Bound	690.3179	
			Upper Bound	763.5057	
		5% Trimmed Mean		731.1209	
		Median		688.5000	
		Variance		10999.537	
		Std. Deviation		104.87868	
		Minimum		522.00	
		Maximum		847.00	
		Range		325.00	
		Interquartile Range		205.00	
		Skewness		-.008	.403
		Kurtosis		-1.416	.788
	Tim	Mean		777.6522	25.57872
		95% Confidence Interval for Mean	Lower Bound	726.1340	
			Upper Bound	829.1704	
		5% Trimmed Mean		778.8043	
		Median		736.0000	
		Variance		30096.454	
		Std. Deviation		173.48330	
		Minimum		445.00	
		Maximum		1054.00	
		Range		609.00	
		Interquartile Range		210.00	
		Skewness		.239	.350
		Kurtosis		-.839	.688

				Statistic	Std. Error
FirstActDet	Abby	Mean		216.4118	9.93698
		95% Confidence Interval for Mean	Lower Bound	196.1948	
			Upper Bound	236.6287	
		5% Trimmed Mean		218.5948	
		Median		234.0000	
		Variance		3357.280	
		Std. Deviation		57.94204	
		Minimum		86.00	
		Maximum		303.00	
		Range		217.00	
		Interquartile Range		97.00	
		Skewness		-.624	.403
		Kurtosis		-.059	.788
	Tim	Mean		138.6087	6.23172
		95% Confidence Interval for Mean	Lower Bound	126.0574	
			Upper Bound	151.1600	
		5% Trimmed Mean		136.0894	
		Median		142.0000	
		Variance		1786.377	
		Std. Deviation		42.26555	
		Minimum		88.00	
		Maximum		239.00	
		Range		151.00	
		Interquartile Range		69.00	
		Skewness		.546	.350
		Kurtosis		-.313	.688
LastActDet	Abby	Mean		688.1176	17.85677
		95% Confidence Interval for Mean	Lower Bound	651.7878	
			Upper Bound	724.4475	
		5% Trimmed Mean		692.1634	
		Median		651.0000	
		Variance		10841.380	
		Std. Deviation		104.12195	
		Minimum		473.00	
		Maximum		816.00	
		Range		343.00	
		Interquartile Range		194.50	
		Skewness		-.045	.403
		Kurtosis		-1.293	.788
	Tim	Mean		770.4783	25.51863
		95% Confidence Interval for Mean	Lower Bound	719.0811	
			Upper Bound	821.8754	
		5% Trimmed Mean		771.6111	
		Median		730.0000	
		Variance		29955.233	
		Std. Deviation		173.07580	
		Minimum		431.00	
		Maximum		1050.00	
		Range		619.00	
		Interquartile Range		213.00	
		Skewness		.237	.350
		Kurtosis		-.820	.688
ProcDur	Abby	Mean		38.7941	1.43783

					Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound		35.8688	
			Upper Bound		41.7194	
		5% Trimmed Mean			38.6601	
		Median			35.5000	
		Variance			70.290	
		Std. Deviation			8.38389	
		Minimum			27.00	
		Maximum			53.00	
		Range			26.00	
		Interquartile Range			14.00	
		Skewness			.404	.403
		Kurtosis			-1.259	.788
	Tim	Mean			7.1739	.56492
		95% Confidence Interval for Mean	Lower Bound		6.0361	
			Upper Bound		8.3117	
		5% Trimmed Mean			7.1932	
		Median			7.0000	
		Variance			14.680	
		Std. Deviation			3.83147	
		Minimum			.00	
		Maximum			14.00	
		Range			14.00	
		Interquartile Range			5.25	
		Skewness			.106	.350
		Kurtosis			-.715	.688
FixRel	Abby	Mean			6.8724	.58785
		95% Confidence Interval for Mean	Lower Bound		5.6764	
			Upper Bound		8.0683	
		5% Trimmed Mean			6.8754	
		Median			7.1700	
		Variance			11.749	
		Std. Deviation			3.42772	
		Minimum			2.45	
		Maximum			11.24	
		Range			8.79	
		Interquartile Range			6.19	
		Skewness			.017	.403
		Kurtosis			-1.884	.788
	Tim	Mean			7.1202	.47411
		95% Confidence Interval for Mean	Lower Bound		6.1653	
			Upper Bound		8.0751	
		5% Trimmed Mean			7.1125	
		Median			7.3050	
		Variance			10.340	
		Std. Deviation			3.21554	
		Minimum			2.95	
		Maximum			11.24	
		Range			8.29	
		Interquartile Range			6.19	
		Skewness			.006	.350
		Kurtosis			-1.929	.688
FixIrrel	Abby	Mean			178.4347	33.28457
		95% Confidence Interval for Mean	Lower Bound		110.7167	

			Upper Bound	246.1527	
		5% Trimmed Mean		175.7547	
		Median		44.6550	
		Variance		37667.317	
		Std. Deviation		194.08070	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		401.97	
		Skewness		.259	.403
		Kurtosis		-1.997	.788
	Tim	Mean		109.7500	19.65539
		95% Confidence Interval for Mean	Lower Bound	70.1620	
			Upper Bound	149.3380	
		5% Trimmed Mean		99.5872	
		Median		25.6250	
		Variance		17771.379	
		Std. Deviation		133.30934	
		Minimum		1.54	
		Maximum		403.63	
		Range		402.09	
		Interquartile Range		149.64	
		Skewness		.986	.350
		Kurtosis		-.338	.688
AvDurRelFix	Abby	Mean		149.6621	8.21369
		95% Confidence Interval for Mean	Lower Bound	132.9512	
			Upper Bound	166.3729	
		5% Trimmed Mean		154.9006	
		Median		141.5300	
		Variance		2293.799	
		Std. Deviation		47.89362	
		Minimum		16.53	
		Maximum		188.50	
		Range		171.97	
		Interquartile Range		44.97	
		Skewness		-1.730	.403
		Kurtosis		2.876	.788
	Tim	Mean		102.4715	6.92439
		95% Confidence Interval for Mean	Lower Bound	88.5251	
			Upper Bound	116.4180	
		5% Trimmed Mean		102.1625	
		Median		102.2500	
		Variance		2205.572	
		Std. Deviation		46.96352	
		Minimum		6.28	
		Maximum		187.00	
		Range		180.72	
		Interquartile Range		80.48	
		Skewness		.231	.350
		Kurtosis		-.737	.688
AvDurIrrelFix	Abby	Mean		405.6871	25.95844
		95% Confidence Interval for Mean	Lower Bound	352.8742	
			Upper Bound	458.4999	

		5% Trimmed Mean		419.1478	
		Median		354.5800	
		Variance		22910.579	
		Std. Deviation		151.36241	
		Minimum		25.58	
		Maximum		543.50	
		Range		517.92	
		Interquartile Range		182.92	
		Skewness		-1.142	.403
		Kurtosis		1.015	.788
	Tim	Mean		262.6387	22.48098
		95% Confidence Interval for Mean	Lower Bound	217.3597	
			Upper Bound	307.9177	
		5% Trimmed Mean		260.2157	
		Median		271.3300	
		Variance		23248.137	
		Std. Deviation		152.47340	
		Minimum		5.37	
		Maximum		539.00	
		Range		533.63	
		Interquartile Range		249.94	
		Skewness		.281	.350
		Kurtosis		-.821	.688
TotSac	Abby	Mean		81.8824	1.09834
		95% Confidence Interval for Mean	Lower Bound	79.6478	
			Upper Bound	84.1169	
		5% Trimmed Mean		82.2026	
		Median		84.0000	
		Variance		41.016	
		Std. Deviation		6.40438	
		Minimum		70.00	
		Maximum		88.00	
		Range		18.00	
		Interquartile Range		4.25	
		Skewness		-1.228	.403
		Kurtosis		-.074	.788
	Tim	Mean		90.3043	1.67184
		95% Confidence Interval for Mean	Lower Bound	86.9371	
			Upper Bound	93.6716	
		5% Trimmed Mean		91.0459	
		Median		94.0000	
		Variance		128.572	
		Std. Deviation		11.33896	
		Minimum		66.00	
		Maximum		101.00	
		Range		35.00	
		Interquartile Range		19.00	
		Skewness		-.820	.350
		Kurtosis		-.527	.688
Sac2Key	Abby	Mean		11.5882	.67699
		95% Confidence Interval for Mean	Lower Bound	10.2109	
			Upper Bound	12.9656	
		5% Trimmed Mean		11.3758	

			Median	11.0000	
			Variance	15.583	
			Std. Deviation	3.94752	
			Minimum	6.00	
			Maximum	21.00	
			Range	15.00	
			Interquartile Range	4.00	
			Skewness	1.460	.403
			Kurtosis	1.797	.788
	Tim	Mean		18.7391	1.47391
		95% Confidence Interval for Mean	Lower Bound	15.7705	
			Upper Bound	21.7077	
		5% Trimmed Mean		18.6401	
		Median		16.5000	
		Variance		99.930	
		Std. Deviation		9.99652	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		8.00	
		Skewness		.526	.350
		Kurtosis		-.148	.688
AvAttention	Abby	Mean		.5059	.04813
		95% Confidence Interval for Mean	Lower Bound	.4080	
			Upper Bound	.6038	
		5% Trimmed Mean		.5088	
		Median		.6000	
		Variance		.079	
		Std. Deviation		.28063	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.70	
		Skewness		-.440	.403
		Kurtosis		-1.323	.788
	Tim	Mean		.5413	.03839
		95% Confidence Interval for Mean	Lower Bound	.4640	
			Upper Bound	.6186	
		5% Trimmed Mean		.5411	
		Median		.6000	
		Variance		.068	
		Std. Deviation		.26041	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.43	
		Skewness		-.145	.350
		Kurtosis		-.964	.688
AvMentWL	Abby	Mean		.4824	.04336
		95% Confidence Interval for Mean	Lower Bound	.3941	
			Upper Bound	.5706	
		5% Trimmed Mean		.4771	
		Median		.5000	

				Statistic	Std. Error
		Variance		.064	
		Std. Deviation		.25283	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.40	
		Skewness		.259	.403
		Kurtosis		-.859	.788
	Tim	Mean		.6043	.03390
		95% Confidence Interval for Mean	Lower Bound	.5361	
			Upper Bound	.6726	
		5% Trimmed Mean		.6048	
		Median		.5500	
		Variance		.053	
		Std. Deviation		.22993	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.30	
		Skewness		-.021	.350
		Kurtosis		-.695	.688
AvFam	Abby	Mean		.4588	.04569
		95% Confidence Interval for Mean	Lower Bound	.3659	
			Upper Bound	.5518	
		5% Trimmed Mean		.4542	
		Median		.5000	
		Variance		.071	
		Std. Deviation		.26642	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.50	
		Skewness		.177	.403
		Kurtosis		-1.291	.788
	Tim	Mean		.5565	.03620
		95% Confidence Interval for Mean	Lower Bound	.4836	
			Upper Bound	.6294	
		5% Trimmed Mean		.5628	
		Median		.5000	
		Variance		.060	
		Std. Deviation		.24554	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.40	
		Skewness		-.148	.350
		Kurtosis		-.932	.688
AvSCL	Abby	Mean		549.8529	24.48835
		95% Confidence Interval for Mean	Lower Bound	500.0310	
			Upper Bound	599.6749	
		5% Trimmed Mean		552.3856	
		Median		558.0000	
		Variance		20389.099	

			Std. Deviation	142.79040	
			Minimum	292.00	
			Maximum	723.00	
			Range	431.00	
			Interquartile Range	323.00	
			Skewness	.045	.403
			Kurtosis	-1.535	.788
	Tim	Mean		512.6522	21.74190
		95% Confidence Interval for Mean	Lower Bound	468.8617	
			Upper Bound	556.4426	
		5% Trimmed Mean		513.5145	
		Median		553.5000	
		Variance		21744.676	
		Std. Deviation		147.46076	
		Minimum		285.00	
		Maximum		753.00	
		Range		468.00	
		Interquartile Range		239.50	
		Skewness		-.325	.350
		Kurtosis		-1.326	.688
HRVar_RMSSD	Abby	Mean		16.8759	.83753
		95% Confidence Interval for Mean	Lower Bound	15.1719	
			Upper Bound	18.5798	
		5% Trimmed Mean		16.3282	
		Median		15.1000	
		Variance		23.849	
		Std. Deviation		4.88357	
		Minimum		13.97	
		Maximum		29.64	
		Range		15.67	
		Interquartile Range		2.51	
		Skewness		1.959	.403
		Kurtosis		2.504	.788
	Tim	Mean		44.2374	2.87818
		95% Confidence Interval for Mean	Lower Bound	38.4404	
			Upper Bound	50.0343	
		5% Trimmed Mean		45.0058	
		Median		51.0500	
		Variance		381.060	
		Std. Deviation		19.52077	
		Minimum		-.08	
		Maximum		71.27	
		Range		71.35	
		Interquartile Range		43.97	
		Skewness		-.439	.350
		Kurtosis		-1.129	.688
HRVar_NN50	Abby	Mean		14.4259	2.87567
		95% Confidence Interval for Mean	Lower Bound	8.5753	
			Upper Bound	20.2765	
		5% Trimmed Mean		13.8704	
		Median		5.0000	
		Variance		281.162	
		Std. Deviation		16.76790	

		Minimum		.01	
		Maximum		38.84	
		Range		38.83	
		Interquartile Range		35.57	
		Skewness		.713	.403
		Kurtosis		-1.487	.788
	Tim	Mean		29.7426	2.72678
		95% Confidence Interval for Mean	Lower Bound	24.2506	
			Upper Bound	35.2346	
		5% Trimmed Mean		29.9746	
		Median		33.1900	
		Variance		342.024	
		Std. Deviation		18.49390	
		Minimum		.23	
		Maximum		56.28	
		Range		56.05	
		Interquartile Range		41.21	
		Skewness		-.088	.350
		Kurtosis		-1.546	.688
NASA_MD	Abby	Mean		44.7059	1.66142
		95% Confidence Interval for Mean	Lower Bound	41.3257	
			Upper Bound	48.0861	
		5% Trimmed Mean		44.6732	
		Median		40.0000	
		Variance		93.850	
		Std. Deviation		9.68763	
		Minimum		25.00	
		Maximum		65.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		.619	.403
		Kurtosis		.819	.788
	Tim	Mean		54.4565	1.09045
		95% Confidence Interval for Mean	Lower Bound	52.2602	
			Upper Bound	56.6528	
		5% Trimmed Mean		54.3961	
		Median		50.0000	
		Variance		54.698	
		Std. Deviation		7.39581	
		Minimum		45.00	
		Maximum		65.00	
		Range		20.00	
		Interquartile Range		15.00	
		Skewness		.583	.350
		Kurtosis		-1.326	.688
NASA_PD	Abby	Mean		31.1765	3.27075
		95% Confidence Interval for Mean	Lower Bound	24.5221	
			Upper Bound	37.8309	
		5% Trimmed Mean		31.5850	
		Median		45.0000	
		Variance		363.725	
		Std. Deviation		19.07159	
		Minimum		5.00	

				Statistic	Std. Error
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		36.25	
		Skewness		-.394	.403
		Kurtosis		-1.793	.788
	Tim	Mean		13.9130	1.64415
		95% Confidence Interval for Mean	Lower Bound	10.6016	
			Upper Bound	17.2245	
		5% Trimmed Mean		13.2367	
		Median		10.0000	
		Variance		124.348	
		Std. Deviation		11.15114	
		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		13.75	
		Skewness		1.065	.350
		Kurtosis		-.521	.688
NASA_TD	Abby	Mean		35.7353	3.45671
		95% Confidence Interval for Mean	Lower Bound	28.7026	
			Upper Bound	42.7680	
		5% Trimmed Mean		34.9837	
		Median		35.0000	
		Variance		406.261	
		Std. Deviation		20.15592	
		Minimum		5.00	
		Maximum		80.00	
		Range		75.00	
		Interquartile Range		25.00	
		Skewness		.582	.403
		Kurtosis		.379	.788
	Tim	Mean		19.0217	1.68554
		95% Confidence Interval for Mean	Lower Bound	15.6269	
			Upper Bound	22.4166	
		5% Trimmed Mean		18.4300	
		Median		20.0000	
		Variance		130.688	
		Std. Deviation		11.43190	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		25.00	
		Skewness		.461	.350
		Kurtosis		-.304	.688
NASA_Performance	Abby	Mean		61.0294	3.57489
		95% Confidence Interval for Mean	Lower Bound	53.7562	
			Upper Bound	68.3026	
		5% Trimmed Mean		61.9935	
		Median		70.0000	
		Variance		434.514	
		Std. Deviation		20.84501	
		Minimum		15.00	
		Maximum		100.00	

		Range		85.00	
		Interquartile Range		30.00	
		Skewness		-1.141	.403
		Kurtosis		.787	.788
	Tim	Mean		45.1087	3.85576
		95% Confidence Interval for Mean	Lower Bound	37.3428	
			Upper Bound	52.8746	
		5% Trimmed Mean		43.9130	
		Median		40.0000	
		Variance		683.877	
		Std. Deviation		26.15104	
		Minimum		10.00	
		Maximum		105.00	
		Range		95.00	
		Interquartile Range		45.00	
		Skewness		.574	.350
		Kurtosis		-.535	.688
NASA_Effort	Abby	Mean		40.5882	1.92049
		95% Confidence Interval for Mean	Lower Bound	36.6810	
			Upper Bound	44.4955	
		5% Trimmed Mean		40.9314	
		Median		35.0000	
		Variance		125.401	
		Std. Deviation		11.19826	
		Minimum		15.00	
		Maximum		60.00	
		Range		45.00	
		Interquartile Range		15.00	
		Skewness		-.019	.403
		Kurtosis		.190	.788
	Tim	Mean		52.9348	1.61945
		95% Confidence Interval for Mean	Lower Bound	49.6730	
			Upper Bound	56.1965	
		5% Trimmed Mean		52.7053	
		Median		45.0000	
		Variance		120.640	
		Std. Deviation		10.98363	
		Minimum		40.00	
		Maximum		70.00	
		Range		30.00	
		Interquartile Range		17.50	
		Skewness		.660	.350
		Kurtosis		-1.227	.688
NASA_Frustration	Abby	Mean		34.1176	3.30741
		95% Confidence Interval for Mean	Lower Bound	27.3887	
			Upper Bound	40.8466	
		5% Trimmed Mean		34.1340	
		Median		40.0000	
		Variance		371.925	
		Std. Deviation		19.28536	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

		Interquartile Range		40.00	
		Skewness		-.564	.403
		Kurtosis		-.955	.788
	Tim	Mean		20.0000	2.78887
		95% Confidence Interval for Mean	Lower Bound	14.3829	
			Upper Bound	25.6171	
		5% Trimmed Mean		18.8889	
		Median		10.0000	
		Variance		357.778	
		Std. Deviation		18.91501	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		28.75	
		Skewness		.973	.350
		Kurtosis		-.783	.688
NASA_Score	Abby	Mean		41.5303	2.18018
		95% Confidence Interval for Mean	Lower Bound	37.0947	
			Upper Bound	45.9659	
		5% Trimmed Mean		41.7710	
		Median		44.6700	
		Variance		161.608	
		Std. Deviation		12.71252	
		Minimum		14.00	
		Maximum		69.67	
		Range		55.67	
		Interquartile Range		16.46	
		Skewness		-.524	.403
		Kurtosis		.117	.788
	Tim	Mean		35.5841	1.75428
		95% Confidence Interval for Mean	Lower Bound	32.0508	
			Upper Bound	39.1174	
		5% Trimmed Mean		35.3719	
		Median		34.5833	
		Variance		141.565	
		Std. Deviation		11.89811	
		Minimum		15.00	
		Maximum		60.00	
		Range		45.00	
		Interquartile Range		13.37	
		Skewness		.456	.350
		Kurtosis		-.366	.688

Descriptives - use case templates, GenderMag learning style facet, creation task

	LearningStyle			Statistic	Std. Error
Precision	Abby	Mean		.7319	.04450
		95% Confidence Interval for Mean	Lower Bound	.6404	
			Upper Bound	.8233	
		5% Trimmed Mean		.7416	
		Median		.8300	
		Variance		.053	
		Std. Deviation		.23125	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.30	
		Skewness		-.767	.448
		Kurtosis		-.602	.872
	Tim	Mean		.7183	.03264
		95% Confidence Interval for Mean	Lower Bound	.6528	
			Upper Bound	.7838	
		5% Trimmed Mean		.7270	
		Median		.8300	
		Variance		.056	
		Std. Deviation		.23764	
		Minimum		.28	
		Maximum		1.00	
		Range		.72	
		Interquartile Range		.33	
		Skewness		-.735	.327
		Kurtosis		-.863	.644
Recall	Abby	Mean		.7319	.04094
		95% Confidence Interval for Mean	Lower Bound	.6477	
			Upper Bound	.8160	
		5% Trimmed Mean		.7404	
		Median		.7500	
		Variance		.045	
		Std. Deviation		.21271	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.398	.448
		Kurtosis		-.594	.872
	Tim	Mean		.7274	.03170
		95% Confidence Interval for Mean	Lower Bound	.6637	
			Upper Bound	.7910	
		5% Trimmed Mean		.7354	
		Median		.8000	
		Variance		.053	
		Std. Deviation		.23079	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.38	
		Skewness		-.417	.327

		Kurtosis		-1.015	.644
FMeasure	Abby	Mean		.7275	.04184
		95% Confidence Interval for Mean	Lower Bound	.6415	
			Upper Bound	.8135	
		5% Trimmed Mean		.7355	
		Median		.7636	
		Variance		.047	
		Std. Deviation		.21740	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.28	
		Skewness		-.623	.448
		Kurtosis		-.644	.872
	Tim	Mean		.7184	.03156
		95% Confidence Interval for Mean	Lower Bound	.6551	
			Upper Bound	.7818	
		5% Trimmed Mean		.7255	
		Median		.8471	
		Variance		.053	
		Std. Deviation		.22975	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.32	
		Skewness		-.604	.327
		Kurtosis		-.982	.644
Duration	Abby	Mean		758.5185	31.64882
		95% Confidence Interval for Mean	Lower Bound	693.4634	
			Upper Bound	823.5736	
		5% Trimmed Mean		756.0062	
		Median		736.0000	
		Variance		27044.490	
		Std. Deviation		164.45209	
		Minimum		501.00	
		Maximum		1054.00	
		Range		553.00	
		Interquartile Range		205.00	
		Skewness		.331	.448
		Kurtosis		-.727	.872
	Tim	Mean		754.8491	19.65099
		95% Confidence Interval for Mean	Lower Bound	715.4165	
			Upper Bound	794.2817	
		5% Trimmed Mean		752.6572	
		Median		736.0000	
		Variance		20466.554	
		Std. Deviation		143.06136	
		Minimum		445.00	
		Maximum		1054.00	
		Range		609.00	
		Interquartile Range		203.00	
		Skewness		.493	.327
		Kurtosis		-.032	.644

FirstActDet	Abby	Mean		173.6296	13.40750
		95% Confidence Interval for Mean	Lower Bound	146.0701	
			Upper Bound	201.1891	
		5% Trimmed Mean		171.2531	
		Median		160.0000	
		Variance		4853.550	
		Std. Deviation		69.66742	
		Minimum		86.00	
		Maximum		303.00	
		Range		217.00	
		Interquartile Range		141.00	
		Skewness		.531	.448
		Kurtosis		-.702	.872
	Tim	Mean		170.6792	8.15247
		95% Confidence Interval for Mean	Lower Bound	154.3201	
			Upper Bound	187.0384	
		5% Trimmed Mean		169.4161	
		Median		159.0000	
		Variance		3522.530	
		Std. Deviation		59.35090	
		Minimum		88.00	
		Maximum		303.00	
		Range		215.00	
		Interquartile Range		114.50	
		Skewness		.169	.327
		Kurtosis		-1.139	.644
LastActDet	Abby	Mean		737.9630	32.25899
		95% Confidence Interval for Mean	Lower Bound	671.6537	
			Upper Bound	804.2723	
		5% Trimmed Mean		734.0823	
		Median		730.0000	
		Variance		28097.345	
		Std. Deviation		167.62263	
		Minimum		495.00	
		Maximum		1050.00	
		Range		555.00	
		Interquartile Range		224.00	
		Skewness		.434	.448
		Kurtosis		-.713	.872
	Tim	Mean		734.2075	20.04694
		95% Confidence Interval for Mean	Lower Bound	693.9804	
			Upper Bound	774.4347	
		5% Trimmed Mean		731.4015	
		Median		714.0000	
		Variance		21299.629	
		Std. Deviation		145.94392	
		Minimum		431.00	
		Maximum		1050.00	
		Range		619.00	
		Interquartile Range		191.00	
		Skewness		.578	.327
		Kurtosis		.153	.644
ProcDur	Abby	Mean		20.5556	3.28873

				Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound	13.7955	
			Upper Bound	27.3156	
		5% Trimmed Mean		19.8951	
		Median		13.0000	
		Variance		292.026	
		Std. Deviation		17.08876	
		Minimum		.00	
		Maximum		53.00	
		Range		53.00	
		Interquartile Range		28.00	
		Skewness		.494	.448
		Kurtosis		-1.188	.872
	Tim	Mean		20.6415	2.32783
		95% Confidence Interval for Mean	Lower Bound	15.9704	
			Upper Bound	25.3126	
		5% Trimmed Mean		19.9423	
		Median		12.0000	
		Variance		287.196	
		Std. Deviation		16.94686	
		Minimum		.00	
		Maximum		53.00	
		Range		53.00	
		Interquartile Range		26.50	
		Skewness		.579	.327
		Kurtosis		-1.220	.644
FixRel	Abby	Mean		6.5226	.65382
		95% Confidence Interval for Mean	Lower Bound	5.1787	
			Upper Bound	7.8665	
		5% Trimmed Mean		6.4868	
		Median		4.6800	
		Variance		11.542	
		Std. Deviation		3.39734	
		Minimum		2.45	
		Maximum		11.24	
		Range		8.79	
		Interquartile Range		6.46	
		Skewness		.349	.448
		Kurtosis		-1.789	.872
	Tim	Mean		7.2657	.44438
		95% Confidence Interval for Mean	Lower Bound	6.3739	
			Upper Bound	8.1574	
		5% Trimmed Mean		7.2931	
		Median		9.2900	
		Variance		10.466	
		Std. Deviation		3.23517	
		Minimum		2.45	
		Maximum		11.24	
		Range		8.79	
		Interquartile Range		6.08	
		Skewness		-.167	.327
		Kurtosis		-1.855	.644
FixIrrel	Abby	Mean		120.9815	31.52987
		95% Confidence Interval for Mean	Lower Bound	56.1709	

			Upper Bound	185.7921	
		5% Trimmed Mean		111.9178	
		Median		3.7100	
		Variance		26841.578	
		Std. Deviation		163.83400	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		318.57	
		Skewness		.938	.448
		Kurtosis		-.887	.872
	Tim	Mean		148.0902	22.73033
		95% Confidence Interval for Mean	Lower Bound	102.4785	
			Upper Bound	193.7019	
		5% Trimmed Mean		142.0365	
		Median		72.6300	
		Variance		27383.388	
		Std. Deviation		165.47927	
		Minimum		1.48	
		Maximum		403.63	
		Range		402.15	
		Interquartile Range		318.52	
		Skewness		.604	.327
		Kurtosis		-1.377	.644
AvDurRelFix	Abby	Mean		129.1881	9.80548
		95% Confidence Interval for Mean	Lower Bound	109.0327	
			Upper Bound	149.3436	
		5% Trimmed Mean		131.2914	
		Median		141.5300	
		Variance		2595.981	
		Std. Deviation		50.95077	
		Minimum		26.50	
		Maximum		188.50	
		Range		162.00	
		Interquartile Range		93.75	
		Skewness		-.390	.448
		Kurtosis		-.978	.872
	Tim	Mean		119.1343	7.35724
		95% Confidence Interval for Mean	Lower Bound	104.3710	
			Upper Bound	133.8977	
		5% Trimmed Mean		121.2163	
		Median		137.2500	
		Variance		2868.834	
		Std. Deviation		53.56149	
		Minimum		6.28	
		Maximum		188.50	
		Range		182.22	
		Interquartile Range		88.74	
		Skewness		-.386	.327
		Kurtosis		-.890	.644
AvDurIrrelFix	Abby	Mean		346.0048	31.58513
		95% Confidence Interval for Mean	Lower Bound	281.0806	
			Upper Bound	410.9290	

			5% Trimmed Mean	350.8329	
			Median	354.5800	
			Variance	26935.758	
			Std. Deviation	164.12117	
			Minimum	57.50	
			Maximum	543.50	
			Range	486.00	
			Interquartile Range	281.25	
			Skewness	-.274	.448
			Kurtosis	-1.042	.872
	Tim	Mean		311.9360	23.18266
		95% Confidence Interval for Mean	Lower Bound	265.4166	
			Upper Bound	358.4554	
		5% Trimmed Mean		315.4651	
		Median		352.3300	
		Variance		28484.082	
		Std. Deviation		168.77228	
		Minimum		5.37	
		Maximum		543.50	
		Range		538.13	
		Interquartile Range		290.21	
		Skewness		-.180	.327
		Kurtosis		-1.037	.644
TotSac	Abby	Mean		87.2963	1.98126
		95% Confidence Interval for Mean	Lower Bound	83.2238	
			Upper Bound	91.3688	
		5% Trimmed Mean		87.4959	
		Median		84.0000	
		Variance		105.986	
		Std. Deviation		10.29494	
		Minimum		70.00	
		Maximum		101.00	
		Range		31.00	
		Interquartile Range		17.00	
		Skewness		-.081	.448
		Kurtosis		-.927	.872
	Tim	Mean		86.4340	1.44530
		95% Confidence Interval for Mean	Lower Bound	83.5337	
			Upper Bound	89.3342	
		5% Trimmed Mean		86.7327	
		Median		87.0000	
		Variance		110.712	
		Std. Deviation		10.52197	
		Minimum		66.00	
		Maximum		101.00	
		Range		35.00	
		Interquartile Range		14.00	
		Skewness		-.314	.327
		Kurtosis		-.678	.644
Sac2Key	Abby	Mean		16.4074	1.63844
		95% Confidence Interval for Mean	Lower Bound	13.0395	
			Upper Bound	19.7753	
		5% Trimmed Mean		15.8251	

		Median		15.0000	
		Variance		72.481	
		Std. Deviation		8.51361	
		Minimum		4.00	
		Maximum		38.00	
		Range		34.00	
		Interquartile Range		7.00	
		Skewness		1.607	.448
		Kurtosis		2.344	.872
	Tim	Mean		15.3396	1.22057
		95% Confidence Interval for Mean	Lower Bound	12.8904	
			Upper Bound	17.7889	
		5% Trimmed Mean		14.9193	
		Median		13.0000	
		Variance		78.959	
		Std. Deviation		8.88591	
		Minimum		1.00	
		Maximum		38.00	
		Range		37.00	
		Interquartile Range		9.00	
		Skewness		1.012	.327
		Kurtosis		.754	.644
AvAttention	Abby	Mean		.5037	.05243
		95% Confidence Interval for Mean	Lower Bound	.3959	
			Upper Bound	.6115	
		5% Trimmed Mean		.4986	
		Median		.5000	
		Variance		.074	
		Std. Deviation		.27243	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.40	
		Skewness		.044	.448
		Kurtosis		-.797	.872
	Tim	Mean		.5377	.03676
		95% Confidence Interval for Mean	Lower Bound	.4640	
			Upper Bound	.6115	
		5% Trimmed Mean		.5419	
		Median		.6000	
		Variance		.072	
		Std. Deviation		.26763	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.45	
		Skewness		-.472	.327
		Kurtosis		-1.111	.644
AvMentWL	Abby	Mean		.5556	.04988
		95% Confidence Interval for Mean	Lower Bound	.4530	
			Upper Bound	.6581	
		5% Trimmed Mean		.5547	
		Median		.6000	

		Variance		.067	
		Std. Deviation		.25919	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.50	
		Skewness		.017	.448
		Kurtosis		-.948	.872
	Tim	Mean		.5509	.03317
		95% Confidence Interval for Mean	Lower Bound	.4844	
			Upper Bound	.6175	
		5% Trimmed Mean		.5497	
		Median		.5000	
		Variance		.058	
		Std. Deviation		.24149	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.40	
		Skewness		.043	.327
		Kurtosis		-.724	.644
AvFam	Abby	Mean		.5111	.05212
		95% Confidence Interval for Mean	Lower Bound	.4040	
			Upper Bound	.6182	
		5% Trimmed Mean		.5123	
		Median		.5000	
		Variance		.073	
		Std. Deviation		.27080	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.60	
		Skewness		-.039	.448
		Kurtosis		-1.213	.872
	Tim	Mean		.5170	.03478
		95% Confidence Interval for Mean	Lower Bound	.4472	
			Upper Bound	.5868	
		5% Trimmed Mean		.5189	
		Median		.5000	
		Variance		.064	
		Std. Deviation		.25324	
		Minimum		.10	
		Maximum		.90	
		Range		.80	
		Interquartile Range		.50	
		Skewness		-.036	.327
		Kurtosis		-1.098	.644
AvSCL	Abby	Mean		556.2963	29.93420
		95% Confidence Interval for Mean	Lower Bound	494.7657	
			Upper Bound	617.8269	
		5% Trimmed Mean		561.7181	
		Median		598.0000	
		Variance		24193.524	

				Statistic	Std. Error
		Std. Deviation		155.54268	
		Minimum		292.00	
		Maximum		723.00	
		Range		431.00	
		Interquartile Range		289.00	
		Skewness		-.551	.448
		Kurtosis		-1.177	.872
	Tim	Mean		514.2830	19.21727
		95% Confidence Interval for Mean	Lower Bound	475.7207	
			Upper Bound	552.8453	
		5% Trimmed Mean		514.5545	
		Median		531.0000	
		Variance		19573.091	
		Std. Deviation		139.90386	
		Minimum		285.00	
		Maximum		753.00	
		Range		468.00	
		Interquartile Range		234.50	
		Skewness		-.027	.327
		Kurtosis		-1.137	.644
HRVar_RMSSD	Abby	Mean		30.0685	3.69993
		95% Confidence Interval for Mean	Lower Bound	22.4632	
			Upper Bound	37.6738	
		5% Trimmed Mean		29.0907	
		Median		20.2400	
		Variance		369.616	
		Std. Deviation		19.22540	
		Minimum		12.13	
		Maximum		65.13	
		Range		53.00	
		Interquartile Range		35.95	
		Skewness		.827	.448
		Kurtosis		-.990	.872
	Tim	Mean		33.9028	2.86981
		95% Confidence Interval for Mean	Lower Bound	28.1441	
			Upper Bound	39.6615	
		5% Trimmed Mean		33.4762	
		Median		25.3500	
		Variance		436.498	
		Std. Deviation		20.89254	
		Minimum		-.08	
		Maximum		71.27	
		Range		71.35	
		Interquartile Range		40.21	
		Skewness		.463	.327
		Kurtosis		-1.366	.644
HRVar_NN50	Abby	Mean		19.8048	3.66185
		95% Confidence Interval for Mean	Lower Bound	12.2778	
			Upper Bound	27.3319	
		5% Trimmed Mean		19.1072	
		Median		7.6900	
		Variance		362.048	
		Std. Deviation		19.02755	

		Minimum		.01	
		Maximum		52.10	
		Range		52.09	
		Interquartile Range		36.76	
		Skewness		.431	.448
		Kurtosis		-1.509	.872
	Tim	Mean		24.9794	2.65067
		95% Confidence Interval for Mean	Lower Bound	19.6605	
			Upper Bound	30.2984	
		5% Trimmed Mean		24.7239	
		Median		18.9300	
		Variance		372.379	
		Std. Deviation		19.29713	
		Minimum		.01	
		Maximum		56.28	
		Range		56.27	
		Interquartile Range		34.87	
		Skewness		.139	.327
		Kurtosis		-1.568	.644
NASA_MD	Abby	Mean		50.5556	1.89341
		95% Confidence Interval for Mean	Lower Bound	46.6636	
			Upper Bound	54.4475	
		5% Trimmed Mean		50.3395	
		Median		50.0000	
		Variance		96.795	
		Std. Deviation		9.83844	
		Minimum		40.00	
		Maximum		65.00	
		Range		25.00	
		Interquartile Range		25.00	
		Skewness		.455	.448
		Kurtosis		-1.219	.872
	Tim	Mean		50.1887	1.33314
		95% Confidence Interval for Mean	Lower Bound	47.5135	
			Upper Bound	52.8638	
		5% Trimmed Mean		50.5608	
		Median		50.0000	
		Variance		94.194	
		Std. Deviation		9.70538	
		Minimum		25.00	
		Maximum		65.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		-.154	.327
		Kurtosis		.338	.644
NASA_PD	Abby	Mean		24.6296	3.52975
		95% Confidence Interval for Mean	Lower Bound	17.3741	
			Upper Bound	31.8851	
		5% Trimmed Mean		24.3107	
		Median		20.0000	
		Variance		336.396	
		Std. Deviation		18.34110	
		Minimum		5.00	

		Maximum		50.00	
		Range		45.00	
		Interquartile Range		40.00	
		Skewness		.190	.448
		Kurtosis		-1.804	.872
	Tim	Mean		19.5283	2.27094
		95% Confidence Interval for Mean	Lower Bound	14.9713	
			Upper Bound	24.0853	
		5% Trimmed Mean		18.6426	
		Median		10.0000	
		Variance		273.331	
		Std. Deviation		16.53272	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		30.00	
		Skewness		.813	.327
		Kurtosis		-.993	.644
NASA_TD	Abby	Mean		25.5556	2.95181
		95% Confidence Interval for Mean	Lower Bound	19.4880	
			Upper Bound	31.6231	
		5% Trimmed Mean		24.7222	
		Median		30.0000	
		Variance		235.256	
		Std. Deviation		15.33807	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		20.00	
		Skewness		.509	.448
		Kurtosis		.191	.872
	Tim	Mean		26.4151	2.59918
		95% Confidence Interval for Mean	Lower Bound	21.1995	
			Upper Bound	31.6307	
		5% Trimmed Mean		24.6279	
		Median		20.0000	
		Variance		358.055	
		Std. Deviation		18.92235	
		Minimum		5.00	
		Maximum		80.00	
		Range		75.00	
		Interquartile Range		22.50	
		Skewness		1.188	.327
		Kurtosis		1.638	.644
NASA_Performance	Abby	Mean		52.9630	4.98759
		95% Confidence Interval for Mean	Lower Bound	42.7108	
			Upper Bound	63.2151	
		5% Trimmed Mean		53.0247	
		Median		45.0000	
		Variance		671.652	
		Std. Deviation		25.91626	
		Minimum		10.00	
		Maximum		100.00	

		Range	90.00	
		Interquartile Range	45.00	
		Skewness	-.192	.448
		Kurtosis	-1.197	.872
	Tim	Mean	51.3208	3.43705
		95% Confidence Interval for Mean	Lower Bound	44.4238	
			Upper Bound	58.2177	
		5% Trimmed Mean	50.9067	
		Median	45.0000	
		Variance	626.107	
		Std. Deviation	25.02212	
		Minimum	10.00	
		Maximum	105.00	
		Range	95.00	
		Interquartile Range	40.00	
		Skewness	-.027	.327
		Kurtosis	-.837	.644
NASA_Effort	Abby	Mean	46.2963	2.17786
		95% Confidence Interval for Mean	Lower Bound	41.8196	
			Upper Bound	50.7729	
		5% Trimmed Mean	45.6070	
		Median	45.0000	
		Variance	128.063	
		Std. Deviation	11.31648	
		Minimum	35.00	
		Maximum	70.00	
		Range	35.00	
		Interquartile Range	15.00	
		Skewness	.921	.448
		Kurtosis	.068	.872
	Tim	Mean	48.3962	1.82097
		95% Confidence Interval for Mean	Lower Bound	44.7422	
			Upper Bound	52.0503	
		5% Trimmed Mean	48.7788	
		Median	45.0000	
		Variance	175.744	
		Std. Deviation	13.25684	
		Minimum	15.00	
		Maximum	70.00	
		Range	55.00	
		Interquartile Range	20.00	
		Skewness	-.077	.327
		Kurtosis	.102	.644
NASA_Frustration	Abby	Mean	28.5185	3.87496
		95% Confidence Interval for Mean	Lower Bound	20.5534	
			Upper Bound	36.4836	
		5% Trimmed Mean	27.9424	
		Median	30.0000	
		Variance	405.413	
		Std. Deviation	20.13487	
		Minimum	5.00	
		Maximum	65.00	
		Range	60.00	

					Statistic	Std. Error
		Interquartile Range			40.00	
		Skewness			.039	.448
		Kurtosis			-1.558	.872
	Tim	Mean			24.7170	2.79116
		95% Confidence Interval for Mean	Lower Bound		19.1161	
			Upper Bound		30.3178	
		5% Trimmed Mean			23.8522	
		Median			15.0000	
		Variance			412.899	
		Std. Deviation			20.31992	
		Minimum			5.00	
		Maximum			60.00	
		Range			55.00	
		Interquartile Range			40.00	
		Skewness			.405	.327
		Kurtosis			-1.562	.644
NASA_Score	Abby	Mean			40.3775	2.42715
		95% Confidence Interval for Mean	Lower Bound		35.3885	
			Upper Bound		45.3666	
		5% Trimmed Mean			40.2780	
		Median			40.0000	
		Variance			159.058	
		Std. Deviation			12.61182	
		Minimum			14.00	
		Maximum			69.67	
		Range			55.67	
		Interquartile Range			14.17	
		Skewness			.103	.448
		Kurtosis			.132	.872
	Tim	Mean			36.9567	1.70905
		95% Confidence Interval for Mean	Lower Bound		33.5273	
			Upper Bound		40.3862	
		5% Trimmed Mean			36.9697	
		Median			35.0000	
		Variance			154.806	
		Std. Deviation			12.44209	
		Minimum			15.00	
		Maximum			60.00	
		Range			45.00	
		Interquartile Range			18.08	
		Skewness			.013	.327
		Kurtosis			-.963	.644

Descriptives - use case templates, GenderMag motivation facet, modification task

	Motivation			Statistic	Std. Error
Precision	Abby	Mean		.7449	.03603
		95% Confidence Interval for Mean	Lower Bound	.6722	
			Upper Bound	.8176	
		5% Trimmed Mean		.7549	
		Median		.8400	
		Variance		.056	
		Std. Deviation		.23627	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.45	
		Skewness		-.794	.361
		Kurtosis		-.774	.709
	Tim	Mean		.7142	.03605
		95% Confidence Interval for Mean	Lower Bound	.6410	
			Upper Bound	.7874	
		5% Trimmed Mean		.7202	
		Median		.7400	
		Variance		.047	
		Std. Deviation		.21630	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.28	
		Skewness		-.469	.393
		Kurtosis		-.885	.768
Recall	Abby	Mean		.7514	.03411
		95% Confidence Interval for Mean	Lower Bound	.6826	
			Upper Bound	.8202	
		5% Trimmed Mean		.7621	
		Median		.8000	
		Variance		.050	
		Std. Deviation		.22367	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.38	
		Skewness		-.703	.361
		Kurtosis		-.422	.709
	Tim	Mean		.7303	.03753
		95% Confidence Interval for Mean	Lower Bound	.6541	
			Upper Bound	.8065	
		5% Trimmed Mean		.7386	
		Median		.6900	
		Variance		.051	
		Std. Deviation		.22517	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.38	
		Skewness		-.314	.393

		Kurtosis		-1.113	.768
FMeasure	Abby	Mean		.7437	.03415
		95% Confidence Interval for Mean	Lower Bound	.6748	
			Upper Bound	.8126	
		5% Trimmed Mean		.7535	
		Median		.8195	
		Variance		.050	
		Std. Deviation		.22396	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.790	.361
		Kurtosis		-.578	.709
	Tim	Mean		.7182	.03590
		95% Confidence Interval for Mean	Lower Bound	.6453	
			Upper Bound	.7910	
		5% Trimmed Mean		.7242	
		Median		.6921	
		Variance		.046	
		Std. Deviation		.21538	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.432	.393
		Kurtosis		-1.074	.768
Duration	Abby	Mean		585.3256	18.40166
		95% Confidence Interval for Mean	Lower Bound	548.1895	
			Upper Bound	622.4616	
		5% Trimmed Mean		584.1111	
		Median		530.0000	
		Variance		14560.701	
		Std. Deviation		120.66773	
		Minimum		325.00	
		Maximum		823.00	
		Range		498.00	
		Interquartile Range		128.00	
		Skewness		.681	.361
		Kurtosis		-.109	.709
	Tim	Mean		572.3056	18.80247
		95% Confidence Interval for Mean	Lower Bound	534.1345	
			Upper Bound	610.4766	
		5% Trimmed Mean		568.2654	
		Median		559.0000	
		Variance		12727.190	
		Std. Deviation		112.81485	
		Minimum		381.00	
		Maximum		823.00	
		Range		442.00	
		Interquartile Range		111.00	
		Skewness		.516	.393
		Kurtosis		-.035	.768

FirstActDet	Abby	Mean			83.7442	9.35507
		95% Confidence Interval for Mean	Lower Bound	64.8649	
			Upper Bound	102.6235	
		5% Trimmed Mean		80.7868	
		Median		74.0000	
		Variance		3763.243	
		Std. Deviation		61.34527	
		Minimum		3.00	
		Maximum		222.00	
		Range		219.00	
		Interquartile Range		109.00	
		Skewness		.467	.361
		Kurtosis		-.455	.709
	Tim	Mean		110.3333	9.12836
		95% Confidence Interval for Mean	Lower Bound	91.8018	
			Upper Bound	128.8649	
		5% Trimmed Mean		110.5370	
		Median		108.5000	
		Variance		2999.771	
		Std. Deviation		54.77017	
		Minimum		6.00	
		Maximum		211.00	
		Range		205.00	
		Interquartile Range		89.75	
		Skewness		-.033	.393
		Kurtosis		-.746	.768
LastActDet	Abby	Mean		562.3023	19.45548
		95% Confidence Interval for Mean	Lower Bound	523.0396	
			Upper Bound	601.5651	
		5% Trimmed Mean		560.7868	
		Median		512.0000	
		Variance		16276.168	
		Std. Deviation		127.57809	
		Minimum		309.00	
		Maximum		819.00	
		Range		510.00	
		Interquartile Range		155.00	
		Skewness		.712	.361
		Kurtosis		-.207	.709
	Tim	Mean		555.9167	19.06423
		95% Confidence Interval for Mean	Lower Bound	517.2142	
			Upper Bound	594.6191	
		5% Trimmed Mean		551.1420	
		Median		552.0000	
		Variance		13084.021	
		Std. Deviation		114.38541	
		Minimum		373.00	
		Maximum		819.00	
		Range		446.00	
		Interquartile Range		115.25	
		Skewness		.708	.393
		Kurtosis		.217	.768
ProcDur	Abby	Mean		23.0233	2.58745

		95% Confidence Interval for Mean	Lower Bound	17.8016	
			Upper Bound	28.2449	
		5% Trimmed Mean		22.3669	
		Median		15.0000	
		Variance		287.880	
		Std. Deviation		16.96704	
		Minimum		2.00	
		Maximum		55.00	
		Range		53.00	
		Interquartile Range		26.00	
		Skewness		.534	.361
		Kurtosis		-1.185	.709
	Tim	Mean		16.3889	2.71132
		95% Confidence Interval for Mean	Lower Bound	10.8846	
			Upper Bound	21.8932	
		5% Trimmed Mean		15.1852	
		Median		7.0000	
		Variance		264.644	
		Std. Deviation		16.26790	
		Minimum		2.00	
		Maximum		52.00	
		Range		50.00	
		Interquartile Range		27.25	
		Skewness		1.123	.393
		Kurtosis		-.373	.768
FixRel	Abby	Mean		6.0619	.45792
		95% Confidence Interval for Mean	Lower Bound	5.1377	
			Upper Bound	6.9860	
		5% Trimmed Mean		5.9695	
		Median		4.0800	
		Variance		9.017	
		Std. Deviation		3.00279	
		Minimum		2.65	
		Maximum		11.30	
		Range		8.65	
		Interquartile Range		5.99	
		Skewness		.615	.361
		Kurtosis		-1.483	.709
	Tim	Mean		8.4217	.50721
		95% Confidence Interval for Mean	Lower Bound	7.3920	
			Upper Bound	9.4514	
		5% Trimmed Mean		8.5664	
		Median		9.8100	
		Variance		9.262	
		Std. Deviation		3.04327	
		Minimum		2.65	
		Maximum		11.30	
		Range		8.65	
		Interquartile Range		6.05	
		Skewness		-.724	.393
		Kurtosis		-1.266	.768
FixIrrel	Abby	Mean		91.6867	21.49243
		95% Confidence Interval for Mean	Lower Bound	48.3133	

			Upper Bound	135.0602	
		5% Trimmed Mean		79.3661	
		Median		2.8400	
		Variance		19862.752	
		Std. Deviation		140.93527	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		149.12	
		Skewness		1.326	.361
		Kurtosis		.252	.709
	Tim	Mean		184.7686	28.50716
		95% Confidence Interval for Mean	Lower Bound	126.8960	
			Upper Bound	242.6412	
		5% Trimmed Mean		182.7892	
		Median		136.1850	
		Variance		29255.690	
		Std. Deviation		171.04295	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		394.73	
		Skewness		.213	.393
		Kurtosis		-1.771	.768
AvDurRelFix	Abby	Mean		122.5581	7.59986
		95% Confidence Interval for Mean	Lower Bound	107.2210	
			Upper Bound	137.8953	
		5% Trimmed Mean		124.9191	
		Median		127.2500	
		Variance		2483.589	
		Std. Deviation		49.83562	
		Minimum		16.55	
		Maximum		178.50	
		Range		161.95	
		Interquartile Range		93.75	
		Skewness		-.344	.361
		Kurtosis		-1.148	.709
	Tim	Mean		107.3944	8.42160
		95% Confidence Interval for Mean	Lower Bound	90.2977	
			Upper Bound	124.4912	
		5% Trimmed Mean		109.1099	
		Median		113.8000	
		Variance		2553.239	
		Std. Deviation		50.52958	
		Minimum		6.30	
		Maximum		178.50	
		Range		172.20	
		Interquartile Range		83.75	
		Skewness		-.530	.393
		Kurtosis		-.809	.768
AvDurIrrelFix	Abby	Mean		341.6860	25.04816
		95% Confidence Interval for Mean	Lower Bound	291.1368	
			Upper Bound	392.2353	

				Statistic	Std. Error
		5% Trimmed Mean		347.1012	
		Median		354.5500	
		Variance		26978.651	
		Std. Deviation		164.25179	
		Minimum		25.55	
		Maximum		531.50	
		Range		505.95	
		Interquartile Range		281.25	
		Skewness		-.249	.361
		Kurtosis		-1.221	.709
	Tim	Mean		277.2578	26.18771
		95% Confidence Interval for Mean	Lower Bound	224.0939	
			Upper Bound	330.4217	
		5% Trimmed Mean		278.3879	
		Median		274.2500	
		Variance		24688.659	
		Std. Deviation		157.12625	
		Minimum		5.34	
		Maximum		531.50	
		Range		526.16	
		Interquartile Range		251.25	
		Skewness		-.211	.393
		Kurtosis		-.882	.768
TotSac	Abby	Mean		87.9070	1.70493
		95% Confidence Interval for Mean	Lower Bound	84.4663	
			Upper Bound	91.3477	
		5% Trimmed Mean		88.1150	
		Median		87.0000	
		Variance		124.991	
		Std. Deviation		11.17994	
		Minimum		67.00	
		Maximum		104.00	
		Range		37.00	
		Interquartile Range		17.00	
		Skewness		-.153	.361
		Kurtosis		-1.017	.709
	Tim	Mean		85.7500	1.78280
		95% Confidence Interval for Mean	Lower Bound	82.1307	
			Upper Bound	89.3693	
		5% Trimmed Mean		85.7778	
		Median		85.5000	
		Variance		114.421	
		Std. Deviation		10.69680	
		Minimum		67.00	
		Maximum		104.00	
		Range		37.00	
		Interquartile Range		16.50	
		Skewness		-.206	.393
		Kurtosis		-.794	.768
Sac2Key	Abby	Mean		15.2791	1.38106
		95% Confidence Interval for Mean	Lower Bound	12.4920	
			Upper Bound	18.0662	
		5% Trimmed Mean		14.7106	

			Median	14.0000	
			Variance	82.016	
			Std. Deviation	9.05624	
			Minimum	2.00	
			Maximum	39.00	
			Range	37.00	
			Interquartile Range	9.00	
			Skewness	1.077	.361
			Kurtosis	1.034	.709
	Tim	Mean		15.9444	1.58011
		95% Confidence Interval for Mean	Lower Bound	12.7367	
			Upper Bound	19.1522	
		5% Trimmed Mean		15.4691	
		Median		14.0000	
		Variance		89.883	
		Std. Deviation		9.48064	
		Minimum		1.00	
		Maximum		39.00	
		Range		38.00	
		Interquartile Range		11.25	
		Skewness		1.052	.393
		Kurtosis		.699	.768
AvAttention	Abby	Mean		.5512	.03216
		95% Confidence Interval for Mean	Lower Bound	.4863	
			Upper Bound	.6161	
		5% Trimmed Mean		.5406	
		Median		.6000	
		Variance		.044	
		Std. Deviation		.21086	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		.271	.361
		Kurtosis		-.885	.709
	Tim	Mean		.6556	.03097
		95% Confidence Interval for Mean	Lower Bound	.5927	
			Upper Bound	.7184	
		5% Trimmed Mean		.6562	
		Median		.7000	
		Variance		.035	
		Std. Deviation		.18585	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.10	
		Skewness		-.093	.393
		Kurtosis		.263	.768
AvMentWL	Abby	Mean		.6116	.02999
		95% Confidence Interval for Mean	Lower Bound	.5511	
			Upper Bound	.6721	
		5% Trimmed Mean		.6074	
		Median		.6000	

		Variance		.039	
		Std. Deviation		.19665	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.20	
		Skewness		.500	.361
		Kurtosis		-.260	.709
	Tim	Mean		.6139	.02821
		95% Confidence Interval for Mean	Lower Bound	.5566	
			Upper Bound	.6712	
		5% Trimmed Mean		.6093	
		Median		.7000	
		Variance		.029	
		Std. Deviation		.16929	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		-.006	.393
		Kurtosis		-1.021	.768
AvFam	Abby	Mean		.6581	.02495
		95% Confidence Interval for Mean	Lower Bound	.6078	
			Upper Bound	.7085	
		5% Trimmed Mean		.6590	
		Median		.7000	
		Variance		.027	
		Std. Deviation		.16364	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.30	
		Skewness		-.032	.361
		Kurtosis		-1.147	.709
	Tim	Mean		.6750	.02593
		95% Confidence Interval for Mean	Lower Bound	.6223	
			Upper Bound	.7277	
		5% Trimmed Mean		.6778	
		Median		.7000	
		Variance		.024	
		Std. Deviation		.15561	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.30	
		Skewness		-.376	.393
		Kurtosis		-1.215	.768
AvSCL	Abby	Mean		525.2791	22.43016
		95% Confidence Interval for Mean	Lower Bound	480.0132	
			Upper Bound	570.5450	
		5% Trimmed Mean		526.6977	
		Median		558.0000	
		Variance		21633.825	

			Std. Deviation	147.08441	
			Minimum	290.00	
			Maximum	750.00	
			Range	460.00	
			Interquartile Range	228.00	
			Skewness	-.154	.361
			Kurtosis	-1.078	.709
	Tim	Mean		540.3056	23.88660
		95% Confidence Interval for Mean	Lower Bound	491.8132	
			Upper Bound	588.7979	
		5% Trimmed Mean		543.5617	
		Median		574.0000	
		Variance		20540.504	
		Std. Deviation		143.31959	
		Minimum		285.00	
		Maximum		745.00	
		Range		460.00	
		Interquartile Range		271.75	
		Skewness		-.316	.393
		Kurtosis		-1.432	.768
HRVar_RMSSD	Abby	Mean		30.8723	3.02372
		95% Confidence Interval for Mean	Lower Bound	24.7702	
			Upper Bound	36.9744	
		5% Trimmed Mean		30.0584	
		Median		20.3800	
		Variance		393.144	
		Std. Deviation		19.82785	
		Minimum		3.34	
		Maximum		70.67	
		Range		67.33	
		Interquartile Range		29.04	
		Skewness		.846	.361
		Kurtosis		-.750	.709
	Tim	Mean		34.6842	3.67248
		95% Confidence Interval for Mean	Lower Bound	27.2286	
			Upper Bound	42.1397	
		5% Trimmed Mean		34.3159	
		Median		27.0500	
		Variance		485.536	
		Std. Deviation		22.03488	
		Minimum		4.08	
		Maximum		71.41	
		Range		67.33	
		Interquartile Range		40.77	
		Skewness		.218	.393
		Kurtosis		-1.735	.768
HRVar_NN50	Abby	Mean		19.6293	2.95287
		95% Confidence Interval for Mean	Lower Bound	13.6702	
			Upper Bound	25.5884	
		5% Trimmed Mean		18.7825	
		Median		11.6100	
		Variance		374.937	
		Std. Deviation		19.36328	

		Minimum		.03	
		Maximum		56.30	
		Range		56.27	
		Interquartile Range		34.53	
		Skewness		.690	.361
		Kurtosis		-1.088	.709
	Tim	Mean		28.5208	3.15213
		95% Confidence Interval for Mean	Lower Bound	22.1217	
			Upper Bound	34.9200	
		5% Trimmed Mean		28.6446	
		Median		38.1600	
		Variance		357.693	
		Std. Deviation		18.91278	
		Minimum		.25	
		Maximum		55.60	
		Range		55.35	
		Interquartile Range		33.12	
		Skewness		-.346	.393
		Kurtosis		-1.401	.768
NASA_MD	Abby	Mean		42.6744	1.51906
		95% Confidence Interval for Mean	Lower Bound	39.6088	
			Upper Bound	45.7400	
		5% Trimmed Mean		42.9134	
		Median		45.0000	
		Variance		99.225	
		Std. Deviation		9.96116	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		.173	.361
		Kurtosis		.163	.709
	Tim	Mean		48.6111	1.33052
		95% Confidence Interval for Mean	Lower Bound	45.9100	
			Upper Bound	51.3122	
		5% Trimmed Mean		48.7346	
		Median		45.0000	
		Variance		63.730	
		Std. Deviation		7.98312	
		Minimum		35.00	
		Maximum		60.00	
		Range		25.00	
		Interquartile Range		15.00	
		Skewness		.306	.393
		Kurtosis		-.894	.768
NASA_PD	Abby	Mean		24.0698	2.72521
		95% Confidence Interval for Mean	Lower Bound	18.5701	
			Upper Bound	29.5695	
		5% Trimmed Mean		23.6886	
		Median		30.0000	
		Variance		319.352	
		Std. Deviation		17.87043	
		Minimum		5.00	

		Maximum		50.00	
		Range		45.00	
		Interquartile Range		40.00	
		Skewness		.179	.361
		Kurtosis		-1.744	.709
	Tim	Mean		15.0000	2.05094
		95% Confidence Interval for Mean	Lower Bound	10.8364	
			Upper Bound	19.1636	
		5% Trimmed Mean		13.6111	
		Median		10.0000	
		Variance		151.429	
		Std. Deviation		12.30563	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		5.00	
		Skewness		1.729	.393
		Kurtosis		2.157	.768
NASA_TD	Abby	Mean		21.7442	2.43341
		95% Confidence Interval for Mean	Lower Bound	16.8334	
			Upper Bound	26.6550	
		5% Trimmed Mean		20.1098	
		Median		20.0000	
		Variance		254.623	
		Std. Deviation		15.95693	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		25.00	
		Skewness		1.220	.361
		Kurtosis		1.948	.709
	Tim	Mean		17.6389	2.40276
		95% Confidence Interval for Mean	Lower Bound	12.7610	
			Upper Bound	22.5168	
		5% Trimmed Mean		16.2037	
		Median		10.0000	
		Variance		207.837	
		Std. Deviation		14.41656	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		15.00	
		Skewness		1.556	.393
		Kurtosis		2.033	.768
NASA_Performance	Abby	Mean		65.3488	3.28338
		95% Confidence Interval for Mean	Lower Bound	58.7227	
			Upper Bound	71.9750	
		5% Trimmed Mean		66.2016	
		Median		75.0000	
		Variance		463.566	
		Std. Deviation		21.53058	
		Minimum		15.00	
		Maximum		100.00	

		Range		85.00	
		Interquartile Range		30.00	
		Skewness		-.632	.361
		Kurtosis		-.073	.709
	Tim	Mean		51.8056	3.57545
		95% Confidence Interval for Mean	Lower Bound	44.5470	
			Upper Bound	59.0641	
		5% Trimmed Mean		51.5432	
		Median		50.0000	
		Variance		460.218	
		Std. Deviation		21.45270	
		Minimum		15.00	
		Maximum		100.00	
		Range		85.00	
		Interquartile Range		33.75	
		Skewness		.256	.393
		Kurtosis		-.449	.768
NASA_Effort	Abby	Mean		39.8837	2.04116
		95% Confidence Interval for Mean	Lower Bound	35.7645	
			Upper Bound	44.0030	
		5% Trimmed Mean		40.0711	
		Median		40.0000	
		Variance		179.153	
		Std. Deviation		13.38480	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		.276	.361
		Kurtosis		.154	.709
	Tim	Mean		45.6944	1.78344
		95% Confidence Interval for Mean	Lower Bound	42.0739	
			Upper Bound	49.3150	
		5% Trimmed Mean		45.4938	
		Median		45.0000	
		Variance		114.504	
		Std. Deviation		10.70065	
		Minimum		30.00	
		Maximum		65.00	
		Range		35.00	
		Interquartile Range		13.75	
		Skewness		.679	.393
		Kurtosis		-.429	.768
NASA_Frustration	Abby	Mean		29.3023	3.04807
		95% Confidence Interval for Mean	Lower Bound	23.1511	
			Upper Bound	35.4536	
		5% Trimmed Mean		28.9664	
		Median		40.0000	
		Variance		399.502	
		Std. Deviation		19.98754	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	

		Interquartile Range		40.00	
		Skewness		-.064	.361
		Kurtosis		-1.679	.709
	Tim	Mean		20.5556	3.09106
		95% Confidence Interval for Mean	Lower Bound	14.2804	
			Upper Bound	26.8307	
		5% Trimmed Mean		19.3210	
		Median		10.0000	
		Variance		343.968	
		Std. Deviation		18.54638	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		35.00	
		Skewness		.864	.393
		Kurtosis		-.708	.768
NASA_Score	Abby	Mean		37.1705	1.43727
		95% Confidence Interval for Mean	Lower Bound	34.2700	
			Upper Bound	40.0711	
		5% Trimmed Mean		37.1598	
		Median		40.8333	
		Variance		88.827	
		Std. Deviation		9.42483	
		Minimum		20.83	
		Maximum		54.17	
		Range		33.33	
		Interquartile Range		16.67	
		Skewness		-.213	.361
		Kurtosis		-1.150	.709
	Tim	Mean		33.2176	1.68775
		95% Confidence Interval for Mean	Lower Bound	29.7913	
			Upper Bound	36.6439	
		5% Trimmed Mean		32.6955	
		Median		30.4167	
		Variance		102.546	
		Std. Deviation		10.12649	
		Minimum		20.83	
		Maximum		58.33	
		Range		37.50	
		Interquartile Range		16.67	
		Skewness		.869	.393
		Kurtosis		-.281	.768

Descriptives - use case templates, GenderMag information processing facet, modification task

	InformationProcessing			Statistic	Std. Error
Precision	Abby	Mean		.7590	.03598
		95% Confidence Interval for Mean	Lower Bound	.6854	
			Upper Bound	.8326	
		5% Trimmed Mean		.7667	
		Median		.7000	
		Variance		.039	
		Std. Deviation		.19707	
		Minimum		.38	
		Maximum		1.00	
		Range		.62	
		Interquartile Range		.31	
		Skewness		-.297	.427
		Kurtosis		-.935	.833
	Tim	Mean		.7137	.03473
		95% Confidence Interval for Mean	Lower Bound	.6439	
			Upper Bound	.7835	
		5% Trimmed Mean		.7202	
		Median		.8000	
		Variance		.059	
		Std. Deviation		.24308	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.41	
		Skewness		-.677	.340
		Kurtosis		-1.132	.668
Recall	Abby	Mean		.7527	.03810
		95% Confidence Interval for Mean	Lower Bound	.6747	
			Upper Bound	.8306	
		5% Trimmed Mean		.7602	
		Median		.7300	
		Variance		.044	
		Std. Deviation		.20871	
		Minimum		.37	
		Maximum		1.00	
		Range		.63	
		Interquartile Range		.39	
		Skewness		-.178	.427
		Kurtosis		-1.150	.833
	Tim	Mean		.7351	.03335
		95% Confidence Interval for Mean	Lower Bound	.6681	
			Upper Bound	.8022	
		5% Trimmed Mean		.7440	
		Median		.8000	
		Variance		.054	
		Std. Deviation		.23343	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.33	

			Skewness	-.648	.340
			Kurtosis	-.750	.668
FMeasure	Abby	Mean		.7530	.03603
		95% Confidence Interval for Mean	Lower Bound	.6793	
			Upper Bound	.8267	
		5% Trimmed Mean		.7603	
		Median		.6922	
		Variance		.039	
		Std. Deviation		.19737	
		Minimum		.37	
		Maximum		1.00	
		Range		.63	
		Interquartile Range		.32	
		Skewness		-.267	.427
		Kurtosis		-1.025	.833
	Tim	Mean		.7192	.03320
		95% Confidence Interval for Mean	Lower Bound	.6525	
			Upper Bound	.7860	
		5% Trimmed Mean		.7268	
		Median		.8195	
		Variance		.054	
		Std. Deviation		.23239	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.706	.340
		Kurtosis		-.989	.668
Duration	Abby	Mean		544.5333	17.55685
		95% Confidence Interval for Mean	Lower Bound	508.6255	
			Upper Bound	580.4411	
		5% Trimmed Mean		540.9444	
		Median		518.5000	
		Variance		9247.292	
		Std. Deviation		96.16284	
		Minimum		381.00	
		Maximum		778.00	
		Range		397.00	
		Interquartile Range		123.00	
		Skewness		.570	.427
		Kurtosis		.110	.833
	Tim	Mean		600.7347	17.65815
		95% Confidence Interval for Mean	Lower Bound	565.2306	
			Upper Bound	636.2388	
		5% Trimmed Mean		600.8776	
		Median		530.0000	
		Variance		15278.699	
		Std. Deviation		123.60703	
		Minimum		325.00	
		Maximum		823.00	
		Range		498.00	
		Interquartile Range		205.00	
		Skewness		.483	.340

		Kurtosis		-.404	.668
FirstActDet	Abby	Mean		97.3667	12.04431
		95% Confidence Interval for Mean	Lower Bound	72.7333	
			Upper Bound	122.0001	
		5% Trimmed Mean		95.8889	
		Median		74.0000	
		Variance		4351.964	
		Std. Deviation		65.96942	
		Minimum		3.00	
		Maximum		222.00	
		Range		219.00	
		Interquartile Range		93.00	
		Skewness		.188	.427
		Kurtosis		-1.043	.833
	Tim	Mean		94.9388	8.00151
		95% Confidence Interval for Mean	Lower Bound	78.8507	
			Upper Bound	111.0269	
		5% Trimmed Mean		93.2676	
		Median		88.0000	
		Variance		3137.184	
		Std. Deviation		56.01057	
		Minimum		6.00	
		Maximum		211.00	
		Range		205.00	
		Interquartile Range		68.00	
		Skewness		.170	.340
		Kurtosis		-.501	.668
LastActDet	Abby	Mean		531.8000	18.72397
		95% Confidence Interval for Mean	Lower Bound	493.5052	
			Upper Bound	570.0948	
		5% Trimmed Mean		528.7778	
		Median		502.5000	
		Variance		10517.614	
		Std. Deviation		102.55542	
		Minimum		351.00	
		Maximum		771.00	
		Range		420.00	
		Interquartile Range		137.75	
		Skewness		.455	.427
		Kurtosis		-.054	.833
	Tim	Mean		576.2857	18.44859
		95% Confidence Interval for Mean	Lower Bound	539.1923	
			Upper Bound	613.3791	
		5% Trimmed Mean		574.5998	
		Median		514.0000	
		Variance		16677.167	
		Std. Deviation		129.14010	
		Minimum		309.00	
		Maximum		819.00	
		Range		510.00	
		Interquartile Range		216.00	
		Skewness		.677	.340
		Kurtosis		-.430	.668

				Statistic	Std. Error
ProcDur	Abby	Mean		12.7333	2.68967
		95% Confidence Interval for Mean	Lower Bound	7.2323	
			Upper Bound	18.2343	
		5% Trimmed Mean		11.2593	
		Median		6.5000	
		Variance		217.030	
		Std. Deviation		14.73193	
		Minimum		2.00	
		Maximum		51.00	
		Range		49.00	
		Interquartile Range		5.75	
		Skewness		1.865	.427
		Kurtosis		2.041	.833
	Tim	Mean		24.4490	2.38406
		95% Confidence Interval for Mean	Lower Bound	19.6555	
			Upper Bound	29.2424	
		5% Trimmed Mean		23.9410	
		Median		16.0000	
		Variance		278.503	
		Std. Deviation		16.68840	
		Minimum		3.00	
		Maximum		55.00	
		Range		52.00	
		Interquartile Range		29.50	
		Skewness		.363	.340
		Kurtosis		-1.322	.668
FixRel	Abby	Mean		8.2223	.55825
		95% Confidence Interval for Mean	Lower Bound	7.0806	
			Upper Bound	9.3641	
		5% Trimmed Mean		8.3011	
		Median		9.9200	
		Variance		9.349	
		Std. Deviation		3.05766	
		Minimum		3.71	
		Maximum		11.30	
		Range		7.59	
		Interquartile Range		6.08	
		Skewness		-.553	.427
		Kurtosis		-1.661	.833
	Tim	Mean		6.4729	.45358
		95% Confidence Interval for Mean	Lower Bound	5.5609	
			Upper Bound	7.3848	
		5% Trimmed Mean		6.4171	
		Median		4.8800	
		Variance		10.081	
		Std. Deviation		3.17508	
		Minimum		2.65	
		Maximum		11.30	
		Range		8.65	
		Interquartile Range		6.05	
		Skewness		.359	.340
		Kurtosis		-1.697	.668
FixIrrel	Abby	Mean		149.3440	28.00822

				Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound	92.0607	
			Upper Bound	206.6273	
		5% Trimmed Mean		143.4028	
		Median		106.5600	
		Variance		23533.819	
		Std. Deviation		153.40736	
		Minimum		2.81	
		Maximum		403.56	
		Range		400.75	
		Interquartile Range		315.92	
		Skewness		.566	.427
		Kurtosis		-1.384	.833
	Tim	Mean		124.7731	23.81766
		95% Confidence Interval for Mean	Lower Bound	76.8844	
			Upper Bound	172.6617	
		5% Trimmed Mean		116.1290	
		Median		2.8400	
		Variance		27796.773	
		Std. Deviation		166.72364	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		318.63	
		Skewness		.870	.340
		Kurtosis		-1.016	.668
AvDurRelFix	Abby	Mean		91.8317	9.64031
		95% Confidence Interval for Mean	Lower Bound	72.1150	
			Upper Bound	111.5483	
		5% Trimmed Mean		91.8935	
		Median		101.7750	
		Variance		2788.066	
		Std. Deviation		52.80214	
		Minimum		6.30	
		Maximum		176.50	
		Range		170.20	
		Interquartile Range		93.00	
		Skewness		-.081	.427
		Kurtosis		-1.169	.833
	Tim	Mean		130.2296	6.18214
		95% Confidence Interval for Mean	Lower Bound	117.7996	
			Upper Bound	142.6596	
		5% Trimmed Mean		131.5995	
		Median		141.5500	
		Variance		1872.724	
		Std. Deviation		43.27498	
		Minimum		57.30	
		Maximum		178.50	
		Range		121.20	
		Interquartile Range		84.00	
		Skewness		-.429	.340
		Kurtosis		-1.186	.668
AvDurIrrelFix	Abby	Mean		234.9343	29.39212
		95% Confidence Interval for Mean	Lower Bound	174.8207	

					Statistic	Std. Error
				Upper Bound	295.0480	
			5% Trimmed Mean		231.5887	
			Median		264.5500	
			Variance		25916.910	
			Std. Deviation		160.98730	
			Minimum		5.34	
			Maximum		525.50	
			Range		520.16	
			Interquartile Range		279.00	
			Skewness		.215	.427
			Kurtosis		-.963	.833
	Tim	Mean			359.7092	21.00026
		95% Confidence Interval for Mean	Lower Bound		317.4853	
			Upper Bound		401.9330	
		5% Trimmed Mean			364.4935	
		Median			354.5500	
		Variance			21609.529	
		Std. Deviation			147.00180	
		Minimum			101.80	
		Maximum			531.50	
		Range			429.70	
		Interquartile Range			253.48	
		Skewness			-.351	.340
		Kurtosis			-.950	.668
TotSac	Abby	Mean			84.6000	1.92718
		95% Confidence Interval for Mean	Lower Bound		80.6585	
			Upper Bound		88.5415	
		5% Trimmed Mean			84.5741	
		Median			84.0000	
		Variance			111.421	
		Std. Deviation			10.55560	
		Minimum			68.00	
		Maximum			102.00	
		Range			34.00	
		Interquartile Range			16.25	
		Skewness			-.034	.427
		Kurtosis			-1.107	.833
	Tim	Mean			88.3469	1.57752
		95% Confidence Interval for Mean	Lower Bound		85.1751	
			Upper Bound		91.5188	
		5% Trimmed Mean			88.6633	
		Median			87.0000	
		Variance			121.940	
		Std. Deviation			11.04263	
		Minimum			67.00	
		Maximum			104.00	
		Range			37.00	
		Interquartile Range			17.00	
		Skewness			-.269	.340
		Kurtosis			-.754	.668
Sac2Key	Abby	Mean			12.8000	1.38165
		95% Confidence Interval for Mean	Lower Bound		9.9742	
			Upper Bound		15.6258	

		5% Trimmed Mean		12.4074	
		Median		14.0000	
		Variance		57.269	
		Std. Deviation		7.56763	
		Minimum		1.00	
		Maximum		33.00	
		Range		32.00	
		Interquartile Range		6.25	
		Skewness		.802	.427
		Kurtosis		1.084	.833
	Tim	Mean		17.2857	1.39301
		95% Confidence Interval for Mean	Lower Bound	14.4849	
			Upper Bound	20.0865	
		5% Trimmed Mean		16.7642	
		Median		14.0000	
		Variance		95.083	
		Std. Deviation		9.75107	
		Minimum		2.00	
		Maximum		39.00	
		Range		37.00	
		Interquartile Range		9.50	
		Skewness		1.019	.340
		Kurtosis		.214	.668
AvAttention	Abby	Mean		.7600	.02279
		95% Confidence Interval for Mean	Lower Bound	.7134	
			Upper Bound	.8066	
		5% Trimmed Mean		.7611	
		Median		.7000	
		Variance		.016	
		Std. Deviation		.12484	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.10	
		Skewness		.383	.427
		Kurtosis		.681	.833
	Tim	Mean		.5000	.02592
		95% Confidence Interval for Mean	Lower Bound	.4479	
			Upper Bound	.5521	
		5% Trimmed Mean		.4864	
		Median		.5000	
		Variance		.033	
		Std. Deviation		.18143	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.633	.340
		Kurtosis		.363	.668
AvMentWL	Abby	Mean		.6633	.02273
		95% Confidence Interval for Mean	Lower Bound	.6168	
			Upper Bound	.7098	
		5% Trimmed Mean		.6704	

		Median		.7000	
		Variance		.016	
		Std. Deviation		.12452	
		Minimum		.40	
		Maximum		.80	
		Range		.40	
		Interquartile Range		.20	
		Skewness		-.843	.427
		Kurtosis		-.028	.833
	Tim	Mean		.5816	.02955
		95% Confidence Interval for Mean	Lower Bound	.5222	
			Upper Bound	.6410	
		5% Trimmed Mean		.5740	
		Median		.5000	
		Variance		.043	
		Std. Deviation		.20683	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.772	.340
		Kurtosis		-.286	.668
AvFam	Abby	Mean		.7267	.02442
		95% Confidence Interval for Mean	Lower Bound	.6767	
			Upper Bound	.7766	
		5% Trimmed Mean		.7333	
		Median		.7500	
		Variance		.018	
		Std. Deviation		.13374	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.13	
		Skewness		-.711	.427
		Kurtosis		-.037	.833
	Tim	Mean		.6286	.02333
		95% Confidence Interval for Mean	Lower Bound	.5817	
			Upper Bound	.6755	
		5% Trimmed Mean		.6262	
		Median		.6000	
		Variance		.027	
		Std. Deviation		.16330	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.30	
		Skewness		.175	.340
		Kurtosis		-1.269	.668
AvSCL	Abby	Mean		578.9667	22.44490
		95% Confidence Interval for Mean	Lower Bound	533.0617	
			Upper Bound	624.8716	
		5% Trimmed Mean		585.7963	
		Median		636.0000	

		Variance		15113.206	
		Std. Deviation		122.93578	
		Minimum		285.00	
		Maximum		750.00	
		Range		465.00	
		Interquartile Range		177.75	
		Skewness		-.817	.427
		Kurtosis		.107	.833
	Tim	Mean		503.4490	21.50346
		95% Confidence Interval for Mean	Lower Bound	460.2134	
			Upper Bound	546.6846	
		5% Trimmed Mean		503.1655	
		Median		558.0000	
		Variance		22657.544	
		Std. Deviation		150.52423	
		Minimum		292.00	
		Maximum		720.00	
		Range		428.00	
		Interquartile Range		205.50	
		Skewness		.126	.340
		Kurtosis		-1.370	.668
HRVar_RMSSD	Abby	Mean		40.2900	4.13099
		95% Confidence Interval for Mean	Lower Bound	31.8412	
			Upper Bound	48.7388	
		5% Trimmed Mean		40.6139	
		Median		51.4900	
		Variance		511.953	
		Std. Deviation		22.62637	
		Minimum		3.34	
		Maximum		71.41	
		Range		68.07	
		Interquartile Range		42.78	
		Skewness		-.353	.427
		Kurtosis		-1.563	.833
	Tim	Mean		27.9069	2.61558
		95% Confidence Interval for Mean	Lower Bound	22.6480	
			Upper Bound	33.1659	
		5% Trimmed Mean		26.6483	
		Median		19.6400	
		Variance		335.221	
		Std. Deviation		18.30903	
		Minimum		13.37	
		Maximum		65.10	
		Range		51.73	
		Interquartile Range		19.51	
		Skewness		1.232	.340
		Kurtosis		.091	.668
HRVar_NN50	Abby	Mean		26.5953	3.65209
		95% Confidence Interval for Mean	Lower Bound	19.1260	
			Upper Bound	34.0647	
		5% Trimmed Mean		26.4109	
		Median		33.1800	
		Variance		400.133	

		Std. Deviation		20.00331	
		Minimum		.25	
		Maximum		56.30	
		Range		56.05	
		Interquartile Range		38.53	
		Skewness		-.114	.427
		Kurtosis		-1.631	.833
	Tim	Mean		21.8969	2.75110
		95% Confidence Interval for Mean	Lower Bound	16.3655	
			Upper Bound	27.4284	
		5% Trimmed Mean		21.3883	
		Median		18.9200	
		Variance		370.858	
		Std. Deviation		19.25767	
		Minimum		.03	
		Maximum		52.79	
		Range		52.76	
		Interquartile Range		36.44	
		Skewness		.404	.340
		Kurtosis		-1.400	.668
NASA_MD	Abby	Mean		48.5000	2.07821
		95% Confidence Interval for Mean	Lower Bound	44.2496	
			Upper Bound	52.7504	
		5% Trimmed Mean		49.4444	
		Median		50.0000	
		Variance		129.569	
		Std. Deviation		11.38284	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		16.25	
		Skewness		-.917	.427
		Kurtosis		.693	.833
	Tim	Mean		43.4694	1.10276
		95% Confidence Interval for Mean	Lower Bound	41.2521	
			Upper Bound	45.6866	
		5% Trimmed Mean		43.0215	
		Median		45.0000	
		Variance		59.588	
		Std. Deviation		7.71930	
		Minimum		35.00	
		Maximum		60.00	
		Range		25.00	
		Interquartile Range		10.00	
		Skewness		.823	.340
		Kurtosis		.331	.668
NASA_PD	Abby	Mean		13.5000	1.81231
		95% Confidence Interval for Mean	Lower Bound	9.7934	
			Upper Bound	17.2066	
		5% Trimmed Mean		12.7778	
		Median		10.0000	
		Variance		98.534	
		Std. Deviation		9.92645	

		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		10.00	
		Skewness		1.467	.427
		Kurtosis		.911	.833
	Tim	Mean		23.8776	2.56408
		95% Confidence Interval for Mean	Lower Bound	18.7221	
			Upper Bound	29.0330	
		5% Trimmed Mean		23.4751	
		Median		10.0000	
		Variance		322.151	
		Std. Deviation		17.94858	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		40.00	
		Skewness		.272	.340
		Kurtosis		-1.695	.668
NASA_TD	Abby	Mean		23.3333	3.58263
		95% Confidence Interval for Mean	Lower Bound	16.0060	
			Upper Bound	30.6606	
		5% Trimmed Mean		21.7593	
		Median		17.5000	
		Variance		385.057	
		Std. Deviation		19.62288	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		26.25	
		Skewness		1.199	.427
		Kurtosis		.642	.833
	Tim	Mean		17.7551	1.66918
		95% Confidence Interval for Mean	Lower Bound	14.3990	
			Upper Bound	21.1112	
		5% Trimmed Mean		17.2789	
		Median		15.0000	
		Variance		136.522	
		Std. Deviation		11.68427	
		Minimum		5.00	
		Maximum		40.00	
		Range		35.00	
		Interquartile Range		20.00	
		Skewness		.591	.340
		Kurtosis		-1.163	.668
NASA_Performance	Abby	Mean		57.0000	3.36138
		95% Confidence Interval for Mean	Lower Bound	50.1252	
			Upper Bound	63.8748	
		5% Trimmed Mean		56.1111	
		Median		50.0000	
		Variance		338.966	
		Std. Deviation		18.41102	
		Minimum		35.00	

		Maximum		100.00	
		Range		65.00	
		Interquartile Range		30.00	
		Skewness		.653	.427
		Kurtosis		-.746	.833
	Tim	Mean		60.5102	3.51819
		95% Confidence Interval for Mean	Lower Bound	53.4364	
			Upper Bound	67.5840	
		5% Trimmed Mean		60.8447	
		Median		60.0000	
		Variance		606.505	
		Std. Deviation		24.62732	
		Minimum		15.00	
		Maximum		100.00	
		Range		85.00	
		Interquartile Range		30.00	
		Skewness		-.482	.340
		Kurtosis		-.719	.668
NASA_Effort	Abby	Mean		44.8333	2.66397
		95% Confidence Interval for Mean	Lower Bound	39.3849	
			Upper Bound	50.2818	
		5% Trimmed Mean		45.6481	
		Median		45.0000	
		Variance		212.902	
		Std. Deviation		14.59117	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.580	.427
		Kurtosis		.390	.833
	Tim	Mean		41.1224	1.56537
		95% Confidence Interval for Mean	Lower Bound	37.9751	
			Upper Bound	44.2698	
		5% Trimmed Mean		40.4138	
		Median		40.0000	
		Variance		120.068	
		Std. Deviation		10.95756	
		Minimum		30.00	
		Maximum		65.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		1.038	.340
		Kurtosis		.462	.668
NASA_Frustration	Abby	Mean		27.5000	3.48849
		95% Confidence Interval for Mean	Lower Bound	20.3652	
			Upper Bound	34.6348	
		5% Trimmed Mean		26.7593	
		Median		25.0000	
		Variance		365.086	
		Std. Deviation		19.10723	
		Minimum		5.00	
		Maximum		65.00	

		Range		60.00	
		Interquartile Range		35.00	
		Skewness		.508	.427
		Kurtosis		-1.049	.833
	Tim	Mean		23.9796	2.87930
		95% Confidence Interval for Mean	Lower Bound	18.1904	
			Upper Bound	29.7688	
		5% Trimmed Mean		23.3107	
		Median		10.0000	
		Variance		406.229	
		Std. Deviation		20.15512	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		40.00	
		Skewness		.271	.340
		Kurtosis		-1.849	.668
NASA_Score	Abby	Mean		35.7778	1.94838
		95% Confidence Interval for Mean	Lower Bound	31.7929	
			Upper Bound	39.7627	
		5% Trimmed Mean		35.3395	
		Median		31.2500	
		Variance		113.886	
		Std. Deviation		10.67172	
		Minimum		22.50	
		Maximum		58.33	
		Range		35.83	
		Interquartile Range		18.54	
		Skewness		.763	.427
		Kurtosis		-.783	.833
	Tim	Mean		35.1190	1.35452
		95% Confidence Interval for Mean	Lower Bound	32.3956	
			Upper Bound	37.8425	
		5% Trimmed Mean		35.2986	
		Median		31.6667	
		Variance		89.902	
		Std. Deviation		9.48165	
		Minimum		20.83	
		Maximum		46.67	
		Range		25.83	
		Interquartile Range		17.50	
		Skewness		-.162	.340
		Kurtosis		-1.570	.668

Descriptives - use case templates, GenderMag self-efficacy facet, modification task

	SelfEfficacy			Statistic	Std. Error
Precision	Abby	Mean		.7936	.03399
		95% Confidence Interval for Mean	Lower Bound	.7246	
			Upper Bound	.8626	
		5% Trimmed Mean		.8085	
		Median		.8800	
		Variance		.042	
		Std. Deviation		.20396	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.29	
		Skewness		-1.125	.393
		Kurtosis		.437	.768
	Tim	Mean		.6784	.03557
		95% Confidence Interval for Mean	Lower Bound	.6066	
			Upper Bound	.7501	
		5% Trimmed Mean		.6810	
		Median		.7200	
		Variance		.054	
		Std. Deviation		.23322	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.41	
		Skewness		-.318	.361
		Kurtosis		-1.298	.709
Recall	Abby	Mean		.7953	.03413
		95% Confidence Interval for Mean	Lower Bound	.7260	
			Upper Bound	.8646	
		5% Trimmed Mean		.8109	
		Median		.8700	
		Variance		.042	
		Std. Deviation		.20481	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.35	
		Skewness		-.855	.393
		Kurtosis		-.188	.768
	Tim	Mean		.6970	.03511
		95% Confidence Interval for Mean	Lower Bound	.6261	
			Upper Bound	.7678	
		5% Trimmed Mean		.7016	
		Median		.6900	
		Variance		.053	
		Std. Deviation		.23026	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.32	

		Skewness		-.265	.361
		Kurtosis		-.965	.709
FMeasure	Abby	Mean		.7902	.03321
		95% Confidence Interval for Mean	Lower Bound	.7228	
			Upper Bound	.8576	
		5% Trimmed Mean		.8043	
		Median		.8889	
		Variance		.040	
		Std. Deviation		.19923	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.29	
		Skewness		-1.056	.393
		Kurtosis		.087	.768
	Tim	Mean		.6833	.03434
		95% Confidence Interval for Mean	Lower Bound	.6140	
			Upper Bound	.7527	
		5% Trimmed Mean		.6865	
		Median		.6921	
		Variance		.051	
		Std. Deviation		.22519	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.328	.361
		Kurtosis		-1.124	.709
Duration	Abby	Mean		565.7222	19.23656
		95% Confidence Interval for Mean	Lower Bound	526.6699	
			Upper Bound	604.7745	
		5% Trimmed Mean		561.1728	
		Median		530.0000	
		Variance		13321.635	
		Std. Deviation		115.41939	
		Minimum		381.00	
		Maximum		823.00	
		Range		442.00	
		Interquartile Range		118.00	
		Skewness		.620	.393
		Kurtosis		-.115	.768
	Tim	Mean		590.8372	17.94704
		95% Confidence Interval for Mean	Lower Bound	554.6186	
			Upper Bound	627.0558	
		5% Trimmed Mean		589.8824	
		Median		530.0000	
		Variance		13850.140	
		Std. Deviation		117.68662	
		Minimum		325.00	
		Maximum		823.00	
		Range		498.00	
		Interquartile Range		116.00	
		Skewness		.635	.361

			Kurtosis	.003	.709
FirstActDet	Abby		Mean	109.2222	11.61117
		95% Confidence Interval for Mean	Lower Bound	85.6503	
			Upper Bound	132.7941	
			5% Trimmed Mean	109.0556	
			Median	107.0000	
			Variance	4853.492	
			Std. Deviation	69.66701	
			Minimum	3.00	
			Maximum	222.00	
			Range	219.00	
			Interquartile Range	97.25	
			Skewness	-.050	.393
			Kurtosis	-1.142	.768
	Tim		Mean	84.6744	7.26120
		95% Confidence Interval for Mean	Lower Bound	70.0207	
			Upper Bound	99.3281	
			5% Trimmed Mean	84.6163	
			Median	79.0000	
			Variance	2267.177	
			Std. Deviation	47.61488	
			Minimum	7.00	
			Maximum	165.00	
			Range	158.00	
			Interquartile Range	55.00	
			Skewness	-.021	.361
			Kurtosis	-.858	.709
LastActDet	Abby		Mean	547.9167	19.86112
		95% Confidence Interval for Mean	Lower Bound	507.5964	
			Upper Bound	588.2369	
			5% Trimmed Mean	543.2531	
			Median	510.0000	
			Variance	14200.707	
			Std. Deviation	119.16672	
			Minimum	351.00	
			Maximum	819.00	
			Range	468.00	
			Interquartile Range	125.25	
			Skewness	.715	.393
			Kurtosis	.128	.768
	Tim		Mean	569.0000	18.77482
		95% Confidence Interval for Mean	Lower Bound	531.1109	
			Upper Bound	606.8891	
			5% Trimmed Mean	566.7558	
			Median	514.0000	
			Variance	15157.238	
			Std. Deviation	123.11474	
			Minimum	309.00	
			Maximum	819.00	
			Range	510.00	
			Interquartile Range	145.00	
			Skewness	.724	.361
			Kurtosis	-.143	.709

ProcDur	Abby	Mean		17.8056	2.79819
		95% Confidence Interval for Mean	Lower Bound	12.1249	
			Upper Bound	23.4862	
		5% Trimmed Mean		16.7840	
		Median		9.0000	
		Variance		281.875	
		Std. Deviation		16.78915	
		Minimum		2.00	
		Maximum		52.00	
		Range		50.00	
		Interquartile Range		27.50	
		Skewness		.939	.393
		Kurtosis		-.644	.768
	Tim	Mean		21.8372	2.58112
		95% Confidence Interval for Mean	Lower Bound	16.6283	
			Upper Bound	27.0461	
		5% Trimmed Mean		21.0194	
		Median		12.0000	
		Variance		286.473	
		Std. Deviation		16.92551	
		Minimum		3.00	
		Maximum		55.00	
		Range		52.00	
		Interquartile Range		29.00	
		Skewness		.644	.361
		Kurtosis		-1.158	.709
FixRel	Abby	Mean		7.7344	.51990
		95% Confidence Interval for Mean	Lower Bound	6.6790	
			Upper Bound	8.7899	
		5% Trimmed Mean		7.7961	
		Median		9.4850	
		Variance		9.731	
		Std. Deviation		3.11938	
		Minimum		2.65	
		Maximum		11.30	
		Range		8.65	
		Interquartile Range		6.44	
		Skewness		-.321	.393
		Kurtosis		-1.768	.768
	Tim	Mean		6.6372	.49796
		95% Confidence Interval for Mean	Lower Bound	5.6323	
			Upper Bound	7.6421	
		5% Trimmed Mean		6.5977	
		Median		4.8800	
		Variance		10.662	
		Std. Deviation		3.26532	
		Minimum		2.65	
		Maximum		11.30	
		Range		8.65	
		Interquartile Range		6.38	
		Skewness		.304	.361
		Kurtosis		-1.801	.709
FixIrrel	Abby	Mean		153.0297	27.24414

		95% Confidence Interval for Mean	Lower Bound	97.7212	
			Upper Bound	208.3383	
		5% Trimmed Mean		147.5238	
		Median		106.5600	
		Variance		26720.747	
		Std. Deviation		163.46482	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		316.81	
		Skewness		.562	.393
		Kurtosis		-1.424	.768
	Tim	Mean		118.2588	24.32981
		95% Confidence Interval for Mean	Lower Bound	69.1593	
			Upper Bound	167.3584	
		5% Trimmed Mean		108.8907	
		Median		2.8400	
		Variance		25453.408	
		Std. Deviation		159.54124	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		311.87	
		Skewness		.930	.361
		Kurtosis		-.860	.709
AvDurRelFix	Abby	Mean		101.1056	8.45295
		95% Confidence Interval for Mean	Lower Bound	83.9452	
			Upper Bound	118.2660	
		5% Trimmed Mean		101.8704	
		Median		112.6750	
		Variance		2572.286	
		Std. Deviation		50.71771	
		Minimum		6.30	
		Maximum		178.50	
		Range		172.20	
		Interquartile Range		84.31	
		Skewness		-.235	.393
		Kurtosis		-1.095	.768
	Tim	Mean		127.8233	7.22070
		95% Confidence Interval for Mean	Lower Bound	113.2513	
			Upper Bound	142.3952	
		5% Trimmed Mean		130.2501	
		Median		140.8000	
		Variance		2241.956	
		Std. Deviation		47.34930	
		Minimum		6.30	
		Maximum		178.50	
		Range		172.20	
		Interquartile Range		84.25	
		Skewness		-.585	.361
		Kurtosis		-.651	.709
AvDurIrrelFix	Abby	Mean		263.6067	26.23908
		95% Confidence Interval for Mean	Lower Bound	210.3385	

			Upper Bound	316.8748	
			5% Trimmed Mean	262.7210	
			Median	271.3000	
			Variance	24785.619	
			Std. Deviation	157.43449	
			Minimum	5.34	
			Maximum	531.50	
			Range	526.16	
			Interquartile Range	252.94	
			Skewness	.002	.393
			Kurtosis	-.996	.768
	Tim	Mean		353.1149	24.15870
		95% Confidence Interval for Mean	Lower Bound	304.3606	
			Upper Bound	401.8691	
		5% Trimmed Mean		359.6784	
		Median		354.5500	
		Variance		25096.648	
		Std. Deviation		158.41922	
		Minimum		5.34	
		Maximum		531.50	
		Range		526.16	
		Interquartile Range		254.20	
		Skewness		-.402	.361
		Kurtosis		-.911	.709
TotSac	Abby	Mean		84.7500	1.84321
		95% Confidence Interval for Mean	Lower Bound	81.0081	
			Upper Bound	88.4919	
		5% Trimmed Mean		84.6667	
		Median		84.0000	
		Variance		122.307	
		Std. Deviation		11.05926	
		Minimum		67.00	
		Maximum		104.00	
		Range		37.00	
		Interquartile Range		16.00	
		Skewness		.061	.393
		Kurtosis		-.913	.768
	Tim	Mean		88.7442	1.62214
		95% Confidence Interval for Mean	Lower Bound	85.4706	
			Upper Bound	92.0178	
		5% Trimmed Mean		89.0711	
		Median		90.0000	
		Variance		113.147	
		Std. Deviation		10.63707	
		Minimum		67.00	
		Maximum		104.00	
		Range		37.00	
		Interquartile Range		17.00	
		Skewness		-.335	.361
		Kurtosis		-.726	.709
Sac2Key	Abby	Mean		15.1944	1.68552
		95% Confidence Interval for Mean	Lower Bound	11.7727	
			Upper Bound	18.6162	

		5% Trimmed Mean		14.6358	
		Median		14.0000	
		Variance		102.275	
		Std. Deviation		10.11313	
		Minimum		1.00	
		Maximum		39.00	
		Range		38.00	
		Interquartile Range		9.25	
		Skewness		1.081	.393
		Kurtosis		.460	.768
	Tim	Mean		15.9070	1.29091
		95% Confidence Interval for Mean	Lower Bound	13.3018	
			Upper Bound	18.5121	
		5% Trimmed Mean		15.4083	
		Median		14.0000	
		Variance		71.658	
		Std. Deviation		8.46509	
		Minimum		2.00	
		Maximum		39.00	
		Range		37.00	
		Interquartile Range		7.00	
		Skewness		1.079	.361
		Kurtosis		1.399	.709
AvAttention	Abby	Mean		.6861	.03289
		95% Confidence Interval for Mean	Lower Bound	.6193	
			Upper Bound	.7529	
		5% Trimmed Mean		.6901	
		Median		.7000	
		Variance		.039	
		Std. Deviation		.19734	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.20	
		Skewness		-.339	.393
		Kurtosis		-.025	.768
	Tim	Mean		.5256	.02806
		95% Confidence Interval for Mean	Lower Bound	.4690	
			Upper Bound	.5822	
		5% Trimmed Mean		.5177	
		Median		.6000	
		Variance		.034	
		Std. Deviation		.18399	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		.229	.361
		Kurtosis		-.623	.709
AvMentWL	Abby	Mean		.6306	.02545
		95% Confidence Interval for Mean	Lower Bound	.5789	
			Upper Bound	.6822	
		5% Trimmed Mean		.6278	

			Median	.6500	
			Variance	.023	
			Std. Deviation	.15273	
			Minimum	.40	
			Maximum	1.00	
			Range	.60	
			Interquartile Range	.20	
			Skewness	-.041	.393
			Kurtosis	-.452	.768
	Tim	Mean		.5977	.03148
		95% Confidence Interval for Mean	Lower Bound	.5341	
			Upper Bound	.6612	
		5% Trimmed Mean		.5919	
		Median		.6000	
		Variance		.043	
		Std. Deviation		.20643	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.544	.361
		Kurtosis		-.534	.709
AvFam	Abby	Mean		.6833	.02440
		95% Confidence Interval for Mean	Lower Bound	.6338	
			Upper Bound	.7329	
		5% Trimmed Mean		.6870	
		Median		.7000	
		Variance		.021	
		Std. Deviation		.14639	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.20	
		Skewness		-.447	.393
		Kurtosis		-.641	.768
	Tim	Mean		.6512	.02586
		95% Confidence Interval for Mean	Lower Bound	.5990	
			Upper Bound	.7033	
		5% Trimmed Mean		.6513	
		Median		.7000	
		Variance		.029	
		Std. Deviation		.16955	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.30	
		Skewness		.025	.361
		Kurtosis		-1.428	.709
AvSCL	Abby	Mean		538.9444	20.86913
		95% Confidence Interval for Mean	Lower Bound	496.5779	
			Upper Bound	581.3110	
		5% Trimmed Mean		541.8951	
		Median		558.0000	

		Variance		15678.740	
		Std. Deviation		125.21477	
		Minimum		290.00	
		Maximum		745.00	
		Range		455.00	
		Interquartile Range		238.00	
		Skewness		-.207	.393
		Kurtosis		-1.008	.768
	Tim	Mean		526.4186	24.45567
		95% Confidence Interval for Mean	Lower Bound	477.0651	
			Upper Bound	575.7722	
		5% Trimmed Mean		528.0930	
		Median		563.0000	
		Variance		25717.440	
		Std. Deviation		160.36658	
		Minimum		285.00	
		Maximum		750.00	
		Range		465.00	
		Interquartile Range		297.00	
		Skewness		-.186	.361
		Kurtosis		-1.463	.709
HRVar_RMSSD	Abby	Mean		32.6764	3.71383
		95% Confidence Interval for Mean	Lower Bound	25.1369	
			Upper Bound	40.2159	
		5% Trimmed Mean		32.2919	
		Median		20.0600	
		Variance		496.532	
		Std. Deviation		22.28300	
		Minimum		3.34	
		Maximum		71.41	
		Range		68.07	
		Interquartile Range		40.03	
		Skewness		.414	.393
		Kurtosis		-1.556	.768
	Tim	Mean		32.5533	3.01451
		95% Confidence Interval for Mean	Lower Bound	26.4697	
			Upper Bound	38.6368	
		5% Trimmed Mean		31.6953	
		Median		25.3200	
		Variance		390.752	
		Std. Deviation		19.76745	
		Minimum		12.27	
		Maximum		70.67	
		Range		58.40	
		Interquartile Range		38.93	
		Skewness		.675	.361
		Kurtosis		-1.124	.709
HRVar_NN50	Abby	Mean		24.1553	3.36219
		95% Confidence Interval for Mean	Lower Bound	17.3297	
			Upper Bound	30.9809	
		5% Trimmed Mean		23.7940	
		Median		22.6200	
		Variance		406.956	

		Std. Deviation		20.17316	
		Minimum		.25	
		Maximum		55.60	
		Range		55.35	
		Interquartile Range		36.87	
		Skewness		.113	.393
		Kurtosis		-1.707	.768
	Tim	Mean		23.2842	2.93501
		95% Confidence Interval for Mean	Lower Bound	17.3611	
			Upper Bound	29.2073	
		5% Trimmed Mean		22.8435	
		Median		19.6200	
		Variance		370.415	
		Std. Deviation		19.24617	
		Minimum		.03	
		Maximum		56.30	
		Range		56.27	
		Interquartile Range		31.85	
		Skewness		.288	.361
		Kurtosis		-1.427	.709
NASA_MD	Abby	Mean		47.3611	1.70766
		95% Confidence Interval for Mean	Lower Bound	43.8944	
			Upper Bound	50.8279	
		5% Trimmed Mean		47.8086	
		Median		45.0000	
		Variance		104.980	
		Std. Deviation		10.24598	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		20.00	
		Skewness		-.306	.393
		Kurtosis		-.227	.768
	Tim	Mean		43.7209	1.32165
		95% Confidence Interval for Mean	Lower Bound	41.0537	
			Upper Bound	46.3881	
		5% Trimmed Mean		43.6886	
		Median		45.0000	
		Variance		75.111	
		Std. Deviation		8.66665	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		.185	.361
		Kurtosis		.713	.709
NASA_PD	Abby	Mean		15.6944	2.45720
		95% Confidence Interval for Mean	Lower Bound	10.7061	
			Upper Bound	20.6828	
		5% Trimmed Mean		14.3827	
		Median		10.0000	
		Variance		217.361	
		Std. Deviation		14.74317	

		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		10.00	
		Skewness		1.562	.393
		Kurtosis		1.076	.768
	Tim	Mean		23.4884	2.52636
		95% Confidence Interval for Mean	Lower Bound	18.3900	
			Upper Bound	28.5868	
		5% Trimmed Mean		23.0620	
		Median		15.0000	
		Variance		274.446	
		Std. Deviation		16.56642	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		30.00	
		Skewness		.238	.361
		Kurtosis		-1.639	.709
NASA_TD	Abby	Mean		21.2500	3.14576
		95% Confidence Interval for Mean	Lower Bound	14.8638	
			Upper Bound	27.6362	
		5% Trimmed Mean		19.4444	
		Median		10.0000	
		Variance		356.250	
		Std. Deviation		18.87459	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		25.00	
		Skewness		1.363	.393
		Kurtosis		1.113	.768
	Tim	Mean		18.7209	1.77728
		95% Confidence Interval for Mean	Lower Bound	15.1342	
			Upper Bound	22.3076	
		5% Trimmed Mean		18.3010	
		Median		15.0000	
		Variance		135.825	
		Std. Deviation		11.65440	
		Minimum		5.00	
		Maximum		40.00	
		Range		35.00	
		Interquartile Range		20.00	
		Skewness		.455	.361
		Kurtosis		-1.167	.709
NASA_Performance	Abby	Mean		55.9722	3.61226
		95% Confidence Interval for Mean	Lower Bound	48.6390	
			Upper Bound	63.3055	
		5% Trimmed Mean		56.1728	
		Median		50.0000	
		Variance		469.742	
		Std. Deviation		21.67353	
		Minimum		15.00	

		Maximum		100.00	
		Range		85.00	
		Interquartile Range		33.75	
		Skewness		-.144	.393
		Kurtosis		-.693	.768
	Tim	Mean		61.8605	3.49427
		95% Confidence Interval for Mean	Lower Bound	54.8087	
			Upper Bound	68.9122	
		5% Trimmed Mean		62.3256	
		Median		60.0000	
		Variance		525.028	
		Std. Deviation		22.91348	
		Minimum		15.00	
		Maximum		100.00	
		Range		85.00	
		Interquartile Range		35.00	
		Skewness		-.289	.361
		Kurtosis		-.676	.709
NASA_Effort	Abby	Mean		44.1667	2.13158
		95% Confidence Interval for Mean	Lower Bound	39.8393	
			Upper Bound	48.4940	
		5% Trimmed Mean		44.4136	
		Median		45.0000	
		Variance		163.571	
		Std. Deviation		12.78950	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.107	.393
		Kurtosis		.097	.768
	Tim	Mean		41.1628	1.86651
		95% Confidence Interval for Mean	Lower Bound	37.3960	
			Upper Bound	44.9296	
		5% Trimmed Mean		40.9755	
		Median		40.0000	
		Variance		149.806	
		Std. Deviation		12.23953	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		.514	.361
		Kurtosis		.582	.709
NASA_Frustration	Abby	Mean		26.6667	3.24282
		95% Confidence Interval for Mean	Lower Bound	20.0834	
			Upper Bound	33.2499	
		5% Trimmed Mean		25.8642	
		Median		25.0000	
		Variance		378.571	
		Std. Deviation		19.45691	
		Minimum		5.00	
		Maximum		65.00	

		Range		60.00	
		Interquartile Range		30.00	
		Skewness		.414	.393
		Kurtosis		-1.219	.768
	Tim	Mean		24.1860	3.06324
		95% Confidence Interval for Mean	Lower Bound	18.0042	
			Upper Bound	30.3679	
		5% Trimmed Mean		23.5401	
		Median		10.0000	
		Variance		403.488	
		Std. Deviation		20.08702	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		40.00	
		Skewness		.284	.361
		Kurtosis		-1.821	.709
NASA_Score	Abby	Mean		35.1852	1.82306
		95% Confidence Interval for Mean	Lower Bound	31.4842	
			Upper Bound	38.8862	
		5% Trimmed Mean		34.7994	
		Median		30.8333	
		Variance		119.647	
		Std. Deviation		10.93834	
		Minimum		20.83	
		Maximum		58.33	
		Range		37.50	
		Interquartile Range		17.92	
		Skewness		.509	.393
		Kurtosis		-.990	.768
	Tim	Mean		35.5233	1.37936
		95% Confidence Interval for Mean	Lower Bound	32.7396	
			Upper Bound	38.3069	
		5% Trimmed Mean		35.6158	
		Median		32.5000	
		Variance		81.813	
		Std. Deviation		9.04505	
		Minimum		20.83	
		Maximum		50.83	
		Range		30.00	
		Interquartile Range		17.50	
		Skewness		-.059	.361
		Kurtosis		-1.413	.709

Descriptives - use case templates, GenderMag risk facet, modification task

	Risk			Statistic	Std. Error
Precision	Abby	Mean		.8614	.01959
		95% Confidence Interval for Mean	Lower Bound	.8213	
			Upper Bound	.9015	
		5% Trimmed Mean		.8642	
		Median		.9000	
		Variance		.011	
		Std. Deviation		.10548	
		Minimum		.66	
		Maximum		1.00	
		Range		.34	
		Interquartile Range		.21	
		Skewness		-.321	.434
		Kurtosis		-1.230	.845
	Tim	Mean		.6552	.03446
		95% Confidence Interval for Mean	Lower Bound	.5860	
			Upper Bound	.7244	
		5% Trimmed Mean		.6552	
		Median		.6600	
		Variance		.059	
		Std. Deviation		.24365	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.50	
		Skewness		-.080	.337
		Kurtosis		-1.453	.662
Recall	Abby	Mean		.7990	.02417
		95% Confidence Interval for Mean	Lower Bound	.7494	
			Upper Bound	.8485	
		5% Trimmed Mean		.7994	
		Median		.8000	
		Variance		.017	
		Std. Deviation		.13017	
		Minimum		.58	
		Maximum		1.00	
		Range		.42	
		Interquartile Range		.22	
		Skewness		-.095	.434
		Kurtosis		-1.018	.845
	Tim	Mean		.7086	.03648
		95% Confidence Interval for Mean	Lower Bound	.6353	
			Upper Bound	.7819	
		5% Trimmed Mean		.7146	
		Median		.6900	
		Variance		.067	
		Std. Deviation		.25794	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.50	
		Skewness		-.235	.337

		Kurtosis		-1.394	.662
FMeasure	Abby	Mean		.8258	.01987
		95% Confidence Interval for Mean	Lower Bound	.7851	
			Upper Bound	.8665	
		5% Trimmed Mean		.8275	
		Median		.8471	
		Variance		.011	
		Std. Deviation		.10698	
		Minimum		.62	
		Maximum		1.00	
		Range		.38	
		Interquartile Range		.21	
		Skewness		-.439	.434
		Kurtosis		-.987	.845
	Tim	Mean		.6777	.03511
		95% Confidence Interval for Mean	Lower Bound	.6071	
			Upper Bound	.7483	
		5% Trimmed Mean		.6802	
		Median		.6550	
		Variance		.062	
		Std. Deviation		.24826	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.53	
		Skewness		-.128	.337
		Kurtosis		-1.478	.662
Duration	Abby	Mean		546.6207	10.90356
		95% Confidence Interval for Mean	Lower Bound	524.2858	
			Upper Bound	568.9556	
		5% Trimmed Mean		550.4215	
		Median		530.0000	
		Variance		3447.744	
		Std. Deviation		58.71749	
		Minimum		402.00	
		Maximum		616.00	
		Range		214.00	
		Interquartile Range		94.00	
		Skewness		-.371	.434
		Kurtosis		.047	.845
	Tim	Mean		598.4000	19.32088
		95% Confidence Interval for Mean	Lower Bound	559.5732	
			Upper Bound	637.2268	
		5% Trimmed Mean		598.9111	
		Median		551.5000	
		Variance		18664.816	
		Std. Deviation		136.61924	
		Minimum		325.00	
		Maximum		823.00	
		Range		498.00	
		Interquartile Range		222.50	
		Skewness		.282	.337
		Kurtosis		-.950	.662

				Statistic	Std. Error
FirstActDet	Abby	Mean		130.2069	9.34510
		95% Confidence Interval for Mean	Lower Bound	111.0643	
			Upper Bound	149.3495	
		5% Trimmed Mean		131.0249	
		Median		137.0000	
		Variance		2532.599	
		Std. Deviation		50.32493	
		Minimum		6.00	
		Maximum		222.00	
		Range		216.00	
		Interquartile Range		76.50	
		Skewness		-.096	.434
		Kurtosis		.045	.845
	Tim	Mean		75.9400	7.87496
		95% Confidence Interval for Mean	Lower Bound	60.1147	
			Upper Bound	91.7653	
		5% Trimmed Mean		73.2222	
		Median		69.0000	
		Variance		3100.751	
		Std. Deviation		55.68439	
		Minimum		3.00	
		Maximum		208.00	
		Range		205.00	
		Interquartile Range		102.25	
		Skewness		.529	.337
		Kurtosis		-.466	.662
LastActDet	Abby	Mean		505.9655	11.05923
		95% Confidence Interval for Mean	Lower Bound	483.3117	
			Upper Bound	528.6193	
		5% Trimmed Mean		509.5805	
		Median		496.0000	
		Variance		3546.892	
		Std. Deviation		59.55579	
		Minimum		351.00	
		Maximum		585.00	
		Range		234.00	
		Interquartile Range		91.00	
		Skewness		-.506	.434
		Kurtosis		.328	.845
	Tim	Mean		590.3800	19.29614
		95% Confidence Interval for Mean	Lower Bound	551.6029	
			Upper Bound	629.1571	
		5% Trimmed Mean		590.8889	
		Median		546.0000	
		Variance		18617.057	
		Std. Deviation		136.44434	
		Minimum		309.00	
		Maximum		819.00	
		Range		510.00	
		Interquartile Range		216.25	
		Skewness		.270	.337
		Kurtosis		-.920	.662
ProcDur	Abby	Mean		40.6552	1.56176

			95% Confidence Interval for Mean	Lower Bound	37.4560	
				Upper Bound	43.8543	
			5% Trimmed Mean		40.5057	
			Median		43.0000	
			Variance		70.734	
			Std. Deviation		8.41035	
			Minimum		29.00	
			Maximum		55.00	
			Range		26.00	
			Interquartile Range		14.50	
			Skewness		.269	.434
			Kurtosis		-1.299	.845
	Tim	Mean			8.0200	.52953
		95% Confidence Interval for Mean	Lower Bound		6.9559	
			Upper Bound		9.0841	
		5% Trimmed Mean			7.9111	
		Median			7.0000	
		Variance			14.020	
		Std. Deviation			3.74433	
		Minimum			2.00	
		Maximum			16.00	
		Range			14.00	
		Interquartile Range			5.00	
		Skewness			.533	.337
		Kurtosis			-.503	.662
FixRel	Abby	Mean			6.6645	.62378
		95% Confidence Interval for Mean	Lower Bound		5.3867	
			Upper Bound		7.9422	
		5% Trimmed Mean			6.6300	
		Median			5.2500	
		Variance			11.284	
		Std. Deviation			3.35915	
		Minimum			2.65	
		Maximum			11.30	
		Range			8.65	
		Interquartile Range			6.05	
		Skewness			.211	.434
		Kurtosis			-1.841	.845
	Tim	Mean			7.4114	.44529
		95% Confidence Interval for Mean	Lower Bound		6.5166	
			Upper Bound		8.3062	
		5% Trimmed Mean			7.4222	
		Median			9.6200	
		Variance			9.914	
		Std. Deviation			3.14866	
		Minimum			3.15	
		Maximum			11.30	
		Range			8.15	
		Interquartile Range			6.17	
		Skewness			-.079	.337
		Kurtosis			-1.918	.662
FixIrrel	Abby	Mean			164.9014	35.82732
		95% Confidence Interval for Mean	Lower Bound		91.5125	

			Upper Bound	238.2903	
		5% Trimmed Mean		160.7160	
		Median		4.5800	
		Variance		37224.299	
		Std. Deviation		192.93600	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		401.86	
		Skewness		.393	.434
		Kurtosis		-1.928	.845
	Tim	Mean		116.2412	19.61070
		95% Confidence Interval for Mean	Lower Bound	76.8320	
			Upper Bound	155.6504	
		5% Trimmed Mean		106.7208	
		Median		41.8100	
		Variance		19228.971	
		Std. Deviation		138.66857	
		Minimum		1.64	
		Maximum		403.56	
		Range		401.92	
		Interquartile Range		149.47	
		Skewness		.915	.337
		Kurtosis		-.584	.662
AvDurRelFix	Abby	Mean		148.2466	7.81613
		95% Confidence Interval for Mean	Lower Bound	132.2359	
			Upper Bound	164.2572	
		5% Trimmed Mean		153.8842	
		Median		146.5000	
		Variance		1771.663	
		Std. Deviation		42.09113	
		Minimum		16.50	
		Maximum		178.50	
		Range		162.00	
		Interquartile Range		34.95	
		Skewness		-2.228	.434
		Kurtosis		5.331	.845
	Tim	Mean		96.7410	6.38500
		95% Confidence Interval for Mean	Lower Bound	83.9099	
			Upper Bound	109.5721	
		5% Trimmed Mean		97.0850	
		Median		92.5000	
		Variance		2038.411	
		Std. Deviation		45.14876	
		Minimum		6.30	
		Maximum		177.00	
		Range		170.70	
		Interquartile Range		80.69	
		Skewness		.105	.337
		Kurtosis		-.700	.662
AvDurIrrelFix	Abby	Mean		412.6948	25.97919
		95% Confidence Interval for Mean	Lower Bound	359.4789	
			Upper Bound	465.9108	

			5% Trimmed Mean	427.2586	
			Median	435.5000	
			Variance	19572.630	
			Std. Deviation	139.90221	
			Minimum	25.55	
			Maximum	531.50	
			Range	505.95	
			Interquartile Range	170.95	
			Skewness	-1.326	.434
			Kurtosis	1.754	.845
	Tim	Mean		254.1126	20.88773
		95% Confidence Interval for Mean	Lower Bound	212.1371	
			Upper Bound	296.0881	
		5% Trimmed Mean		252.3844	
		Median		271.3000	
		Variance		21814.862	
		Std. Deviation		147.69855	
		Minimum		5.34	
		Maximum		527.00	
		Range		521.66	
		Interquartile Range		250.50	
		Skewness		.225	.337
		Kurtosis		-.746	.662
TotSac	Abby	Mean		81.5862	1.35690
		95% Confidence Interval for Mean	Lower Bound	78.8067	
			Upper Bound	84.3657	
		5% Trimmed Mean		81.8736	
		Median		82.0000	
		Variance		53.394	
		Std. Deviation		7.30713	
		Minimum		67.00	
		Maximum		91.00	
		Range		24.00	
		Interquartile Range		10.00	
		Skewness		-.746	.434
		Kurtosis		-.366	.845
	Tim	Mean		90.0200	1.63445
		95% Confidence Interval for Mean	Lower Bound	86.7355	
			Upper Bound	93.3045	
		5% Trimmed Mean		90.4667	
		Median		92.5000	
		Variance		133.571	
		Std. Deviation		11.55729	
		Minimum		68.00	
		Maximum		104.00	
		Range		36.00	
		Interquartile Range		19.50	
		Skewness		-.576	.337
		Kurtosis		-.882	.662
Sac2Key	Abby	Mean		11.1724	.89342
		95% Confidence Interval for Mean	Lower Bound	9.3423	
			Upper Bound	13.0025	
		5% Trimmed Mean		10.9693	

		Median		12.0000	
		Variance		23.148	
		Std. Deviation		4.81121	
		Minimum		4.00	
		Maximum		22.00	
		Range		18.00	
		Interquartile Range		7.00	
		Skewness		.920	.434
		Kurtosis		.715	.845
	Tim	Mean		18.1400	1.43712
		95% Confidence Interval for Mean	Lower Bound	15.2520	
			Upper Bound	21.0280	
		5% Trimmed Mean		17.9000	
		Median		16.0000	
		Variance		103.266	
		Std. Deviation		10.16197	
		Minimum		1.00	
		Maximum		39.00	
		Range		38.00	
		Interquartile Range		9.75	
		Skewness		.622	.337
		Kurtosis		-.175	.662
AvAttention	Abby	Mean		.5828	.03878
		95% Confidence Interval for Mean	Lower Bound	.5033	
			Upper Bound	.6622	
		5% Trimmed Mean		.5753	
		Median		.6000	
		Variance		.044	
		Std. Deviation		.20886	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		-.007	.434
		Kurtosis		-.605	.845
	Tim	Mean		.6080	.02897
		95% Confidence Interval for Mean	Lower Bound	.5498	
			Upper Bound	.6662	
		5% Trimmed Mean		.6033	
		Median		.6000	
		Variance		.042	
		Std. Deviation		.20488	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.20	
		Skewness		.066	.337
		Kurtosis		-.619	.662
AvMentWL	Abby	Mean		.5103	.02595
		95% Confidence Interval for Mean	Lower Bound	.4572	
			Upper Bound	.5635	
		5% Trimmed Mean		.5059	
		Median		.5000	

				Statistic	Std. Error
		Variance		.020	
		Std. Deviation		.13976	
		Minimum		.30	
		Maximum		.80	
		Range		.50	
		Interquartile Range		.20	
		Skewness		.562	.434
		Kurtosis		-.021	.845
	Tim	Mean		.6720	.02556
		95% Confidence Interval for Mean	Lower Bound	.6206	
			Upper Bound	.7234	
		5% Trimmed Mean		.6689	
		Median		.7000	
		Variance		.033	
		Std. Deviation		.18075	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.23	
		Skewness		.049	.337
		Kurtosis		-.427	.662
AvFam	Abby	Mean		.5897	.02779
		95% Confidence Interval for Mean	Lower Bound	.5327	
			Upper Bound	.6466	
		5% Trimmed Mean		.5830	
		Median		.5000	
		Variance		.022	
		Std. Deviation		.14963	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.20	
		Skewness		.807	.434
		Kurtosis		-.135	.845
	Tim	Mean		.7100	.02104
		95% Confidence Interval for Mean	Lower Bound	.6677	
			Upper Bound	.7523	
		5% Trimmed Mean		.7167	
		Median		.7500	
		Variance		.022	
		Std. Deviation		.14880	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.20	
		Skewness		-.759	.337
		Kurtosis		-.400	.662
AvSCL	Abby	Mean		548.4138	25.70563
		95% Confidence Interval for Mean	Lower Bound	495.7582	
			Upper Bound	601.0694	
		5% Trimmed Mean		547.8487	
		Median		558.0000	
		Variance		19162.608	

				Statistic	Std. Error
		Std. Deviation		138.42907	
		Minimum		387.00	
		Maximum		720.00	
		Range		333.00	
		Interquartile Range		323.00	
		Skewness		.167	.434
		Kurtosis		-1.692	.845
	Tim	Mean		522.6800	21.02724
		95% Confidence Interval for Mean	Lower Bound	480.4242	
			Upper Bound	564.9358	
		5% Trimmed Mean		523.8000	
		Median		561.5000	
		Variance		22107.242	
		Std. Deviation		148.68504	
		Minimum		285.00	
		Maximum		750.00	
		Range		465.00	
		Interquartile Range		250.25	
		Skewness		-.379	.337
		Kurtosis		-1.236	.662
HRVar_RMSSD	Abby	Mean		16.6283	.95620
		95% Confidence Interval for Mean	Lower Bound	14.6696	
			Upper Bound	18.5870	
		5% Trimmed Mean		16.1198	
		Median		14.5000	
		Variance		26.515	
		Std. Deviation		5.14928	
		Minimum		13.37	
		Maximum		29.04	
		Range		15.67	
		Interquartile Range		2.14	
		Skewness		1.828	.434
		Kurtosis		1.813	.845
	Tim	Mean		41.8784	2.95171
		95% Confidence Interval for Mean	Lower Bound	35.9467	
			Upper Bound	47.8101	
		5% Trimmed Mean		42.3579	
		Median		50.6500	
		Variance		435.630	
		Std. Deviation		20.87175	
		Minimum		3.34	
		Maximum		71.41	
		Range		68.07	
		Interquartile Range		43.98	
		Skewness		-.292	.337
		Kurtosis		-1.401	.662
HRVar_NN50	Abby	Mean		16.3593	3.23915
		95% Confidence Interval for Mean	Lower Bound	9.7242	
			Upper Bound	22.9944	
		5% Trimmed Mean		16.0165	
		Median		4.9900	
		Variance		304.270	
		Std. Deviation		17.44335	

				Statistic	Std. Error
		Minimum		.03	
		Maximum		38.86	
		Range		38.83	
		Interquartile Range		36.73	
		Skewness		.455	.434
		Kurtosis		-1.842	.845
	Tim	Mean		27.9278	2.77304
		95% Confidence Interval for Mean	Lower Bound	22.3552	
			Upper Bound	33.5004	
		5% Trimmed Mean		27.9244	
		Median		25.9700	
		Variance		384.486	
		Std. Deviation		19.60832	
		Minimum		.25	
		Maximum		56.30	
		Range		56.05	
		Interquartile Range		41.18	
		Skewness		.018	.337
		Kurtosis		-1.584	.662
NASA_MD	Abby	Mean		39.3103	1.78465
		95% Confidence Interval for Mean	Lower Bound	35.6547	
			Upper Bound	42.9660	
		5% Trimmed Mean		39.2337	
		Median		35.0000	
		Variance		92.365	
		Std. Deviation		9.61065	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		.534	.434
		Kurtosis		1.017	.845
	Tim	Mean		48.9000	1.07181
		95% Confidence Interval for Mean	Lower Bound	46.7461	
			Upper Bound	51.0539	
		5% Trimmed Mean		49.0000	
		Median		45.0000	
		Variance		57.439	
		Std. Deviation		7.57884	
		Minimum		35.00	
		Maximum		60.00	
		Range		25.00	
		Interquartile Range		15.00	
		Skewness		.463	.337
		Kurtosis		-.969	.662
NASA_PD	Abby	Mean		28.6207	3.64611
		95% Confidence Interval for Mean	Lower Bound	21.1520	
			Upper Bound	36.0894	
		5% Trimmed Mean		28.7452	
		Median		40.0000	
		Variance		385.530	
		Std. Deviation		19.63491	
		Minimum		5.00	

				Statistic	Std. Error
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		35.00	
		Skewness		-.147	.434
		Kurtosis		-1.994	.845
	Tim	Mean		14.9000	1.57461
		95% Confidence Interval for Mean	Lower Bound	11.7357	
			Upper Bound	18.0643	
		5% Trimmed Mean		14.3333	
		Median		10.0000	
		Variance		123.969	
		Std. Deviation		11.13415	
		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		25.00	
		Skewness		.939	.337
		Kurtosis		-.779	.662
NASA_TD	Abby	Mean		27.9310	3.46088
		95% Confidence Interval for Mean	Lower Bound	20.8418	
			Upper Bound	35.0203	
		5% Trimmed Mean		26.8678	
		Median		30.0000	
		Variance		347.352	
		Std. Deviation		18.63739	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		25.00	
		Skewness		.728	.434
		Kurtosis		.298	.845
	Tim	Mean		15.2000	1.51159
		95% Confidence Interval for Mean	Lower Bound	12.1624	
			Upper Bound	18.2376	
		5% Trimmed Mean		14.2778	
		Median		10.0000	
		Variance		114.245	
		Std. Deviation		10.68854	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		11.25	
		Skewness		1.291	.337
		Kurtosis		.937	.662
NASA_Performance	Abby	Mean		68.6207	3.48198
		95% Confidence Interval for Mean	Lower Bound	61.4882	
			Upper Bound	75.7532	
		5% Trimmed Mean		69.5785	
		Median		75.0000	
		Variance		351.601	
		Std. Deviation		18.75103	
		Minimum		20.00	
		Maximum		100.00	

				Statistic	Std. Error
		Range		80.00	
		Interquartile Range		22.50	
		Skewness		-1.064	.434
		Kurtosis		1.592	.845
	Tim	Mean		53.7000	3.20971
		95% Confidence Interval for Mean	Lower Bound	47.2498	
			Upper Bound	60.1502	
		5% Trimmed Mean		53.4444	
		Median		50.0000	
		Variance		515.112	
		Std. Deviation		22.69608	
		Minimum		15.00	
		Maximum		100.00	
		Range		85.00	
		Interquartile Range		36.25	
		Skewness		.243	.337
		Kurtosis		-.633	.662
NASA_Effort	Abby	Mean		35.3448	2.11916
		95% Confidence Interval for Mean	Lower Bound	31.0039	
			Upper Bound	39.6857	
		5% Trimmed Mean		35.6609	
		Median		30.0000	
		Variance		130.234	
		Std. Deviation		11.41201	
		Minimum		10.00	
		Maximum		55.00	
		Range		45.00	
		Interquartile Range		15.00	
		Skewness		-.130	.434
		Kurtosis		.187	.845
	Tim	Mean		46.7000	1.58829
		95% Confidence Interval for Mean	Lower Bound	43.5082	
			Upper Bound	49.8918	
		5% Trimmed Mean		46.5556	
		Median		40.0000	
		Variance		126.133	
		Std. Deviation		11.23088	
		Minimum		30.00	
		Maximum		65.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		.692	.337
		Kurtosis		-.953	.662
NASA_Frustration	Abby	Mean		33.4483	3.60541
		95% Confidence Interval for Mean	Lower Bound	26.0629	
			Upper Bound	40.8336	
		5% Trimmed Mean		33.3621	
		Median		40.0000	
		Variance		376.970	
		Std. Deviation		19.41573	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

		Interquartile Range		40.00	
		Skewness		-.518	.434
		Kurtosis		-1.040	.845
	Tim	Mean		20.6000	2.61331
		95% Confidence Interval for Mean	Lower Bound	15.3484	
			Upper Bound	25.8516	
		5% Trimmed Mean		19.5556	
		Median		10.0000	
		Variance		341.469	
		Std. Deviation		18.47889	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		35.00	
		Skewness		.866	.337
		Kurtosis		-.919	.662
NASA_Score	Abby	Mean		38.8793	2.01394
		95% Confidence Interval for Mean	Lower Bound	34.7539	
			Upper Bound	43.0047	
		5% Trimmed Mean		38.8586	
		Median		44.1667	
		Variance		117.623	
		Std. Deviation		10.84541	
		Minimum		20.83	
		Maximum		58.33	
		Range		37.50	
		Interquartile Range		17.50	
		Skewness		-.349	.434
		Kurtosis		-1.070	.845
	Tim	Mean		33.3333	1.24015
		95% Confidence Interval for Mean	Lower Bound	30.8412	
			Upper Bound	35.8255	
		5% Trimmed Mean		33.0556	
		Median		31.2500	
		Variance		76.899	
		Std. Deviation		8.76921	
		Minimum		20.83	
		Maximum		50.83	
		Range		30.00	
		Interquartile Range		13.54	
		Skewness		.588	.337
		Kurtosis		-.658	.662

Descriptives - use case templates, GenderMag learning style facet, modification task

	LearningStyle			Statistic	Std. Error
Precision	Abby	Mean		.7819	.04342
		95% Confidence Interval for Mean	Lower Bound	.6925	
			Upper Bound	.8713	
		5% Trimmed Mean		.7958	
		Median		.8400	
		Variance		.049	
		Std. Deviation		.22138	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.29	
		Skewness		-1.125	.456
		Kurtosis		.198	.887
	Tim	Mean		.7058	.03115
		95% Confidence Interval for Mean	Lower Bound	.6433	
			Upper Bound	.7684	
		5% Trimmed Mean		.7115	
		Median		.7400	
		Variance		.051	
		Std. Deviation		.22679	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.42	
		Skewness		-.459	.327
		Kurtosis		-1.087	.644
Recall	Abby	Mean		.7662	.04248
		95% Confidence Interval for Mean	Lower Bound	.6787	
			Upper Bound	.8537	
		5% Trimmed Mean		.7785	
		Median		.8000	
		Variance		.047	
		Std. Deviation		.21663	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.39	
		Skewness		-.666	.456
		Kurtosis		-.478	.887
	Tim	Mean		.7298	.03123
		95% Confidence Interval for Mean	Lower Bound	.6671	
			Upper Bound	.7925	
		5% Trimmed Mean		.7381	
		Median		.7300	
		Variance		.052	
		Std. Deviation		.22736	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	

		Skewness		-.455	.327
		Kurtosis		-.880	.644
FMeasure	Abby	Mean		.7696	.04219
		95% Confidence Interval for Mean	Lower Bound	.6827	
			Upper Bound	.8565	
		5% Trimmed Mean		.7819	
		Median		.8333	
		Variance		.046	
		Std. Deviation		.21514	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.30	
		Skewness		-.928	.456
		Kurtosis		-.292	.887
	Tim	Mean		.7136	.03031
		95% Confidence Interval for Mean	Lower Bound	.6528	
			Upper Bound	.7744	
		5% Trimmed Mean		.7201	
		Median		.6921	
		Variance		.049	
		Std. Deviation		.22063	
		Minimum		.31	
		Maximum		1.00	
		Range		.69	
		Interquartile Range		.34	
		Skewness		-.504	.327
		Kurtosis		-.963	.644
Duration	Abby	Mean		551.6538	20.87125
		95% Confidence Interval for Mean	Lower Bound	508.6687	
			Upper Bound	594.6390	
		5% Trimmed Mean		544.3932	
		Median		522.0000	
		Variance		11325.835	
		Std. Deviation		106.42291	
		Minimum		411.00	
		Maximum		823.00	
		Range		412.00	
		Interquartile Range		46.50	
		Skewness		1.426	.456
		Kurtosis		1.870	.887
	Tim	Mean		593.0000	16.46739
		95% Confidence Interval for Mean	Lower Bound	559.9558	
			Upper Bound	626.0442	
		5% Trimmed Mean		592.9570	
		Median		598.0000	
		Variance		14372.269	
		Std. Deviation		119.88440	
		Minimum		325.00	
		Maximum		823.00	
		Range		498.00	
		Interquartile Range		131.50	
		Skewness		.320	.327

		Kurtosis		-.286	.644
FirstActDet	Abby	Mean		100.8462	10.82173
		95% Confidence Interval for Mean	Lower Bound	78.5584	
			Upper Bound	123.1339	
		5% Trimmed Mean		100.2778	
		Median		103.5000	
		Variance		3044.855	
		Std. Deviation		55.18021	
		Minimum		6.00	
		Maximum		211.00	
		Range		205.00	
		Interquartile Range		80.25	
		Skewness		-.101	.456
		Kurtosis		-.359	.887
	Tim	Mean		93.4151	8.51484
		95% Confidence Interval for Mean	Lower Bound	76.3288	
			Upper Bound	110.5014	
		5% Trimmed Mean		91.5713	
		Median		74.0000	
		Variance		3842.632	
		Std. Deviation		61.98897	
		Minimum		3.00	
		Maximum		222.00	
		Range		219.00	
		Interquartile Range		78.50	
		Skewness		.311	.327
		Kurtosis		-.804	.644
LastActDet	Abby	Mean		527.4231	22.30379
		95% Confidence Interval for Mean	Lower Bound	481.4876	
			Upper Bound	573.3586	
		5% Trimmed Mean		518.9145	
		Median		496.0000	
		Variance		12933.934	
		Std. Deviation		113.72745	
		Minimum		386.00	
		Maximum		819.00	
		Range		433.00	
		Interquartile Range		62.50	
		Skewness		1.559	.456
		Kurtosis		1.919	.887
	Tim	Mean		575.0755	16.81650
		95% Confidence Interval for Mean	Lower Bound	541.3307	
			Upper Bound	608.8202	
		5% Trimmed Mean		574.8994	
		Median		564.0000	
		Variance		14988.110	
		Std. Deviation		122.42594	
		Minimum		309.00	
		Maximum		819.00	
		Range		510.00	
		Interquartile Range		140.50	
		Skewness		.408	.327
		Kurtosis		-.222	.644

ProcDur	Abby	Mean		24.2308	3.45134
		95% Confidence Interval for Mean	Lower Bound	17.1226	
			Upper Bound	31.3389	
		5% Trimmed Mean		23.7436	
		Median		29.0000	
		Variance		309.705	
		Std. Deviation		17.59843	
		Minimum		2.00	
		Maximum		55.00	
		Range		53.00	
		Interquartile Range		29.75	
		Skewness		.230	.456
		Kurtosis		-1.358	.887
	Tim	Mean		17.9245	2.23604
		95% Confidence Interval for Mean	Lower Bound	13.4376	
			Upper Bound	22.4115	
		5% Trimmed Mean		16.8679	
		Median		10.0000	
		Variance		264.994	
		Std. Deviation		16.27864	
		Minimum		2.00	
		Maximum		52.00	
		Range		50.00	
		Interquartile Range		26.00	
		Skewness		1.067	.327
		Kurtosis		-.450	.644
FixRel	Abby	Mean		5.9508	.60488
		95% Confidence Interval for Mean	Lower Bound	4.7050	
			Upper Bound	7.1965	
		5% Trimmed Mean		5.8417	
		Median		4.8200	
		Variance		9.513	
		Std. Deviation		3.08427	
		Minimum		2.65	
		Maximum		11.30	
		Range		8.65	
		Interquartile Range		5.96	
		Skewness		.765	.456
		Kurtosis		-1.158	.887
	Tim	Mean		7.7192	.43421
		95% Confidence Interval for Mean	Lower Bound	6.8479	
			Upper Bound	8.5905	
		5% Trimmed Mean		7.7653	
		Median		9.7000	
		Variance		9.992	
		Std. Deviation		3.16107	
		Minimum		3.15	
		Maximum		11.30	
		Range		8.15	
		Interquartile Range		6.44	
		Skewness		-.319	.327
		Kurtosis		-1.792	.644
FixIrrel	Abby	Mean		85.8723	27.70774

		95% Confidence Interval for Mean	Lower Bound	28.8072	
			Upper Bound	142.9375	
		5% Trimmed Mean		72.9059	
		Median		2.4250	
		Variance		19960.683	
		Std. Deviation		141.28228	
		Minimum		1.58	
		Maximum		403.56	
		Range		401.98	
		Interquartile Range		150.63	
		Skewness		1.412	.456
		Kurtosis		.435	.887
	Tim	Mean		157.7645	22.84856
		95% Confidence Interval for Mean	Lower Bound	111.9155	
			Upper Bound	203.6135	
		5% Trimmed Mean		152.7828	
		Median		122.3100	
		Variance		27669.011	
		Std. Deviation		166.34005	
		Minimum		1.64	
		Maximum		403.56	
		Range		401.92	
		Interquartile Range		317.47	
		Skewness		.500	.327
		Kurtosis		-1.494	.644
AvDurRelFix	Abby	Mean		134.4288	9.86256
		95% Confidence Interval for Mean	Lower Bound	114.1165	
			Upper Bound	154.7412	
		5% Trimmed Mean		138.1308	
		Median		148.7500	
		Variance		2529.020	
		Std. Deviation		50.28936	
		Minimum		16.50	
		Maximum		178.50	
		Range		162.00	
		Interquartile Range		83.75	
		Skewness		-.869	.456
		Kurtosis		-.429	.887
	Tim	Mean		106.4349	6.63382
		95% Confidence Interval for Mean	Lower Bound	93.1232	
			Upper Bound	119.7466	
		5% Trimmed Mean		107.9448	
		Median		113.8000	
		Variance		2332.400	
		Std. Deviation		48.29493	
		Minimum		6.30	
		Maximum		177.00	
		Range		170.70	
		Interquartile Range		84.00	
		Skewness		-.322	.327
		Kurtosis		-.850	.644
AvDurIrrelFix	Abby	Mean		378.9481	33.00711
		95% Confidence Interval for Mean	Lower Bound	310.9687	

				Statistic	Std. Error
			Upper Bound	446.9275	
		5% Trimmed Mean		388.6415	
		Median		442.2500	
		Variance		28326.210	
		Std. Deviation		168.30392	
		Minimum		45.50	
		Maximum		531.50	
		Range		486.00	
		Interquartile Range		255.89	
		Skewness		-.692	.456
		Kurtosis		-.887	.887
	Tim	Mean		279.6440	20.85247
		95% Confidence Interval for Mean	Lower Bound	237.8004	
			Upper Bound	321.4875	
		5% Trimmed Mean		280.8861	
		Median		272.7500	
		Variance		23045.743	
		Std. Deviation		151.80824	
		Minimum		5.34	
		Maximum		527.00	
		Range		521.66	
		Interquartile Range		252.00	
		Skewness		-.095	.327
		Kurtosis		-.803	.644
TotSac	Abby	Mean		87.4615	1.90968
		95% Confidence Interval for Mean	Lower Bound	83.5285	
			Upper Bound	91.3946	
		5% Trimmed Mean		87.5598	
		Median		87.0000	
		Variance		94.818	
		Std. Deviation		9.73748	
		Minimum		68.00	
		Maximum		104.00	
		Range		36.00	
		Interquartile Range		11.00	
		Skewness		-.085	.456
		Kurtosis		-.460	.887
	Tim	Mean		86.6604	1.58959
		95% Confidence Interval for Mean	Lower Bound	83.4706	
			Upper Bound	89.8501	
		5% Trimmed Mean		86.7893	
		Median		87.0000	
		Variance		133.921	
		Std. Deviation		11.57242	
		Minimum		67.00	
		Maximum		104.00	
		Range		37.00	
		Interquartile Range		19.00	
		Skewness		-.155	.327
		Kurtosis		-1.076	.644
Sac2Key	Abby	Mean		17.9231	1.81610
		95% Confidence Interval for Mean	Lower Bound	14.1827	
			Upper Bound	21.6634	

		5% Trimmed Mean		17.4872	
		Median		14.5000	
		Variance		85.754	
		Std. Deviation		9.26034	
		Minimum		4.00	
		Maximum		39.00	
		Range		35.00	
		Interquartile Range		10.00	
		Skewness		1.153	.456
		Kurtosis		.716	.887
	Tim	Mean		14.4340	1.24079
		95% Confidence Interval for Mean	Lower Bound	11.9441	
			Upper Bound	16.9238	
		5% Trimmed Mean		13.8491	
		Median		13.0000	
		Variance		81.597	
		Std. Deviation		9.03308	
		Minimum		1.00	
		Maximum		39.00	
		Range		38.00	
		Interquartile Range		8.00	
		Skewness		1.089	.327
		Kurtosis		.987	.644
AvAttention	Abby	Mean		.5231	.04308
		95% Confidence Interval for Mean	Lower Bound	.4344	
			Upper Bound	.6118	
		5% Trimmed Mean		.5115	
		Median		.5000	
		Variance		.048	
		Std. Deviation		.21965	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		.344	.456
		Kurtosis		-1.155	.887
	Tim	Mean		.6358	.02599
		95% Confidence Interval for Mean	Lower Bound	.5837	
			Upper Bound	.6880	
		5% Trimmed Mean		.6343	
		Median		.6000	
		Variance		.036	
		Std. Deviation		.18922	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.20	
		Skewness		.042	.327
		Kurtosis		-.124	.644
AvMentWL	Abby	Mean		.5846	.03667
		95% Confidence Interval for Mean	Lower Bound	.5091	
			Upper Bound	.6601	
		5% Trimmed Mean		.5799	

			Median	.6000	
			Variance	.035	
			Std. Deviation	.18696	
			Minimum	.30	
			Maximum	1.00	
			Range	.70	
			Interquartile Range	.32	
			Skewness	.202	.456
			Kurtosis	-.656	.887
	Tim	Mean		.6264	.02500
		95% Confidence Interval for Mean	Lower Bound	.5762	
			Upper Bound	.6766	
		5% Trimmed Mean		.6182	
		Median		.6000	
		Variance		.033	
		Std. Deviation		.18203	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		.406	.327
		Kurtosis		-.425	.644
AvFam	Abby	Mean		.6462	.03149
		95% Confidence Interval for Mean	Lower Bound	.5813	
			Upper Bound	.7110	
		5% Trimmed Mean		.6444	
		Median		.6000	
		Variance		.026	
		Std. Deviation		.16058	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.30	
		Skewness		.295	.456
		Kurtosis		-1.512	.887
	Tim	Mean		.6755	.02187
		95% Confidence Interval for Mean	Lower Bound	.6316	
			Upper Bound	.7194	
		5% Trimmed Mean		.6783	
		Median		.7000	
		Variance		.025	
		Std. Deviation		.15921	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.30	
		Skewness		-.412	.327
		Kurtosis		-.905	.644
AvSCL	Abby	Mean		603.4231	26.84756
		95% Confidence Interval for Mean	Lower Bound	548.1295	
			Upper Bound	658.7167	
		5% Trimmed Mean		611.5342	
		Median		674.5000	

				Statistic	Std. Error
		Variance		18740.574	
		Std. Deviation		136.89622	
		Minimum		297.00	
		Maximum		750.00	
		Range		453.00	
		Interquartile Range		257.50	
		Skewness		-.861	.456
		Kurtosis		-.677	.887
	Tim	Mean		497.1509	18.72623
		95% Confidence Interval for Mean	Lower Bound	459.5740	
			Upper Bound	534.7279	
		5% Trimmed Mean		496.0052	
		Median		531.0000	
		Variance		18585.592	
		Std. Deviation		136.32899	
		Minimum		285.00	
		Maximum		745.00	
		Range		460.00	
		Interquartile Range		203.00	
		Skewness		-.050	.327
		Kurtosis		-1.160	.644
HRVar_RMSSD	Abby	Mean		29.9927	3.82427
		95% Confidence Interval for Mean	Lower Bound	22.1165	
			Upper Bound	37.8689	
		5% Trimmed Mean		28.7747	
		Median		20.0600	
		Variance		380.252	
		Std. Deviation		19.50004	
		Minimum		12.27	
		Maximum		70.67	
		Range		58.40	
		Interquartile Range		36.20	
		Skewness		.915	.456
		Kurtosis		-.661	.887
	Tim	Mean		33.8930	2.95214
		95% Confidence Interval for Mean	Lower Bound	27.9691	
			Upper Bound	39.8169	
		5% Trimmed Mean		33.5973	
		Median		24.5800	
		Variance		461.901	
		Std. Deviation		21.49189	
		Minimum		3.34	
		Maximum		71.41	
		Range		68.07	
		Interquartile Range		40.88	
		Skewness		.376	.327
		Kurtosis		-1.516	.644
HRVar_NN50	Abby	Mean		21.5023	3.87723
		95% Confidence Interval for Mean	Lower Bound	13.5170	
			Upper Bound	29.4876	
		5% Trimmed Mean		20.8070	
		Median		18.9200	
		Variance		390.856	

				Statistic	Std. Error
		Std. Deviation		19.77008	
		Minimum		.03	
		Maximum		56.30	
		Range		56.27	
		Interquartile Range		36.90	
		Skewness		.360	.456
		Kurtosis		-1.430	.887
	Tim	Mean		24.7500	2.68444
		95% Confidence Interval for Mean	Lower Bound	19.3633	
			Upper Bound	30.1367	
		5% Trimmed Mean		24.4778	
		Median		19.6200	
		Variance		381.931	
		Std. Deviation		19.54304	
		Minimum		.25	
		Maximum		55.60	
		Range		55.35	
		Interquartile Range		34.87	
		Skewness		.136	.327
		Kurtosis		-1.608	.644
NASA_MD	Abby	Mean		44.6154	1.92000
		95% Confidence Interval for Mean	Lower Bound	40.6611	
			Upper Bound	48.5697	
		5% Trimmed Mean		44.2949	
		Median		45.0000	
		Variance		95.846	
		Std. Deviation		9.79010	
		Minimum		35.00	
		Maximum		60.00	
		Range		25.00	
		Interquartile Range		17.50	
		Skewness		.601	.456
		Kurtosis		-1.055	.887
	Tim	Mean		45.7547	1.30170
		95% Confidence Interval for Mean	Lower Bound	43.1427	
			Upper Bound	48.3668	
		5% Trimmed Mean		46.1897	
		Median		45.0000	
		Variance		89.804	
		Std. Deviation		9.47650	
		Minimum		20.00	
		Maximum		60.00	
		Range		40.00	
		Interquartile Range		7.50	
		Skewness		-.296	.327
		Kurtosis		.685	.644
NASA_PD	Abby	Mean		22.8846	3.37608
		95% Confidence Interval for Mean	Lower Bound	15.9314	
			Upper Bound	29.8378	
		5% Trimmed Mean		22.6496	
		Median		15.0000	
		Variance		296.346	
		Std. Deviation		17.21471	

			Minimum	5.00	
			Maximum	45.00	
			Range	40.00	
			Interquartile Range	36.25	
			Skewness	.371	.456
			Kurtosis	-1.778	.887
	Tim	Mean		18.4906	2.13643
		95% Confidence Interval for Mean	Lower Bound	14.2035	
			Upper Bound	22.7776	
		5% Trimmed Mean		17.4895	
		Median		10.0000	
		Variance		241.909	
		Std. Deviation		15.55341	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		27.50	
		Skewness		.950	.327
		Kurtosis		-.558	.644
NASA_TD	Abby	Mean		24.4231	3.41182
		95% Confidence Interval for Mean	Lower Bound	17.3963	
			Upper Bound	31.4499	
		5% Trimmed Mean		23.0342	
		Median		22.5000	
		Variance		302.654	
		Std. Deviation		17.39695	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		25.00	
		Skewness		1.068	.456
		Kurtosis		1.015	.887
	Tim	Mean		17.6415	1.89819
		95% Confidence Interval for Mean	Lower Bound	13.8325	
			Upper Bound	21.4505	
		5% Trimmed Mean		16.3679	
		Median		10.0000	
		Variance		190.965	
		Std. Deviation		13.81901	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		17.50	
		Skewness		1.479	.327
		Kurtosis		2.569	.644
NASA_Performance	Abby	Mean		64.0385	4.68237
		95% Confidence Interval for Mean	Lower Bound	54.3949	
			Upper Bound	73.6820	
		5% Trimmed Mean		64.7009	
		Median		80.0000	
		Variance		570.038	
		Std. Deviation		23.87548	
		Minimum		15.00	

		Maximum		100.00	
		Range		85.00	
		Interquartile Range		31.25	
		Skewness		-.599	.456
		Kurtosis		-.544	.887
	Tim	Mean		56.7925	2.95127
		95% Confidence Interval for Mean	Lower Bound	50.8703	
			Upper Bound	62.7146	
		5% Trimmed Mean		56.9182	
		Median		50.0000	
		Variance		461.629	
		Std. Deviation		21.48556	
		Minimum		15.00	
		Maximum		100.00	
		Range		85.00	
		Interquartile Range		30.00	
		Skewness		-.038	.327
		Kurtosis		-.558	.644
NASA_Effort	Abby	Mean		41.5385	2.38213
		95% Confidence Interval for Mean	Lower Bound	36.6324	
			Upper Bound	46.4446	
		5% Trimmed Mean		40.8761	
		Median		40.0000	
		Variance		147.538	
		Std. Deviation		12.14654	
		Minimum		30.00	
		Maximum		65.00	
		Range		35.00	
		Interquartile Range		21.25	
		Skewness		.753	.456
		Kurtosis		-.611	.887
	Tim	Mean		43.0189	1.75277
		95% Confidence Interval for Mean	Lower Bound	39.5017	
			Upper Bound	46.5361	
		5% Trimmed Mean		43.3595	
		Median		40.0000	
		Variance		162.827	
		Std. Deviation		12.76035	
		Minimum		10.00	
		Maximum		65.00	
		Range		55.00	
		Interquartile Range		12.50	
		Skewness		.001	.327
		Kurtosis		.545	.644
NASA_Frustration	Abby	Mean		32.6923	3.87527
		95% Confidence Interval for Mean	Lower Bound	24.7110	
			Upper Bound	40.6736	
		5% Trimmed Mean		32.5000	
		Median		45.0000	
		Variance		390.462	
		Std. Deviation		19.76010	
		Minimum		5.00	
		Maximum		65.00	

		Range		60.00	
		Interquartile Range		35.00	
		Skewness		-.347	.456
		Kurtosis		-1.424	.887
	Tim	Mean		21.6981	2.58717
		95% Confidence Interval for Mean	Lower Bound	16.5066	
			Upper Bound	26.8897	
		5% Trimmed Mean		20.6709	
		Median		10.0000	
		Variance		354.753	
		Std. Deviation		18.83489	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		35.00	
		Skewness		.680	.327
		Kurtosis		-1.139	.644
NASA_Score	Abby	Mean		38.3654	2.10081
		95% Confidence Interval for Mean	Lower Bound	34.0387	
			Upper Bound	42.6921	
		5% Trimmed Mean		38.2835	
		Median		43.7500	
		Variance		114.749	
		Std. Deviation		10.71209	
		Minimum		20.83	
		Maximum		58.33	
		Range		37.50	
		Interquartile Range		17.71	
		Skewness		-.200	.456
		Kurtosis		-1.040	.887
	Tim	Mean		33.8994	1.26488
		95% Confidence Interval for Mean	Lower Bound	31.3612	
			Upper Bound	36.4375	
		5% Trimmed Mean		33.6146	
		Median		31.6667	
		Variance		84.796	
		Std. Deviation		9.20849	
		Minimum		20.83	
		Maximum		54.17	
		Range		33.33	
		Interquartile Range		16.67	
		Skewness		.469	.327
		Kurtosis		-.954	.644

Descriptives - use case templates, GenderMag motivation facet, understanding task

	Motivation			Statistic	Std. Error
Precision	Abby	Mean		.8606	.03389
		95% Confidence Interval for Mean	Lower Bound	.7915	
			Upper Bound	.9297	
		5% Trimmed Mean		.8740	
		Median		1.0000	
		Variance		.037	
		Std. Deviation		.19170	
		Minimum		.47	
		Maximum		1.00	
		Range		.53	
		Interquartile Range		.29	
		Skewness		-1.030	.414
		Kurtosis		-.511	.809
	Tim	Mean		.7835	.02726
		95% Confidence Interval for Mean	Lower Bound	.7287	
			Upper Bound	.8384	
		5% Trimmed Mean		.7923	
		Median		.8400	
		Variance		.036	
		Std. Deviation		.18885	
		Minimum		.38	
		Maximum		1.00	
		Range		.62	
		Interquartile Range		.34	
		Skewness		-.471	.343
		Kurtosis		-.955	.674
Recall	Abby	Mean		.8525	.03326
		95% Confidence Interval for Mean	Lower Bound	.7847	
			Upper Bound	.9203	
		5% Trimmed Mean		.8639	
		Median		.9300	
		Variance		.035	
		Std. Deviation		.18815	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.29	
		Skewness		-1.081	.414
		Kurtosis		-.461	.809
	Tim	Mean		.8415	.02350
		95% Confidence Interval for Mean	Lower Bound	.7942	
			Upper Bound	.8887	
		5% Trimmed Mean		.8524	
		Median		.8600	
		Variance		.027	
		Std. Deviation		.16279	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.29	

				Statistic	Std. Error
		Skewness		-.676	.343
		Kurtosis		-.619	.674
FMeasure	Abby	Mean		.8543	.03291
		95% Confidence Interval for Mean	Lower Bound	.7872	
			Upper Bound	.9214	
		5% Trimmed Mean		.8663	
		Median		.9474	
		Variance		.035	
		Std. Deviation		.18614	
		Minimum		.49	
		Maximum		1.00	
		Range		.51	
		Interquartile Range		.28	
		Skewness		-1.065	.414
		Kurtosis		-.537	.809
	Tim	Mean		.8073	.02467
		95% Confidence Interval for Mean	Lower Bound	.7577	
			Upper Bound	.8569	
		5% Trimmed Mean		.8163	
		Median		.8300	
		Variance		.029	
		Std. Deviation		.17091	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.30	
		Skewness		-.475	.343
		Kurtosis		-.925	.674
Duration	Abby	Mean		267.2188	17.87071
		95% Confidence Interval for Mean	Lower Bound	230.7712	
			Upper Bound	303.6663	
		5% Trimmed Mean		262.0486	
		Median		276.0000	
		Variance		10219.596	
		Std. Deviation		101.09202	
		Minimum		102.00	
		Maximum		506.00	
		Range		404.00	
		Interquartile Range		112.50	
		Skewness		1.122	.414
		Kurtosis		1.107	.809
	Tim	Mean		289.5833	14.09878
		95% Confidence Interval for Mean	Lower Bound	261.2202	
			Upper Bound	317.9464	
		5% Trimmed Mean		286.9583	
		Median		298.0000	
		Variance		9541.227	
		Std. Deviation		97.67920	
		Minimum		135.00	
		Maximum		504.00	
		Range		369.00	
		Interquartile Range		88.00	
		Skewness		.407	.343

			Kurtosis	-.313	.674
FirstActDet	Abby	Mean		61.3750	10.04524
		95% Confidence Interval for Mean	Lower Bound	40.8876	
			Upper Bound	81.8624	
		5% Trimmed Mean		59.2500	
		Median		66.0000	
		Variance		3229.016	
		Std. Deviation		56.82443	
		Minimum		2.00	
		Maximum		159.00	
		Range		157.00	
		Interquartile Range		97.75	
		Skewness		.478	.414
		Kurtosis		-1.181	.809
	Tim	Mean		61.0000	8.21163
		95% Confidence Interval for Mean	Lower Bound	44.4803	
			Upper Bound	77.5197	
		5% Trimmed Mean		59.3472	
		Median		66.0000	
		Variance		3236.681	
		Std. Deviation		56.89183	
		Minimum		.00	
		Maximum		157.00	
		Range		157.00	
		Interquartile Range		101.00	
		Skewness		.233	.343
		Kurtosis		-1.589	.674
LastActDet	Abby	Mean		245.9375	19.12364
		95% Confidence Interval for Mean	Lower Bound	206.9346	
			Upper Bound	284.9404	
		5% Trimmed Mean		240.3611	
		Median		244.5000	
		Variance		11702.835	
		Std. Deviation		108.17964	
		Minimum		87.00	
		Maximum		500.00	
		Range		413.00	
		Interquartile Range		124.50	
		Skewness		1.020	.414
		Kurtosis		.799	.809
	Tim	Mean		277.0208	14.37191
		95% Confidence Interval for Mean	Lower Bound	248.1083	
			Upper Bound	305.9334	
		5% Trimmed Mean		274.0509	
		Median		266.0000	
		Variance		9914.489	
		Std. Deviation		99.57153	
		Minimum		111.00	
		Maximum		490.00	
		Range		379.00	
		Interquartile Range		81.00	
		Skewness		.539	.343
		Kurtosis		-.260	.674

					Statistic	Std. Error
ProcDur	Abby	Mean			21.2813	3.07475
		95% Confidence Interval for Mean	Lower Bound		15.0103	
			Upper Bound		27.5522	
		5% Trimmed Mean			20.7917	
		Median			14.0000	
		Variance			302.531	
		Std. Deviation			17.39343	
		Minimum			1.00	
		Maximum			50.00	
		Range			49.00	
		Interquartile Range			30.50	
		Skewness			.497	.414
		Kurtosis			-1.399	.809
	Tim	Mean			12.5625	2.25991
		95% Confidence Interval for Mean	Lower Bound		8.0162	
			Upper Bound		17.1088	
		5% Trimmed Mean			10.9861	
		Median			4.0000	
		Variance			245.145	
		Std. Deviation			15.65711	
		Minimum			1.00	
		Maximum			54.00	
		Range			53.00	
		Interquartile Range			12.75	
		Skewness			1.467	.343
		Kurtosis			.846	.674
FixRel	Abby	Mean			10.7625	.12477
		95% Confidence Interval for Mean	Lower Bound		10.5080	
			Upper Bound		11.0170	
		5% Trimmed Mean			10.7731	
		Median			10.7600	
		Variance			.498	
		Std. Deviation			.70581	
		Minimum			9.30	
		Maximum			11.88	
		Range			2.58	
		Interquartile Range			.82	
		Skewness			-.127	.414
		Kurtosis			-.525	.809
	Tim	Mean			10.5848	.10933
		95% Confidence Interval for Mean	Lower Bound		10.3648	
			Upper Bound		10.8047	
		5% Trimmed Mean			10.5461	
		Median			10.7100	
		Variance			.574	
		Std. Deviation			.75746	
		Minimum			9.57	
		Maximum			12.25	
		Range			2.68	
		Interquartile Range			.92	
		Skewness			.598	.343
		Kurtosis			-.331	.674
FixIrrel	Abby	Mean			267.5156	24.24329

		95% Confidence Interval for Mean	Lower Bound	218.0711	
			Upper Bound	316.9601	
		5% Trimmed Mean		272.1111	
		Median		315.5000	
		Variance		18807.588	
		Std. Deviation		137.14076	
		Minimum		41.75	
		Maximum		411.50	
		Range		369.75	
		Interquartile Range		272.13	
		Skewness		-.437	.414
		Kurtosis		-1.499	.809
	Tim	Mean		252.2344	20.66384
		95% Confidence Interval for Mean	Lower Bound	210.6641	
			Upper Bound	293.8047	
		5% Trimmed Mean		255.1354	
		Median		316.8750	
		Variance		20495.719	
		Std. Deviation		143.16326	
		Minimum		41.75	
		Maximum		411.50	
		Range		369.75	
		Interquartile Range		281.25	
		Skewness		-.108	.343
		Kurtosis		-1.802	.674
AvDurRelFix	Abby	Mean		93.6338	8.85113
		95% Confidence Interval for Mean	Lower Bound	75.5818	
			Upper Bound	111.6857	
		5% Trimmed Mean		95.6736	
		Median		112.5000	
		Variance		2506.958	
		Std. Deviation		50.06954	
		Minimum		6.23	
		Maximum		144.50	
		Range		138.27	
		Interquartile Range		90.35	
		Skewness		-.571	.414
		Kurtosis		-1.261	.809
	Tim	Mean		89.6702	7.23886
		95% Confidence Interval for Mean	Lower Bound	75.1075	
			Upper Bound	104.2329	
		5% Trimmed Mean		91.2782	
		Median		112.6050	
		Variance		2515.251	
		Std. Deviation		50.15228	
		Minimum		6.23	
		Maximum		144.50	
		Range		138.27	
		Interquartile Range		93.75	
		Skewness		-.218	.343
		Kurtosis		-1.595	.674
AvDurIrrelFix	Abby	Mean		250.7131	23.70339
		95% Confidence Interval for Mean	Lower Bound	202.3697	

			Upper Bound	299.0565	
		5% Trimmed Mean		255.1445	
		Median		314.5000	
		Variance		17979.218	
		Std. Deviation		134.08661	
		Minimum		5.27	
		Maximum		410.50	
		Range		405.23	
		Interquartile Range		224.11	
		Skewness		-.473	.414
		Kurtosis		-1.312	.809
	Tim	Mean		223.0894	21.76427
		95% Confidence Interval for Mean	Lower Bound	179.3053	
			Upper Bound	266.8734	
		5% Trimmed Mean		224.8343	
		Median		267.8550	
		Variance		22736.801	
		Std. Deviation		150.78727	
		Minimum		5.27	
		Maximum		410.50	
		Range		405.23	
		Interquartile Range		281.25	
		Skewness		-.049	.343
		Kurtosis		-1.743	.674
TotSac	Abby	Mean		88.9375	1.95511
		95% Confidence Interval for Mean	Lower Bound	84.9500	
			Upper Bound	92.9250	
		5% Trimmed Mean		89.0556	
		Median		91.0000	
		Variance		122.319	
		Std. Deviation		11.05977	
		Minimum		70.00	
		Maximum		105.00	
		Range		35.00	
		Interquartile Range		21.00	
		Skewness		-.203	.414
		Kurtosis		-.953	.809
	Tim	Mean		88.2917	1.58113
		95% Confidence Interval for Mean	Lower Bound	85.1108	
			Upper Bound	91.4725	
		5% Trimmed Mean		88.2778	
		Median		88.0000	
		Variance		119.998	
		Std. Deviation		10.95437	
		Minimum		73.00	
		Maximum		105.00	
		Range		32.00	
		Interquartile Range		24.00	
		Skewness		-.142	.343
		Kurtosis		-1.384	.674
Sac2Key	Abby	Mean		13.8125	1.64209
		95% Confidence Interval for Mean	Lower Bound	10.4634	
			Upper Bound	17.1616	

		5% Trimmed Mean		13.2708	
		Median		12.0000	
		Variance		86.286	
		Std. Deviation		9.28904	
		Minimum		1.00	
		Maximum		36.00	
		Range		35.00	
		Interquartile Range		11.00	
		Skewness		.999	.414
		Kurtosis		.465	.809
	Tim	Mean		12.2917	1.07970
		95% Confidence Interval for Mean	Lower Bound	10.1196	
			Upper Bound	14.4637	
		5% Trimmed Mean		11.9167	
		Median		11.0000	
		Variance		55.956	
		Std. Deviation		7.48035	
		Minimum		.00	
		Maximum		34.00	
		Range		34.00	
		Interquartile Range		5.00	
		Skewness		.972	.343
		Kurtosis		1.545	.674
AvAttention	Abby	Mean		.5750	.03592
		95% Confidence Interval for Mean	Lower Bound	.5017	
			Upper Bound	.6483	
		5% Trimmed Mean		.5778	
		Median		.6000	
		Variance		.041	
		Std. Deviation		.20320	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.30	
		Skewness		-.154	.414
		Kurtosis		-.539	.809
	Tim	Mean		.6021	.02970
		95% Confidence Interval for Mean	Lower Bound	.5423	
			Upper Bound	.6618	
		5% Trimmed Mean		.6079	
		Median		.6000	
		Variance		.042	
		Std. Deviation		.20576	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.20	
		Skewness		-.320	.343
		Kurtosis		-.314	.674
AvMentWL	Abby	Mean		.5313	.02747
		95% Confidence Interval for Mean	Lower Bound	.4752	
			Upper Bound	.5873	
		5% Trimmed Mean		.5313	

			Median	.6000	
			Variance	.024	
			Std. Deviation	.15541	
			Minimum	.20	
			Maximum	.90	
			Range	.70	
			Interquartile Range	.17	
			Skewness	-.231	.414
			Kurtosis	.024	.809
	Tim	Mean		.5125	.02299
		95% Confidence Interval for Mean	Lower Bound	.4662	
			Upper Bound	.5588	
		5% Trimmed Mean		.5116	
		Median		.5000	
		Variance		.025	
		Std. Deviation		.15929	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.20	
		Skewness		-.048	.343
		Kurtosis		-.748	.674
AvFam	Abby	Mean		.7156	.02698
		95% Confidence Interval for Mean	Lower Bound	.6606	
			Upper Bound	.7707	
		5% Trimmed Mean		.7194	
		Median		.7000	
		Variance		.023	
		Std. Deviation		.15263	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.280	.414
		Kurtosis		-.482	.809
	Tim	Mean		.7333	.02937
		95% Confidence Interval for Mean	Lower Bound	.6742	
			Upper Bound	.7924	
		5% Trimmed Mean		.7370	
		Median		.8000	
		Variance		.041	
		Std. Deviation		.20352	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		-.270	.343
		Kurtosis		-1.237	.674
AvSCL	Abby	Mean		516.2188	26.01960
		95% Confidence Interval for Mean	Lower Bound	463.1514	
			Upper Bound	569.2861	
		5% Trimmed Mean		518.3542	
		Median		503.5000	

				Statistic	Std. Error
		Variance		21664.628	
		Std. Deviation		147.18909	
		Minimum		281.00	
		Maximum		713.00	
		Range		432.00	
		Interquartile Range		262.25	
		Skewness		-.158	.414
		Kurtosis		-1.305	.809
	Tim	Mean		574.8125	17.83369
		95% Confidence Interval for Mean	Lower Bound	538.9357	
			Upper Bound	610.6893	
		5% Trimmed Mean		580.7315	
		Median		610.0000	
		Variance		15265.943	
		Std. Deviation		123.55542	
		Minimum		281.00	
		Maximum		743.00	
		Range		462.00	
		Interquartile Range		176.50	
		Skewness		-.672	.343
		Kurtosis		-.442	.674
HRVar_RMSSD	Abby	Mean		28.9559	3.10922
		95% Confidence Interval for Mean	Lower Bound	22.6146	
			Upper Bound	35.2972	
		5% Trimmed Mean		28.0127	
		Median		24.0800	
		Variance		309.352	
		Std. Deviation		17.58840	
		Minimum		11.03	
		Maximum		63.86	
		Range		52.83	
		Interquartile Range		28.55	
		Skewness		.852	.414
		Kurtosis		-.736	.809
	Tim	Mean		38.0890	3.28724
		95% Confidence Interval for Mean	Lower Bound	31.4759	
			Upper Bound	44.7020	
		5% Trimmed Mean		38.2492	
		Median		49.9800	
		Variance		518.684	
		Std. Deviation		22.77464	
		Minimum		2.84	
		Maximum		70.37	
		Range		67.53	
		Interquartile Range		44.61	
		Skewness		-.162	.343
		Kurtosis		-1.636	.674
HRVar_NN50	Abby	Mean		18.3794	3.21136
		95% Confidence Interval for Mean	Lower Bound	11.8298	
			Upper Bound	24.9290	
		5% Trimmed Mean		17.4837	
		Median		11.8100	
		Variance		330.010	

			Std. Deviation	18.16617	
			Minimum	.53	
			Maximum	52.29	
			Range	51.76	
			Interquartile Range	30.43	
			Skewness	.874	.414
			Kurtosis	-.780	.809
	Tim		Mean	27.7985	2.74984
		95% Confidence Interval for Mean	Lower Bound	22.2666	
			Upper Bound	33.3305	
			5% Trimmed Mean	27.7907	
			Median	34.7400	
			Variance	362.959	
			Std. Deviation	19.05147	
			Minimum	-.47	
			Maximum	55.80	
			Range	56.27	
			Interquartile Range	36.83	
			Skewness	-.323	.343
			Kurtosis	-1.364	.674
NASA_MD	Abby		Mean	38.4375	2.46383
		95% Confidence Interval for Mean	Lower Bound	33.4125	
			Upper Bound	43.4625	
			5% Trimmed Mean	38.9931	
			Median	40.0000	
			Variance	194.254	
			Std. Deviation	13.93750	
			Minimum	10.00	
			Maximum	55.00	
			Range	45.00	
			Interquartile Range	20.00	
			Skewness	-.542	.414
			Kurtosis	-.683	.809
	Tim		Mean	38.3333	1.30918
		95% Confidence Interval for Mean	Lower Bound	35.6996	
			Upper Bound	40.9671	
			5% Trimmed Mean	38.5417	
			Median	40.0000	
			Variance	82.270	
			Std. Deviation	9.07025	
			Minimum	10.00	
			Maximum	55.00	
			Range	45.00	
			Interquartile Range	15.00	
			Skewness	-.281	.343
			Kurtosis	.664	.674
NASA_PD	Abby		Mean	13.9063	2.48721
		95% Confidence Interval for Mean	Lower Bound	8.8336	
			Upper Bound	18.9789	
			5% Trimmed Mean	12.6736	
			Median	5.0000	
			Variance	197.959	
			Std. Deviation	14.06978	

		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		20.00	
		Skewness		1.378	.414
		Kurtosis		.334	.809
	Tim	Mean		14.0625	1.95050
		95% Confidence Interval for Mean	Lower Bound	10.1386	
			Upper Bound	17.9864	
		5% Trimmed Mean		12.8472	
		Median		5.0000	
		Variance		182.613	
		Std. Deviation		13.51344	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		25.00	
		Skewness		1.260	.343
		Kurtosis		.097	.674
NASA_TD	Abby	Mean		19.8438	3.35624
		95% Confidence Interval for Mean	Lower Bound	12.9987	
			Upper Bound	26.6888	
		5% Trimmed Mean		18.1597	
		Median		12.5000	
		Variance		360.459	
		Std. Deviation		18.98575	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		30.00	
		Skewness		1.251	.414
		Kurtosis		.770	.809
	Tim	Mean		16.1458	1.98196
		95% Confidence Interval for Mean	Lower Bound	12.1586	
			Upper Bound	20.1330	
		5% Trimmed Mean		14.8611	
		Median		12.5000	
		Variance		188.553	
		Std. Deviation		13.73145	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		20.00	
		Skewness		1.345	.343
		Kurtosis		1.912	.674
NASA_Performance	Abby	Mean		75.9375	3.13054
		95% Confidence Interval for Mean	Lower Bound	69.5527	
			Upper Bound	82.3223	
		5% Trimmed Mean		76.8056	
		Median		80.0000	
		Variance		313.609	
		Std. Deviation		17.70901	
		Minimum		25.00	

		Maximum		100.00	
		Range		75.00	
		Interquartile Range		30.00	
		Skewness		-.755	.414
		Kurtosis		.376	.809
	Tim	Mean		63.5417	2.86733
		95% Confidence Interval for Mean	Lower Bound	57.7733	
			Upper Bound	69.3100	
		5% Trimmed Mean		63.8194	
		Median		60.0000	
		Variance		394.637	
		Std. Deviation		19.86546	
		Minimum		25.00	
		Maximum		100.00	
		Range		75.00	
		Interquartile Range		35.00	
		Skewness		.123	.343
		Kurtosis		-.584	.674
NASA_Effort	Abby	Mean		37.3438	3.29179
		95% Confidence Interval for Mean	Lower Bound	30.6301	
			Upper Bound	44.0574	
		5% Trimmed Mean		37.8819	
		Median		35.0000	
		Variance		346.749	
		Std. Deviation		18.62120	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		32.50	
		Skewness		-.407	.414
		Kurtosis		-.780	.809
	Tim	Mean		38.1250	1.68183
		95% Confidence Interval for Mean	Lower Bound	34.7416	
			Upper Bound	41.5084	
		5% Trimmed Mean		38.1019	
		Median		35.0000	
		Variance		135.771	
		Std. Deviation		11.65209	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		.077	.343
		Kurtosis		.391	.674
NASA_Frustration	Abby	Mean		31.4063	3.68379
		95% Confidence Interval for Mean	Lower Bound	23.8931	
			Upper Bound	38.9194	
		5% Trimmed Mean		31.0069	
		Median		30.0000	
		Variance		434.249	
		Std. Deviation		20.83864	
		Minimum		5.00	
		Maximum		65.00	

				Statistic	Std. Error
		Range		60.00	
		Interquartile Range		40.00	
		Skewness		.019	.414
		Kurtosis		-1.509	.809
	Tim	Mean		22.8125	2.50844
		95% Confidence Interval for Mean	Lower Bound	17.7662	
			Upper Bound	27.8588	
		5% Trimmed Mean		21.9444	
		Median		15.0000	
		Variance		302.028	
		Std. Deviation		17.37895	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		37.50	
		Skewness		.563	.343
		Kurtosis		-1.165	.674
NASA_Score	Abby	Mean		36.1458	2.01978
		95% Confidence Interval for Mean	Lower Bound	32.0265	
			Upper Bound	40.2652	
		5% Trimmed Mean		36.0706	
		Median		32.9167	
		Variance		130.544	
		Std. Deviation		11.42560	
		Minimum		20.00	
		Maximum		53.33	
		Range		33.33	
		Interquartile Range		19.17	
		Skewness		.059	.414
		Kurtosis		-1.558	.809
	Tim	Mean		32.1701	1.27094
		95% Confidence Interval for Mean	Lower Bound	29.6133	
			Upper Bound	34.7269	
		5% Trimmed Mean		31.8364	
		Median		29.1667	
		Variance		77.534	
		Std. Deviation		8.80532	
		Minimum		19.17	
		Maximum		52.50	
		Range		33.33	
		Interquartile Range		13.96	
		Skewness		.655	.343
		Kurtosis		-.681	.674

Descriptives - use case templates, GenderMag information processing facet, understanding task

	InformationProcessing			Statistic	Std. Error
Precision	Abby	Mean		.7937	.02567
		95% Confidence Interval for Mean	Lower Bound	.7422	
			Upper Bound	.8453	
		5% Trimmed Mean		.8021	
		Median		.7900	
		Variance		.034	
		Std. Deviation		.18335	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.33	
		Skewness		-.375	.333
		Kurtosis		-1.026	.656
	Tim	Mean		.8507	.03826
		95% Confidence Interval for Mean	Lower Bound	.7723	
			Upper Bound	.9291	
		5% Trimmed Mean		.8665	
		Median		.9300	
		Variance		.042	
		Std. Deviation		.20605	
		Minimum		.38	
		Maximum		1.00	
		Range		.62	
		Interquartile Range		.30	
		Skewness		-1.158	.434
		Kurtosis		-.283	.845
Recall	Abby	Mean		.8378	.02224
		95% Confidence Interval for Mean	Lower Bound	.7932	
			Upper Bound	.8825	
		5% Trimmed Mean		.8486	
		Median		.8600	
		Variance		.025	
		Std. Deviation		.15880	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.29	
		Skewness		-.748	.333
		Kurtosis		-.484	.656
	Tim	Mean		.8600	.03639
		95% Confidence Interval for Mean	Lower Bound	.7855	
			Upper Bound	.9345	
		5% Trimmed Mean		.8722	
		Median		1.0000	
		Variance		.038	
		Std. Deviation		.19598	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.27	

		Skewness		-1.053	.434
		Kurtosis		-.574	.845
FMeasure	Abby	Mean		.8108	.02303
		95% Confidence Interval for Mean	Lower Bound	.7645	
			Upper Bound	.8571	
		5% Trimmed Mean		.8194	
		Median		.8200	
		Variance		.027	
		Std. Deviation		.16450	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.29	
		Skewness		-.448	.333
		Kurtosis		-.964	.656
	Tim	Mean		.8530	.03686
		95% Confidence Interval for Mean	Lower Bound	.7775	
			Upper Bound	.9285	
		5% Trimmed Mean		.8660	
		Median		.9474	
		Variance		.039	
		Std. Deviation		.19852	
		Minimum		.46	
		Maximum		1.00	
		Range		.54	
		Interquartile Range		.31	
		Skewness		-1.100	.434
		Kurtosis		-.547	.845
Duration	Abby	Mean		258.4118	12.50271
		95% Confidence Interval for Mean	Lower Bound	233.2993	
			Upper Bound	283.5242	
		5% Trimmed Mean		254.7898	
		Median		258.0000	
		Variance		7972.207	
		Std. Deviation		89.28722	
		Minimum		135.00	
		Maximum		461.00	
		Range		326.00	
		Interquartile Range		119.00	
		Skewness		.720	.333
		Kurtosis		-.228	.656
	Tim	Mean		319.7241	19.43601
		95% Confidence Interval for Mean	Lower Bound	279.9113	
			Upper Bound	359.5370	
		5% Trimmed Mean		320.4195	
		Median		299.0000	
		Variance		10954.993	
		Std. Deviation		104.66610	
		Minimum		102.00	
		Maximum		506.00	
		Range		404.00	
		Interquartile Range		22.00	
		Skewness		.496	.434

		Kurtosis		.148	.845
FirstActDet	Abby	Mean		55.4902	8.36681
		95% Confidence Interval for Mean	Lower Bound	38.6850	
			Upper Bound	72.2954	
		5% Trimmed Mean		52.8224	
		Median		11.0000	
		Variance		3570.175	
		Std. Deviation		59.75094	
		Minimum		.00	
		Maximum		159.00	
		Range		159.00	
		Interquartile Range		120.00	
		Skewness		.592	.333
		Kurtosis		-1.288	.656
	Tim	Mean		71.1034	9.23227
		95% Confidence Interval for Mean	Lower Bound	52.1920	
			Upper Bound	90.0149	
		5% Trimmed Mean		70.5594	
		Median		83.0000	
		Variance		2471.810	
		Std. Deviation		49.71730	
		Minimum		4.00	
		Maximum		148.00	
		Range		144.00	
		Interquartile Range		96.00	
		Skewness		-.201	.434
		Kurtosis		-1.316	.845
LastActDet	Abby	Mean		246.5490	13.55287
		95% Confidence Interval for Mean	Lower Bound	219.3273	
			Upper Bound	273.7708	
		5% Trimmed Mean		242.8834	
		Median		255.0000	
		Variance		9367.693	
		Std. Deviation		96.78684	
		Minimum		111.00	
		Maximum		460.00	
		Range		349.00	
		Interquartile Range		125.00	
		Skewness		.584	.333
		Kurtosis		-.433	.656
	Tim	Mean		296.3103	20.25564
		95% Confidence Interval for Mean	Lower Bound	254.8186	
			Upper Bound	337.8021	
		5% Trimmed Mean		295.5536	
		Median		274.0000	
		Variance		11898.436	
		Std. Deviation		109.07995	
		Minimum		87.00	
		Maximum		500.00	
		Range		413.00	
		Interquartile Range		47.00	
		Skewness		.770	.434
		Kurtosis		.019	.845

ProcDur	Abby	Mean			11.8627	2.16515
		95% Confidence Interval for Mean	Lower Bound	7.5139	
			Upper Bound	16.2116	
		5% Trimmed Mean		10.3475	
		Median		4.0000	
		Variance		239.081	
		Std. Deviation		15.46224	
		Minimum		1.00	
		Maximum		50.00	
		Range		49.00	
		Interquartile Range		8.00	
		Skewness		1.568	.333
		Kurtosis		.961	.656
	Tim	Mean		23.4138	3.12684
		95% Confidence Interval for Mean	Lower Bound	17.0087	
			Upper Bound	29.8188	
		5% Trimmed Mean		22.9425	
		Median		15.0000	
		Variance		283.537	
		Std. Deviation		16.83856	
		Minimum		1.00	
		Maximum		54.00	
		Range		53.00	
		Interquartile Range		28.50	
		Skewness		.380	.434
		Kurtosis		-1.251	.845
FixRel	Abby	Mean		10.6178	.09900
		95% Confidence Interval for Mean	Lower Bound	10.4190	
			Upper Bound	10.8167	
		5% Trimmed Mean		10.5895	
		Median		10.7600	
		Variance		.500	
		Std. Deviation		.70704	
		Minimum		9.71	
		Maximum		12.25	
		Range		2.54	
		Interquartile Range		1.00	
		Skewness		.369	.333
		Kurtosis		-.761	.656
	Tim	Mean		10.7228	.14813
		95% Confidence Interval for Mean	Lower Bound	10.4193	
			Upper Bound	11.0262	
		5% Trimmed Mean		10.7123	
		Median		10.6500	
		Variance		.636	
		Std. Deviation		.79770	
		Minimum		9.30	
		Maximum		12.25	
		Range		2.95	
		Interquartile Range		.85	
		Skewness		.198	.434
		Kurtosis		-.354	.845
FixIrrel	Abby	Mean		224.0392	20.07596

		95% Confidence Interval for Mean	Lower Bound	183.7155	
			Upper Bound	264.3630	
		5% Trimmed Mean		224.1092	
		Median		150.0000	
		Variance		20555.256	
		Std. Deviation		143.37104	
		Minimum		41.75	
		Maximum		405.50	
		Range		363.75	
		Interquartile Range		299.25	
		Skewness		.119	.333
		Kurtosis		-1.780	.656
	Tim	Mean		318.6810	20.98149
		95% Confidence Interval for Mean	Lower Bound	275.7024	
			Upper Bound	361.6597	
		5% Trimmed Mean		323.8693	
		Median		403.5000	
		Variance		12766.459	
		Std. Deviation		112.98876	
		Minimum		124.25	
		Maximum		411.50	
		Range		287.25	
		Interquartile Range		251.25	
		Skewness		-.763	.434
		Kurtosis		-1.260	.845
AvDurRelFix	Abby	Mean		78.6141	7.24945
		95% Confidence Interval for Mean	Lower Bound	64.0532	
			Upper Bound	93.1751	
		5% Trimmed Mean		79.0952	
		Median		56.9800	
		Variance		2680.279	
		Std. Deviation		51.77141	
		Minimum		6.23	
		Maximum		142.50	
		Range		136.27	
		Interquartile Range		99.75	
		Skewness		-.008	.333
		Kurtosis		-1.668	.656
	Tim	Mean		113.4872	6.99551
		95% Confidence Interval for Mean	Lower Bound	99.1576	
			Upper Bound	127.8169	
		5% Trimmed Mean		115.2146	
		Median		141.4800	
		Variance		1419.176	
		Std. Deviation		37.67195	
		Minimum		48.75	
		Maximum		144.50	
		Range		95.75	
		Interquartile Range		83.75	
		Skewness		-.762	.434
		Kurtosis		-1.261	.845
AvDurIrrelFix	Abby	Mean		192.2839	19.98248
		95% Confidence Interval for Mean	Lower Bound	152.1479	

			Upper Bound	232.4199	
			5% Trimmed Mean	190.9108	
			Median	123.2500	
			Variance	20364.275	
			Std. Deviation	142.70345	
			Minimum	5.27	
			Maximum	404.50	
			Range	399.23	
			Interquartile Range	267.75	
			Skewness	.133	.333
			Kurtosis	-1.741	.656
	Tim	Mean		307.7459	21.51747
		95% Confidence Interval for Mean	Lower Bound	263.6693	
			Upper Bound	351.8224	
		5% Trimmed Mean		313.4568	
		Median		354.4800	
		Variance		13427.045	
		Std. Deviation		115.87513	
		Minimum		101.73	
		Maximum		410.50	
		Range		308.77	
		Interquartile Range		251.25	
		Skewness		-.735	.434
		Kurtosis		-1.173	.845
TotSac	Abby	Mean		87.7059	1.52349
		95% Confidence Interval for Mean	Lower Bound	84.6459	
			Upper Bound	90.7659	
		5% Trimmed Mean		87.6852	
		Median		89.0000	
		Variance		118.372	
		Std. Deviation		10.87988	
		Minimum		73.00	
		Maximum		103.00	
		Range		30.00	
		Interquartile Range		24.00	
		Skewness		-.144	.333
		Kurtosis		-1.464	.656
	Tim	Mean		90.0345	2.05256
		95% Confidence Interval for Mean	Lower Bound	85.8300	
			Upper Bound	94.2390	
		5% Trimmed Mean		90.2816	
		Median		91.0000	
		Variance		122.177	
		Std. Deviation		11.05339	
		Minimum		70.00	
		Maximum		105.00	
		Range		35.00	
		Interquartile Range		16.50	
		Skewness		-.219	.434
		Kurtosis		-.801	.845
Sac2Key	Abby	Mean		11.4314	1.07822
		95% Confidence Interval for Mean	Lower Bound	9.2657	
			Upper Bound	13.5970	

		5% Trimmed Mean		11.0588	
		Median		11.0000	
		Variance		59.290	
		Std. Deviation		7.70001	
		Minimum		.00	
		Maximum		30.00	
		Range		30.00	
		Interquartile Range		8.00	
		Skewness		.956	.333
		Kurtosis		.942	.656
	Tim	Mean		15.4828	1.60097
		95% Confidence Interval for Mean	Lower Bound	12.2033	
			Upper Bound	18.7622	
		5% Trimmed Mean		15.0057	
		Median		13.0000	
		Variance		74.330	
		Std. Deviation		8.62149	
		Minimum		2.00	
		Maximum		36.00	
		Range		34.00	
		Interquartile Range		9.50	
		Skewness		1.184	.434
		Kurtosis		1.012	.845
AvAttention	Abby	Mean		.6882	.01933
		95% Confidence Interval for Mean	Lower Bound	.6494	
			Upper Bound	.7271	
		5% Trimmed Mean		.6925	
		Median		.7000	
		Variance		.019	
		Std. Deviation		.13805	
		Minimum		.40	
		Maximum		.90	
		Range		.50	
		Interquartile Range		.20	
		Skewness		.172	.333
		Kurtosis		-.418	.656
	Tim	Mean		.4207	.03523
		95% Confidence Interval for Mean	Lower Bound	.3485	
			Upper Bound	.4928	
		5% Trimmed Mean		.4063	
		Median		.4000	
		Variance		.036	
		Std. Deviation		.18970	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.861	.434
		Kurtosis		1.029	.845
AvMentWL	Abby	Mean		.5588	.01684
		95% Confidence Interval for Mean	Lower Bound	.5250	
			Upper Bound	.5927	
		5% Trimmed Mean		.5654	

		Median		.6000	
		Variance		.014	
		Std. Deviation		.12029	
		Minimum		.30	
		Maximum		.70	
		Range		.40	
		Interquartile Range		.10	
		Skewness		-.790	.333
		Kurtosis		-.032	.656
	Tim	Mean		.4517	.03531
		95% Confidence Interval for Mean	Lower Bound	.3794	
			Upper Bound	.5241	
		5% Trimmed Mean		.4408	
		Median		.4000	
		Variance		.036	
		Std. Deviation		.19015	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.892	.434
		Kurtosis		.176	.845
AvFam	Abby	Mean		.7922	.02148
		95% Confidence Interval for Mean	Lower Bound	.7490	
			Upper Bound	.8353	
		5% Trimmed Mean		.7978	
		Median		.8000	
		Variance		.024	
		Std. Deviation		.15342	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.417	.333
		Kurtosis		-.669	.656
	Tim	Mean		.6103	.03305
		95% Confidence Interval for Mean	Lower Bound	.5426	
			Upper Bound	.6780	
		5% Trimmed Mean		.6021	
		Median		.6000	
		Variance		.032	
		Std. Deviation		.17797	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		.445	.434
		Kurtosis		-.826	.845
AvSCL	Abby	Mean		571.9412	16.95716
		95% Confidence Interval for Mean	Lower Bound	537.8817	
			Upper Bound	606.0006	
		5% Trimmed Mean		578.6449	
		Median		632.0000	

		Variance		14664.816	
		Std. Deviation		121.09838	
		Minimum		281.00	
		Maximum		743.00	
		Range		462.00	
		Interquartile Range		204.00	
		Skewness		-.730	.333
		Kurtosis		-.182	.656
	Tim	Mean		515.2069	28.55883
		95% Confidence Interval for Mean	Lower Bound	456.7068	
			Upper Bound	573.7070	
		5% Trimmed Mean		516.8065	
		Median		556.0000	
		Variance		23652.599	
		Std. Deviation		153.79401	
		Minimum		288.00	
		Maximum		713.00	
		Range		425.00	
		Interquartile Range		310.50	
		Skewness		-.033	.434
		Kurtosis		-1.477	.845
HRVar_RMSSD	Abby	Mean		38.6061	3.10072
		95% Confidence Interval for Mean	Lower Bound	32.3781	
			Upper Bound	44.8341	
		5% Trimmed Mean		38.8241	
		Median		49.9800	
		Variance		490.337	
		Std. Deviation		22.14355	
		Minimum		2.84	
		Maximum		70.37	
		Range		67.53	
		Interquartile Range		42.15	
		Skewness		-.248	.333
		Kurtosis		-1.579	.656
	Tim	Mean		27.1017	3.25552
		95% Confidence Interval for Mean	Lower Bound	20.4331	
			Upper Bound	33.7704	
		5% Trimmed Mean		25.8426	
		Median		19.1400	
		Variance		307.354	
		Std. Deviation		17.53151	
		Minimum		12.87	
		Maximum		64.06	
		Range		51.19	
		Interquartile Range		18.95	
		Skewness		1.244	.434
		Kurtosis		.361	.845
HRVar_NN50	Abby	Mean		25.4518	2.72978
		95% Confidence Interval for Mean	Lower Bound	19.9688	
			Upper Bound	30.9347	
		5% Trimmed Mean		25.1575	
		Median		32.9800	
		Variance		380.036	

		Std. Deviation		19.49452	
		Minimum		.63	
		Maximum		55.80	
		Range		55.17	
		Interquartile Range		35.88	
		Skewness		-.020	.333
		Kurtosis		-1.607	.656
	Tim	Mean		21.5321	3.45751
		95% Confidence Interval for Mean	Lower Bound	14.4497	
			Upper Bound	28.6144	
		5% Trimmed Mean		21.0284	
		Median		18.7200	
		Variance		346.676	
		Std. Deviation		18.61924	
		Minimum		-.47	
		Maximum		52.29	
		Range		52.76	
		Interquartile Range		34.13	
		Skewness		.398	.434
		Kurtosis		-1.310	.845
NASA_MD	Abby	Mean		38.7255	1.77036
		95% Confidence Interval for Mean	Lower Bound	35.1696	
			Upper Bound	42.2814	
		5% Trimmed Mean		39.3573	
		Median		40.0000	
		Variance		159.843	
		Std. Deviation		12.64291	
		Minimum		10.00	
		Maximum		55.00	
		Range		45.00	
		Interquartile Range		20.00	
		Skewness		-.682	.333
		Kurtosis		-.233	.656
	Tim	Mean		37.7586	1.52132
		95% Confidence Interval for Mean	Lower Bound	34.6423	
			Upper Bound	40.8749	
		5% Trimmed Mean		37.5096	
		Median		40.0000	
		Variance		67.118	
		Std. Deviation		8.19257	
		Minimum		25.00	
		Maximum		55.00	
		Range		30.00	
		Interquartile Range		10.00	
		Skewness		.686	.434
		Kurtosis		.250	.845
NASA_PD	Abby	Mean		10.2941	1.23995
		95% Confidence Interval for Mean	Lower Bound	7.8036	
			Upper Bound	12.7846	
		5% Trimmed Mean		9.4935	
		Median		5.0000	
		Variance		78.412	
		Std. Deviation		8.85504	

				Statistic	Std. Error
		Minimum		5.00	
		Maximum		30.00	
		Range		25.00	
		Interquartile Range		5.00	
		Skewness		1.706	.333
		Kurtosis		1.319	.656
	Tim	Mean		20.5172	3.30458
		95% Confidence Interval for Mean	Lower Bound	13.7481	
			Upper Bound	27.2864	
		5% Trimmed Mean		20.0192	
		Median		5.0000	
		Variance		316.687	
		Std. Deviation		17.79571	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		37.50	
		Skewness		.404	.434
		Kurtosis		-1.754	.845
NASA_TD	Abby	Mean		18.9216	2.53723
		95% Confidence Interval for Mean	Lower Bound	13.8254	
			Upper Bound	24.0177	
		5% Trimmed Mean		17.1351	
		Median		15.0000	
		Variance		328.314	
		Std. Deviation		18.11943	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		30.00	
		Skewness		1.320	.333
		Kurtosis		.989	.656
	Tim	Mean		15.3448	2.11916
		95% Confidence Interval for Mean	Lower Bound	11.0039	
			Upper Bound	19.6857	
		5% Trimmed Mean		14.8276	
		Median		10.0000	
		Variance		130.234	
		Std. Deviation		11.41201	
		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		25.00	
		Skewness		.645	.434
		Kurtosis		-1.213	.845
NASA_Performance	Abby	Mean		68.0392	2.29696
		95% Confidence Interval for Mean	Lower Bound	63.4256	
			Upper Bound	72.6528	
		5% Trimmed Mean		67.7614	
		Median		60.0000	
		Variance		269.078	
		Std. Deviation		16.40361	
		Minimum		45.00	

		Maximum		95.00	
		Range		50.00	
		Interquartile Range		30.00	
		Skewness		.469	.333
		Kurtosis		-1.245	.656
	Tim	Mean		69.3103	4.67361
		95% Confidence Interval for Mean	Lower Bound	59.7369	
			Upper Bound	78.8838	
		5% Trimmed Mean		70.0670	
		Median		85.0000	
		Variance		633.436	
		Std. Deviation		25.16815	
		Minimum		25.00	
		Maximum		100.00	
		Range		75.00	
		Interquartile Range		35.00	
		Skewness		-.611	.434
		Kurtosis		-.878	.845
NASA_Effort	Abby	Mean		38.2353	2.29588
		95% Confidence Interval for Mean	Lower Bound	33.6239	
			Upper Bound	42.8467	
		5% Trimmed Mean		38.8725	
		Median		40.0000	
		Variance		268.824	
		Std. Deviation		16.39584	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.584	.333
		Kurtosis		-.178	.656
	Tim	Mean		37.0690	2.12766
		95% Confidence Interval for Mean	Lower Bound	32.7107	
			Upper Bound	41.4273	
		5% Trimmed Mean		36.4655	
		Median		35.0000	
		Variance		131.281	
		Std. Deviation		11.45778	
		Minimum		25.00	
		Maximum		60.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		.884	.434
		Kurtosis		.054	.845
NASA_Frustration	Abby	Mean		27.0588	2.58266
		95% Confidence Interval for Mean	Lower Bound	21.8714	
			Upper Bound	32.2462	
		5% Trimmed Mean		26.2364	
		Median		25.0000	
		Variance		340.176	
		Std. Deviation		18.44387	
		Minimum		5.00	
		Maximum		65.00	

			Range		60.00	
			Interquartile Range		35.00	
			Skewness		.495	.333
			Kurtosis		-.959	.656
		Tim	Mean		24.8276	3.84011
			95% Confidence Interval for Mean	Lower Bound	16.9615	
				Upper Bound	32.6937	
			5% Trimmed Mean		24.2529	
			Median		10.0000	
			Variance		427.648	
			Std. Deviation		20.67965	
			Minimum		5.00	
			Maximum		55.00	
			Range		50.00	
			Interquartile Range		40.00	
			Skewness		.274	.434
			Kurtosis		-1.885	.845
NASA_Score	Abby		Mean		33.5458	1.45874
			95% Confidence Interval for Mean	Lower Bound	30.6158	
				Upper Bound	36.4757	
			5% Trimmed Mean		33.1527	
			Median		29.1667	
			Variance		108.523	
			Std. Deviation		10.41746	
			Minimum		20.83	
			Maximum		53.33	
			Range		32.50	
			Interquartile Range		18.33	
			Skewness		.726	.333
			Kurtosis		-.920	.656
		Tim	Mean		34.1379	1.77620
			95% Confidence Interval for Mean	Lower Bound	30.4995	
				Upper Bound	37.7763	
			5% Trimmed Mean		34.3199	
			Median		32.5000	
			Variance		91.492	
			Std. Deviation		9.56516	
			Minimum		19.17	
			Maximum		45.83	
			Range		26.67	
			Interquartile Range		17.50	
			Skewness		-.190	.434
			Kurtosis		-1.584	.845

Descriptives - use case templates, GenderMag self-efficacy facet, understanding task

	SelfEfficacy			Statistic	Std. Error
Precision	Abby	Mean		.7787	.02905
		95% Confidence Interval for Mean	Lower Bound	.7202	
			Upper Bound	.8372	
		5% Trimmed Mean		.7870	
		Median		.7750	
		Variance		.039	
		Std. Deviation		.19702	
		Minimum		.38	
		Maximum		1.00	
		Range		.62	
		Interquartile Range		.36	
		Skewness		-.368	.350
		Kurtosis		-1.098	.688
	Tim	Mean		.8626	.03052
		95% Confidence Interval for Mean	Lower Bound	.8006	
			Upper Bound	.9247	
		5% Trimmed Mean		.8749	
		Median		.9000	
		Variance		.032	
		Std. Deviation		.17796	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.25	
		Skewness		-1.109	.403
		Kurtosis		-.229	.788
Recall	Abby	Mean		.8248	.02394
		95% Confidence Interval for Mean	Lower Bound	.7766	
			Upper Bound	.8730	
		5% Trimmed Mean		.8347	
		Median		.8600	
		Variance		.026	
		Std. Deviation		.16238	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.26	
		Skewness		-.672	.350
		Kurtosis		-.581	.688
	Tim	Mean		.8744	.03146
		95% Confidence Interval for Mean	Lower Bound	.8104	
			Upper Bound	.9384	
		5% Trimmed Mean		.8882	
		Median		1.0000	
		Variance		.034	
		Std. Deviation		.18345	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.21	

		Skewness		-1.209	.403
		Kurtosis		-.119	.788
FMeasure	Abby	Mean		.7970	.02573
		95% Confidence Interval for Mean	Lower Bound	.7452	
			Upper Bound	.8488	
		5% Trimmed Mean		.8050	
		Median		.8200	
		Variance		.030	
		Std. Deviation		.17451	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.30	
		Skewness		-.457	.350
		Kurtosis		-.977	.688
	Tim	Mean		.8654	.03026
		95% Confidence Interval for Mean	Lower Bound	.8039	
			Upper Bound	.9270	
		5% Trimmed Mean		.8780	
		Median		.9474	
		Variance		.031	
		Std. Deviation		.17646	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.27	
		Skewness		-1.118	.403
		Kurtosis		-.342	.788
Duration	Abby	Mean		268.5435	14.59189
		95% Confidence Interval for Mean	Lower Bound	239.1539	
			Upper Bound	297.9331	
		5% Trimmed Mean		263.5556	
		Median		273.0000	
		Variance		9794.476	
		Std. Deviation		98.96704	
		Minimum		135.00	
		Maximum		504.00	
		Range		369.00	
		Interquartile Range		120.50	
		Skewness		.744	.350
		Kurtosis		-.066	.688
	Tim	Mean		297.0000	16.84220
		95% Confidence Interval for Mean	Lower Bound	262.7343	
			Upper Bound	331.2657	
		5% Trimmed Mean		294.9869	
		Median		299.0000	
		Variance		9644.424	
		Std. Deviation		98.20603	
		Minimum		102.00	
		Maximum		506.00	
		Range		404.00	
		Interquartile Range		70.75	
		Skewness		.656	.403

		Kurtosis		.414	.788
FirstActDet	Abby	Mean		55.1957	8.52270
		95% Confidence Interval for Mean	Lower Bound	38.0301	
			Upper Bound	72.3612	
		5% Trimmed Mean		52.4807	
		Median		11.0000	
		Variance		3341.272	
		Std. Deviation		57.80374	
		Minimum		.00	
		Maximum		159.00	
		Range		159.00	
		Interquartile Range		99.00	
		Skewness		.577	.350
		Kurtosis		-1.236	.688
	Tim	Mean		69.2059	9.34731
		95% Confidence Interval for Mean	Lower Bound	50.1886	
			Upper Bound	88.2231	
		5% Trimmed Mean		68.3333	
		Median		74.0000	
		Variance		2970.653	
		Std. Deviation		54.50370	
		Minimum		.00	
		Maximum		157.00	
		Range		157.00	
		Interquartile Range		101.50	
		Skewness		.000	.403
		Kurtosis		-1.466	.788
LastActDet	Abby	Mean		254.1087	15.55667
		95% Confidence Interval for Mean	Lower Bound	222.7760	
			Upper Bound	285.4414	
		5% Trimmed Mean		249.1473	
		Median		261.5000	
		Variance		11132.455	
		Std. Deviation		105.51045	
		Minimum		111.00	
		Maximum		490.00	
		Range		379.00	
		Interquartile Range		131.00	
		Skewness		.649	.350
		Kurtosis		-.266	.688
	Tim	Mean		278.7647	17.26573
		95% Confidence Interval for Mean	Lower Bound	243.6373	
			Upper Bound	313.8921	
		5% Trimmed Mean		276.0065	
		Median		265.0000	
		Variance		10135.579	
		Std. Deviation		100.67561	
		Minimum		87.00	
		Maximum		500.00	
		Range		413.00	
		Interquartile Range		68.00	
		Skewness		.856	.403
		Kurtosis		.479	.788

ProcDur	Abby	Mean			14.4348	2.45159
		95% Confidence Interval for Mean	Lower Bound	9.4970	
			Upper Bound	19.3725	
		5% Trimmed Mean		13.2053	
		Median		5.0000	
		Variance		276.473	
		Std. Deviation		16.62749	
		Minimum		1.00	
		Maximum		50.00	
		Range		49.00	
		Interquartile Range		29.25	
		Skewness		1.130	.350
		Kurtosis		-.321	.688
	Tim	Mean		18.2353	2.93059
		95% Confidence Interval for Mean	Lower Bound	12.2730	
			Upper Bound	24.1976	
		5% Trimmed Mean		17.2059	
		Median		10.0000	
		Variance		292.004	
		Std. Deviation		17.08811	
		Minimum		1.00	
		Maximum		54.00	
		Range		53.00	
		Interquartile Range		28.25	
		Skewness		.853	.403
		Kurtosis		-.685	.788
FixRel	Abby	Mean		10.5170	.09650
		95% Confidence Interval for Mean	Lower Bound	10.3226	
			Upper Bound	10.7113	
		5% Trimmed Mean		10.4980	
		Median		10.7100	
		Variance		.428	
		Std. Deviation		.65446	
		Minimum		9.57	
		Maximum		11.76	
		Range		2.19	
		Interquartile Range		.96	
		Skewness		.213	.350
		Kurtosis		-.978	.688
	Tim	Mean		10.8438	.13892
		95% Confidence Interval for Mean	Lower Bound	10.5612	
			Upper Bound	11.1265	
		5% Trimmed Mean		10.8435	
		Median		10.7600	
		Variance		.656	
		Std. Deviation		.81002	
		Minimum		9.30	
		Maximum		12.25	
		Range		2.95	
		Interquartile Range		1.14	
		Skewness		.167	.403
		Kurtosis		-.667	.788
FixIrrel	Abby	Mean		247.9783	20.37131

		95% Confidence Interval for Mean	Lower Bound	206.9483	
			Upper Bound	289.0082	
		5% Trimmed Mean		250.3798	
		Median		314.5000	
		Variance		19089.547	
		Std. Deviation		138.16493	
		Minimum		41.75	
		Maximum		411.50	
		Range		369.75	
		Interquartile Range		272.06	
		Skewness		-.145	.350
		Kurtosis		-1.731	.688
	Tim	Mean		272.3750	24.62105
		95% Confidence Interval for Mean	Lower Bound	222.2831	
			Upper Bound	322.4669	
		5% Trimmed Mean		277.5613	
		Median		322.2500	
		Variance		20610.660	
		Std. Deviation		143.56413	
		Minimum		41.75	
		Maximum		411.50	
		Range		369.75	
		Interquartile Range		281.25	
		Skewness		-.370	.403
		Kurtosis		-1.668	.788
AvDurRelFix	Abby	Mean		87.5304	7.27894
		95% Confidence Interval for Mean	Lower Bound	72.8699	
			Upper Bound	102.1910	
		5% Trimmed Mean		88.8893	
		Median		111.9900	
		Variance		2437.215	
		Std. Deviation		49.36816	
		Minimum		6.23	
		Maximum		144.50	
		Range		138.27	
		Interquartile Range		90.95	
		Skewness		-.268	.350
		Kurtosis		-1.541	.688
	Tim	Mean		96.2956	8.70683
		95% Confidence Interval for Mean	Lower Bound	78.5814	
			Upper Bound	114.0098	
		5% Trimmed Mean		98.6555	
		Median		114.7500	
		Variance		2577.500	
		Std. Deviation		50.76908	
		Minimum		6.23	
		Maximum		144.50	
		Range		138.27	
		Interquartile Range		93.75	
		Skewness		-.494	.403
		Kurtosis		-1.381	.788
AvDurIrrelFix	Abby	Mean		216.4235	21.10972
		95% Confidence Interval for Mean	Lower Bound	173.9063	

			Upper Bound	258.9406	
		5% Trimmed Mean		217.2692	
		Median		267.8550	
		Variance		20498.539	
		Std. Deviation		143.17311	
		Minimum		5.27	
		Maximum		410.50	
		Range		405.23	
		Interquartile Range		279.00	
		Skewness		-.062	.350
		Kurtosis		-1.713	.688
	Tim	Mean		258.1068	24.69482
		95% Confidence Interval for Mean	Lower Bound	207.8648	
			Upper Bound	308.3488	
		5% Trimmed Mean		263.7899	
		Median		321.2500	
		Variance		20734.366	
		Std. Deviation		143.99433	
		Minimum		5.27	
		Maximum		410.50	
		Range		405.23	
		Interquartile Range		281.25	
		Skewness		-.440	.403
		Kurtosis		-1.433	.788
TotSac	Abby	Mean		87.7609	1.57584
		95% Confidence Interval for Mean	Lower Bound	84.5870	
			Upper Bound	90.9348	
		5% Trimmed Mean		87.6860	
		Median		90.0000	
		Variance		114.230	
		Std. Deviation		10.68786	
		Minimum		73.00	
		Maximum		105.00	
		Range		32.00	
		Interquartile Range		21.75	
		Skewness		-.133	.350
		Kurtosis		-1.305	.688
	Tim	Mean		89.6176	1.94213
		95% Confidence Interval for Mean	Lower Bound	85.6664	
			Upper Bound	93.5689	
		5% Trimmed Mean		89.8072	
		Median		88.5000	
		Variance		128.243	
		Std. Deviation		11.32446	
		Minimum		70.00	
		Maximum		105.00	
		Range		35.00	
		Interquartile Range		18.50	
		Skewness		-.239	.403
		Kurtosis		-1.121	.788
Sac2Key	Abby	Mean		11.5652	1.13045
		95% Confidence Interval for Mean	Lower Bound	9.2884	
			Upper Bound	13.8421	

		5% Trimmed Mean		11.1014	
		Median		11.0000	
		Variance		58.785	
		Std. Deviation		7.66711	
		Minimum		.00	
		Maximum		34.00	
		Range		34.00	
		Interquartile Range		8.00	
		Skewness		.924	.350
		Kurtosis		1.378	.688
	Tim	Mean		14.7059	1.49600
		95% Confidence Interval for Mean	Lower Bound	11.6622	
			Upper Bound	17.7495	
		5% Trimmed Mean		14.2288	
		Median		11.0000	
		Variance		76.093	
		Std. Deviation		8.72311	
		Minimum		2.00	
		Maximum		36.00	
		Range		34.00	
		Interquartile Range		9.00	
		Skewness		1.122	.403
		Kurtosis		.593	.788
AvAttention	Abby	Mean		.6217	.03107
		95% Confidence Interval for Mean	Lower Bound	.5592	
			Upper Bound	.6843	
		5% Trimmed Mean		.6297	
		Median		.6000	
		Variance		.044	
		Std. Deviation		.21073	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.23	
		Skewness		-.538	.350
		Kurtosis		-.278	.688
	Tim	Mean		.5500	.03250
		95% Confidence Interval for Mean	Lower Bound	.4839	
			Upper Bound	.6161	
		5% Trimmed Mean		.5500	
		Median		.6000	
		Variance		.036	
		Std. Deviation		.18950	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.22	
		Skewness		.099	.403
		Kurtosis		-.076	.788
AvMentWL	Abby	Mean		.5435	.02077
		95% Confidence Interval for Mean	Lower Bound	.5016	
			Upper Bound	.5853	
		5% Trimmed Mean		.5459	

				Statistic	Std. Error
		Median		.6000	
		Variance		.020	
		Std. Deviation		.14087	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.10	
		Skewness		-.384	.350
		Kurtosis		.294	.688
	Tim	Mean		.4882	.02978
		95% Confidence Interval for Mean	Lower Bound	.4276	
			Upper Bound	.5488	
		5% Trimmed Mean		.4837	
		Median		.5000	
		Variance		.030	
		Std. Deviation		.17367	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.265	.403
		Kurtosis		-.831	.788
AvFam	Abby	Mean		.7739	.02514
		95% Confidence Interval for Mean	Lower Bound	.7233	
			Upper Bound	.8246	
		5% Trimmed Mean		.7790	
		Median		.8000	
		Variance		.029	
		Std. Deviation		.17053	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		-.360	.350
		Kurtosis		-1.048	.688
	Tim	Mean		.6618	.03160
		95% Confidence Interval for Mean	Lower Bound	.5975	
			Upper Bound	.7261	
		5% Trimmed Mean		.6575	
		Median		.7000	
		Variance		.034	
		Std. Deviation		.18425	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		-.013	.403
		Kurtosis		-.978	.788
AvSCL	Abby	Mean		556.9348	19.89782
		95% Confidence Interval for Mean	Lower Bound	516.8585	
			Upper Bound	597.0110	
		5% Trimmed Mean		561.9758	
		Median		570.0000	

				Statistic	Std. Error
		Variance		18212.462	
		Std. Deviation		134.95356	
		Minimum		281.00	
		Maximum		743.00	
		Range		462.00	
		Interquartile Range		234.25	
		Skewness		-.503	.350
		Kurtosis		-.722	.688
	Tim	Mean		543.8529	23.73566
		95% Confidence Interval for Mean	Lower Bound	495.5624	
			Upper Bound	592.1435	
		5% Trimmed Mean		548.5588	
		Median		558.0000	
		Variance		19154.978	
		Std. Deviation		138.40151	
		Minimum		290.00	
		Maximum		713.00	
		Range		423.00	
		Interquartile Range		262.25	
		Skewness		-.475	.403
		Kurtosis		-1.120	.788
HRVar_RMSSD	Abby	Mean		36.9548	3.27781
		95% Confidence Interval for Mean	Lower Bound	30.3529	
			Upper Bound	43.5566	
		5% Trimmed Mean		36.9309	
		Median		32.4800	
		Variance		494.227	
		Std. Deviation		22.23121	
		Minimum		2.84	
		Maximum		70.37	
		Range		67.53	
		Interquartile Range		42.69	
		Skewness		.040	.350
		Kurtosis		-1.633	.688
	Tim	Mean		31.0276	3.35677
		95% Confidence Interval for Mean	Lower Bound	24.1983	
			Upper Bound	37.8570	
		5% Trimmed Mean		30.5711	
		Median		22.1300	
		Variance		383.108	
		Std. Deviation		19.57315	
		Minimum		3.04	
		Maximum		63.86	
		Range		60.82	
		Interquartile Range		38.49	
		Skewness		.420	.403
		Kurtosis		-1.445	.788
HRVar_NN50	Abby	Mean		24.6941	2.98615
		95% Confidence Interval for Mean	Lower Bound	18.6797	
			Upper Bound	30.7085	
		5% Trimmed Mean		24.3150	
		Median		22.2700	
		Variance		410.185	

		Std. Deviation		20.25304	
		Minimum		.63	
		Maximum		55.80	
		Range		55.17	
		Interquartile Range		38.08	
		Skewness		.131	.350
		Kurtosis		-1.651	.688
	Tim	Mean		23.1335	3.05721
		95% Confidence Interval for Mean	Lower Bound	16.9136	
			Upper Bound	29.3535	
		5% Trimmed Mean		22.8022	
		Median		22.2700	
		Variance		317.783	
		Std. Deviation		17.82646	
		Minimum		-.47	
		Maximum		52.29	
		Range		52.76	
		Interquartile Range		32.63	
		Skewness		.072	.403
		Kurtosis		-1.479	.788
NASA_MD	Abby	Mean		38.5870	1.85633
		95% Confidence Interval for Mean	Lower Bound	34.8481	
			Upper Bound	42.3258	
		5% Trimmed Mean		39.1063	
		Median		40.0000	
		Variance		158.514	
		Std. Deviation		12.59025	
		Minimum		10.00	
		Maximum		55.00	
		Range		45.00	
		Interquartile Range		20.00	
		Skewness		-.495	.350
		Kurtosis		-.546	.688
	Tim	Mean		38.0882	1.56577
		95% Confidence Interval for Mean	Lower Bound	34.9027	
			Upper Bound	41.2738	
		5% Trimmed Mean		38.3660	
		Median		40.0000	
		Variance		83.356	
		Std. Deviation		9.12993	
		Minimum		10.00	
		Maximum		55.00	
		Range		45.00	
		Interquartile Range		6.25	
		Skewness		-.470	.403
		Kurtosis		1.892	.788
NASA_PD	Abby	Mean		11.8478	1.74011
		95% Confidence Interval for Mean	Lower Bound	8.3431	
			Upper Bound	15.3526	
		5% Trimmed Mean		10.4227	
		Median		5.0000	
		Variance		139.287	
		Std. Deviation		11.80201	

		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		5.00	
		Skewness		1.729	.350
		Kurtosis		1.704	.688
	Tim	Mean		16.9118	2.66199
		95% Confidence Interval for Mean	Lower Bound	11.4959	
			Upper Bound	22.3276	
		5% Trimmed Mean		16.0131	
		Median		7.5000	
		Variance		240.931	
		Std. Deviation		15.52196	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		25.00	
		Skewness		.859	.403
		Kurtosis		-.946	.788
NASA_TD	Abby	Mean		20.5435	2.74622
		95% Confidence Interval for Mean	Lower Bound	15.0123	
			Upper Bound	26.0747	
		5% Trimmed Mean		18.9372	
		Median		15.0000	
		Variance		346.920	
		Std. Deviation		18.62580	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		30.00	
		Skewness		1.138	.350
		Kurtosis		.485	.688
	Tim	Mean		13.6765	1.83194
		95% Confidence Interval for Mean	Lower Bound	9.9494	
			Upper Bound	17.4036	
		5% Trimmed Mean		12.9739	
		Median		7.5000	
		Variance		114.104	
		Std. Deviation		10.68196	
		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		15.00	
		Skewness		.882	.403
		Kurtosis		-.633	.788
NASA_Performance	Abby	Mean		70.1087	2.73415
		95% Confidence Interval for Mean	Lower Bound	64.6018	
			Upper Bound	75.6156	
		5% Trimmed Mean		70.9300	
		Median		70.0000	
		Variance		343.877	
		Std. Deviation		18.54392	
		Minimum		25.00	

		Maximum		95.00	
		Range		70.00	
		Interquartile Range		31.25	
		Skewness		-.267	.350
		Kurtosis		-.720	.688
	Tim	Mean		66.3235	3.71266
		95% Confidence Interval for Mean	Lower Bound	58.7701	
			Upper Bound	73.8770	
		5% Trimmed Mean		66.7484	
		Median		60.0000	
		Variance		468.650	
		Std. Deviation		21.64832	
		Minimum		25.00	
		Maximum		100.00	
		Range		75.00	
		Interquartile Range		31.25	
		Skewness		-.096	.403
		Kurtosis		-.702	.788
NASA_Effort	Abby	Mean		39.1304	2.48330
		95% Confidence Interval for Mean	Lower Bound	34.1288	
			Upper Bound	44.1321	
		5% Trimmed Mean		39.8671	
		Median		40.0000	
		Variance		283.671	
		Std. Deviation		16.84255	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.561	.350
		Kurtosis		-.360	.688
	Tim	Mean		36.0294	1.93222
		95% Confidence Interval for Mean	Lower Bound	32.0983	
			Upper Bound	39.9605	
		5% Trimmed Mean		35.9641	
		Median		35.0000	
		Variance		126.939	
		Std. Deviation		11.26670	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		11.25	
		Skewness		.167	.403
		Kurtosis		1.452	.788
NASA_Frustration	Abby	Mean		30.3261	2.84631
		95% Confidence Interval for Mean	Lower Bound	24.5933	
			Upper Bound	36.0589	
		5% Trimmed Mean		29.8430	
		Median		30.0000	
		Variance		372.669	
		Std. Deviation		19.30464	
		Minimum		5.00	
		Maximum		65.00	

			Range	60.00	
			Interquartile Range	36.25	
			Skewness	.152	.350
			Kurtosis	-1.329	.688
	Tim	Mean		20.7353	3.06010
		95% Confidence Interval for Mean	Lower Bound	14.5095	
			Upper Bound	26.9611	
		5% Trimmed Mean		19.7059	
		Median		10.0000	
		Variance		318.382	
		Std. Deviation		17.84327	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		36.25	
		Skewness		.718	.403
		Kurtosis		-1.164	.788
NASA_Score	Abby	Mean		35.0906	1.61623
		95% Confidence Interval for Mean	Lower Bound	31.8353	
			Upper Bound	38.3458	
		5% Trimmed Mean		34.9155	
		Median		30.8333	
		Variance		120.161	
		Std. Deviation		10.96181	
		Minimum		19.17	
		Maximum		53.33	
		Range		34.17	
		Interquartile Range		18.54	
		Skewness		.280	.350
		Kurtosis		-1.395	.688
	Tim	Mean		31.9608	1.46122
		95% Confidence Interval for Mean	Lower Bound	28.9879	
			Upper Bound	34.9337	
		5% Trimmed Mean		31.7647	
		Median		30.0000	
		Variance		72.596	
		Std. Deviation		8.52033	
		Minimum		20.00	
		Maximum		49.17	
		Range		29.17	
		Interquartile Range		16.67	
		Skewness		.524	.403
		Kurtosis		-.996	.788

Descriptives - use case templates, GenderMag risk facet, understanding task

	Risk			Statistic	Std. Error
Precision	Abby	Mean		.9483	.01614
		95% Confidence Interval for Mean	Lower Bound	.9150	
			Upper Bound	.9817	
		5% Trimmed Mean		.9580	
		Median		1.0000	
		Variance		.006	
		Std. Deviation		.07905	
		Minimum		.71	
		Maximum		1.00	
		Range		.29	
		Interquartile Range		.10	
		Skewness		-1.613	.472
		Kurtosis		2.429	.918
	Tim	Mean		.7570	.02655
		95% Confidence Interval for Mean	Lower Bound	.7038	
			Upper Bound	.8102	
		5% Trimmed Mean		.7626	
		Median		.7350	
		Variance		.039	
		Std. Deviation		.19866	
		Minimum		.38	
		Maximum		1.00	
		Range		.62	
		Interquartile Range		.42	
		Skewness		-.152	.319
		Kurtosis		-1.327	.628
Recall	Abby	Mean		.9117	.02202
		95% Confidence Interval for Mean	Lower Bound	.8661	
			Upper Bound	.9572	
		5% Trimmed Mean		.9215	
		Median		.9450	
		Variance		.012	
		Std. Deviation		.10789	
		Minimum		.64	
		Maximum		1.00	
		Range		.36	
		Interquartile Range		.11	
		Skewness		-1.369	.472
		Kurtosis		1.049	.918
	Tim	Mean		.8177	.02503
		95% Confidence Interval for Mean	Lower Bound	.7675	
			Upper Bound	.8678	
		5% Trimmed Mean		.8266	
		Median		.8600	
		Variance		.035	
		Std. Deviation		.18729	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.32	
		Skewness		-.558	.319

		Kurtosis		-1.131	.628
FMeasure	Abby	Mean		.9280	.01765
		95% Confidence Interval for Mean	Lower Bound	.8915	
			Upper Bound	.9645	
		5% Trimmed Mean		.9372	
		Median		.9474	
		Variance		.007	
		Std. Deviation		.08644	
		Minimum		.68	
		Maximum		1.00	
		Range		.32	
		Interquartile Range		.04	
		Skewness		-1.770	.472
		Kurtosis		2.441	.918
	Tim	Mean		.7824	.02523
		95% Confidence Interval for Mean	Lower Bound	.7318	
			Upper Bound	.8330	
		5% Trimmed Mean		.7884	
		Median		.8100	
		Variance		.036	
		Std. Deviation		.18884	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.37	
		Skewness		-.237	.319
		Kurtosis		-1.380	.628
Duration	Abby	Mean		248.2083	12.19705
		95% Confidence Interval for Mean	Lower Bound	222.9768	
			Upper Bound	273.4399	
		5% Trimmed Mean		250.0648	
		Median		276.0000	
		Variance		3570.433	
		Std. Deviation		59.75310	
		Minimum		156.00	
		Maximum		307.00	
		Range		151.00	
		Interquartile Range		120.00	
		Skewness		-.395	.472
		Kurtosis		-1.783	.918
	Tim	Mean		294.5357	14.60155
		95% Confidence Interval for Mean	Lower Bound	265.2736	
			Upper Bound	323.7979	
		5% Trimmed Mean		292.3770	
		Median		276.0000	
		Variance		11939.490	
		Std. Deviation		109.26797	
		Minimum		102.00	
		Maximum		506.00	
		Range		404.00	
		Interquartile Range		162.00	
		Skewness		.478	.319
		Kurtosis		-.570	.628

FirstActDet	Abby	Mean		94.6250	10.96913
		95% Confidence Interval for Mean	Lower Bound	71.9336	
			Upper Bound	117.3164	
		5% Trimmed Mean		95.8056	
		Median		102.0000	
		Variance		2887.723	
		Std. Deviation		53.73754	
		Minimum		9.00	
		Maximum		159.00	
		Range		150.00	
		Interquartile Range		75.50	
		Skewness		-.404	.472
		Kurtosis		-.997	.918
	Tim	Mean		46.8036	6.91762
		95% Confidence Interval for Mean	Lower Bound	32.9403	
			Upper Bound	60.6668	
		5% Trimmed Mean		44.0198	
		Median		9.0000	
		Variance		2679.797	
		Std. Deviation		51.76676	
		Minimum		.00	
		Maximum		145.00	
		Range		145.00	
		Interquartile Range		89.75	
		Skewness		.645	.319
		Kurtosis		-1.205	.628
LastActDet	Abby	Mean		208.1250	12.64858
		95% Confidence Interval for Mean	Lower Bound	181.9594	
			Upper Bound	234.2906	
		5% Trimmed Mean		209.6204	
		Median		240.5000	
		Variance		3839.679	
		Std. Deviation		61.96515	
		Minimum		111.00	
		Maximum		279.00	
		Range		168.00	
		Interquartile Range		116.25	
		Skewness		-.384	.472
		Kurtosis		-1.656	.918
	Tim	Mean		288.7857	14.52387
		95% Confidence Interval for Mean	Lower Bound	259.6792	
			Upper Bound	317.8922	
		5% Trimmed Mean		286.9762	
		Median		269.0000	
		Variance		11812.790	
		Std. Deviation		108.68666	
		Minimum		87.00	
		Maximum		500.00	
		Range		413.00	
		Interquartile Range		164.50	
		Skewness		.466	.319
		Kurtosis		-.595	.628
ProcDur	Abby	Mean		40.0833	1.67561

			Lower Bound	36.6171	
		95% Confidence Interval for Mean	Upper Bound	43.5496	
		5% Trimmed Mean		39.9815	
		Median		38.5000	
		Variance		67.384	
		Std. Deviation		8.20878	
		Minimum		28.00	
		Maximum		54.00	
		Range		26.00	
		Interquartile Range		15.75	
		Skewness		.242	.472
		Kurtosis		-1.224	.918
	Tim	Mean		5.7500	.57165
		95% Confidence Interval for Mean	Lower Bound	4.6044	
			Upper Bound	6.8956	
		5% Trimmed Mean		5.5000	
		Median		4.0000	
		Variance		18.300	
		Std. Deviation		4.27785	
		Minimum		1.00	
		Maximum		15.00	
		Range		14.00	
		Interquartile Range		7.00	
		Skewness		.826	.319
		Kurtosis		-.470	.628
FixRel	Abby	Mean		10.7333	.16975
		95% Confidence Interval for Mean	Lower Bound	10.3822	
			Upper Bound	11.0845	
		5% Trimmed Mean		10.7255	
		Median		10.7100	
		Variance		.692	
		Std. Deviation		.83159	
		Minimum		9.30	
		Maximum		12.25	
		Range		2.95	
		Interquartile Range		1.33	
		Skewness		.133	.472
		Kurtosis		-.567	.918
	Tim	Mean		10.6227	.09346
		95% Confidence Interval for Mean	Lower Bound	10.4354	
			Upper Bound	10.8100	
		5% Trimmed Mean		10.5994	
		Median		10.7600	
		Variance		.489	
		Std. Deviation		.69941	
		Minimum		9.57	
		Maximum		12.25	
		Range		2.68	
		Interquartile Range		1.00	
		Skewness		.385	.319
		Kurtosis		-.617	.628
FixIrrel	Abby	Mean		317.9583	27.18309
		95% Confidence Interval for Mean	Lower Bound	261.7258	

			Upper Bound	374.1908	
			5% Trimmed Mean	326.3981	
			Median	403.5000	
			Variance	17734.085	
			Std. Deviation	133.16939	
			Minimum	72.50	
			Maximum	411.50	
			Range	339.00	
			Interquartile Range	92.00	
			Skewness	-1.269	.472
			Kurtosis	-.085	.918
	Tim	Mean		232.7991	18.20784
		95% Confidence Interval for Mean	Lower Bound	196.3098	
			Upper Bound	269.2884	
		5% Trimmed Mean		233.7589	
		Median		153.5000	
		Variance		18565.426	
		Std. Deviation		136.25500	
		Minimum		41.75	
		Maximum		407.00	
		Range		365.25	
		Interquartile Range		269.25	
		Skewness		.118	.319
		Kurtosis		-1.679	.628
AvDurRelFix	Abby	Mean		110.1608	10.26611
		95% Confidence Interval for Mean	Lower Bound	88.9238	
			Upper Bound	131.3979	
		5% Trimmed Mean		113.4576	
		Median		141.4800	
		Variance		2529.433	
		Std. Deviation		50.29347	
		Minimum		16.48	
		Maximum		144.50	
		Range		128.02	
		Interquartile Range		31.02	
		Skewness		-1.322	.472
		Kurtosis		.016	.918
	Tim	Mean		83.1534	6.39103
		95% Confidence Interval for Mean	Lower Bound	70.3455	
			Upper Bound	95.9613	
		5% Trimmed Mean		84.1100	
		Median		58.5000	
		Variance		2287.332	
		Std. Deviation		47.82606	
		Minimum		6.23	
		Maximum		143.00	
		Range		136.77	
		Interquartile Range		90.02	
		Skewness		-.027	.319
		Kurtosis		-1.478	.628
AvDurIrrelFix	Abby	Mean		303.3692	28.15916
		95% Confidence Interval for Mean	Lower Bound	245.1175	
			Upper Bound	361.6208	

		5% Trimmed Mean		312.8557	
		Median		354.4800	
		Variance		19030.514	
		Std. Deviation		137.95113	
		Minimum		25.48	
		Maximum		410.50	
		Range		385.02	
		Interquartile Range		140.02	
		Skewness		-1.195	.472
		Kurtosis		-.118	.918
	Tim	Mean		204.4688	18.36330
		95% Confidence Interval for Mean	Lower Bound	167.6679	
			Upper Bound	241.2696	
		5% Trimmed Mean		204.3630	
		Median		152.5000	
		Variance		18883.797	
		Std. Deviation		137.41833	
		Minimum		5.27	
		Maximum		406.00	
		Range		400.73	
		Interquartile Range		276.19	
		Skewness		.094	.319
		Kurtosis		-1.609	.628
TotSac	Abby	Mean		86.0833	1.37908
		95% Confidence Interval for Mean	Lower Bound	83.2305	
			Upper Bound	88.9362	
		5% Trimmed Mean		86.5185	
		Median		88.5000	
		Variance		45.645	
		Std. Deviation		6.75610	
		Minimum		72.00	
		Maximum		92.00	
		Range		20.00	
		Interquartile Range		5.00	
		Skewness		-1.321	.472
		Kurtosis		.113	.918
	Tim	Mean		89.6071	1.62981
		95% Confidence Interval for Mean	Lower Bound	86.3409	
			Upper Bound	92.8734	
		5% Trimmed Mean		89.7341	
		Median		91.0000	
		Variance		148.752	
		Std. Deviation		12.19639	
		Minimum		70.00	
		Maximum		105.00	
		Range		35.00	
		Interquartile Range		26.00	
		Skewness		-.266	.319
		Kurtosis		-1.535	.628
Sac2Key	Abby	Mean		9.6667	.76059
		95% Confidence Interval for Mean	Lower Bound	8.0933	
			Upper Bound	11.2401	
		5% Trimmed Mean		9.4630	

			Median	9.0000	
			Variance	13.884	
			Std. Deviation	3.72613	
			Minimum	4.00	
			Maximum	19.00	
			Range	15.00	
			Interquartile Range	4.00	
			Skewness	1.029	.472
			Kurtosis	1.833	.918
	Tim		Mean	14.2857	1.23154
		95% Confidence Interval for Mean	Lower Bound	11.8176	
			Upper Bound	16.7538	
			5% Trimmed Mean	13.9048	
			Median	13.0000	
			Variance	84.935	
			Std. Deviation	9.21602	
			Minimum	.00	
			Maximum	36.00	
			Range	36.00	
			Interquartile Range	7.50	
			Skewness	.659	.319
			Kurtosis	.093	.628
AvAttention	Abby		Mean	.5375	.04374
		95% Confidence Interval for Mean	Lower Bound	.4470	
			Upper Bound	.6280	
			5% Trimmed Mean	.5361	
			Median	.6000	
			Variance	.046	
			Std. Deviation	.21430	
			Minimum	.20	
			Maximum	.90	
			Range	.70	
			Interquartile Range	.30	
			Skewness	-.362	.472
			Kurtosis	-.640	.918
	Tim		Mean	.6143	.02629
		95% Confidence Interval for Mean	Lower Bound	.5616	
			Upper Bound	.6670	
			5% Trimmed Mean	.6214	
			Median	.6000	
			Variance	.039	
			Std. Deviation	.19673	
			Minimum	.20	
			Maximum	.90	
			Range	.70	
			Interquartile Range	.28	
			Skewness	-.147	.319
			Kurtosis	-.531	.628
AvMentWL	Abby		Mean	.4458	.03068
		95% Confidence Interval for Mean	Lower Bound	.3824	
			Upper Bound	.5093	
			5% Trimmed Mean	.4454	
			Median	.4500	

			Variance	.023	
			Std. Deviation	.15030	
			Minimum	.20	
			Maximum	.70	
			Range	.50	
			Interquartile Range	.20	
			Skewness	.297	.472
			Kurtosis	-.520	.918
	Tim	Mean		.5518	.02006
		95% Confidence Interval for Mean	Lower Bound	.5116	
			Upper Bound	.5920	
		5% Trimmed Mean		.5496	
		Median		.6000	
		Variance		.023	
		Std. Deviation		.15014	
		Minimum		.30	
		Maximum		.90	
		Range		.60	
		Interquartile Range		.10	
		Skewness		-.286	.319
		Kurtosis		-.130	.628
AvFam	Abby	Mean		.6208	.03660
		95% Confidence Interval for Mean	Lower Bound	.5451	
			Upper Bound	.6966	
		5% Trimmed Mean		.6120	
		Median		.6000	
		Variance		.032	
		Std. Deviation		.17932	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		.696	.472
		Kurtosis		-.305	.918
	Tim	Mean		.7714	.02246
		95% Confidence Interval for Mean	Lower Bound	.7264	
			Upper Bound	.8164	
		5% Trimmed Mean		.7794	
		Median		.8000	
		Variance		.028	
		Std. Deviation		.16811	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.601	.319
		Kurtosis		-.321	.628
AvSCL	Abby	Mean		518.5000	27.24486
		95% Confidence Interval for Mean	Lower Bound	462.1397	
			Upper Bound	574.8603	
		5% Trimmed Mean		515.2037	
		Median		451.0000	
		Variance		17814.783	

		Std. Deviation		133.47203	
		Minimum		383.00	
		Maximum		713.00	
		Range		330.00	
		Interquartile Range		272.00	
		Skewness		.676	.472
		Kurtosis		-1.366	.918
	Tim	Mean		565.4643	18.09271
		95% Confidence Interval for Mean	Lower Bound	529.2057	
			Upper Bound	601.7229	
		5% Trimmed Mean		571.4444	
		Median		610.0000	
		Variance		18331.381	
		Std. Deviation		135.39343	
		Minimum		281.00	
		Maximum		743.00	
		Range		462.00	
		Interquartile Range		150.00	
		Skewness		-.975	.319
		Kurtosis		-.095	.628
HRVar_RMSSD	Abby	Mean		17.6904	1.15054
		95% Confidence Interval for Mean	Lower Bound	15.3104	
			Upper Bound	20.0705	
		5% Trimmed Mean		17.3555	
		Median		14.7900	
		Variance		31.770	
		Std. Deviation		5.63645	
		Minimum		12.87	
		Maximum		28.54	
		Range		15.67	
		Interquartile Range		11.01	
		Skewness		.828	.472
		Kurtosis		-1.043	.918
	Tim	Mean		41.6123	2.86180
		95% Confidence Interval for Mean	Lower Bound	35.8771	
			Upper Bound	47.3475	
		5% Trimmed Mean		42.1647	
		Median		50.7200	
		Variance		458.635	
		Std. Deviation		21.41578	
		Minimum		2.84	
		Maximum		70.37	
		Range		67.53	
		Interquartile Range		38.59	
		Skewness		-.504	.319
		Kurtosis		-1.255	.628
HRVar_NN50	Abby	Mean		14.9696	3.15101
		95% Confidence Interval for Mean	Lower Bound	8.4512	
			Upper Bound	21.4879	
		5% Trimmed Mean		14.5186	
		Median		11.4100	
		Variance		238.292	
		Std. Deviation		15.43671	

		Minimum		-.47	
		Maximum		38.36	
		Range		38.83	
		Interquartile Range		34.94	
		Skewness		.748	.472
		Kurtosis		-1.246	.918
	Tim	Mean		27.9143	2.59226
		95% Confidence Interval for Mean	Lower Bound	22.7193	
			Upper Bound	33.1093	
		5% Trimmed Mean		27.8942	
		Median		32.9800	
		Variance		376.309	
		Std. Deviation		19.39868	
		Minimum		.63	
		Maximum		55.80	
		Range		55.17	
		Interquartile Range		41.28	
		Skewness		-.175	.319
		Kurtosis		-1.487	.628
NASA_MD	Abby	Mean		31.0417	2.75804
		95% Confidence Interval for Mean	Lower Bound	25.3362	
			Upper Bound	36.7471	
		5% Trimmed Mean		30.8796	
		Median		30.0000	
		Variance		182.563	
		Std. Deviation		13.51160	
		Minimum		10.00	
		Maximum		55.00	
		Range		45.00	
		Interquartile Range		22.50	
		Skewness		.163	.472
		Kurtosis		-.719	.918
	Tim	Mean		41.5179	1.11745
		95% Confidence Interval for Mean	Lower Bound	39.2784	
			Upper Bound	43.7573	
		5% Trimmed Mean		41.6071	
		Median		40.0000	
		Variance		69.927	
		Std. Deviation		8.36223	
		Minimum		25.00	
		Maximum		55.00	
		Range		30.00	
		Interquartile Range		15.00	
		Skewness		.126	.319
		Kurtosis		-.902	.628
NASA_PD	Abby	Mean		19.3750	3.89296
		95% Confidence Interval for Mean	Lower Bound	11.3218	
			Upper Bound	27.4282	
		5% Trimmed Mean		18.7500	
		Median		5.0000	
		Variance		363.723	
		Std. Deviation		19.07152	
		Minimum		5.00	

		Maximum		45.00	
		Range		40.00	
		Interquartile Range		40.00	
		Skewness		.587	.472
		Kurtosis		-1.771	.918
	Tim	Mean		11.6964	1.31966
		95% Confidence Interval for Mean	Lower Bound	9.0518	
			Upper Bound	14.3411	
		5% Trimmed Mean		11.0516	
		Median		5.0000	
		Variance		97.524	
		Std. Deviation		9.87544	
		Minimum		5.00	
		Maximum		30.00	
		Range		25.00	
		Interquartile Range		5.00	
		Skewness		1.269	.319
		Kurtosis		-.175	.628
NASA_TD	Abby	Mean		24.7917	4.47901
		95% Confidence Interval for Mean	Lower Bound	15.5261	
			Upper Bound	34.0572	
		5% Trimmed Mean		23.6574	
		Median		25.0000	
		Variance		481.476	
		Std. Deviation		21.94257	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		30.00	
		Skewness		.822	.472
		Kurtosis		-.494	.918
	Tim	Mean		14.5536	1.55670
		95% Confidence Interval for Mean	Lower Bound	11.4339	
			Upper Bound	17.6733	
		5% Trimmed Mean		13.6706	
		Median		10.0000	
		Variance		135.706	
		Std. Deviation		11.64930	
		Minimum		5.00	
		Maximum		40.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		.971	.319
		Kurtosis		-.337	.628
NASA_Performance	Abby	Mean		74.5833	3.67271
		95% Confidence Interval for Mean	Lower Bound	66.9857	
			Upper Bound	82.1809	
		5% Trimmed Mean		76.0185	
		Median		80.0000	
		Variance		323.732	
		Std. Deviation		17.99255	
		Minimum		25.00	
		Maximum		100.00	

		Range		75.00	
		Interquartile Range		15.00	
		Skewness		-1.758	.472
		Kurtosis		3.450	.918
	Tim	Mean		65.8929	2.70313
		95% Confidence Interval for Mean	Lower Bound	60.4757	
			Upper Bound	71.3101	
		5% Trimmed Mean		66.2698	
		Median		60.0000	
		Variance		409.188	
		Std. Deviation		20.22840	
		Minimum		25.00	
		Maximum		100.00	
		Range		75.00	
		Interquartile Range		35.00	
		Skewness		.277	.319
		Kurtosis		-.886	.628
NASA_Effort	Abby	Mean		27.2917	3.26902
		95% Confidence Interval for Mean	Lower Bound	20.5292	
			Upper Bound	34.0542	
		5% Trimmed Mean		27.2685	
		Median		25.0000	
		Variance		256.476	
		Std. Deviation		16.01488	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		30.00	
		Skewness		-.109	.472
		Kurtosis		-1.138	.918
	Tim	Mean		42.3214	1.55507
		95% Confidence Interval for Mean	Lower Bound	39.2050	
			Upper Bound	45.4379	
		5% Trimmed Mean		42.3016	
		Median		40.0000	
		Variance		135.422	
		Std. Deviation		11.63710	
		Minimum		25.00	
		Maximum		60.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		.451	.319
		Kurtosis		-1.190	.628
NASA_Frustration	Abby	Mean		35.0000	3.94711
		95% Confidence Interval for Mean	Lower Bound	26.8348	
			Upper Bound	43.1652	
		5% Trimmed Mean		35.0000	
		Median		40.0000	
		Variance		373.913	
		Std. Deviation		19.33683	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

					Statistic	Std. Error
				Interquartile Range	20.00	
				Skewness	-.295	.472
				Kurtosis	-.792	.918
	Tim	Mean			22.5000	2.40738
		95% Confidence Interval for Mean	Lower Bound		17.6755	
			Upper Bound		27.3245	
		5% Trimmed Mean			21.6667	
		Median			12.5000	
		Variance			324.545	
		Std. Deviation			18.01515	
		Minimum			5.00	
		Maximum			55.00	
		Range			50.00	
		Interquartile Range			33.75	
		Skewness			.675	.319
		Kurtosis			-1.169	.628
NASA_Score	Abby	Mean			35.3472	2.57922
		95% Confidence Interval for Mean	Lower Bound		30.0117	
			Upper Bound		40.6827	
		5% Trimmed Mean			35.1929	
		Median			42.5000	
		Variance			159.657	
		Std. Deviation			12.63554	
		Minimum			20.00	
		Maximum			53.33	
		Range			33.33	
		Interquartile Range			22.29	
		Skewness			.020	.472
		Kurtosis			-1.731	.918
	Tim	Mean			33.0804	1.17274
		95% Confidence Interval for Mean	Lower Bound		30.7301	
			Upper Bound		35.4306	
		5% Trimmed Mean			32.8836	
		Median			30.4167	
		Variance			77.018	
		Std. Deviation			8.77600	
		Minimum			19.17	
		Maximum			50.00	
		Range			30.83	
		Interquartile Range			13.75	
		Skewness			.690	.319
		Kurtosis			-.753	.628

Descriptives - use case templates, GenderMag learning style facet, understanding task

	LearningStyle			Statistic	Std. Error
Precision	Abby	Mean		.8054	.04192
		95% Confidence Interval for Mean	Lower Bound	.7187	
			Upper Bound	.8921	
		5% Trimmed Mean		.8169	
		Median		.8900	
		Variance		.042	
		Std. Deviation		.20534	
		Minimum		.38	
		Maximum		1.00	
		Range		.62	
		Interquartile Range		.42	
		Skewness		-.600	.472
		Kurtosis		-1.128	.918
	Tim	Mean		.8182	.02521
		95% Confidence Interval for Mean	Lower Bound	.7677	
			Upper Bound	.8687	
		5% Trimmed Mean		.8292	
		Median		.9000	
		Variance		.036	
		Std. Deviation		.18863	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.31	
		Skewness		-.663	.319
		Kurtosis		-.859	.628
Recall	Abby	Mean		.8658	.03049
		95% Confidence Interval for Mean	Lower Bound	.8028	
			Upper Bound	.9289	
		5% Trimmed Mean		.8744	
		Median		.9300	
		Variance		.022	
		Std. Deviation		.14937	
		Minimum		.57	
		Maximum		1.00	
		Range		.43	
		Interquartile Range		.28	
		Skewness		-.652	.472
		Kurtosis		-1.095	.918
	Tim	Mean		.8373	.02430
		95% Confidence Interval for Mean	Lower Bound	.7886	
			Upper Bound	.8860	
		5% Trimmed Mean		.8484	
		Median		.9000	
		Variance		.033	
		Std. Deviation		.18183	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.29	

			Skewness	-.858	.319
			Kurtosis	-.663	.628
FMeasure	Abby	Mean		.8306	.03582
		95% Confidence Interval for Mean	Lower Bound	.7565	
			Upper Bound	.9047	
		5% Trimmed Mean		.8406	
		Median		.9437	
		Variance		.031	
		Std. Deviation		.17548	
		Minimum		.46	
		Maximum		1.00	
		Range		.54	
		Interquartile Range		.34	
		Skewness		-.568	.472
		Kurtosis		-1.207	.918
	Tim	Mean		.8242	.02404
		95% Confidence Interval for Mean	Lower Bound	.7760	
			Upper Bound	.8724	
		5% Trimmed Mean		.8342	
		Median		.9000	
		Variance		.032	
		Std. Deviation		.17993	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.28	
		Skewness		-.736	.319
		Kurtosis		-.831	.628
Duration	Abby	Mean		294.8333	23.19652
		95% Confidence Interval for Mean	Lower Bound	246.8477	
			Upper Bound	342.8190	
		5% Trimmed Mean		292.0741	
		Median		276.0000	
		Variance		12913.884	
		Std. Deviation		113.63927	
		Minimum		135.00	
		Maximum		504.00	
		Range		369.00	
		Interquartile Range		202.50	
		Skewness		.556	.472
		Kurtosis		-.801	.918
	Tim	Mean		274.5536	12.36511
		95% Confidence Interval for Mean	Lower Bound	249.7733	
			Upper Bound	299.3338	
		5% Trimmed Mean		270.1746	
		Median		278.5000	
		Variance		8562.179	
		Std. Deviation		92.53204	
		Minimum		102.00	
		Maximum		506.00	
		Range		404.00	
		Interquartile Range		100.00	
		Skewness		.683	.319

					Statistic	Std. Error
		Kurtosis			.565	.628
FirstActDet	Abby	Mean			47.3333	11.05449
		95% Confidence Interval for Mean	Lower Bound		24.4654	
			Upper Bound		70.2013	
		5% Trimmed Mean			44.4722	
		Median			10.0000	
		Variance			2932.841	
		Std. Deviation			54.15571	
		Minimum			.00	
		Maximum			146.00	
		Range			146.00	
		Interquartile Range			95.50	
		Skewness			.669	.472
		Kurtosis			-1.278	.918
	Tim	Mean			67.0714	7.60694
		95% Confidence Interval for Mean	Lower Bound		51.8268	
			Upper Bound		82.3161	
		5% Trimmed Mean			65.6587	
		Median			68.0000	
		Variance			3240.468	
		Std. Deviation			56.92510	
		Minimum			.00	
		Maximum			159.00	
		Range			159.00	
		Interquartile Range			106.75	
		Skewness			.197	.319
		Kurtosis			-1.429	.628
LastActDet	Abby	Mean			282.6667	23.79035
		95% Confidence Interval for Mean	Lower Bound		233.4526	
			Upper Bound		331.8808	
		5% Trimmed Mean			279.7222	
		Median			260.5000	
		Variance			13583.536	
		Std. Deviation			116.54843	
		Minimum			129.00	
		Maximum			490.00	
		Range			361.00	
		Interquartile Range			200.50	
		Skewness			.613	.472
		Kurtosis			-.827	.918
	Tim	Mean			256.8393	13.03954
		95% Confidence Interval for Mean	Lower Bound		230.7075	
			Upper Bound		282.9711	
		5% Trimmed Mean			252.2659	
		Median			265.0000	
		Variance			9521.665	
		Std. Deviation			97.57902	
		Minimum			87.00	
		Maximum			500.00	
		Range			413.00	
		Interquartile Range			124.25	
		Skewness			.672	.319
		Kurtosis			.442	.628

				Statistic	Std. Error
ProcDur	Abby	Mean		12.1667	3.13620
		95% Confidence Interval for Mean	Lower Bound	5.6789	
			Upper Bound	18.6544	
		5% Trimmed Mean		10.6944	
		Median		4.5000	
		Variance		236.058	
		Std. Deviation		15.36418	
		Minimum		1.00	
		Maximum		50.00	
		Range		49.00	
		Interquartile Range		10.00	
		Skewness		1.651	.472
		Kurtosis		1.443	.918
	Tim	Mean		17.7143	2.30847
		95% Confidence Interval for Mean	Lower Bound	13.0880	
			Upper Bound	22.3406	
		5% Trimmed Mean		16.6905	
		Median		10.0000	
		Variance		298.426	
		Std. Deviation		17.27501	
		Minimum		1.00	
		Maximum		54.00	
		Range		53.00	
		Interquartile Range		29.75	
		Skewness		.787	.319
		Kurtosis		-.906	.628
FixRel	Abby	Mean		10.5971	.17145
		95% Confidence Interval for Mean	Lower Bound	10.2424	
			Upper Bound	10.9518	
		5% Trimmed Mean		10.5782	
		Median		10.7350	
		Variance		.705	
		Std. Deviation		.83994	
		Minimum		9.30	
		Maximum		12.25	
		Range		2.95	
		Interquartile Range		1.37	
		Skewness		.305	.472
		Kurtosis		-.898	.918
	Tim	Mean		10.6811	.09306
		95% Confidence Interval for Mean	Lower Bound	10.4946	
			Upper Bound	10.8676	
		5% Trimmed Mean		10.6549	
		Median		10.7350	
		Variance		.485	
		Std. Deviation		.69636	
		Minimum		9.65	
		Maximum		12.25	
		Range		2.60	
		Interquartile Range		1.00	
		Skewness		.372	.319
		Kurtosis		-.395	.628
FixIrrel	Abby	Mean		246.8854	27.89857

		95% Confidence Interval for Mean	Lower Bound	189.1728	
			Upper Bound	304.5980	
		5% Trimmed Mean		249.2106	
		Median		234.1250	
		Variance		18679.918	
		Std. Deviation		136.67450	
		Minimum		41.75	
		Maximum		411.50	
		Range		369.75	
		Interquartile Range		278.50	
		Skewness		-.019	.472
		Kurtosis		-1.770	.918
	Tim	Mean		263.2589	19.04093
		95% Confidence Interval for Mean	Lower Bound	225.1001	
			Upper Bound	301.4178	
		5% Trimmed Mean		267.3690	
		Median		317.8750	
		Variance		20303.191	
		Std. Deviation		142.48927	
		Minimum		41.75	
		Maximum		411.50	
		Range		369.75	
		Interquartile Range		282.75	
		Skewness		-.321	.319
		Kurtosis		-1.671	.628
AvDurRelFix	Abby	Mean		88.1854	9.71728
		95% Confidence Interval for Mean	Lower Bound	68.0837	
			Upper Bound	108.2871	
		5% Trimmed Mean		89.6354	
		Median		85.3750	
		Variance		2266.212	
		Std. Deviation		47.60474	
		Minimum		6.23	
		Maximum		144.50	
		Range		138.27	
		Interquartile Range		92.54	
		Skewness		-.157	.472
		Kurtosis		-1.494	.918
	Tim	Mean		92.5714	6.83260
		95% Confidence Interval for Mean	Lower Bound	78.8786	
			Upper Bound	106.2643	
		5% Trimmed Mean		94.4909	
		Median		113.1150	
		Variance		2614.329	
		Std. Deviation		51.13051	
		Minimum		6.23	
		Maximum		144.50	
		Range		138.27	
		Interquartile Range		94.52	
		Skewness		-.432	.319
		Kurtosis		-1.471	.628
AvDurIrrelFix	Abby	Mean		216.9179	27.57882
		95% Confidence Interval for Mean	Lower Bound	159.8668	

			Upper Bound	273.9691	
		5% Trimmed Mean		217.9980	
		Median		211.4900	
		Variance		18254.193	
		Std. Deviation		135.10808	
		Minimum		5.27	
		Maximum		410.50	
		Range		405.23	
		Interquartile Range		252.75	
		Skewness		-.054	.472
		Kurtosis		-1.632	.918
	Tim	Mean		241.5193	19.82572
		95% Confidence Interval for Mean	Lower Bound	201.7877	
			Upper Bound	281.2509	
		5% Trimmed Mean		245.0071	
		Median		292.8650	
		Variance		22011.311	
		Std. Deviation		148.36210	
		Minimum		5.27	
		Maximum		410.50	
		Range		405.23	
		Interquartile Range		325.63	
		Skewness		-.292	.319
		Kurtosis		-1.620	.628
TotSac	Abby	Mean		91.0000	2.17779
		95% Confidence Interval for Mean	Lower Bound	86.4949	
			Upper Bound	95.5051	
		5% Trimmed Mean		91.2870	
		Median		91.5000	
		Variance		113.826	
		Std. Deviation		10.66893	
		Minimum		72.00	
		Maximum		105.00	
		Range		33.00	
		Interquartile Range		16.75	
		Skewness		-.462	.472
		Kurtosis		-1.022	.918
	Tim	Mean		87.5000	1.46562
		95% Confidence Interval for Mean	Lower Bound	84.5628	
			Upper Bound	90.4372	
		5% Trimmed Mean		87.3929	
		Median		89.0000	
		Variance		120.291	
		Std. Deviation		10.96772	
		Minimum		70.00	
		Maximum		105.00	
		Range		35.00	
		Interquartile Range		21.75	
		Skewness		-.046	.319
		Kurtosis		-1.214	.628
Sac2Key	Abby	Mean		13.5000	1.57540
		95% Confidence Interval for Mean	Lower Bound	10.2410	
			Upper Bound	16.7590	

		5% Trimmed Mean		13.0556	
		Median		13.0000	
		Variance		59.565	
		Std. Deviation		7.71785	
		Minimum		2.00	
		Maximum		34.00	
		Range		32.00	
		Interquartile Range		7.00	
		Skewness		1.098	.472
		Kurtosis		1.480	.918
	Tim	Mean		12.6429	1.13487
		95% Confidence Interval for Mean	Lower Bound	10.3685	
			Upper Bound	14.9172	
		5% Trimmed Mean		12.1429	
		Median		11.0000	
		Variance		72.125	
		Std. Deviation		8.49262	
		Minimum		.00	
		Maximum		36.00	
		Range		36.00	
		Interquartile Range		5.75	
		Skewness		1.050	.319
		Kurtosis		1.074	.628
AvAttention	Abby	Mean		.5667	.03839
		95% Confidence Interval for Mean	Lower Bound	.4873	
			Upper Bound	.6461	
		5% Trimmed Mean		.5685	
		Median		.6000	
		Variance		.035	
		Std. Deviation		.18805	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.27	
		Skewness		-.027	.472
		Kurtosis		.089	.918
	Tim	Mean		.6018	.02820
		95% Confidence Interval for Mean	Lower Bound	.5453	
			Upper Bound	.6583	
		5% Trimmed Mean		.6075	
		Median		.6000	
		Variance		.045	
		Std. Deviation		.21105	
		Minimum		.20	
		Maximum		.90	
		Range		.70	
		Interquartile Range		.20	
		Skewness		-.349	.319
		Kurtosis		-.517	.628
AvMentWL	Abby	Mean		.5125	.03203
		95% Confidence Interval for Mean	Lower Bound	.4462	
			Upper Bound	.5788	
		5% Trimmed Mean		.5046	

			Median		.5000	
			Variance		.025	
			Std. Deviation		.15691	
			Minimum		.30	
			Maximum		.90	
			Range		.60	
			Interquartile Range		.20	
			Skewness		.365	.472
			Kurtosis		.038	.918
	Tim	Mean			.5232	.02117
		95% Confidence Interval for Mean	Lower Bound		.4808	
			Upper Bound		.5656	
		5% Trimmed Mean			.5258	
		Median			.6000	
		Variance			.025	
		Std. Deviation			.15839	
		Minimum			.20	
		Maximum			.90	
		Range			.70	
		Interquartile Range			.20	
		Skewness			-.312	.319
		Kurtosis			-.615	.628
AvFam	Abby	Mean			.7292	.03636
		95% Confidence Interval for Mean	Lower Bound		.6540	
			Upper Bound		.8044	
		5% Trimmed Mean			.7324	
		Median			.7000	
		Variance			.032	
		Std. Deviation			.17810	
		Minimum			.40	
		Maximum			1.00	
		Range			.60	
		Interquartile Range			.30	
		Skewness			-.130	.472
		Kurtosis			-.766	.918
	Tim	Mean			.7250	.02513
		95% Confidence Interval for Mean	Lower Bound		.6746	
			Upper Bound		.7754	
		5% Trimmed Mean			.7278	
		Median			.7500	
		Variance			.035	
		Std. Deviation			.18805	
		Minimum			.40	
		Maximum			1.00	
		Range			.60	
		Interquartile Range			.30	
		Skewness			-.274	.319
		Kurtosis			-1.060	.628
AvSCL	Abby	Mean			592.7083	24.47666
		95% Confidence Interval for Mean	Lower Bound		542.0745	
			Upper Bound		643.3422	
		5% Trimmed Mean			600.4259	
		Median			633.0000	

			Variance	14378.563	
			Std. Deviation	119.91065	
			Minimum	288.00	
			Maximum	743.00	
			Range	455.00	
			Interquartile Range	148.75	
			Skewness	-.984	.472
			Kurtosis	.435	.918
	Tim	Mean		533.6607	18.60159
		95% Confidence Interval for Mean	Lower Bound	496.3823	
			Upper Bound	570.9391	
		5% Trimmed Mean		537.1468	
		Median		540.5000	
		Variance		19377.065	
		Std. Deviation		139.20153	
		Minimum		281.00	
		Maximum		741.00	
		Range		460.00	
		Interquartile Range		219.00	
		Skewness		-.300	.319
		Kurtosis		-1.117	.628
HRVar_RMSSD	Abby	Mean		35.5679	4.62755
		95% Confidence Interval for Mean	Lower Bound	25.9951	
			Upper Bound	45.1407	
		5% Trimmed Mean		35.3676	
		Median		32.4800	
		Variance		513.940	
		Std. Deviation		22.67025	
		Minimum		3.04	
		Maximum		70.37	
		Range		67.33	
		Interquartile Range		43.18	
		Skewness		.142	.472
		Kurtosis		-1.655	.918
	Tim	Mean		33.9505	2.77424
		95% Confidence Interval for Mean	Lower Bound	28.3908	
			Upper Bound	39.5102	
		5% Trimmed Mean		33.7541	
		Median		26.4100	
		Variance		431.000	
		Std. Deviation		20.76054	
		Minimum		2.84	
		Maximum		70.37	
		Range		67.53	
		Interquartile Range		39.69	
		Skewness		.241	.319
		Kurtosis		-1.551	.628
HRVar_NN50	Abby	Mean		23.9096	4.19866
		95% Confidence Interval for Mean	Lower Bound	15.2240	
			Upper Bound	32.5952	
		5% Trimmed Mean		23.4395	
		Median		22.2700	
		Variance		423.089	

				Statistic	Std. Error
		Std. Deviation		20.56912	
		Minimum		.53	
		Maximum		55.80	
		Range		55.27	
		Interquartile Range		39.15	
		Skewness		.166	.472
		Kurtosis		-1.579	.918
	Tim	Mean		24.0829	2.50073
		95% Confidence Interval for Mean	Lower Bound	19.0713	
			Upper Bound	29.0944	
		5% Trimmed Mean		23.7779	
		Median		22.2700	
		Variance		350.204	
		Std. Deviation		18.71375	
		Minimum		-.47	
		Maximum		55.40	
		Range		55.87	
		Interquartile Range		34.90	
		Skewness		.109	.319
		Kurtosis		-1.571	.628
NASA_MD	Abby	Mean		37.9167	2.10496
		95% Confidence Interval for Mean	Lower Bound	33.5622	
			Upper Bound	42.2711	
		5% Trimmed Mean		38.1481	
		Median		35.0000	
		Variance		106.341	
		Std. Deviation		10.31216	
		Minimum		15.00	
		Maximum		55.00	
		Range		40.00	
		Interquartile Range		17.50	
		Skewness		-.097	.472
		Kurtosis		-.310	.918
	Tim	Mean		38.5714	1.55377
		95% Confidence Interval for Mean	Lower Bound	35.4576	
			Upper Bound	41.6852	
		5% Trimmed Mean		39.1667	
		Median		40.0000	
		Variance		135.195	
		Std. Deviation		11.62733	
		Minimum		10.00	
		Maximum		55.00	
		Range		45.00	
		Interquartile Range		20.00	
		Skewness		-.602	.319
		Kurtosis		.172	.628
NASA_PD	Abby	Mean		16.2500	3.01341
		95% Confidence Interval for Mean	Lower Bound	10.0163	
			Upper Bound	22.4837	
		5% Trimmed Mean		15.2778	
		Median		10.0000	
		Variance		217.935	
		Std. Deviation		14.76261	

		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		25.00	
		Skewness		.994	.472
		Kurtosis		-.567	.918
	Tim	Mean		13.0357	1.75938
		95% Confidence Interval for Mean	Lower Bound	9.5098	
			Upper Bound	16.5616	
		5% Trimmed Mean		11.7063	
		Median		5.0000	
		Variance		173.344	
		Std. Deviation		13.16602	
		Minimum		5.00	
		Maximum		45.00	
		Range		40.00	
		Interquartile Range		5.00	
		Skewness		1.467	.319
		Kurtosis		.646	.628
NASA_TD	Abby	Mean		17.7083	2.69156
		95% Confidence Interval for Mean	Lower Bound	12.1404	
			Upper Bound	23.2762	
		5% Trimmed Mean		17.1759	
		Median		15.0000	
		Variance		173.868	
		Std. Deviation		13.18589	
		Minimum		5.00	
		Maximum		40.00	
		Range		35.00	
		Interquartile Range		25.00	
		Skewness		.438	.472
		Kurtosis		-1.422	.918
	Tim	Mean		17.5893	2.30045
		95% Confidence Interval for Mean	Lower Bound	12.9791	
			Upper Bound	22.1995	
		5% Trimmed Mean		15.6548	
		Median		10.0000	
		Variance		296.356	
		Std. Deviation		17.21498	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		23.75	
		Skewness		1.554	.319
		Kurtosis		1.856	.628
NASA_Performance	Abby	Mean		68.5417	3.90651
		95% Confidence Interval for Mean	Lower Bound	60.4604	
			Upper Bound	76.6229	
		5% Trimmed Mean		69.0741	
		Median		60.0000	
		Variance		366.259	
		Std. Deviation		19.13790	
		Minimum		30.00	

				Statistic	Std. Error
		Maximum		95.00	
		Range		65.00	
		Interquartile Range		35.00	
		Skewness		.021	.472
		Kurtosis		-1.104	.918
	Tim	Mean		68.4821	2.72053
		95% Confidence Interval for Mean	Lower Bound	63.0301	
			Upper Bound	73.9342	
		5% Trimmed Mean		69.1468	
		Median		62.5000	
		Variance		414.472	
		Std. Deviation		20.35860	
		Minimum		25.00	
		Maximum		100.00	
		Range		75.00	
		Interquartile Range		30.00	
		Skewness		-.297	.319
		Kurtosis		-.552	.628
NASA_Effort	Abby	Mean		37.2917	2.80688
		95% Confidence Interval for Mean	Lower Bound	31.4852	
			Upper Bound	43.0981	
		5% Trimmed Mean		37.6389	
		Median		35.0000	
		Variance		189.085	
		Std. Deviation		13.75082	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		18.75	
		Skewness		.104	.472
		Kurtosis		.208	.918
	Tim	Mean		38.0357	2.03731
		95% Confidence Interval for Mean	Lower Bound	33.9529	
			Upper Bound	42.1186	
		5% Trimmed Mean		38.6508	
		Median		37.5000	
		Variance		232.435	
		Std. Deviation		15.24582	
		Minimum		5.00	
		Maximum		60.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.466	.319
		Kurtosis		.005	.628
NASA_Frustration	Abby	Mean		26.0417	3.53527
		95% Confidence Interval for Mean	Lower Bound	18.7284	
			Upper Bound	33.3549	
		5% Trimmed Mean		25.6481	
		Median		27.5000	
		Variance		299.955	
		Std. Deviation		17.31920	
		Minimum		5.00	
		Maximum		55.00	

		Range		50.00	
		Interquartile Range		37.50	
		Skewness		.062	.472
		Kurtosis		-1.551	.918
	Tim	Mean		26.3393	2.68319
		95% Confidence Interval for Mean	Lower Bound	20.9620	
			Upper Bound	31.7165	
		5% Trimmed Mean		25.4563	
		Median		25.0000	
		Variance		403.174	
		Std. Deviation		20.07919	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		35.00	
		Skewness		.452	.319
		Kurtosis		-1.329	.628
NASA_Score	Abby	Mean		33.9583	1.83361
		95% Confidence Interval for Mean	Lower Bound	30.1652	
			Upper Bound	37.7515	
		5% Trimmed Mean		33.9120	
		Median		30.8333	
		Variance		80.691	
		Std. Deviation		8.98284	
		Minimum		19.17	
		Maximum		49.17	
		Range		30.00	
		Interquartile Range		17.08	
		Skewness		.252	.472
		Kurtosis		-1.192	.918
	Tim	Mean		33.6756	1.41159
		95% Confidence Interval for Mean	Lower Bound	30.8467	
			Upper Bound	36.5045	
		5% Trimmed Mean		33.3433	
		Median		30.4167	
		Variance		111.585	
		Std. Deviation		10.56339	
		Minimum		20.00	
		Maximum		53.33	
		Range		33.33	
		Interquartile Range		18.33	
		Skewness		.497	.319
		Kurtosis		-1.167	.628

Descriptives - use case templates, GenderMag motivation facet, reviewing task

	Motivation			Statistic	Std. Error
Precision	Abby	Mean		.5590	.04370
		95% Confidence Interval for Mean	Lower Bound	.4708	
			Upper Bound	.6473	
		5% Trimmed Mean		.5611	
		Median		.5950	
		Variance		.080	
		Std. Deviation		.28321	
		Minimum		.08	
		Maximum		1.00	
		Range		.92	
		Interquartile Range		.57	
		Skewness		-.149	.365
		Kurtosis		-1.174	.717
	Tim	Mean		.7013	.04474
		95% Confidence Interval for Mean	Lower Bound	.6107	
			Upper Bound	.7920	
		5% Trimmed Mean		.7154	
		Median		.7200	
		Variance		.076	
		Std. Deviation		.27582	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.51	
		Skewness		-.509	.383
		Kurtosis		-.931	.750
Recall	Abby	Mean		.6517	.04181
		95% Confidence Interval for Mean	Lower Bound	.5672	
			Upper Bound	.7361	
		5% Trimmed Mean		.6569	
		Median		.6300	
		Variance		.073	
		Std. Deviation		.27099	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.53	
		Skewness		-.040	.365
		Kurtosis		-1.307	.717
	Tim	Mean		.7405	.04431
		95% Confidence Interval for Mean	Lower Bound	.6507	
			Upper Bound	.8303	
		5% Trimmed Mean		.7553	
		Median		.7550	
		Variance		.075	
		Std. Deviation		.27315	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.50	
		Skewness		-.508	.383

		Kurtosis		-1.219	.750
FMeasure	Abby	Mean		.5927	.04362
		95% Confidence Interval for Mean	Lower Bound	.5046	
			Upper Bound	.6808	
		5% Trimmed Mean		.5958	
		Median		.6005	
		Variance		.080	
		Std. Deviation		.28268	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.56	
		Skewness		-.147	.365
		Kurtosis		-1.367	.717
	Tim	Mean		.7153	.04392
		95% Confidence Interval for Mean	Lower Bound	.6263	
			Upper Bound	.8043	
		5% Trimmed Mean		.7289	
		Median		.7525	
		Variance		.073	
		Std. Deviation		.27073	
		Minimum		.16	
		Maximum		1.00	
		Range		.84	
		Interquartile Range		.50	
		Skewness		-.536	.383
		Kurtosis		-1.041	.750
Duration	Abby	Mean		622.7857	43.28061
		95% Confidence Interval for Mean	Lower Bound	535.3788	
			Upper Bound	710.1927	
		5% Trimmed Mean		627.2196	
		Median		697.0000	
		Variance		78674.855	
		Std. Deviation		280.49038	
		Minimum		111.00	
		Maximum		1024.00	
		Range		913.00	
		Interquartile Range		507.00	
		Skewness		-.127	.365
		Kurtosis		-1.162	.717
	Tim	Mean		496.5263	39.75547
		95% Confidence Interval for Mean	Lower Bound	415.9741	
			Upper Bound	577.0786	
		5% Trimmed Mean		490.8889	
		Median		320.5000	
		Variance		60058.905	
		Std. Deviation		245.06918	
		Minimum		188.00	
		Maximum		979.00	
		Range		791.00	
		Interquartile Range		411.50	
		Skewness		.402	.383
		Kurtosis		-1.561	.750

FirstActDet	Abby	Mean			145.5238	8.03081
		95% Confidence Interval for Mean	Lower Bound	129.3053	
			Upper Bound	161.7424	
		5% Trimmed Mean		143.5397	
		Median		133.0000	
		Variance		2708.743	
		Std. Deviation		52.04559	
		Minimum		63.00	
		Maximum		248.00	
		Range		185.00	
		Interquartile Range		93.25	
		Skewness		.608	.365
		Kurtosis		-.929	.717
	Tim	Mean		165.1842	12.07980
		95% Confidence Interval for Mean	Lower Bound	140.7082	
			Upper Bound	189.6602	
		5% Trimmed Mean		167.8158	
		Median		173.5000	
		Variance		5545.019	
		Std. Deviation		74.46489	
		Minimum		3.00	
		Maximum		280.00	
		Range		277.00	
		Interquartile Range		115.00	
		Skewness		-.515	.383
		Kurtosis		-.223	.750
LastActDet	Abby	Mean		595.6190	42.34574
		95% Confidence Interval for Mean	Lower Bound	510.1001	
			Upper Bound	681.1380	
		5% Trimmed Mean		597.9021	
		Median		649.0000	
		Variance		75312.778	
		Std. Deviation		274.43174	
		Minimum		96.00	
		Maximum		1020.00	
		Range		924.00	
		Interquartile Range		476.00	
		Skewness		-.078	.365
		Kurtosis		-1.032	.717
	Tim	Mean		480.3947	41.10839
		95% Confidence Interval for Mean	Lower Bound	397.1012	
			Upper Bound	563.6882	
		5% Trimmed Mean		474.9474	
		Median		305.5000	
		Variance		64216.191	
		Std. Deviation		253.40914	
		Minimum		138.00	
		Maximum		972.00	
		Range		834.00	
		Interquartile Range		490.50	
		Skewness		.370	.383
		Kurtosis		-1.637	.750
ProcDur	Abby	Mean		20.2381	2.55981

		95% Confidence Interval for Mean	Lower Bound	15.0685	
			Upper Bound	25.4077	
		5% Trimmed Mean		19.5714	
		Median		12.5000	
		Variance		275.210	
		Std. Deviation		16.58946	
		Minimum		1.00	
		Maximum		52.00	
		Range		51.00	
		Interquartile Range		29.25	
		Skewness		.676	.365
		Kurtosis		-1.188	.717
	Tim	Mean		22.3158	2.90463
		95% Confidence Interval for Mean	Lower Bound	16.4305	
			Upper Bound	28.2011	
		5% Trimmed Mean		21.7135	
		Median		14.0000	
		Variance		320.600	
		Std. Deviation		17.90531	
		Minimum		1.00	
		Maximum		54.00	
		Range		53.00	
		Interquartile Range		29.00	
		Skewness		.425	.383
		Kurtosis		-1.314	.750
FixRel	Abby	Mean		6.7862	.63365
		95% Confidence Interval for Mean	Lower Bound	5.5065	
			Upper Bound	8.0659	
		5% Trimmed Mean		6.8346	
		Median		9.6500	
		Variance		16.864	
		Std. Deviation		4.10652	
		Minimum		1.37	
		Maximum		11.29	
		Range		9.92	
		Interquartile Range		7.82	
		Skewness		-.283	.365
		Kurtosis		-1.907	.717
	Tim	Mean		5.2887	.71108
		95% Confidence Interval for Mean	Lower Bound	3.8479	
			Upper Bound	6.7295	
		5% Trimmed Mean		5.2241	
		Median		2.6200	
		Variance		19.214	
		Std. Deviation		4.38338	
		Minimum		.45	
		Maximum		11.29	
		Range		10.84	
		Interquartile Range		8.35	
		Skewness		.324	.383
		Kurtosis		-1.890	.750
FixIrrel	Abby	Mean		136.8629	23.10605
		95% Confidence Interval for Mean	Lower Bound	90.1992	

			Upper Bound	183.5265	
		5% Trimmed Mean		129.6100	
		Median		81.8550	
		Variance		22423.364	
		Std. Deviation		149.74433	
		Minimum		.54	
		Maximum		403.73	
		Range		403.19	
		Interquartile Range		311.99	
		Skewness		.670	.365
		Kurtosis		-1.112	.717
	Tim	Mean		125.9255	28.09337
		95% Confidence Interval for Mean	Lower Bound	69.0030	
			Upper Bound	182.8481	
		5% Trimmed Mean		117.4611	
		Median		2.5950	
		Variance		29991.013	
		Std. Deviation		173.17914	
		Minimum		.48	
		Maximum		403.73	
		Range		403.25	
		Interquartile Range		337.28	
		Skewness		.887	.383
		Kurtosis		-1.122	.750
AvDurRelFix	Abby	Mean		121.5660	9.70808
		95% Confidence Interval for Mean	Lower Bound	101.9601	
			Upper Bound	141.1718	
		5% Trimmed Mean		121.1875	
		Median		125.4900	
		Variance		3958.369	
		Std. Deviation		62.91557	
		Minimum		17.23	
		Maximum		233.50	
		Range		216.27	
		Interquartile Range		88.77	
		Skewness		.251	.365
		Kurtosis		-.552	.717
	Tim	Mean		165.0113	11.15675
		95% Confidence Interval for Mean	Lower Bound	142.4056	
			Upper Bound	187.6170	
		5% Trimmed Mean		169.6504	
		Median		164.6250	
		Variance		4729.979	
		Std. Deviation		68.77484	
		Minimum		6.98	
		Maximum		235.75	
		Range		228.77	
		Interquartile Range		96.39	
		Skewness		-.747	.383
		Kurtosis		-.405	.750
AvDurIrrelFix	Abby	Mean		280.9493	26.54900
		95% Confidence Interval for Mean	Lower Bound	227.3325	
			Upper Bound	334.5661	

		5% Trimmed Mean		277.9007	
		Median		286.9400	
		Variance		29603.680	
		Std. Deviation		172.05720	
		Minimum		25.63	
		Maximum		593.50	
		Range		567.87	
		Interquartile Range		251.25	
		Skewness		.354	.365
		Kurtosis		-.585	.717
	Tim	Mean		405.4439	30.38993
		95% Confidence Interval for Mean	Lower Bound	343.8681	
			Upper Bound	467.0198	
		5% Trimmed Mean		416.4907	
		Median		397.1900	
		Variance		35094.813	
		Std. Deviation		187.33610	
		Minimum		5.42	
		Maximum		600.25	
		Range		594.83	
		Interquartile Range		268.31	
		Skewness		-.723	.383
		Kurtosis		-.544	.750
TotSac	Abby	Mean		96.2381	1.55906
		95% Confidence Interval for Mean	Lower Bound	93.0895	
			Upper Bound	99.3867	
		5% Trimmed Mean		96.5688	
		Median		94.0000	
		Variance		102.088	
		Std. Deviation		10.10387	
		Minimum		75.00	
		Maximum		111.00	
		Range		36.00	
		Interquartile Range		17.00	
		Skewness		-.217	.365
		Kurtosis		-.619	.717
	Tim	Mean		90.2105	1.63973
		95% Confidence Interval for Mean	Lower Bound	86.8881	
			Upper Bound	93.5329	
		5% Trimmed Mean		90.0643	
		Median		92.0000	
		Variance		102.171	
		Std. Deviation		10.10795	
		Minimum		75.00	
		Maximum		109.00	
		Range		34.00	
		Interquartile Range		18.00	
		Skewness		-.148	.383
		Kurtosis		-1.130	.750
Sac2Key	Abby	Mean		21.2143	2.18578
		95% Confidence Interval for Mean	Lower Bound	16.8000	
			Upper Bound	25.6286	
		5% Trimmed Mean		20.6534	

		Median	20.0000	
		Variance	200.660	
		Std. Deviation	14.16546	
		Minimum	1.00	
		Maximum	51.00	
		Range	50.00	
		Interquartile Range	21.75	
		Skewness	.413	.365
		Kurtosis	-.797	.717
	Tim	Mean	19.8684	1.62710
		95% Confidence Interval for Mean	Lower Bound	16.5716	
			Upper Bound	23.1652	
		5% Trimmed Mean	19.6228	
		Median	22.0000	
		Variance	100.604	
		Std. Deviation	10.03015	
		Minimum	2.00	
		Maximum	45.00	
		Range	43.00	
		Interquartile Range	15.25	
		Skewness	.292	.383
		Kurtosis	-.602	.750
AvAttention	Abby	Mean	.6595	.03068
		95% Confidence Interval for Mean	Lower Bound	.5976	
			Upper Bound	.7215	
		5% Trimmed Mean	.6608	
		Median	.7000	
		Variance	.040	
		Std. Deviation	.19885	
		Minimum	.30	
		Maximum	1.00	
		Range	.70	
		Interquartile Range	.30	
		Skewness	-.324	.365
		Kurtosis	-.799	.717
	Tim	Mean	.6500	.03410
		95% Confidence Interval for Mean	Lower Bound	.5809	
			Upper Bound	.7191	
		5% Trimmed Mean	.6526	
		Median	.7000	
		Variance	.044	
		Std. Deviation	.21021	
		Minimum	.30	
		Maximum	1.00	
		Range	.70	
		Interquartile Range	.30	
		Skewness	-.544	.383
		Kurtosis	-.871	.750
AvMentWL	Abby	Mean	.7500	.03429
		95% Confidence Interval for Mean	Lower Bound	.6807	
			Upper Bound	.8193	
		5% Trimmed Mean	.7664	
		Median	.8000	

		Variance		.049	
		Std. Deviation		.22224	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.30	
		Skewness		-.896	.365
		Kurtosis		.243	.717
	Tim	Mean		.6658	.03483
		95% Confidence Interval for Mean	Lower Bound	.5952	
			Upper Bound	.7364	
		5% Trimmed Mean		.6675	
		Median		.7000	
		Variance		.046	
		Std. Deviation		.21470	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		.005	.383
		Kurtosis		-1.182	.750
AvFam	Abby	Mean		.5548	.03545
		95% Confidence Interval for Mean	Lower Bound	.4832	
			Upper Bound	.6264	
		5% Trimmed Mean		.5664	
		Median		.6000	
		Variance		.053	
		Std. Deviation		.22974	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.30	
		Skewness		-.717	.365
		Kurtosis		.249	.717
	Tim	Mean		.4658	.03483
		95% Confidence Interval for Mean	Lower Bound	.3952	
			Upper Bound	.5364	
		5% Trimmed Mean		.4675	
		Median		.5000	
		Variance		.046	
		Std. Deviation		.21470	
		Minimum		.10	
		Maximum		.80	
		Range		.70	
		Interquartile Range		.40	
		Skewness		.005	.383
		Kurtosis		-1.182	.750
AvSCL	Abby	Mean		502.4048	20.24605
		95% Confidence Interval for Mean	Lower Bound	461.5170	
			Upper Bound	543.2925	
		5% Trimmed Mean		501.3360	
		Median		533.0000	
		Variance		17215.905	

		Std. Deviation		131.20940	
		Minimum		280.00	
		Maximum		768.00	
		Range		488.00	
		Interquartile Range		185.50	
		Skewness		-.055	.365
		Kurtosis		-.745	.717
	Tim	Mean		554.4474	24.25718
		95% Confidence Interval for Mean	Lower Bound	505.2977	
			Upper Bound	603.5971	
		5% Trimmed Mean		560.4006	
		Median		601.0000	
		Variance		22359.605	
		Std. Deviation		149.53129	
		Minimum		273.00	
		Maximum		733.00	
		Range		460.00	
		Interquartile Range		286.25	
		Skewness		-.573	.383
		Kurtosis		-1.103	.750
HRVar_RMSSD	Abby	Mean		34.5036	3.05214
		95% Confidence Interval for Mean	Lower Bound	28.3396	
			Upper Bound	40.6675	
		5% Trimmed Mean		33.6447	
		Median		25.2150	
		Variance		391.254	
		Std. Deviation		19.78014	
		Minimum		14.14	
		Maximum		71.83	
		Range		57.69	
		Interquartile Range		38.36	
		Skewness		.705	.365
		Kurtosis		-1.089	.717
	Tim	Mean		35.5445	3.47795
		95% Confidence Interval for Mean	Lower Bound	28.4975	
			Upper Bound	42.5915	
		5% Trimmed Mean		35.0399	
		Median		26.7100	
		Variance		459.652	
		Std. Deviation		21.43950	
		Minimum		3.92	
		Maximum		75.27	
		Range		71.35	
		Interquartile Range		38.77	
		Skewness		.376	.383
		Kurtosis		-1.484	.750
HRVar_NN50	Abby	Mean		21.6336	2.85000
		95% Confidence Interval for Mean	Lower Bound	15.8779	
			Upper Bound	27.3893	
		5% Trimmed Mean		20.9162	
		Median		15.2750	
		Variance		341.145	
		Std. Deviation		18.47010	

		Minimum		1.01	
		Maximum		54.77	
		Range		53.76	
		Interquartile Range		35.85	
		Skewness		.601	.365
		Kurtosis		-1.234	.717
	Tim	Mean		25.8813	3.26660
		95% Confidence Interval for Mean	Lower Bound	19.2625	
			Upper Bound	32.5001	
		5% Trimmed Mean		25.5705	
		Median		33.1900	
		Variance		405.487	
		Std. Deviation		20.13670	
		Minimum		.74	
		Maximum		58.28	
		Range		57.54	
		Interquartile Range		37.44	
		Skewness		-.049	.383
		Kurtosis		-1.669	.750
NASA_MD	Abby	Mean		62.8571	1.97357
		95% Confidence Interval for Mean	Lower Bound	58.8714	
			Upper Bound	66.8428	
		5% Trimmed Mean		63.4392	
		Median		65.0000	
		Variance		163.589	
		Std. Deviation		12.79019	
		Minimum		30.00	
		Maximum		80.00	
		Range		50.00	
		Interquartile Range		15.00	
		Skewness		-.385	.365
		Kurtosis		-.279	.717
	Tim	Mean		60.9211	2.20609
		95% Confidence Interval for Mean	Lower Bound	56.4511	
			Upper Bound	65.3910	
		5% Trimmed Mean		61.0380	
		Median		57.5000	
		Variance		184.940	
		Std. Deviation		13.59925	
		Minimum		30.00	
		Maximum		85.00	
		Range		55.00	
		Interquartile Range		17.50	
		Skewness		.076	.383
		Kurtosis		-.736	.750
NASA_PD	Abby	Mean		15.7143	2.23198
		95% Confidence Interval for Mean	Lower Bound	11.2067	
			Upper Bound	20.2219	
		5% Trimmed Mean		14.4048	
		Median		10.0000	
		Variance		209.233	
		Std. Deviation		14.46490	
		Minimum		5.00	

		Maximum		50.00	
		Range		45.00	
		Interquartile Range		11.25	
		Skewness		1.513	.365
		Kurtosis		.894	.717
	Tim	Mean		24.0789	3.09783
		95% Confidence Interval for Mean	Lower Bound	17.8021	
			Upper Bound	30.3558	
		5% Trimmed Mean		23.6988	
		Median		12.5000	
		Variance		364.669	
		Std. Deviation		19.09632	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		41.25	
		Skewness		.432	.383
		Kurtosis		-1.672	.750
NASA_TD	Abby	Mean		38.4524	4.13719
		95% Confidence Interval for Mean	Lower Bound	30.0971	
			Upper Bound	46.8076	
		5% Trimmed Mean		37.1693	
		Median		35.0000	
		Variance		718.888	
		Std. Deviation		26.81209	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		25.00	
		Skewness		.810	.365
		Kurtosis		.248	.717
	Tim	Mean		34.4737	3.70877
		95% Confidence Interval for Mean	Lower Bound	26.9590	
			Upper Bound	41.9884	
		5% Trimmed Mean		33.5380	
		Median		40.0000	
		Variance		522.688	
		Std. Deviation		22.86238	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		40.00	
		Skewness		.303	.383
		Kurtosis		-.327	.750
NASA_Performance	Abby	Mean		46.9048	3.95588
		95% Confidence Interval for Mean	Lower Bound	38.9157	
			Upper Bound	54.8938	
		5% Trimmed Mean		46.4286	
		Median		50.0000	
		Variance		657.259	
		Std. Deviation		25.63706	
		Minimum		5.00	
		Maximum		100.00	

		Range		95.00	
		Interquartile Range		41.25	
		Skewness		.035	.365
		Kurtosis		-.686	.717
	Tim	Mean		41.9737	4.01163
		95% Confidence Interval for Mean	Lower Bound	33.8454	
			Upper Bound	50.1020	
		5% Trimmed Mean		42.4708	
		Median		35.0000	
		Variance		611.540	
		Std. Deviation		24.72933	
		Minimum		5.00	
		Maximum		70.00	
		Range		65.00	
		Interquartile Range		40.00	
		Skewness		-.332	.383
		Kurtosis		-1.424	.750
NASA_Effort	Abby	Mean		55.8333	2.26007
		95% Confidence Interval for Mean	Lower Bound	51.2690	
			Upper Bound	60.3976	
		5% Trimmed Mean		56.7593	
		Median		55.0000	
		Variance		214.533	
		Std. Deviation		14.64693	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		-.808	.365
		Kurtosis		.598	.717
	Tim	Mean		51.4474	2.07357
		95% Confidence Interval for Mean	Lower Bound	47.2459	
			Upper Bound	55.6488	
		5% Trimmed Mean		51.3596	
		Median		50.0000	
		Variance		163.389	
		Std. Deviation		12.78237	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		16.25	
		Skewness		.345	.383
		Kurtosis		.096	.750
NASA_Frustration	Abby	Mean		31.6667	3.38519
		95% Confidence Interval for Mean	Lower Bound	24.8301	
			Upper Bound	38.5032	
		5% Trimmed Mean		31.2963	
		Median		30.0000	
		Variance		481.301	
		Std. Deviation		21.93857	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

		Interquartile Range		45.00	
		Skewness		.288	.365
		Kurtosis		-1.539	.717
	Tim	Mean		29.2105	3.11313
		95% Confidence Interval for Mean	Lower Bound	22.9027	
			Upper Bound	35.5183	
		5% Trimmed Mean		28.8304	
		Median		30.0000	
		Variance		368.279	
		Std. Deviation		19.19059	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		35.00	
		Skewness		.067	.383
		Kurtosis		-1.594	.750
NASA_Score	Abby	Mean		44.3898	2.09665
		95% Confidence Interval for Mean	Lower Bound	40.1556	
			Upper Bound	48.6241	
		5% Trimmed Mean		44.4206	
		Median		40.8350	
		Variance		184.630	
		Std. Deviation		13.58786	
		Minimum		19.00	
		Maximum		74.67	
		Range		55.67	
		Interquartile Range		18.37	
		Skewness		.177	.365
		Kurtosis		-.712	.717
	Tim	Mean		43.2117	2.09925
		95% Confidence Interval for Mean	Lower Bound	38.9582	
			Upper Bound	47.4652	
		5% Trimmed Mean		43.4202	
		Median		41.5000	
		Variance		167.461	
		Std. Deviation		12.94067	
		Minimum		19.00	
		Maximum		63.67	
		Range		44.67	
		Interquartile Range		17.75	
		Skewness		-.351	.383
		Kurtosis		-.586	.750

Descriptives - use case templates, GenderMag information processing facet, reviewing task

	InformationProcessing			Statistic	Std. Error
Precision	Abby	Mean		.6389	.04695
		95% Confidence Interval for Mean	Lower Bound	.5437	
			Upper Bound	.7341	
		5% Trimmed Mean		.6461	
		Median		.5600	
		Variance		.082	
		Std. Deviation		.28556	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.55	
		Skewness		-.068	.388
		Kurtosis		-1.364	.759
	Tim	Mean		.6160	.04441
		95% Confidence Interval for Mean	Lower Bound	.5264	
			Upper Bound	.7057	
		5% Trimmed Mean		.6245	
		Median		.7000	
		Variance		.085	
		Std. Deviation		.29119	
		Minimum		.08	
		Maximum		1.00	
		Range		.92	
		Interquartile Range		.57	
		Skewness		-.486	.361
		Kurtosis		-.954	.709
Recall	Abby	Mean		.6678	.04353
		95% Confidence Interval for Mean	Lower Bound	.5796	
			Upper Bound	.7561	
		5% Trimmed Mean		.6725	
		Median		.6500	
		Variance		.070	
		Std. Deviation		.26475	
		Minimum		.22	
		Maximum		1.00	
		Range		.78	
		Interquartile Range		.53	
		Skewness		.089	.388
		Kurtosis		-1.494	.759
	Tim	Mean		.7163	.04313
		95% Confidence Interval for Mean	Lower Bound	.6292	
			Upper Bound	.8033	
		5% Trimmed Mean		.7286	
		Median		.7200	
		Variance		.080	
		Std. Deviation		.28279	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.48	

		Skewness		-.522	.361
		Kurtosis		-1.107	.709
FMeasure	Abby	Mean		.6495	.04505
		95% Confidence Interval for Mean	Lower Bound	.5581	
			Upper Bound	.7409	
		5% Trimmed Mean		.6557	
		Median		.5588	
		Variance		.075	
		Std. Deviation		.27403	
		Minimum		.16	
		Maximum		1.00	
		Range		.84	
		Interquartile Range		.49	
		Skewness		-.027	.388
		Kurtosis		-1.478	.759
	Tim	Mean		.6522	.04455
		95% Confidence Interval for Mean	Lower Bound	.5623	
			Upper Bound	.7421	
		5% Trimmed Mean		.6617	
		Median		.7099	
		Variance		.085	
		Std. Deviation		.29212	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.56	
		Skewness		-.532	.361
		Kurtosis		-1.110	.709
Duration	Abby	Mean		574.8649	40.80806
		95% Confidence Interval for Mean	Lower Bound	492.1023	
			Upper Bound	657.6274	
		5% Trimmed Mean		573.2447	
		Median		690.0000	
		Variance		61616.009	
		Std. Deviation		248.22572	
		Minimum		167.00	
		Maximum		1022.00	
		Range		855.00	
		Interquartile Range		412.50	
		Skewness		-.205	.388
		Kurtosis		-1.196	.759
	Tim	Mean		552.4419	44.25903
		95% Confidence Interval for Mean	Lower Bound	463.1235	
			Upper Bound	641.7602	
		5% Trimmed Mean		548.2132	
		Median		513.0000	
		Variance		84231.062	
		Std. Deviation		290.22588	
		Minimum		111.00	
		Maximum		1024.00	
		Range		913.00	
		Interquartile Range		509.00	
		Skewness		.379	.361

					-1.401	.709
FirstActDet	Abby	Mean			137.4324	10.62849
		95% Confidence Interval for Mean	Lower Bound		115.8769	
			Upper Bound		158.9880	
		5% Trimmed Mean			138.7583	
		Median			133.0000	
		Variance			4179.697	
		Std. Deviation			64.65057	
		Minimum			3.00	
		Maximum			248.00	
		Range			245.00	
		Interquartile Range			94.50	
		Skewness			-.204	.388
		Kurtosis			-.200	.759
	Tim	Mean			169.8605	9.19077
		95% Confidence Interval for Mean	Lower Bound		151.3127	
			Upper Bound		188.4082	
		5% Trimmed Mean			167.9005	
		Median			163.0000	
		Variance			3632.218	
		Std. Deviation			60.26789	
		Minimum			95.00	
		Maximum			280.00	
		Range			185.00	
		Interquartile Range			118.00	
		Skewness			.237	.361
		Kurtosis			-1.314	.709
LastActDet	Abby	Mean			556.2432	39.99364
		95% Confidence Interval for Mean	Lower Bound		475.1324	
			Upper Bound		637.3541	
		5% Trimmed Mean			556.6877	
		Median			649.0000	
		Variance			59181.189	
		Std. Deviation			243.27184	
		Minimum			138.00	
		Maximum			972.00	
		Range			834.00	
		Interquartile Range			429.00	
		Skewness			-.301	.388
		Kurtosis			-1.242	.759
	Tim	Mean			527.6744	44.53486
		95% Confidence Interval for Mean	Lower Bound		437.7994	
			Upper Bound		617.5494	
		5% Trimmed Mean			521.5956	
		Median			499.0000	
		Variance			85284.225	
		Std. Deviation			292.03463	
		Minimum			96.00	
		Maximum			1020.00	
		Range			924.00	
		Interquartile Range			499.00	
		Skewness			.415	.361
		Kurtosis			-1.322	.709

ProcDur	Abby	Mean			17.1081	2.74895
		95% Confidence Interval for Mean	Lower Bound	11.5330	
			Upper Bound	22.6832	
		5% Trimmed Mean		16.2267	
		Median		7.0000	
		Variance		279.599	
		Std. Deviation		16.72122	
		Minimum		1.00	
		Maximum		50.00	
		Range		49.00	
		Interquartile Range		30.00	
		Skewness		.954	.388
		Kurtosis		-.742	.759
	Tim	Mean		24.7674	2.57766
		95% Confidence Interval for Mean	Lower Bound	19.5655	
			Upper Bound	29.9694	
		5% Trimmed Mean		24.3566	
		Median		28.0000	
		Variance		285.707	
		Std. Deviation		16.90286	
		Minimum		2.00	
		Maximum		54.00	
		Range		52.00	
		Interquartile Range		33.00	
		Skewness		.294	.361
		Kurtosis		-1.356	.709
FixRel	Abby	Mean		7.0889	.67805
		95% Confidence Interval for Mean	Lower Bound	5.7138	
			Upper Bound	8.4641	
		5% Trimmed Mean		7.1642	
		Median		9.7500	
		Variance		17.011	
		Std. Deviation		4.12442	
		Minimum		1.51	
		Maximum		11.29	
		Range		9.78	
		Interquartile Range		8.24	
		Skewness		-.389	.388
		Kurtosis		-1.863	.759
	Tim	Mean		5.2023	.65036
		95% Confidence Interval for Mean	Lower Bound	3.8898	
			Upper Bound	6.5148	
		5% Trimmed Mean		5.1262	
		Median		2.6800	
		Variance		18.188	
		Std. Deviation		4.26472	
		Minimum		.45	
		Maximum		11.29	
		Range		10.84	
		Interquartile Range		8.24	
		Skewness		.336	.361
		Kurtosis		-1.854	.709
FixIrrel	Abby	Mean		135.3114	24.92660

		95% Confidence Interval for Mean	Lower Bound	84.7579	
			Upper Bound	185.8648	
		5% Trimmed Mean		127.8622	
		Median		72.7300	
		Variance		22989.404	
		Std. Deviation		151.62257	
		Minimum		.55	
		Maximum		403.73	
		Range		403.18	
		Interquartile Range		311.05	
		Skewness		.758	.388
		Kurtosis		-1.100	.759
	Tim	Mean		128.5323	25.80787
		95% Confidence Interval for Mean	Lower Bound	76.4499	
			Upper Bound	180.6147	
		5% Trimmed Mean		120.3574	
		Median		1.7400	
		Variance		28639.987	
		Std. Deviation		169.23353	
		Minimum		.48	
		Maximum		403.73	
		Range		403.25	
		Interquartile Range		319.90	
		Skewness		.808	.361
		Kurtosis		-1.139	.709
AvDurRelFix	Abby	Mean		114.9543	11.24769
		95% Confidence Interval for Mean	Lower Bound	92.1429	
			Upper Bound	137.7657	
		5% Trimmed Mean		114.0889	
		Median		114.4800	
		Variance		4680.893	
		Std. Deviation		68.41705	
		Minimum		6.98	
		Maximum		235.75	
		Range		228.77	
		Interquartile Range		93.75	
		Skewness		.221	.388
		Kurtosis		-.776	.759
	Tim	Mean		165.6486	9.27424
		95% Confidence Interval for Mean	Lower Bound	146.9324	
			Upper Bound	184.3648	
		5% Trimmed Mean		167.8607	
		Median		147.2500	
		Variance		3698.493	
		Std. Deviation		60.81524	
		Minimum		57.98	
		Maximum		233.50	
		Range		175.52	
		Interquartile Range		89.27	
		Skewness		-.381	.361
		Kurtosis		-.973	.709
AvDurIrrelFix	Abby	Mean		265.1392	30.45569
		95% Confidence Interval for Mean	Lower Bound	203.3722	

				Statistic	Std. Error
			Upper Bound	326.9062	
		5% Trimmed Mean		260.7603	
		Median		271.3800	
		Variance		34319.318	
		Std. Deviation		185.25474	
		Minimum		5.42	
		Maximum		600.25	
		Range		594.83	
		Interquartile Range		280.13	
		Skewness		.338	.388
		Kurtosis		-.843	.759
	Tim	Mean		404.5719	25.76971
		95% Confidence Interval for Mean	Lower Bound	352.5665	
			Upper Bound	456.5772	
		5% Trimmed Mean		410.8921	
		Median		354.6300	
		Variance		28555.350	
		Std. Deviation		168.98328	
		Minimum		101.88	
		Maximum		593.50	
		Range		491.62	
		Interquartile Range		252.75	
		Skewness		-.406	.361
		Kurtosis		-.907	.709
TotSac	Abby	Mean		91.8108	1.64255
		95% Confidence Interval for Mean	Lower Bound	88.4796	
			Upper Bound	95.1420	
		5% Trimmed Mean		91.7598	
		Median		92.0000	
		Variance		99.824	
		Std. Deviation		9.99121	
		Minimum		76.00	
		Maximum		109.00	
		Range		33.00	
		Interquartile Range		13.50	
		Skewness		-.189	.388
		Kurtosis		-.857	.759
	Tim	Mean		94.7209	1.65198
		95% Confidence Interval for Mean	Lower Bound	91.3871	
			Upper Bound	98.0548	
		5% Trimmed Mean		94.9121	
		Median		94.0000	
		Variance		117.349	
		Std. Deviation		10.83277	
		Minimum		75.00	
		Maximum		111.00	
		Range		36.00	
		Interquartile Range		17.00	
		Skewness		-.213	.361
		Kurtosis		-.732	.709
Sac2Key	Abby	Mean		16.8919	1.94473
		95% Confidence Interval for Mean	Lower Bound	12.9478	
			Upper Bound	20.8360	

		5% Trimmed Mean		16.0676	
		Median		14.0000	
		Variance		139.932	
		Std. Deviation		11.82930	
		Minimum		1.00	
		Maximum		49.00	
		Range		48.00	
		Interquartile Range		17.00	
		Skewness		.851	.388
		Kurtosis		.357	.759
	Tim	Mean		23.7442	1.82486
		95% Confidence Interval for Mean	Lower Bound	20.0615	
			Upper Bound	27.4269	
		5% Trimmed Mean		23.2028	
		Median		24.0000	
		Variance		143.195	
		Std. Deviation		11.96641	
		Minimum		7.00	
		Maximum		51.00	
		Range		44.00	
		Interquartile Range		20.00	
		Skewness		.218	.361
		Kurtosis		-.534	.709
AvAttention	Abby	Mean		.8000	.02050
		95% Confidence Interval for Mean	Lower Bound	.7584	
			Upper Bound	.8416	
		5% Trimmed Mean		.8056	
		Median		.8000	
		Variance		.016	
		Std. Deviation		.12472	
		Minimum		.50	
		Maximum		1.00	
		Range		.50	
		Interquartile Range		.10	
		Skewness		-.908	.388
		Kurtosis		1.073	.759
	Tim	Mean		.5302	.02632
		95% Confidence Interval for Mean	Lower Bound	.4771	
			Upper Bound	.5833	
		5% Trimmed Mean		.5280	
		Median		.6000	
		Variance		.030	
		Std. Deviation		.17256	
		Minimum		.30	
		Maximum		.80	
		Range		.50	
		Interquartile Range		.40	
		Skewness		-.115	.361
		Kurtosis		-1.354	.709
AvMentWL	Abby	Mean		.8135	.02744
		95% Confidence Interval for Mean	Lower Bound	.7579	
			Upper Bound	.8692	
		5% Trimmed Mean		.8236	

			Median		.9000	
			Variance		.028	
			Std. Deviation		.16694	
			Minimum		.40	
			Maximum		1.00	
			Range		.60	
			Interquartile Range		.25	
			Skewness		-.718	.388
			Kurtosis		-.345	.759
		Tim	Mean		.6209	.03435
			95% Confidence Interval for Mean	Lower Bound	.5516	
				Upper Bound	.6903	
			5% Trimmed Mean		.6229	
			Median		.6000	
			Variance		.051	
			Std. Deviation		.22526	
			Minimum		.20	
			Maximum		1.00	
			Range		.80	
			Interquartile Range		.40	
			Skewness		-.011	.361
			Kurtosis		-.876	.709
AvFam	Abby	Mean			.6189	.02896
		95% Confidence Interval for Mean	Lower Bound		.5602	
			Upper Bound		.6776	
		5% Trimmed Mean			.6236	
		Median			.7000	
		Variance			.031	
		Std. Deviation			.17613	
		Minimum			.20	
		Maximum			1.00	
		Range			.80	
		Interquartile Range			.25	
		Skewness			-.433	.388
		Kurtosis			-.136	.759
	Tim	Mean			.4209	.03435
		95% Confidence Interval for Mean	Lower Bound		.3516	
			Upper Bound		.4903	
		5% Trimmed Mean			.4229	
		Median			.4000	
		Variance			.051	
		Std. Deviation			.22526	
		Minimum			.00	
		Maximum			.80	
		Range			.80	
		Interquartile Range			.40	
		Skewness			-.011	.361
		Kurtosis			-.876	.709
AvSCL	Abby	Mean			554.2432	21.31053
		95% Confidence Interval for Mean	Lower Bound		511.0235	
			Upper Bound		597.4630	
		5% Trimmed Mean			558.5285	
		Median			533.0000	

		Variance		16803.134	
		Std. Deviation		129.62690	
		Minimum		273.00	
		Maximum		768.00	
		Range		495.00	
		Interquartile Range		203.50	
		Skewness		-.464	.388
		Kurtosis		-.512	.759
	Tim	Mean		503.7907	22.71270
		95% Confidence Interval for Mean	Lower Bound	457.9546	
			Upper Bound	549.6268	
		5% Trimmed Mean		504.4328	
		Median		548.0000	
		Variance		22182.265	
		Std. Deviation		148.93712	
		Minimum		280.00	
		Maximum		717.00	
		Range		437.00	
		Interquartile Range		217.00	
		Skewness		-.047	.361
		Kurtosis		-1.373	.709
HRVar_RMSSD	Abby	Mean		40.7551	3.66058
		95% Confidence Interval for Mean	Lower Bound	33.3311	
			Upper Bound	48.1791	
		5% Trimmed Mean		40.7579	
		Median		51.0500	
		Variance		495.795	
		Std. Deviation		22.26646	
		Minimum		3.92	
		Maximum		75.27	
		Range		71.35	
		Interquartile Range		42.36	
		Skewness		-.107	.388
		Kurtosis		-1.702	.759
	Tim	Mean		30.0442	2.67675
		95% Confidence Interval for Mean	Lower Bound	24.6423	
			Upper Bound	35.4461	
		5% Trimmed Mean		28.7658	
		Median		20.4100	
		Variance		308.094	
		Std. Deviation		17.55261	
		Minimum		14.14	
		Maximum		68.96	
		Range		54.82	
		Interquartile Range		19.51	
		Skewness		1.242	.361
		Kurtosis		.348	.709
HRVar_NN50	Abby	Mean		25.9597	3.24815
		95% Confidence Interval for Mean	Lower Bound	19.3722	
			Upper Bound	32.5473	
		5% Trimmed Mean		25.7292	
		Median		33.1900	
		Variance		390.367	

			Std. Deviation	19.75770	
			Minimum	.90	
			Maximum	58.28	
			Range	57.38	
			Interquartile Range	37.22	
			Skewness	.014	.388
			Kurtosis	-1.740	.759
	Tim	Mean		21.6649	2.87521
		95% Confidence Interval for Mean	Lower Bound	15.8625	
			Upper Bound	27.4673	
		5% Trimmed Mean		20.9833	
		Median		18.9300	
		Variance		355.473	
		Std. Deviation		18.85399	
		Minimum		.74	
		Maximum		54.77	
		Range		54.03	
		Interquartile Range		35.17	
		Skewness		.512	.361
		Kurtosis		-1.249	.709
NASA_MD	Abby	Mean		64.8649	2.38462
		95% Confidence Interval for Mean	Lower Bound	60.0286	
			Upper Bound	69.7011	
		5% Trimmed Mean		65.9610	
		Median		70.0000	
		Variance		210.398	
		Std. Deviation		14.50510	
		Minimum		30.00	
		Maximum		80.00	
		Range		50.00	
		Interquartile Range		25.00	
		Skewness		-.809	.388
		Kurtosis		.064	.759
	Tim	Mean		59.4186	1.73883
		95% Confidence Interval for Mean	Lower Bound	55.9095	
			Upper Bound	62.9277	
		5% Trimmed Mean		58.9470	
		Median		55.0000	
		Variance		130.011	
		Std. Deviation		11.40224	
		Minimum		45.00	
		Maximum		85.00	
		Range		40.00	
		Interquartile Range		10.00	
		Skewness		.529	.361
		Kurtosis		-.539	.709
NASA_PD	Abby	Mean		10.6757	1.31636
		95% Confidence Interval for Mean	Lower Bound	8.0060	
			Upper Bound	13.3454	
		5% Trimmed Mean		9.6396	
		Median		10.0000	
		Variance		64.114	
		Std. Deviation		8.00713	

		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		5.00	
		Skewness		2.342	.388
		Kurtosis		5.245	.759
	Tim	Mean		27.4419	2.93607
		95% Confidence Interval for Mean	Lower Bound	21.5166	
			Upper Bound	33.3671	
		5% Trimmed Mean		27.4354	
		Median		35.0000	
		Variance		370.681	
		Std. Deviation		19.25308	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		40.00	
		Skewness		.093	.361
		Kurtosis		-1.850	.709
NASA_TD	Abby	Mean		42.7027	4.76786
		95% Confidence Interval for Mean	Lower Bound	33.0330	
			Upper Bound	52.3724	
		5% Trimmed Mean		41.8919	
		Median		35.0000	
		Variance		841.104	
		Std. Deviation		29.00179	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		37.50	
		Skewness		.612	.388
		Kurtosis		-.511	.759
	Tim	Mean		31.2791	3.00006
		95% Confidence Interval for Mean	Lower Bound	25.2247	
			Upper Bound	37.3334	
		5% Trimmed Mean		30.8850	
		Median		35.0000	
		Variance		387.016	
		Std. Deviation		19.67271	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		40.00	
		Skewness		-.095	.361
		Kurtosis		-1.134	.709
NASA_Performance	Abby	Mean		42.7027	3.67400
		95% Confidence Interval for Mean	Lower Bound	35.2515	
			Upper Bound	50.1539	
		5% Trimmed Mean		42.3799	
		Median		35.0000	
		Variance		499.437	
		Std. Deviation		22.34809	
		Minimum		5.00	

		Maximum		100.00	
		Range		95.00	
		Interquartile Range		35.00	
		Skewness		.292	.388
		Kurtosis		-.364	.759
	Tim	Mean		46.1628	4.19895
		95% Confidence Interval for Mean	Lower Bound	37.6890	
			Upper Bound	54.6366	
		5% Trimmed Mean		45.8333	
		Median		65.0000	
		Variance		758.140	
		Std. Deviation		27.53433	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		40.00	
		Skewness		-.362	.361
		Kurtosis		-1.113	.709
NASA_Effort	Abby	Mean		56.6216	2.60698
		95% Confidence Interval for Mean	Lower Bound	51.3344	
			Upper Bound	61.9088	
		5% Trimmed Mean		57.6351	
		Median		65.0000	
		Variance		251.464	
		Std. Deviation		15.85762	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		15.00	
		Skewness		-1.171	.388
		Kurtosis		.897	.759
	Tim	Mean		51.2791	1.76163
		95% Confidence Interval for Mean	Lower Bound	47.7240	
			Upper Bound	54.8342	
		5% Trimmed Mean		50.5879	
		Median		50.0000	
		Variance		133.444	
		Std. Deviation		11.55180	
		Minimum		40.00	
		Maximum		75.00	
		Range		35.00	
		Interquartile Range		15.00	
		Skewness		.997	.361
		Kurtosis		.135	.709
NASA_Frustration	Abby	Mean		33.9189	3.37327
		95% Confidence Interval for Mean	Lower Bound	27.0776	
			Upper Bound	40.7602	
		5% Trimmed Mean		33.6712	
		Median		30.0000	
		Variance		421.021	
		Std. Deviation		20.51880	
		Minimum		5.00	
		Maximum		65.00	

			Range	60.00	
			Interquartile Range	40.00	
			Skewness	.398	.388
			Kurtosis	-1.362	.759
	Tim	Mean		27.5581	3.11452
		95% Confidence Interval for Mean	Lower Bound	21.2728	
			Upper Bound	33.8435	
		5% Trimmed Mean		27.2868	
		Median		15.0000	
		Variance		417.110	
		Std. Deviation		20.42326	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		35.00	
		Skewness		.098	.361
		Kurtosis		-1.919	.709
NASA_Score	Abby	Mean		45.8745	2.05327
		95% Confidence Interval for Mean	Lower Bound	41.7103	
			Upper Bound	50.0387	
		5% Trimmed Mean		45.5462	
		Median		40.8333	
		Variance		155.989	
		Std. Deviation		12.48956	
		Minimum		25.67	
		Maximum		74.67	
		Range		49.00	
		Interquartile Range		23.00	
		Skewness		.583	.388
		Kurtosis		-.932	.759
	Tim	Mean		42.0712	2.09020
		95% Confidence Interval for Mean	Lower Bound	37.8530	
			Upper Bound	46.2894	
		5% Trimmed Mean		42.1530	
		Median		41.6700	
		Variance		187.864	
		Std. Deviation		13.70635	
		Minimum		19.00	
		Maximum		63.67	
		Range		44.67	
		Interquartile Range		23.33	
		Skewness		-.385	.361
		Kurtosis		-.954	.709

Descriptives - use case templates, GenderMag self-efficacy facet, reviewing task

	SelfEfficacy			Statistic	Std. Error
Precision	Abby	Mean		.7248	.04756
		95% Confidence Interval for Mean	Lower Bound	.6280	
			Upper Bound	.8217	
		5% Trimmed Mean		.7417	
		Median		.7400	
		Variance		.075	
		Std. Deviation		.27319	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.52	
		Skewness		-.587	.409
		Kurtosis		-.832	.798
	Tim	Mean		.5577	.04068
		95% Confidence Interval for Mean	Lower Bound	.4758	
			Upper Bound	.6395	
		5% Trimmed Mean		.5606	
		Median		.6200	
		Variance		.078	
		Std. Deviation		.27886	
		Minimum		.08	
		Maximum		.98	
		Range		.90	
		Interquartile Range		.50	
		Skewness		-.168	.347
		Kurtosis		-1.196	.681
Recall	Abby	Mean		.7473	.04424
		95% Confidence Interval for Mean	Lower Bound	.6572	
			Upper Bound	.8374	
		5% Trimmed Mean		.7610	
		Median		.7900	
		Variance		.065	
		Std. Deviation		.25416	
		Minimum		.22	
		Maximum		1.00	
		Range		.78	
		Interquartile Range		.50	
		Skewness		-.514	.409
		Kurtosis		-1.110	.798
	Tim	Mean		.6564	.04138
		95% Confidence Interval for Mean	Lower Bound	.5731	
			Upper Bound	.7397	
		5% Trimmed Mean		.6621	
		Median		.6500	
		Variance		.080	
		Std. Deviation		.28367	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.55	
		Skewness		-.052	.347

		Kurtosis		-1.416	.681
FMeasure	Abby	Mean		.7334	.04558
		95% Confidence Interval for Mean	Lower Bound	.6406	
			Upper Bound	.8262	
		5% Trimmed Mean		.7491	
		Median		.7952	
		Variance		.069	
		Std. Deviation		.26185	
		Minimum		.16	
		Maximum		1.00	
		Range		.84	
		Interquartile Range		.50	
		Skewness		-.603	.409
		Kurtosis		-.927	.798
	Tim	Mean		.5930	.04143
		95% Confidence Interval for Mean	Lower Bound	.5096	
			Upper Bound	.6764	
		5% Trimmed Mean		.5965	
		Median		.5596	
		Variance		.081	
		Std. Deviation		.28406	
		Minimum		.13	
		Maximum		.99	
		Range		.86	
		Interquartile Range		.52	
		Skewness		-.130	.347
		Kurtosis		-1.378	.681
Duration	Abby	Mean		531.6970	45.20985
		95% Confidence Interval for Mean	Lower Bound	439.6075	
			Upper Bound	623.7864	
		5% Trimmed Mean		526.0101	
		Median		475.0000	
		Variance		67449.718	
		Std. Deviation		259.71083	
		Minimum		167.00	
		Maximum		1022.00	
		Range		855.00	
		Interquartile Range		462.50	
		Skewness		.127	.409
		Kurtosis		-1.451	.798
	Tim	Mean		584.6596	40.53930
		95% Confidence Interval for Mean	Lower Bound	503.0582	
			Upper Bound	666.2610	
		5% Trimmed Mean		583.3747	
		Median		690.0000	
		Variance		77241.447	
		Std. Deviation		277.92345	
		Minimum		111.00	
		Maximum		1024.00	
		Range		913.00	
		Interquartile Range		509.00	
		Skewness		.144	.347
		Kurtosis		-1.358	.681

FirstActDet	Abby	Mean		154.2424	11.39012
		95% Confidence Interval for Mean	Lower Bound	131.0415	
			Upper Bound	177.4433	
		5% Trimmed Mean		157.6768	
		Median		134.0000	
		Variance		4281.252	
		Std. Deviation		65.43128	
		Minimum		3.00	
		Maximum		248.00	
		Range		245.00	
		Interquartile Range		94.50	
		Skewness		-.492	.409
		Kurtosis		-.197	.798
	Tim	Mean		155.2979	9.29807
		95% Confidence Interval for Mean	Lower Bound	136.5818	
			Upper Bound	174.0139	
		5% Trimmed Mean		153.9586	
		Median		138.0000	
		Variance		4063.344	
		Std. Deviation		63.74437	
		Minimum		3.00	
		Maximum		280.00	
		Range		277.00	
		Interquartile Range		106.00	
		Skewness		.289	.347
		Kurtosis		-.557	.681
LastActDet	Abby	Mean		508.2727	43.74475
		95% Confidence Interval for Mean	Lower Bound	419.1676	
			Upper Bound	597.3779	
		5% Trimmed Mean		506.7643	
		Median		469.0000	
		Variance		63148.892	
		Std. Deviation		251.29443	
		Minimum		138.00	
		Maximum		938.00	
		Range		800.00	
		Interquartile Range		450.00	
		Skewness		.001	.409
		Kurtosis		-1.616	.798
	Tim	Mean		563.7872	41.07808
		95% Confidence Interval for Mean	Lower Bound	481.1013	
			Upper Bound	646.4731	
		5% Trimmed Mean		561.0284	
		Median		649.0000	
		Variance		79308.215	
		Std. Deviation		281.61714	
		Minimum		96.00	
		Maximum		1020.00	
		Range		924.00	
		Interquartile Range		490.00	
		Skewness		.173	.347
		Kurtosis		-1.325	.681
ProcDur	Abby	Mean		19.0606	2.92389

				Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound	13.1048	
			Upper Bound	25.0164	
		5% Trimmed Mean		18.2559	
		Median		9.0000	
		Variance		282.121	
		Std. Deviation		16.79646	
		Minimum		1.00	
		Maximum		52.00	
		Range		51.00	
		Interquartile Range		30.00	
		Skewness		.620	.409
		Kurtosis		-1.184	.798
	Tim	Mean		22.7447	2.53932
		95% Confidence Interval for Mean	Lower Bound	17.6333	
			Upper Bound	27.8561	
		5% Trimmed Mean		22.1371	
		Median		14.0000	
		Variance		303.064	
		Std. Deviation		17.40873	
		Minimum		1.00	
		Maximum		54.00	
		Range		53.00	
		Interquartile Range		33.00	
		Skewness		.509	.347
		Kurtosis		-1.333	.681
FixRel	Abby	Mean		6.0545	.72994
		95% Confidence Interval for Mean	Lower Bound	4.5677	
			Upper Bound	7.5414	
		5% Trimmed Mean		6.0381	
		Median		3.0500	
		Variance		17.583	
		Std. Deviation		4.19318	
		Minimum		.95	
		Maximum		11.29	
		Range		10.34	
		Interquartile Range		8.23	
		Skewness		.064	.409
		Kurtosis		-2.016	.798
	Tim	Mean		6.0891	.63958
		95% Confidence Interval for Mean	Lower Bound	4.8017	
			Upper Bound	7.3766	
		5% Trimmed Mean		6.1081	
		Median		9.3400	
		Variance		19.226	
		Std. Deviation		4.38474	
		Minimum		.45	
		Maximum		11.29	
		Range		10.84	
		Interquartile Range		8.51	
		Skewness		-.043	.347
		Kurtosis		-1.980	.681
FixIrrel	Abby	Mean		124.7921	28.07775
		95% Confidence Interval for Mean	Lower Bound	67.5996	

			Upper Bound	181.9846	
		5% Trimmed Mean		116.1985	
		Median		15.6800	
		Variance		26015.877	
		Std. Deviation		161.29438	
		Minimum		.54	
		Maximum		403.73	
		Range		403.19	
		Interquartile Range		315.19	
		Skewness		.930	.409
		Kurtosis		-.907	.798
	Tim	Mean		136.4951	23.52247
		95% Confidence Interval for Mean	Lower Bound	89.1468	
			Upper Bound	183.8434	
		5% Trimmed Mean		129.2046	
		Median		41.9800	
		Variance		26005.404	
		Std. Deviation		161.26191	
		Minimum		.48	
		Maximum		403.73	
		Range		403.25	
		Interquartile Range		313.07	
		Skewness		.689	.347
		Kurtosis		-1.226	.681
AvDurRelFix	Abby	Mean		135.7933	11.94748
		95% Confidence Interval for Mean	Lower Bound	111.4571	
			Upper Bound	160.1296	
		5% Trimmed Mean		136.8763	
		Median		137.7500	
		Variance		4710.497	
		Std. Deviation		68.63306	
		Minimum		17.23	
		Maximum		235.75	
		Range		218.52	
		Interquartile Range		112.63	
		Skewness		-.180	.409
		Kurtosis		-.871	.798
	Tim	Mean		146.7026	10.13130
		95% Confidence Interval for Mean	Lower Bound	126.3093	
			Upper Bound	167.0958	
		5% Trimmed Mean		149.0571	
		Median		142.2300	
		Variance		4824.233	
		Std. Deviation		69.45670	
		Minimum		6.98	
		Maximum		233.50	
		Range		226.52	
		Interquartile Range		119.27	
		Skewness		-.163	.347
		Kurtosis		-1.077	.681
AvDurIrrelFix	Abby	Mean		321.5024	32.62980
		95% Confidence Interval for Mean	Lower Bound	255.0377	
			Upper Bound	387.9671	

		5% Trimmed Mean		322.6015	
		Median		334.0000	
		Variance		35135.220	
		Std. Deviation		187.44391	
		Minimum		25.63	
		Maximum		600.25	
		Range		574.62	
		Interquartile Range		337.88	
		Skewness		-.095	.409
		Kurtosis		-1.010	.798
	Tim	Mean		353.1311	27.85701
		95% Confidence Interval for Mean	Lower Bound	297.0578	
			Upper Bound	409.2043	
		5% Trimmed Mean		358.0544	
		Median		341.1300	
		Variance		36472.623	
		Std. Deviation		190.97807	
		Minimum		5.42	
		Maximum		593.50	
		Range		588.08	
		Interquartile Range		322.87	
		Skewness		-.127	.347
		Kurtosis		-1.183	.681
TotSac	Abby	Mean		90.6364	1.69380
		95% Confidence Interval for Mean	Lower Bound	87.1862	
			Upper Bound	94.0865	
		5% Trimmed Mean		90.5404	
		Median		92.0000	
		Variance		94.676	
		Std. Deviation		9.73017	
		Minimum		75.00	
		Maximum		108.00	
		Range		33.00	
		Interquartile Range		15.50	
		Skewness		-.181	.409
		Kurtosis		-.864	.798
	Tim	Mean		95.2979	1.55679
		95% Confidence Interval for Mean	Lower Bound	92.1642	
			Upper Bound	98.4315	
		5% Trimmed Mean		95.5449	
		Median		94.0000	
		Variance		113.909	
		Std. Deviation		10.67283	
		Minimum		75.00	
		Maximum		111.00	
		Range		36.00	
		Interquartile Range		17.00	
		Skewness		-.266	.347
		Kurtosis		-.742	.681
Sac2Key	Abby	Mean		18.1212	1.92902
		95% Confidence Interval for Mean	Lower Bound	14.1919	
			Upper Bound	22.0505	
		5% Trimmed Mean		17.6633	

		Median		14.0000	
		Variance		122.797	
		Std. Deviation		11.08140	
		Minimum		1.00	
		Maximum		49.00	
		Range		48.00	
		Interquartile Range		17.50	
		Skewness		.647	.409
		Kurtosis		.153	.798
	Tim	Mean		22.2979	1.88938
		95% Confidence Interval for Mean	Lower Bound	18.4947	
			Upper Bound	26.1010	
		5% Trimmed Mean		21.8168	
		Median		24.0000	
		Variance		167.779	
		Std. Deviation		12.95295	
		Minimum		2.00	
		Maximum		51.00	
		Range		49.00	
		Interquartile Range		23.00	
		Skewness		.280	.347
		Kurtosis		-.698	.681
AvAttention	Abby	Mean		.7242	.02719
		95% Confidence Interval for Mean	Lower Bound	.6689	
			Upper Bound	.7796	
		5% Trimmed Mean		.7359	
		Median		.8000	
		Variance		.024	
		Std. Deviation		.15619	
		Minimum		.30	
		Maximum		.90	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.954	.409
		Kurtosis		.437	.798
	Tim	Mean		.6064	.03196
		95% Confidence Interval for Mean	Lower Bound	.5421	
			Upper Bound	.6707	
		5% Trimmed Mean		.6015	
		Median		.6000	
		Variance		.048	
		Std. Deviation		.21909	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		-.033	.347
		Kurtosis		-1.087	.681
AvMentWL	Abby	Mean		.7424	.03372
		95% Confidence Interval for Mean	Lower Bound	.6737	
			Upper Bound	.8111	
		5% Trimmed Mean		.7505	
		Median		.8000	

		Variance		.038	
		Std. Deviation		.19370	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.30	
		Skewness		-.619	.409
		Kurtosis		-.419	.798
	Tim	Mean		.6872	.03476
		95% Confidence Interval for Mean	Lower Bound	.6173	
			Upper Bound	.7572	
		5% Trimmed Mean		.6961	
		Median		.7000	
		Variance		.057	
		Std. Deviation		.23831	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.40	
		Skewness		-.285	.347
		Kurtosis		-.934	.681
AvFam	Abby	Mean		.5485	.03565
		95% Confidence Interval for Mean	Lower Bound	.4759	
			Upper Bound	.6211	
		5% Trimmed Mean		.5505	
		Median		.6000	
		Variance		.042	
		Std. Deviation		.20482	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.30	
		Skewness		-.314	.409
		Kurtosis		-.116	.798
	Tim	Mean		.4872	.03476
		95% Confidence Interval for Mean	Lower Bound	.4173	
			Upper Bound	.5572	
		5% Trimmed Mean		.4961	
		Median		.5000	
		Variance		.057	
		Std. Deviation		.23831	
		Minimum		.00	
		Maximum		.80	
		Range		.80	
		Interquartile Range		.40	
		Skewness		-.285	.347
		Kurtosis		-.934	.681
AvSCL	Abby	Mean		528.9697	24.59392
		95% Confidence Interval for Mean	Lower Bound	478.8735	
			Upper Bound	579.0659	
		5% Trimmed Mean		530.5236	
		Median		533.0000	
		Variance		19960.405	

				Statistic	Std. Error
		Std. Deviation		141.28130	
		Minimum		273.00	
		Maximum		768.00	
		Range		495.00	
		Interquartile Range		218.50	
		Skewness		-.258	.409
		Kurtosis		-.872	.798
	Tim	Mean		525.8298	20.94293
		95% Confidence Interval for Mean	Lower Bound	483.6739	
			Upper Bound	567.9857	
		5% Trimmed Mean		528.7009	
		Median		548.0000	
		Variance		20614.492	
		Std. Deviation		143.57748	
		Minimum		280.00	
		Maximum		724.00	
		Range		444.00	
		Interquartile Range		277.00	
		Skewness		-.264	.347
		Kurtosis		-1.237	.681
HRVar_RMSSD	Abby	Mean		38.9970	3.88680
		95% Confidence Interval for Mean	Lower Bound	31.0798	
			Upper Bound	46.9141	
		5% Trimmed Mean		38.8224	
		Median		33.6400	
		Variance		498.539	
		Std. Deviation		22.32799	
		Minimum		3.92	
		Maximum		75.27	
		Range		71.35	
		Interquartile Range		41.70	
		Skewness		.118	.409
		Kurtosis		-1.664	.798
	Tim	Mean		32.1902	2.73892
		95% Confidence Interval for Mean	Lower Bound	26.6770	
			Upper Bound	37.7034	
		5% Trimmed Mean		31.1937	
		Median		24.2400	
		Variance		352.580	
		Std. Deviation		18.77710	
		Minimum		12.30	
		Maximum		68.96	
		Range		56.66	
		Interquartile Range		30.17	
		Skewness		.862	.347
		Kurtosis		-.732	.681
HRVar_NN50	Abby	Mean		27.7567	3.52010
		95% Confidence Interval for Mean	Lower Bound	20.5865	
			Upper Bound	34.9269	
		5% Trimmed Mean		27.6936	
		Median		35.8600	
		Variance		408.907	
		Std. Deviation		20.22144	

				Statistic	Std. Error
		Minimum		.74	
		Maximum		58.28	
		Range		57.54	
		Interquartile Range		42.90	
		Skewness		-.102	.409
		Kurtosis		-1.760	.798
	Tim	Mean		20.7687	2.66180
		95% Confidence Interval for Mean	Lower Bound	15.4108	
			Upper Bound	26.1267	
		5% Trimmed Mean		19.9865	
		Median		18.9300	
		Variance		333.004	
		Std. Deviation		18.24839	
		Minimum		.74	
		Maximum		54.77	
		Range		54.03	
		Interquartile Range		35.17	
		Skewness		.542	.347
		Kurtosis		-1.178	.681
NASA_MD	Abby	Mean		63.6364	2.31588
		95% Confidence Interval for Mean	Lower Bound	58.9191	
			Upper Bound	68.3537	
		5% Trimmed Mean		64.2088	
		Median		65.0000	
		Variance		176.989	
		Std. Deviation		13.30371	
		Minimum		30.00	
		Maximum		85.00	
		Range		55.00	
		Interquartile Range		17.50	
		Skewness		-.471	.409
		Kurtosis		-.177	.798
	Tim	Mean		60.7447	1.89928
		95% Confidence Interval for Mean	Lower Bound	56.9216	
			Upper Bound	64.5677	
		5% Trimmed Mean		61.0225	
		Median		55.0000	
		Variance		169.542	
		Std. Deviation		13.02083	
		Minimum		30.00	
		Maximum		80.00	
		Range		50.00	
		Interquartile Range		15.00	
		Skewness		.053	.347
		Kurtosis		-.675	.681
NASA_PD	Abby	Mean		15.7576	2.67495
		95% Confidence Interval for Mean	Lower Bound	10.3089	
			Upper Bound	21.2063	
		5% Trimmed Mean		14.4529	
		Median		10.0000	
		Variance		236.127	
		Std. Deviation		15.36642	
		Minimum		5.00	

				Statistic	Std. Error
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		10.00	
		Skewness		1.512	.409
		Kurtosis		.810	.798
	Tim	Mean		22.4468	2.63784
		95% Confidence Interval for Mean	Lower Bound	17.1371	
			Upper Bound	27.7565	
		5% Trimmed Mean		21.8853	
		Median		10.0000	
		Variance		327.035	
		Std. Deviation		18.08411	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		25.00	
		Skewness		.618	.347
		Kurtosis		-1.404	.681
NASA_TD	Abby	Mean		37.8788	4.60067
		95% Confidence Interval for Mean	Lower Bound	28.5075	
			Upper Bound	47.2501	
		5% Trimmed Mean		36.5320	
		Median		35.0000	
		Variance		698.485	
		Std. Deviation		26.42886	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		35.00	
		Skewness		.689	.409
		Kurtosis		-.023	.798
	Tim	Mean		35.6383	3.51295
		95% Confidence Interval for Mean	Lower Bound	28.5671	
			Upper Bound	42.7095	
		5% Trimmed Mean		34.0426	
		Median		35.0000	
		Variance		580.019	
		Std. Deviation		24.08357	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		35.00	
		Skewness		.626	.347
		Kurtosis		.489	.681
NASA_Performance	Abby	Mean		43.4848	4.17131
		95% Confidence Interval for Mean	Lower Bound	34.9882	
			Upper Bound	51.9815	
		5% Trimmed Mean		43.1397	
		Median		35.0000	
		Variance		574.195	
		Std. Deviation		23.96237	
		Minimum		5.00	
		Maximum		100.00	

		Range		95.00	
		Interquartile Range		40.00	
		Skewness		.107	.409
		Kurtosis		-.600	.798
	Tim	Mean		45.3191	3.82432
		95% Confidence Interval for Mean	Lower Bound	37.6212	
			Upper Bound	53.0171	
		5% Trimmed Mean		45.0059	
		Median		50.0000	
		Variance		687.396	
		Std. Deviation		26.21824	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		40.00	
		Skewness		-.246	.347
		Kurtosis		-1.042	.681
NASA_Effort	Abby	Mean		55.0000	2.51887
		95% Confidence Interval for Mean	Lower Bound	49.8692	
			Upper Bound	60.1308	
		5% Trimmed Mean		55.8333	
		Median		55.0000	
		Variance		209.375	
		Std. Deviation		14.46980	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.609	.409
		Kurtosis		.247	.798
	Tim	Mean		52.8723	1.97548
		95% Confidence Interval for Mean	Lower Bound	48.8959	
			Upper Bound	56.8488	
		5% Trimmed Mean		53.3038	
		Median		50.0000	
		Variance		183.418	
		Std. Deviation		13.54320	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		25.00	
		Skewness		-.075	.347
		Kurtosis		.068	.681
NASA_Frustration	Abby	Mean		31.9697	3.56846
		95% Confidence Interval for Mean	Lower Bound	24.7010	
			Upper Bound	39.2384	
		5% Trimmed Mean		31.6330	
		Median		30.0000	
		Variance		420.218	
		Std. Deviation		20.49921	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

					Statistic	Std. Error
		Interquartile Range			37.50	
		Skewness			.301	.409
		Kurtosis			-1.369	.798
	Tim	Mean			29.4681	3.03477
		95% Confidence Interval for Mean	Lower Bound		23.3594	
			Upper Bound		35.5768	
		5% Trimmed Mean			28.8534	
		Median			30.0000	
		Variance			432.863	
		Std. Deviation			20.80536	
		Minimum			5.00	
		Maximum			65.00	
		Range			60.00	
		Interquartile Range			35.00	
		Skewness			.192	.347
		Kurtosis			-1.585	.681
NASA_Score	Abby	Mean			45.8192	2.18568
		95% Confidence Interval for Mean	Lower Bound		41.3671	
			Upper Bound		50.2713	
		5% Trimmed Mean			45.6881	
		Median			41.6700	
		Variance			157.647	
		Std. Deviation			12.55576	
		Minimum			19.00	
		Maximum			74.67	
		Range			55.67	
		Interquartile Range			21.25	
		Skewness			.355	.409
		Kurtosis			-.421	.798
	Tim	Mean			42.4337	1.98592
		95% Confidence Interval for Mean	Lower Bound		38.4362	
			Upper Bound		46.4311	
		5% Trimmed Mean			42.5654	
		Median			40.8333	
		Variance			185.362	
		Std. Deviation			13.61477	
		Minimum			19.00	
		Maximum			63.67	
		Range			44.67	
		Interquartile Range			22.50	
		Skewness			-.214	.347
		Kurtosis			-.961	.681

Descriptives - use case templates, GenderMag risk facet, reviewing task

	Risk			Statistic	Std. Error
Precision	Abby	Mean		.7336	.03359
		95% Confidence Interval for Mean	Lower Bound	.6652	
			Upper Bound	.8020	
		5% Trimmed Mean		.7368	
		Median		.7000	
		Variance		.037	
		Std. Deviation		.19293	
		Minimum		.41	
		Maximum		1.00	
		Range		.59	
		Interquartile Range		.42	
		Skewness		.139	.409
		Kurtosis		-1.161	.798
	Tim	Mean		.5515	.04649
		95% Confidence Interval for Mean	Lower Bound	.4579	
			Upper Bound	.6451	
		5% Trimmed Mean		.5526	
		Median		.4900	
		Variance		.102	
		Std. Deviation		.31872	
		Minimum		.08	
		Maximum		1.00	
		Range		.92	
		Interquartile Range		.60	
		Skewness		.056	.347
		Kurtosis		-1.550	.681
Recall	Abby	Mean		.7309	.03717
		95% Confidence Interval for Mean	Lower Bound	.6552	
			Upper Bound	.8066	
		5% Trimmed Mean		.7327	
		Median		.7200	
		Variance		.046	
		Std. Deviation		.21355	
		Minimum		.43	
		Maximum		1.00	
		Range		.57	
		Interquartile Range		.48	
		Skewness		.000	.409
		Kurtosis		-1.580	.798
	Tim	Mean		.6679	.04507
		95% Confidence Interval for Mean	Lower Bound	.5771	
			Upper Bound	.7586	
		5% Trimmed Mean		.6749	
		Median		.6500	
		Variance		.095	
		Std. Deviation		.30902	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.64	
		Skewness		-.160	.347

		Kurtosis		-1.618	.681
FMeasure	Abby	Mean		.7279	.03363
		95% Confidence Interval for Mean	Lower Bound	.6594	
			Upper Bound	.7964	
		5% Trimmed Mean		.7301	
		Median		.7099	
		Variance		.037	
		Std. Deviation		.19317	
		Minimum		.42	
		Maximum		1.00	
		Range		.58	
		Interquartile Range		.40	
		Skewness		-.035	.409
		Kurtosis		-1.368	.798
	Tim	Mean		.5969	.04693
		95% Confidence Interval for Mean	Lower Bound	.5024	
			Upper Bound	.6913	
		5% Trimmed Mean		.6002	
		Median		.5588	
		Variance		.103	
		Std. Deviation		.32171	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.58	
		Skewness		-.036	.347
		Kurtosis		-1.684	.681
Duration	Abby	Mean		545.8485	44.37559
		95% Confidence Interval for Mean	Lower Bound	455.4584	
			Upper Bound	636.2386	
		5% Trimmed Mean		543.2811	
		Median		676.0000	
		Variance		64983.383	
		Std. Deviation		254.91838	
		Minimum		188.00	
		Maximum		1022.00	
		Range		834.00	
		Interquartile Range		509.00	
		Skewness		.091	.409
		Kurtosis		-1.722	.798
	Tim	Mean		574.7234	41.20214
		95% Confidence Interval for Mean	Lower Bound	491.7878	
			Upper Bound	657.6590	
		5% Trimmed Mean		573.4905	
		Median		515.0000	
		Variance		79787.987	
		Std. Deviation		282.46767	
		Minimum		111.00	
		Maximum		1024.00	
		Range		913.00	
		Interquartile Range		489.00	
		Skewness		.165	.347
		Kurtosis		-1.236	.681

FirstActDet	Abby	Mean		192.3030	11.32847
		95% Confidence Interval for Mean	Lower Bound	169.2277	
			Upper Bound	215.3784	
		5% Trimmed Mean		196.6347	
		Median		206.0000	
		Variance		4235.030	
		Std. Deviation		65.07711	
		Minimum		3.00	
		Maximum		280.00	
		Range		277.00	
		Interquartile Range		72.50	
		Skewness		-1.082	.409
		Kurtosis		1.019	.798
	Tim	Mean		128.5745	7.12241
		95% Confidence Interval for Mean	Lower Bound	114.2378	
			Upper Bound	142.9111	
		5% Trimmed Mean		129.5402	
		Median		120.0000	
		Variance		2384.250	
		Std. Deviation		48.82878	
		Minimum		3.00	
		Maximum		234.00	
		Range		231.00	
		Interquartile Range		43.00	
		Skewness		.128	.347
		Kurtosis		1.003	.681
LastActDet	Abby	Mean		497.6364	42.13490
		95% Confidence Interval for Mean	Lower Bound	411.8104	
			Upper Bound	583.4624	
		5% Trimmed Mean		500.8300	
		Median		649.0000	
		Variance		58586.551	
		Std. Deviation		242.04659	
		Minimum		138.00	
		Maximum		786.00	
		Range		648.00	
		Interquartile Range		495.50	
		Skewness		-.026	.409
		Kurtosis		-1.926	.798
	Tim	Mean		571.2553	41.64099
		95% Confidence Interval for Mean	Lower Bound	487.4364	
			Upper Bound	655.0743	
		5% Trimmed Mean		570.4704	
		Median		509.0000	
		Variance		81496.673	
		Std. Deviation		285.47622	
		Minimum		96.00	
		Maximum		1020.00	
		Range		924.00	
		Interquartile Range		503.00	
		Skewness		.134	.347
		Kurtosis		-1.303	.681
ProcDur	Abby	Mean		40.2727	1.40970

				Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound	37.4013	
			Upper Bound	43.1442	
		5% Trimmed Mean		40.1263	
		Median		37.0000	
		Variance		65.580	
		Std. Deviation		8.09812	
		Minimum		28.00	
		Maximum		54.00	
		Range		26.00	
		Interquartile Range		15.00	
		Skewness		.326	.409
		Kurtosis		-1.362	.798
	Tim	Mean		7.8511	.59053
		95% Confidence Interval for Mean	Lower Bound	6.6624	
			Upper Bound	9.0397	
		5% Trimmed Mean		7.8262	
		Median		7.0000	
		Variance		16.390	
		Std. Deviation		4.04850	
		Minimum		1.00	
		Maximum		15.00	
		Range		14.00	
		Interquartile Range		7.00	
		Skewness		.277	.347
		Kurtosis		-.970	.681
FixRel	Abby	Mean		6.0570	.76491
		95% Confidence Interval for Mean	Lower Bound	4.4989	
			Upper Bound	7.6150	
		5% Trimmed Mean		6.0777	
		Median		9.3400	
		Variance		19.308	
		Std. Deviation		4.39407	
		Minimum		.45	
		Maximum		11.29	
		Range		10.84	
		Interquartile Range		8.14	
		Skewness		-.061	.409
		Kurtosis		-2.003	.798
	Tim	Mean		6.0874	.61930
		95% Confidence Interval for Mean	Lower Bound	4.8409	
			Upper Bound	7.3340	
		5% Trimmed Mean		6.0704	
		Median		3.0500	
		Variance		18.026	
		Std. Deviation		4.24569	
		Minimum		.95	
		Maximum		11.29	
		Range		10.34	
		Interquartile Range		8.24	
		Skewness		.043	.347
		Kurtosis		-1.990	.681
FixIrrel	Abby	Mean		157.8882	31.67470
		95% Confidence Interval for Mean	Lower Bound	93.3689	

			Upper Bound	222.4074	
			5% Trimmed Mean	152.9752	
			Median	72.7300	
			Variance	33108.452	
			Std. Deviation	181.95728	
			Minimum	.48	
			Maximum	403.73	
			Range	403.25	
			Interquartile Range	403.00	
			Skewness	.473	.409
			Kurtosis	-1.758	.798
	Tim	Mean		113.2574	20.77726
		95% Confidence Interval for Mean	Lower Bound	71.4350	
			Upper Bound	155.0799	
		5% Trimmed Mean		103.4008	
		Median		8.3700	
		Variance		20289.641	
		Std. Deviation		142.44171	
		Minimum		.54	
		Maximum		403.73	
		Range		403.19	
		Interquartile Range		150.74	
		Skewness		.997	.347
		Kurtosis		-.447	.681
AvDurRelFix	Abby	Mean		157.4821	12.80387
		95% Confidence Interval for Mean	Lower Bound	131.4015	
			Upper Bound	183.5628	
		5% Trimmed Mean		161.0507	
		Median		142.2300	
		Variance		5409.992	
		Std. Deviation		73.55264	
		Minimum		17.23	
		Maximum		233.50	
		Range		216.27	
		Interquartile Range		119.27	
		Skewness		-.560	.409
		Kurtosis		-.685	.798
	Tim	Mean		131.4743	9.34299
		95% Confidence Interval for Mean	Lower Bound	112.6678	
			Upper Bound	150.2807	
		5% Trimmed Mean		131.6409	
		Median		137.7500	
		Variance		4102.703	
		Std. Deviation		64.05235	
		Minimum		6.98	
		Maximum		235.75	
		Range		228.77	
		Interquartile Range		123.77	
		Skewness		.061	.347
		Kurtosis		-.955	.681
AvDurIrrelFix	Abby	Mean		389.0215	34.30368
		95% Confidence Interval for Mean	Lower Bound	319.1472	
			Upper Bound	458.8958	

			5% Trimmed Mean	397.8500	
			Median	354.6300	
			Variance	38832.509	
			Std. Deviation	197.05966	
			Minimum	25.63	
			Maximum	593.50	
			Range	567.87	
			Interquartile Range	322.87	
			Skewness	-.528	.409
			Kurtosis	-.829	.798
	Tim		Mean	305.7240	25.84647
		95% Confidence Interval for Mean	Lower Bound	253.6978	
			Upper Bound	357.7503	
			5% Trimmed Mean	304.9798	
			Median	306.2500	
			Variance	31397.882	
			Std. Deviation	177.19447	
			Minimum	5.42	
			Maximum	600.25	
			Range	594.83	
			Interquartile Range	336.37	
			Skewness	.126	.347
			Kurtosis	-.997	.681
TotSac	Abby		Mean	89.7273	1.22804
		95% Confidence Interval for Mean	Lower Bound	87.2258	
			Upper Bound	92.2287	
			5% Trimmed Mean	89.9512	
			Median	92.0000	
			Variance	49.767	
			Std. Deviation	7.05458	
			Minimum	75.00	
			Maximum	102.00	
			Range	27.00	
			Interquartile Range	5.00	
			Skewness	-.831	.409
			Kurtosis	.026	.798
	Tim		Mean	95.9362	1.71390
		95% Confidence Interval for Mean	Lower Bound	92.4863	
			Upper Bound	99.3861	
			5% Trimmed Mean	96.2069	
			Median	97.0000	
			Variance	138.061	
			Std. Deviation	11.74994	
			Minimum	76.00	
			Maximum	111.00	
			Range	35.00	
			Interquartile Range	19.00	
			Skewness	-.504	.347
			Kurtosis	-.986	.681
Sac2Key	Abby		Mean	17.3333	2.01447
		95% Confidence Interval for Mean	Lower Bound	13.2300	
			Upper Bound	21.4367	
			5% Trimmed Mean	16.6431	

		Median		10.0000	
		Variance		133.917	
		Std. Deviation		11.57224	
		Minimum		4.00	
		Maximum		49.00	
		Range		45.00	
		Interquartile Range		19.00	
		Skewness		.678	.409
		Kurtosis		-.147	.798
	Tim	Mean		22.8511	1.81345
		95% Confidence Interval for Mean	Lower Bound	19.2008	
			Upper Bound	26.5013	
		5% Trimmed Mean		22.5189	
		Median		26.0000	
		Variance		154.564	
		Std. Deviation		12.43239	
		Minimum		1.00	
		Maximum		51.00	
		Range		50.00	
		Interquartile Range		18.00	
		Skewness		.309	.347
		Kurtosis		-.498	.681
AvAttention	Abby	Mean		.6394	.03453
		95% Confidence Interval for Mean	Lower Bound	.5691	
			Upper Bound	.7097	
		5% Trimmed Mean		.6438	
		Median		.7000	
		Variance		.039	
		Std. Deviation		.19834	
		Minimum		.30	
		Maximum		.90	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.818	.409
		Kurtosis		-.635	.798
	Tim	Mean		.6660	.03030
		95% Confidence Interval for Mean	Lower Bound	.6050	
			Upper Bound	.7270	
		5% Trimmed Mean		.6677	
		Median		.7000	
		Variance		.043	
		Std. Deviation		.20776	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.30	
		Skewness		-.236	.347
		Kurtosis		-1.039	.681
AvMentWL	Abby	Mean		.6727	.04042
		95% Confidence Interval for Mean	Lower Bound	.5904	
			Upper Bound	.7551	
		5% Trimmed Mean		.6753	
		Median		.7000	

			Variance	.054	
			Std. Deviation	.23221	
			Minimum	.30	
			Maximum	1.00	
			Range	.70	
			Interquartile Range	.30	
			Skewness	.002	.409
			Kurtosis	-1.152	.798
	Tim	Mean		.7362	.03093
		95% Confidence Interval for Mean	Lower Bound	.6739	
			Upper Bound	.7984	
		5% Trimmed Mean		.7496	
		Median		.8000	
		Variance		.045	
		Std. Deviation		.21206	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.30	
		Skewness		-.799	.347
		Kurtosis		.022	.681
AvFam	Abby	Mean		.4727	.04042
		95% Confidence Interval for Mean	Lower Bound	.3904	
			Upper Bound	.5551	
		5% Trimmed Mean		.4753	
		Median		.5000	
		Variance		.054	
		Std. Deviation		.23221	
		Minimum		.10	
		Maximum		.80	
		Range		.70	
		Interquartile Range		.30	
		Skewness		.002	.409
		Kurtosis		-1.152	.798
	Tim	Mean		.5404	.03199
		95% Confidence Interval for Mean	Lower Bound	.4760	
			Upper Bound	.6048	
		5% Trimmed Mean		.5496	
		Median		.6000	
		Variance		.048	
		Std. Deviation		.21935	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.30	
		Skewness		-.608	.347
		Kurtosis		.106	.681
AvSCL	Abby	Mean		530.5758	23.67840
		95% Confidence Interval for Mean	Lower Bound	482.3444	
			Upper Bound	578.8071	
		5% Trimmed Mean		529.8721	
		Median		457.0000	
		Variance		18502.002	

		Std. Deviation		136.02206	
		Minimum		294.00	
		Maximum		768.00	
		Range		474.00	
		Interquartile Range		263.00	
		Skewness		.285	.409
		Kurtosis		-1.295	.798
	Tim	Mean		524.7021	21.44694
		95% Confidence Interval for Mean	Lower Bound	481.5317	
			Upper Bound	567.8726	
		5% Trimmed Mean		527.4504	
		Median		570.0000	
		Variance		21618.648	
		Std. Deviation		147.03281	
		Minimum		273.00	
		Maximum		733.00	
		Range		460.00	
		Interquartile Range		264.00	
		Skewness		-.549	.347
		Kurtosis		-1.078	.681
HRVar_RMSSD	Abby	Mean		19.4603	.99122
		95% Confidence Interval for Mean	Lower Bound	17.4413	
			Upper Bound	21.4794	
		5% Trimmed Mean		18.9681	
		Median		17.9700	
		Variance		32.423	
		Std. Deviation		5.69412	
		Minimum		14.14	
		Maximum		33.64	
		Range		19.50	
		Interquartile Range		4.49	
		Skewness		1.564	.409
		Kurtosis		1.662	.798
	Tim	Mean		45.9074	2.92300
		95% Confidence Interval for Mean	Lower Bound	40.0237	
			Upper Bound	51.7911	
		5% Trimmed Mean		46.4749	
		Median		53.4600	
		Variance		401.566	
		Std. Deviation		20.03910	
		Minimum		3.92	
		Maximum		75.27	
		Range		71.35	
		Interquartile Range		40.64	
		Skewness		-.438	.347
		Kurtosis		-1.173	.681
HRVar_NN50	Abby	Mean		14.2309	2.78546
		95% Confidence Interval for Mean	Lower Bound	8.5571	
			Upper Bound	19.9047	
		5% Trimmed Mean		13.5021	
		Median		5.0000	
		Variance		256.039	
		Std. Deviation		16.00123	

			Minimum	.74	
			Maximum	40.84	
			Range	40.10	
			Interquartile Range	35.43	
			Skewness	.966	.409
			Kurtosis	-.987	.798
	Tim	Mean		30.2655	2.73497
		95% Confidence Interval for Mean	Lower Bound	24.7603	
			Upper Bound	35.7708	
		5% Trimmed Mean		30.4517	
		Median		33.1900	
		Variance		351.564	
		Std. Deviation		18.75004	
		Minimum		.90	
		Maximum		58.28	
		Range		57.38	
		Interquartile Range		39.15	
		Skewness		-.154	.347
		Kurtosis		-1.479	.681
NASA_MD	Abby	Mean		59.2424	2.71884
		95% Confidence Interval for Mean	Lower Bound	53.7043	
			Upper Bound	64.7805	
		5% Trimmed Mean		59.3266	
		Median		55.0000	
		Variance		243.939	
		Std. Deviation		15.61856	
		Minimum		30.00	
		Maximum		85.00	
		Range		55.00	
		Interquartile Range		32.50	
		Skewness		.182	.409
		Kurtosis		-1.270	.798
	Tim	Mean		63.8298	1.58196
		95% Confidence Interval for Mean	Lower Bound	60.6455	
			Upper Bound	67.0141	
		5% Trimmed Mean		64.1726	
		Median		65.0000	
		Variance		117.623	
		Std. Deviation		10.84539	
		Minimum		30.00	
		Maximum		80.00	
		Range		50.00	
		Interquartile Range		15.00	
		Skewness		-.272	.347
		Kurtosis		.591	.681
NASA_PD	Abby	Mean		28.7879	3.52903
		95% Confidence Interval for Mean	Lower Bound	21.5995	
			Upper Bound	35.9763	
		5% Trimmed Mean		28.9310	
		Median		20.0000	
		Variance		410.985	
		Std. Deviation		20.27276	
		Minimum		5.00	

		Maximum		50.00	
		Range		45.00	
		Interquartile Range		40.00	
		Skewness		.064	.409
		Kurtosis		-2.048	.798
	Tim	Mean		13.2979	1.61855
		95% Confidence Interval for Mean	Lower Bound	10.0399	
			Upper Bound	16.5559	
		5% Trimmed Mean		12.5532	
		Median		10.0000	
		Variance		123.127	
		Std. Deviation		11.09625	
		Minimum		5.00	
		Maximum		35.00	
		Range		30.00	
		Interquartile Range		10.00	
		Skewness		1.349	.347
		Kurtosis		.198	.681
NASA_TD	Abby	Mean		48.1818	5.04158
		95% Confidence Interval for Mean	Lower Bound	37.9125	
			Upper Bound	58.4512	
		5% Trimmed Mean		47.9798	
		Median		40.0000	
		Variance		838.778	
		Std. Deviation		28.96167	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		30.00	
		Skewness		.233	.409
		Kurtosis		-.679	.798
	Tim	Mean		28.4043	2.60801
		95% Confidence Interval for Mean	Lower Bound	23.1546	
			Upper Bound	33.6539	
		5% Trimmed Mean		27.7955	
		Median		35.0000	
		Variance		319.681	
		Std. Deviation		17.87962	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		35.00	
		Skewness		.041	.347
		Kurtosis		-1.112	.681
NASA_Performance	Abby	Mean		52.7273	3.85024
		95% Confidence Interval for Mean	Lower Bound	44.8846	
			Upper Bound	60.5700	
		5% Trimmed Mean		53.5185	
		Median		60.0000	
		Variance		489.205	
		Std. Deviation		22.11797	
		Minimum		5.00	
		Maximum		100.00	

		Range		95.00	
		Interquartile Range		20.00	
		Skewness		-1.058	.409
		Kurtosis		1.014	.798
	Tim	Mean		38.8298	3.76585
		95% Confidence Interval for Mean	Lower Bound	31.2495	
			Upper Bound	46.4100	
		5% Trimmed Mean		37.7955	
		Median		35.0000	
		Variance		666.536	
		Std. Deviation		25.81735	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		45.00	
		Skewness		.448	.347
		Kurtosis		-.781	.681
NASA_Effort	Abby	Mean		46.9697	2.31247
		95% Confidence Interval for Mean	Lower Bound	42.2594	
			Upper Bound	51.6800	
		5% Trimmed Mean		47.4663	
		Median		40.0000	
		Variance		176.468	
		Std. Deviation		13.28412	
		Minimum		20.00	
		Maximum		65.00	
		Range		45.00	
		Interquartile Range		15.00	
		Skewness		-.273	.409
		Kurtosis		-.408	.798
	Tim	Mean		58.5106	1.79883
		95% Confidence Interval for Mean	Lower Bound	54.8898	
			Upper Bound	62.1315	
		5% Trimmed Mean		58.9362	
		Median		55.0000	
		Variance		152.081	
		Std. Deviation		12.33213	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		25.00	
		Skewness		-.258	.347
		Kurtosis		.346	.681
NASA_Frustration	Abby	Mean		39.3939	3.47309
		95% Confidence Interval for Mean	Lower Bound	32.3195	
			Upper Bound	46.4684	
		5% Trimmed Mean		39.8822	
		Median		45.0000	
		Variance		398.059	
		Std. Deviation		19.95141	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

		Interquartile Range		15.00	
		Skewness		-.511	.409
		Kurtosis		-.712	.798
	Tim	Mean		24.2553	2.74569
		95% Confidence Interval for Mean	Lower Bound	18.7285	
			Upper Bound	29.7821	
		5% Trimmed Mean		23.6170	
		Median		15.0000	
		Variance		354.325	
		Std. Deviation		18.82351	
		Minimum		5.00	
		Maximum		55.00	
		Range		50.00	
		Interquartile Range		40.00	
		Skewness		.775	.347
		Kurtosis		-1.082	.681
NASA_Score	Abby	Mean		47.1578	2.52457
		95% Confidence Interval for Mean	Lower Bound	42.0154	
			Upper Bound	52.3001	
		5% Trimmed Mean		47.4600	
		Median		49.6700	
		Variance		210.323	
		Std. Deviation		14.50252	
		Minimum		19.00	
		Maximum		74.67	
		Range		55.67	
		Interquartile Range		20.42	
		Skewness		-.614	.409
		Kurtosis		-.202	.798
	Tim	Mean		41.4938	1.72607
		95% Confidence Interval for Mean	Lower Bound	38.0194	
			Upper Bound	44.9682	
		5% Trimmed Mean		41.4563	
		Median		40.0000	
		Variance		140.028	
		Std. Deviation		11.83333	
		Minimum		19.00	
		Maximum		63.67	
		Range		44.67	
		Interquartile Range		18.50	
		Skewness		.350	.347
		Kurtosis		-.401	.681

Descriptives - use case templates, GenderMag learning style facet, reviewing task

	LearningStyle			Statistic	Std. Error
Precision	Abby	Mean		.6422	.05773
		95% Confidence Interval for Mean	Lower Bound	.5236	
			Upper Bound	.7609	
		5% Trimmed Mean		.6533	
		Median		.7000	
		Variance		.090	
		Std. Deviation		.29995	
		Minimum		.08	
		Maximum		1.00	
		Range		.92	
		Interquartile Range		.57	
		Skewness		-.350	.448
		Kurtosis		-.995	.872
	Tim	Mean		.6187	.03884
		95% Confidence Interval for Mean	Lower Bound	.5407	
			Upper Bound	.6966	
		5% Trimmed Mean		.6251	
		Median		.7000	
		Variance		.080	
		Std. Deviation		.28277	
		Minimum		.08	
		Maximum		1.00	
		Range		.92	
		Interquartile Range		.45	
		Skewness		-.285	.327
		Kurtosis		-1.143	.644
Recall	Abby	Mean		.7122	.04635
		95% Confidence Interval for Mean	Lower Bound	.6170	
			Upper Bound	.8075	
		5% Trimmed Mean		.7187	
		Median		.7200	
		Variance		.058	
		Std. Deviation		.24084	
		Minimum		.29	
		Maximum		1.00	
		Range		.71	
		Interquartile Range		.50	
		Skewness		-.064	.448
		Kurtosis		-1.400	.872
	Tim	Mean		.6845	.03999
		95% Confidence Interval for Mean	Lower Bound	.6043	
			Upper Bound	.7648	
		5% Trimmed Mean		.6934	
		Median		.7200	
		Variance		.085	
		Std. Deviation		.29112	
		Minimum		.21	
		Maximum		1.00	
		Range		.79	
		Interquartile Range		.54	
		Skewness		-.264	.327

			Kurtosis	-1.445	.644
FMeasure	Abby	Mean		.6644	.05369
		95% Confidence Interval for Mean	Lower Bound	.5540	
			Upper Bound	.7747	
		5% Trimmed Mean		.6750	
		Median		.7099	
		Variance		.078	
		Std. Deviation		.27896	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.50	
		Skewness		-.357	.448
		Kurtosis		-.978	.872
	Tim	Mean		.6441	.03930
		95% Confidence Interval for Mean	Lower Bound	.5652	
			Upper Bound	.7230	
		5% Trimmed Mean		.6511	
		Median		.7010	
		Variance		.082	
		Std. Deviation		.28612	
		Minimum		.13	
		Maximum		1.00	
		Range		.87	
		Interquartile Range		.52	
		Skewness		-.304	.327
		Kurtosis		-1.368	.644
Duration	Abby	Mean		620.5556	54.58886
		95% Confidence Interval for Mean	Lower Bound	508.3465	
			Upper Bound	732.7646	
		5% Trimmed Mean		622.0432	
		Median		706.0000	
		Variance		80458.487	
		Std. Deviation		283.65205	
		Minimum		188.00	
		Maximum		1024.00	
		Range		836.00	
		Interquartile Range		501.00	
		Skewness		-.274	.448
		Kurtosis		-1.394	.872
	Tim	Mean		533.3962	35.82975
		95% Confidence Interval for Mean	Lower Bound	461.4986	
			Upper Bound	605.2939	
		5% Trimmed Mean		527.3302	
		Median		513.0000	
		Variance		68039.859	
		Std. Deviation		260.84451	
		Minimum		111.00	
		Maximum		1024.00	
		Range		913.00	
		Interquartile Range		411.00	
		Skewness		.373	.327
		Kurtosis		-1.117	.644

				Statistic	Std. Error
FirstActDet	Abby	Mean		148.4074	11.02332
		95% Confidence Interval for Mean	Lower Bound	125.7487	
			Upper Bound	171.0662	
		5% Trimmed Mean		150.2963	
		Median		133.0000	
		Variance		3280.866	
		Std. Deviation		57.27885	
		Minimum		3.00	
		Maximum		237.00	
		Range		234.00	
		Interquartile Range		91.00	
		Skewness		-.222	.448
		Kurtosis		-.059	.872
	Tim	Mean		158.1509	9.27203
		95% Confidence Interval for Mean	Lower Bound	139.5453	
			Upper Bound	176.7566	
		5% Trimmed Mean		159.1834	
		Median		138.0000	
		Variance		4556.438	
		Std. Deviation		67.50139	
		Minimum		3.00	
		Maximum		280.00	
		Range		277.00	
		Interquartile Range		115.00	
		Skewness		-.034	.327
		Kurtosis		-.583	.644
LastActDet	Abby	Mean		605.0370	54.31213
		95% Confidence Interval for Mean	Lower Bound	493.3969	
			Upper Bound	716.6772	
		5% Trimmed Mean		607.1091	
		Median		697.0000	
		Variance		79644.806	
		Std. Deviation		282.21411	
		Minimum		138.00	
		Maximum		1020.00	
		Range		882.00	
		Interquartile Range		487.00	
		Skewness		-.259	.448
		Kurtosis		-1.304	.872
	Tim	Mean		508.2075	35.58660
		95% Confidence Interval for Mean	Lower Bound	436.7978	
			Upper Bound	579.6173	
		5% Trimmed Mean		500.6300	
		Median		499.0000	
		Variance		67119.514	
		Std. Deviation		259.07434	
		Minimum		96.00	
		Maximum		1020.00	
		Range		924.00	
		Interquartile Range		446.00	
		Skewness		.346	.327
		Kurtosis		-1.141	.644
ProcDur	Abby	Mean		16.5926	3.42658

					Statistic	Std. Error
		95% Confidence Interval for Mean	Lower Bound		9.5491	
			Upper Bound		23.6360	
		5% Trimmed Mean			15.4774	
		Median			6.0000	
		Variance			317.020	
		Std. Deviation			17.80505	
		Minimum			1.00	
		Maximum			52.00	
		Range			51.00	
		Interquartile Range			28.00	
		Skewness			1.070	.448
		Kurtosis			-.504	.872
	Tim	Mean			23.5849	2.26307
		95% Confidence Interval for Mean	Lower Bound		19.0437	
			Upper Bound		28.1261	
		5% Trimmed Mean			23.0734	
		Median			15.0000	
		Variance			271.440	
		Std. Deviation			16.47543	
		Minimum			1.00	
		Maximum			54.00	
		Range			53.00	
		Interquartile Range			26.50	
		Skewness			.369	.327
		Kurtosis			-1.357	.644
FixRel	Abby	Mean			7.1893	.81800
		95% Confidence Interval for Mean	Lower Bound		5.5078	
			Upper Bound		8.8707	
		5% Trimmed Mean			7.3020	
		Median			9.6900	
		Variance			18.066	
		Std. Deviation			4.25043	
		Minimum			.95	
		Maximum			11.29	
		Range			10.34	
		Interquartile Range			9.14	
		Skewness			-.536	.448
		Kurtosis			-1.737	.872
	Tim	Mean			5.5072	.57988
		95% Confidence Interval for Mean	Lower Bound		4.3436	
			Upper Bound		6.6708	
		5% Trimmed Mean			5.4580	
		Median			3.0500	
		Variance			17.822	
		Std. Deviation			4.22158	
		Minimum			.45	
		Maximum			11.29	
		Range			10.84	
		Interquartile Range			8.14	
		Skewness			.255	.327
		Kurtosis			-1.889	.644
FixIrrel	Abby	Mean			170.8515	31.81744
		95% Confidence Interval for Mean	Lower Bound		105.4498	

			Upper Bound	236.2532	
		5% Trimmed Mean		167.3755	
		Median		150.2300	
		Variance		27333.434	
		Std. Deviation		165.32826	
		Minimum		.54	
		Maximum		403.73	
		Range		403.19	
		Interquartile Range		318.11	
		Skewness		.350	.448
		Kurtosis		-1.620	.872
	Tim	Mean		111.7060	21.36633
		95% Confidence Interval for Mean	Lower Bound	68.8314	
			Upper Bound	154.5807	
		5% Trimmed Mean		101.6609	
		Median		3.4800	
		Variance		24195.556	
		Std. Deviation		155.54921	
		Minimum		.48	
		Maximum		403.73	
		Range		403.25	
		Interquartile Range		232.45	
		Skewness		1.046	.327
		Kurtosis		-.611	.644
AvDurRelFix	Abby	Mean		129.0615	12.08098
		95% Confidence Interval for Mean	Lower Bound	104.2287	
			Upper Bound	153.8943	
		5% Trimmed Mean		129.1095	
		Median		137.7300	
		Variance		3940.654	
		Std. Deviation		62.77463	
		Minimum		17.23	
		Maximum		235.75	
		Range		218.52	
		Interquartile Range		123.77	
		Skewness		.065	.448
		Kurtosis		-.873	.872
	Tim	Mean		148.8970	9.81437
		95% Confidence Interval for Mean	Lower Bound	129.2030	
			Upper Bound	168.5910	
		5% Trimmed Mean		151.7265	
		Median		142.2300	
		Variance		5105.061	
		Std. Deviation		71.44971	
		Minimum		6.98	
		Maximum		233.50	
		Range		226.52	
		Interquartile Range		119.27	
		Skewness		-.312	.327
		Kurtosis		-.954	.644
AvDurIrrelFix	Abby	Mean		303.8874	33.47565
		95% Confidence Interval for Mean	Lower Bound	235.0772	
			Upper Bound	372.6976	

		5% Trimmed Mean		302.8312	
		Median		334.0000	
		Variance		30256.721	
		Std. Deviation		173.94459	
		Minimum		25.63	
		Maximum		600.25	
		Range		574.62	
		Interquartile Range		336.37	
		Skewness		.047	.448
		Kurtosis		-.977	.872
	Tim	Mean		358.5242	26.81300
		95% Confidence Interval for Mean	Lower Bound	304.7199	
			Upper Bound	412.3284	
		5% Trimmed Mean		364.3877	
		Median		341.1300	
		Variance		38103.661	
		Std. Deviation		195.20159	
		Minimum		5.42	
		Maximum		593.50	
		Range		588.08	
		Interquartile Range		322.87	
		Skewness		-.226	.327
		Kurtosis		-1.121	.644
TotSac	Abby	Mean		89.5185	2.04673
		95% Confidence Interval for Mean	Lower Bound	85.3114	
			Upper Bound	93.7256	
		5% Trimmed Mean		89.2860	
		Median		89.0000	
		Variance		113.105	
		Std. Deviation		10.63510	
		Minimum		75.00	
		Maximum		109.00	
		Range		34.00	
		Interquartile Range		19.00	
		Skewness		.181	.448
		Kurtosis		-.953	.872
	Tim	Mean		95.3396	1.36617
		95% Confidence Interval for Mean	Lower Bound	92.5982	
			Upper Bound	98.0811	
		5% Trimmed Mean		95.5650	
		Median		94.0000	
		Variance		98.921	
		Std. Deviation		9.94590	
		Minimum		75.00	
		Maximum		111.00	
		Range		36.00	
		Interquartile Range		13.00	
		Skewness		-.297	.327
		Kurtosis		-.450	.644
Sac2Key	Abby	Mean		17.1111	2.11516
		95% Confidence Interval for Mean	Lower Bound	12.7633	
			Upper Bound	21.4589	
		5% Trimmed Mean		16.6008	

				Statistic	Std. Error
		Median		14.0000	
		Variance		120.795	
		Std. Deviation		10.99067	
		Minimum		1.00	
		Maximum		45.00	
		Range		44.00	
		Interquartile Range		17.00	
		Skewness		.831	.448
		Kurtosis		.111	.872
	Tim	Mean		22.3396	1.74123
		95% Confidence Interval for Mean	Lower Bound	18.8456	
			Upper Bound	25.8337	
		5% Trimmed Mean		21.8354	
		Median		24.0000	
		Variance		160.690	
		Std. Deviation		12.67636	
		Minimum		2.00	
		Maximum		51.00	
		Range		49.00	
		Interquartile Range		20.00	
		Skewness		.262	.327
		Kurtosis		-.522	.644
AvAttention	Abby	Mean		.7296	.02914
		95% Confidence Interval for Mean	Lower Bound	.6697	
			Upper Bound	.7895	
		5% Trimmed Mean		.7344	
		Median		.8000	
		Variance		.023	
		Std. Deviation		.15144	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.20	
		Skewness		-.618	.448
		Kurtosis		.007	.872
	Tim	Mean		.6170	.02972
		95% Confidence Interval for Mean	Lower Bound	.5573	
			Upper Bound	.6766	
		5% Trimmed Mean		.6147	
		Median		.6000	
		Variance		.047	
		Std. Deviation		.21638	
		Minimum		.30	
		Maximum		1.00	
		Range		.70	
		Interquartile Range		.40	
		Skewness		-.180	.327
		Kurtosis		-1.148	.644
AvMentWL	Abby	Mean		.7481	.03555
		95% Confidence Interval for Mean	Lower Bound	.6751	
			Upper Bound	.8212	
		5% Trimmed Mean		.7535	
		Median		.8000	

		Variance		.034	
		Std. Deviation		.18475	
		Minimum		.40	
		Maximum		1.00	
		Range		.60	
		Interquartile Range		.30	
		Skewness		-.541	.448
		Kurtosis		-.649	.872
	Tim	Mean		.6906	.03258
		95% Confidence Interval for Mean	Lower Bound	.6252	
			Upper Bound	.7559	
		5% Trimmed Mean		.6993	
		Median		.7000	
		Variance		.056	
		Std. Deviation		.23718	
		Minimum		.20	
		Maximum		1.00	
		Range		.80	
		Interquartile Range		.40	
		Skewness		-.324	.327
		Kurtosis		-.912	.644
AvFam	Abby	Mean		.5481	.03555
		95% Confidence Interval for Mean	Lower Bound	.4751	
			Upper Bound	.6212	
		5% Trimmed Mean		.5535	
		Median		.6000	
		Variance		.034	
		Std. Deviation		.18475	
		Minimum		.20	
		Maximum		.80	
		Range		.60	
		Interquartile Range		.30	
		Skewness		-.541	.448
		Kurtosis		-.649	.872
	Tim	Mean		.4943	.03347
		95% Confidence Interval for Mean	Lower Bound	.4272	
			Upper Bound	.5615	
		5% Trimmed Mean		.4993	
		Median		.5000	
		Variance		.059	
		Std. Deviation		.24370	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.40	
		Skewness		-.205	.327
		Kurtosis		-.777	.644
AvSCL	Abby	Mean		504.9630	25.06456
		95% Confidence Interval for Mean	Lower Bound	453.4420	
			Upper Bound	556.4839	
		5% Trimmed Mean		506.6029	
		Median		533.0000	
		Variance		16962.268	

				Statistic	Std. Error
		Std. Deviation		130.23927	
		Minimum		273.00	
		Maximum		717.00	
		Range		444.00	
		Interquartile Range		182.00	
		Skewness		-.396	.448
		Kurtosis		-.833	.872
	Tim	Mean		538.4151	20.21433
		95% Confidence Interval for Mean	Lower Bound	497.8521	
			Upper Bound	578.9781	
		5% Trimmed Mean		541.2547	
		Median		548.0000	
		Variance		21656.824	
		Std. Deviation		147.16258	
		Minimum		280.00	
		Maximum		768.00	
		Range		488.00	
		Interquartile Range		281.00	
		Skewness		-.276	.327
		Kurtosis		-1.233	.644
HRVar_RMSSD	Abby	Mean		40.1307	4.23088
		95% Confidence Interval for Mean	Lower Bound	31.4340	
			Upper Bound	48.8274	
		5% Trimmed Mean		40.4591	
		Median		37.4800	
		Variance		483.309	
		Std. Deviation		21.98429	
		Minimum		3.92	
		Maximum		68.71	
		Range		64.79	
		Interquartile Range		45.98	
		Skewness		-.122	.448
		Kurtosis		-1.717	.872
	Tim	Mean		32.3832	2.65523
		95% Confidence Interval for Mean	Lower Bound	27.0551	
			Upper Bound	37.7113	
		5% Trimmed Mean		31.2494	
		Median		23.3100	
		Variance		373.662	
		Std. Deviation		19.33035	
		Minimum		12.30	
		Maximum		75.27	
		Range		62.97	
		Interquartile Range		31.63	
		Skewness		.925	.327
		Kurtosis		-.606	.644
HRVar_NN50	Abby	Mean		28.1478	3.62211
		95% Confidence Interval for Mean	Lower Bound	20.7024	
			Upper Bound	35.5931	
		5% Trimmed Mean		28.3205	
		Median		35.8600	
		Variance		354.232	
		Std. Deviation		18.82106	

		Minimum		.74	
		Maximum		52.10	
		Range		51.36	
		Interquartile Range		36.53	
		Skewness		-.208	.448
		Kurtosis		-1.598	.872
	Tim	Mean		21.3606	2.64739
		95% Confidence Interval for Mean	Lower Bound	16.0482	
			Upper Bound	26.6729	
		5% Trimmed Mean		20.5710	
		Median		11.6200	
		Variance		371.459	
		Std. Deviation		19.27327	
		Minimum		.74	
		Maximum		58.28	
		Range		57.54	
		Interquartile Range		34.96	
		Skewness		.530	.327
		Kurtosis		-1.316	.644
NASA_MD	Abby	Mean		64.4444	2.34693
		95% Confidence Interval for Mean	Lower Bound	59.6203	
			Upper Bound	69.2686	
		5% Trimmed Mean		65.0000	
		Median		65.0000	
		Variance		148.718	
		Std. Deviation		12.19500	
		Minimum		30.00	
		Maximum		85.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.462	.448
		Kurtosis		.975	.872
	Tim	Mean		60.6604	1.85680
		95% Confidence Interval for Mean	Lower Bound	56.9344	
			Upper Bound	64.3863	
		5% Trimmed Mean		60.9434	
		Median		55.0000	
		Variance		182.729	
		Std. Deviation		13.51771	
		Minimum		30.00	
		Maximum		80.00	
		Range		50.00	
		Interquartile Range		20.00	
		Skewness		.000	.327
		Kurtosis		-.968	.644
NASA_PD	Abby	Mean		17.9630	3.12671
		95% Confidence Interval for Mean	Lower Bound	11.5359	
			Upper Bound	24.3900	
		5% Trimmed Mean		16.9033	
		Median		10.0000	
		Variance		263.960	
		Std. Deviation		16.24685	
		Minimum		5.00	

		Maximum		50.00	
		Range		45.00	
		Interquartile Range		30.00	
		Skewness		1.216	.448
		Kurtosis		-.105	.872
	Tim	Mean		20.5660	2.44556
		95% Confidence Interval for Mean	Lower Bound	15.6587	
			Upper Bound	25.4734	
		5% Trimmed Mean		19.7956	
		Median		10.0000	
		Variance		316.981	
		Std. Deviation		17.80396	
		Minimum		5.00	
		Maximum		50.00	
		Range		45.00	
		Interquartile Range		30.00	
		Skewness		.804	.327
		Kurtosis		-1.117	.644
NASA_TD	Abby	Mean		34.2593	4.32563
		95% Confidence Interval for Mean	Lower Bound	25.3678	
			Upper Bound	43.1507	
		5% Trimmed Mean		32.9424	
		Median		35.0000	
		Variance		505.199	
		Std. Deviation		22.47664	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		35.00	
		Skewness		.591	.448
		Kurtosis		.423	.872
	Tim	Mean		37.7358	3.60305
		95% Confidence Interval for Mean	Lower Bound	30.5058	
			Upper Bound	44.9659	
		5% Trimmed Mean		36.3732	
		Median		40.0000	
		Variance		688.044	
		Std. Deviation		26.23060	
		Minimum		5.00	
		Maximum		95.00	
		Range		90.00	
		Interquartile Range		30.00	
		Skewness		.648	.327
		Kurtosis		.082	.644
NASA_Performance	Abby	Mean		41.2963	4.40629
		95% Confidence Interval for Mean	Lower Bound	32.2390	
			Upper Bound	50.3536	
		5% Trimmed Mean		41.7181	
		Median		35.0000	
		Variance		524.217	
		Std. Deviation		22.89578	
		Minimum		5.00	
		Maximum		70.00	

		Range		65.00	
		Interquartile Range		40.00	
		Skewness		-.124	.448
		Kurtosis		-1.248	.872
	Tim	Mean		46.2264	3.61396
		95% Confidence Interval for Mean	Lower Bound	38.9745	
			Upper Bound	53.4784	
		5% Trimmed Mean		45.7023	
		Median		50.0000	
		Variance		692.217	
		Std. Deviation		26.31002	
		Minimum		5.00	
		Maximum		100.00	
		Range		95.00	
		Interquartile Range		40.00	
		Skewness		-.163	.327
		Kurtosis		-.868	.644
NASA_Effort	Abby	Mean		54.8148	2.68850
		95% Confidence Interval for Mean	Lower Bound	49.2885	
			Upper Bound	60.3411	
		5% Trimmed Mean		55.3395	
		Median		50.0000	
		Variance		195.157	
		Std. Deviation		13.96985	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		20.00	
		Skewness		-.187	.448
		Kurtosis		-.101	.872
	Tim	Mean		53.2075	1.91480
		95% Confidence Interval for Mean	Lower Bound	49.3652	
			Upper Bound	57.0499	
		5% Trimmed Mean		53.8417	
		Median		55.0000	
		Variance		194.321	
		Std. Deviation		13.93992	
		Minimum		20.00	
		Maximum		75.00	
		Range		55.00	
		Interquartile Range		25.00	
		Skewness		-.356	.327
		Kurtosis		.103	.644
NASA_Frustration	Abby	Mean		27.7778	3.87972
		95% Confidence Interval for Mean	Lower Bound	19.8029	
			Upper Bound	35.7527	
		5% Trimmed Mean		27.1193	
		Median		15.0000	
		Variance		406.410	
		Std. Deviation		20.15962	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	

		Interquartile Range		35.00	
		Skewness		.480	.448
		Kurtosis		-1.470	.872
	Tim	Mean		31.8868	2.86433
		95% Confidence Interval for Mean	Lower Bound	26.1391	
			Upper Bound	37.6345	
		5% Trimmed Mean		31.5409	
		Median		30.0000	
		Variance		434.833	
		Std. Deviation		20.85265	
		Minimum		5.00	
		Maximum		65.00	
		Range		60.00	
		Interquartile Range		37.50	
		Skewness		.109	.327
		Kurtosis		-1.437	.644
NASA_Score	Abby	Mean		43.7474	2.28487
		95% Confidence Interval for Mean	Lower Bound	39.0508	
			Upper Bound	48.4440	
		5% Trimmed Mean		43.9194	
		Median		41.3300	
		Variance		140.957	
		Std. Deviation		11.87255	
		Minimum		19.00	
		Maximum		63.67	
		Range		44.67	
		Interquartile Range		17.50	
		Skewness		.084	.448
		Kurtosis		-.658	.872
	Tim	Mean		43.8724	1.91704
		95% Confidence Interval for Mean	Lower Bound	40.0256	
			Upper Bound	47.7192	
		5% Trimmed Mean		43.9237	
		Median		41.6700	
		Variance		194.777	
		Std. Deviation		13.95625	
		Minimum		19.00	
		Maximum		74.67	
		Range		55.67	
		Interquartile Range		19.00	
		Skewness		-.087	.327
		Kurtosis		-.665	.644