

Descriptives - i* notations, GenderMag motivation facet

	MotivationPersona		Statistic	Std. Error
Precision	Abby	Mean	.5171	.02187
		95% Confidence Interval for Mean	Lower Bound	.4739
			Upper Bound	.5604
		5% Trimmed Mean	.5181	
		Median	.5700	
		Variance	.060	
		Std. Deviation	.24551	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.37	
		Skewness	-.142	.216
		Kurtosis	-.433	.428
	Tim	Mean	.4685	.01782
		95% Confidence Interval for Mean	Lower Bound	.4334
			Upper Bound	.5036
		5% Trimmed Mean	.4645	
		Median	.4700	
		Variance	.068	
		Std. Deviation	.26066	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
Recall	Abby	Mean	.5459	.02360
		95% Confidence Interval for Mean	Lower Bound	.4992
			Upper Bound	.5926
		5% Trimmed Mean	.5500	
		Median	.5714	
		Variance	.070	
		Std. Deviation	.26489	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.38	
		Skewness	-.164	.216
		Kurtosis	-.679	.428
	Tim	Mean	.5913	.01903
		95% Confidence Interval for Mean	Lower Bound	.5537
			Upper Bound	.6288
		5% Trimmed Mean	.6013	
		Median	.6000	
		Variance	.077	
		Std. Deviation	.27838	
		Minimum	.00	
		Maximum	1.00	
		Range	1.00	
		Interquartile Range	.43	
		Skewness	-.369	.166

FMeasure	Abby	Kurtosis		- .680	.331
		Mean		.4815	.02097
		95% Confidence Interval for Mean	Lower Bound	.4400	
			Upper Bound	.5230	
		5% Trimmed Mean		.4817	
		Median		.4917	
		Variance		.055	
		Std. Deviation		.23535	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.31	
		Skewness		-.100	.216
		Kurtosis		-.403	.428
	Tim	Mean		.4798	.01580
		95% Confidence Interval for Mean	Lower Bound	.4486	
			Upper Bound	.5109	
		5% Trimmed Mean		.4816	
		Median		.4800	
		Variance		.053	
		Std. Deviation		.23109	
		Minimum		.00	
		Maximum		1.00	
		Range		1.00	
		Interquartile Range		.34	
		Skewness		-.094	.166
		Kurtosis		-.484	.331
Duration	Abby	Mean		1454.7619	62.90296
		95% Confidence Interval for Mean	Lower Bound	1330.2691	
			Upper Bound	1579.2547	
		5% Trimmed Mean		1419.0326	
		Median		1284.5000	
		Variance		498554.631	
		Std. Deviation		706.08401	
		Minimum		251.00	
		Maximum		3105.00	
		Range		2854.00	
		Interquartile Range		664.25	
		Skewness		.984	.216
		Kurtosis		-.249	.428
	Tim	Mean		1236.0561	34.80729
		95% Confidence Interval for Mean	Lower Bound	1167.4452	
			Upper Bound	1304.6670	
		5% Trimmed Mean		1201.3235	
		Median		1176.0000	
		Variance		259271.199	
		Std. Deviation		509.18680	
		Minimum		193.00	
		Maximum		3150.00	
		Range		2957.00	
		Interquartile Range		569.25	
		Skewness		1.161	.166
		Kurtosis		2.259	.331

FirstActDet	Abby	Mean		516.1905	24.90016
		95% Confidence Interval for Mean	Lower Bound	466.9100	
			Upper Bound	565.4710	
		5% Trimmed Mean		514.2813	
		Median		510.0000	
		Variance		78122.235	
		Std. Deviation		279.50355	
		Minimum		50.00	
		Maximum		1135.00	
		Range		1085.00	
		Interquartile Range		417.75	
		Skewness		-.052	.216
		Kurtosis		-1.008	.428
	Tim	Mean		443.2196	15.85276
		95% Confidence Interval for Mean	Lower Bound	411.9712	
			Upper Bound	474.4680	
		5% Trimmed Mean		438.1080	
		Median		455.0000	
		Variance		53780.369	
		Std. Deviation		231.90595	
		Minimum		45.00	
		Maximum		1005.00	
		Range		960.00	
		Interquartile Range		326.75	
		Skewness		.047	.166
		Kurtosis		-.553	.331
LastActDet	Abby	Mean		1293.1190	62.78089
		95% Confidence Interval for Mean	Lower Bound	1168.8679	
			Upper Bound	1417.3702	
		5% Trimmed Mean		1259.6305	
		Median		1146.0000	
		Variance		496621.434	
		Std. Deviation		704.71372	
		Minimum		245.00	
		Maximum		3099.00	
		Range		2854.00	
		Interquartile Range		653.00	
		Skewness		.979	.216
		Kurtosis		.052	.428
	Tim	Mean		1078.5514	31.34107
		95% Confidence Interval for Mean	Lower Bound	1016.7730	
			Upper Bound	1140.3298	
		5% Trimmed Mean		1053.5742	
		Median		1031.0000	
		Variance		210204.192	
		Std. Deviation		458.48031	
		Minimum		168.00	
		Maximum		2749.00	
		Range		2581.00	
		Interquartile Range		523.50	
		Skewness		.853	.166
		Kurtosis		1.998	.331
ProcDur	Abby	Mean		161.6429	23.06147

		95% Confidence Interval for Mean	Lower Bound	116.0013	
			Upper Bound	207.2844	
		5% Trimmed Mean		124.7901	
		Median		45.5000	
		Variance		67010.759	
		Std. Deviation		258.86436	
		Minimum		2.00	
		Maximum		1541.00	
		Range		1539.00	
		Interquartile Range		207.00	
		Skewness		2.617	.216
		Kurtosis		8.296	.428
	Tim	Mean		157.5047	17.50887
		95% Confidence Interval for Mean	Lower Bound	122.9918	
			Upper Bound	192.0175	
		5% Trimmed Mean		123.4278	
		Median		23.5000	
		Variance		65603.988	
		Std. Deviation		256.13276	
		Minimum		1.00	
		Maximum		1546.00	
		Range		1545.00	
		Interquartile Range		239.25	
		Skewness		2.164	.166
		Kurtosis		5.252	.331
FixRel	Abby	Mean		3.3117	.13931
		95% Confidence Interval for Mean	Lower Bound	3.0360	
			Upper Bound	3.5874	
		5% Trimmed Mean		3.3094	
		Median		3.1800	
		Variance		2.445	
		Std. Deviation		1.56370	
		Minimum		.25	
		Maximum		5.96	
		Range		5.71	
		Interquartile Range		2.71	
		Skewness		.031	.216
		Kurtosis		-1.086	.428
	Tim	Mean		3.4737	.11405
		95% Confidence Interval for Mean	Lower Bound	3.2489	
			Upper Bound	3.6985	
		5% Trimmed Mean		3.4835	
		Median		3.9900	
		Variance		2.783	
		Std. Deviation		1.66835	
		Minimum		.50	
		Maximum		5.96	
		Range		5.46	
		Interquartile Range		3.08	
		Skewness		-.145	.166
		Kurtosis		-1.434	.331
FixIrrel	Abby	Mean		5.1128	.39520
		95% Confidence Interval for Mean	Lower Bound	4.3307	

		Upper Bound		5.8950	
		5% Trimmed Mean		4.6766	
		Median		3.5600	
		Variance		19.679	
		Std. Deviation		4.43610	
		Minimum		.06	
		Maximum		17.98	
		Range		17.92	
		Interquartile Range		3.57	
		Skewness		1.565	.216
		Kurtosis		1.874	.428
	Tim	Mean		5.1206	.27423
		95% Confidence Interval for Mean	Lower Bound	4.5800	
			Upper Bound	5.6611	
		5% Trimmed Mean		4.7149	
		Median		4.0300	
		Variance		16.094	
		Std. Deviation		4.01170	
		Minimum		.06	
		Maximum		18.00	
		Range		17.94	
		Interquartile Range		3.63	
		Skewness		1.651	.166
		Kurtosis		2.637	.331
AvDurRelFix	Abby	Mean		559.0838	35.49217
		95% Confidence Interval for Mean	Lower Bound	488.8404	
			Upper Bound	629.3272	
		5% Trimmed Mean		519.8198	
		Median		406.6250	
		Variance		158721.472	
		Std. Deviation		398.39863	
		Minimum		62.75	
		Maximum		1745.73	
		Range		1682.98	
		Interquartile Range		333.24	
		Skewness		1.512	.216
		Kurtosis		1.598	.428
	Tim	Mean		467.5080	19.08437
		95% Confidence Interval for Mean	Lower Bound	429.8895	
			Upper Bound	505.1264	
		5% Trimmed Mean		443.6510	
		Median		406.1050	
		Variance		77941.619	
		Std. Deviation		279.18026	
		Minimum		47.00	
		Maximum		1745.73	
		Range		1698.73	
		Interquartile Range		354.46	
		Skewness		1.493	.166
		Kurtosis		3.537	.331
AvDurIrrelFix	Abby	Mean		781.6884	29.80402
		95% Confidence Interval for Mean	Lower Bound	722.7026	
			Upper Bound	840.6743	

		5% Trimmed Mean		757.9453	
		Median		768.5000	
		Variance		111923.217	
		Std. Deviation		334.54927	
		Minimum		163.25	
		Maximum		1982.39	
		Range		1819.14	
		Interquartile Range		357.83	
		Skewness		1.172	.216
		Kurtosis		2.087	.428
	Tim	Mean		733.9093	23.43532
		95% Confidence Interval for Mean	Lower Bound	687.7145	
			Upper Bound	780.1042	
		5% Trimmed Mean		715.9252	
		Median		713.0400	
		Variance		117531.831	
		Std. Deviation		342.82916	
		Minimum		26.48	
		Maximum		2152.04	
		Range		2125.56	
		Interquartile Range		360.94	
		Skewness		.889	.166
		Kurtosis		2.148	.331
TotSac	Abby	Mean		91.6587	2.00200
		95% Confidence Interval for Mean	Lower Bound	87.6965	
			Upper Bound	95.6209	
		5% Trimmed Mean		91.6208	
		Median		92.0000	
		Variance		505.011	
		Std. Deviation		22.47244	
		Minimum		43.00	
		Maximum		142.00	
		Range		99.00	
		Interquartile Range		32.00	
		Skewness		-.023	.216
		Kurtosis		-.241	.428
	Tim	Mean		95.8364	1.74766
		95% Confidence Interval for Mean	Lower Bound	92.3915	
			Upper Bound	99.2814	
		5% Trimmed Mean		95.8105	
		Median		95.0000	
		Variance		653.621	
		Std. Deviation		25.56601	
		Minimum		40.00	
		Maximum		149.00	
		Range		109.00	
Interquartile Range		38.00			
Skewness		.048	.166		
Kurtosis		-.630	.331		
Sac2Key	Abby	Mean		64.9762	2.53139
		95% Confidence Interval for Mean	Lower Bound	59.9663	
			Upper Bound	69.9861	
		5% Trimmed Mean		64.5714	

			Median	64.0000	
			Variance	807.399	
			Std. Deviation	28.41477	
			Minimum	15.00	
			Maximum	131.00	
			Range	116.00	
			Interquartile Range	45.75	
			Skewness	.084	.216
			Kurtosis	-.925	.428
	Tim	95% Confidence Interval for Mean	Mean	70.3785	2.11755
			Lower Bound	66.2045	
			Upper Bound	74.5525	
		5% Trimmed Mean			70.4367
		Median			72.0000
		Variance			959.579
		Std. Deviation			30.97707
		Minimum			15.00
		Maximum			133.00
		Range			118.00
		Interquartile Range			52.00
		Skewness			-.084
		Kurtosis			-1.151
AvAttention	Abby	95% Confidence Interval for Mean	Mean	.6865	.01776
			Lower Bound	.6514	
			Upper Bound	.7217	
		5% Trimmed Mean			.6932
		Median			.7000
		Variance			.040
		Std. Deviation			.19934
		Minimum			.20
		Maximum			1.00
		Range			.80
		Interquartile Range			.30
		Skewness			-.599
		Kurtosis			-.402
	Tim	95% Confidence Interval for Mean	Mean	.6995	.01409
			Lower Bound	.6718	
			Upper Bound	.7273	
		5% Trimmed Mean			.7057
		Median			.7000
		Variance			.042
		Std. Deviation			.20613
		Minimum			.20
		Maximum			1.00
		Range			.80
		Interquartile Range			.30
		Skewness			-.270
		Kurtosis			-.771
AvMentWL	Abby	95% Confidence Interval for Mean	Mean	.6540	.01871
			Lower Bound	.6169	
			Upper Bound	.6910	
		5% Trimmed Mean			.6553
		Median			.6000

			Variance	.044	
			Std. Deviation	.21001	
			Minimum	.20	
			Maximum	1.00	
			Range	.80	
			Interquartile Range	.30	
			Skewness	.186	.216
			Kurtosis	-.890	.428
	Tim	Mean		.7075	.01438
			95% Confidence Interval for Mean	Lower Bound	.6791
				Upper Bound	.7358
		5% Trimmed Mean		.7175	
		Median		.7000	
		Variance		.044	
		Std. Deviation		.21039	
		Minimum		.10	
		Maximum		1.00	
		Range		.90	
		Interquartile Range		.30	
		Skewness		-.496	.166
		Kurtosis		-.232	.331
AvFam	Abby	Mean		.4786	.01564
			95% Confidence Interval for Mean	Lower Bound	.4476
				Upper Bound	.5095
		5% Trimmed Mean		.4791	
		Median		.5000	
		Variance		.031	
		Std. Deviation		.17555	
		Minimum		.10	
		Maximum		.80	
		Range		.70	
		Interquartile Range		.30	
		Skewness		-.144	.216
		Kurtosis		-.933	.428
	Tim	Mean		.4762	.01107
			95% Confidence Interval for Mean	Lower Bound	.4543
				Upper Bound	.4980
		5% Trimmed Mean		.4806	
		Median		.5000	
		Variance		.026	
		Std. Deviation		.16198	
		Minimum		.10	
		Maximum		.80	
		Range		.70	
		Interquartile Range		.20	
		Skewness		-.391	.166
		Kurtosis		-.696	.331
AvSCL	Abby	Mean		719.3413	12.11882
		95% Confidence Interval for Mean	Lower Bound	695.3566	
			Upper Bound	743.3259	
		5% Trimmed Mean		720.5132	
		Median		740.5000	
		Variance		18505.091	

		Std. Deviation		136.03342	
		Minimum		361.00	
		Maximum		1008.00	
		Range		647.00	
		Interquartile Range		170.75	
		Skewness		-.211	.216
		Kurtosis		-.615	.428
	Tim	Mean		711.3037	10.32883
		95% Confidence Interval for Mean	Lower Bound	690.9439	
			Upper Bound	731.6635	
		5% Trimmed Mean		716.2965	
		Median		738.0000	
		Variance		22830.513	
		Std. Deviation		151.09769	
		Minimum		357.00	
		Maximum		998.00	
		Range		641.00	
		Interquartile Range		194.50	
		Skewness		-.415	.166
		Kurtosis		-.383	.331
HRVar_RMSSD	Abby	Mean		37.5190	1.89730
		95% Confidence Interval for Mean	Lower Bound	33.7640	
			Upper Bound	41.2740	
		5% Trimmed Mean		36.6309	
		Median		31.1000	
		Variance		453.570	
		Std. Deviation		21.29718	
		Minimum		6.06	
		Maximum		87.27	
		Range		81.21	
		Interquartile Range		37.92	
		Skewness		.765	.216
		Kurtosis		-.671	.428
	Tim	Mean		42.2128	1.44840
		95% Confidence Interval for Mean	Lower Bound	39.3577	
			Upper Bound	45.0678	
		5% Trimmed Mean		42.0516	
		Median		38.2800	
		Variance		448.943	
		Std. Deviation		21.18827	
		Minimum		5.92	
		Maximum		83.83	
		Range		77.91	
HRVar_NN50	Abby	Mean		25.9064	1.85393
		95% Confidence Interval for Mean	Lower Bound	22.2373	
			Upper Bound	29.5756	
		5% Trimmed Mean		25.2916	
		Median		20.4700	
		Variance		433.071	
		Std. Deviation		20.81036	

			Minimum	1.18	
			Maximum	61.57	
			Range	60.39	
			Interquartile Range	38.97	
			Skewness	.258	.216
			Kurtosis	-1.497	.428
	Tim	Mean		26.2580	1.33620
		95% Confidence Interval for Mean	Lower Bound	23.6242	
			Upper Bound	28.8919	
		5% Trimmed Mean		25.7666	
		Median		21.9415	
		Variance		382.083	
		Std. Deviation		19.54693	
		Minimum		.10	
		Maximum		65.08	
		Range		64.98	
		Interquartile Range		34.61	
		Skewness		.327	.166
		Kurtosis		-1.362	.331
NASA_MD	Abby	Mean		76.8651	1.40264
		95% Confidence Interval for Mean	Lower Bound	74.0891	
			Upper Bound	79.6411	
		5% Trimmed Mean		77.2354	
		Median		75.0000	
		Variance		247.894	
		Std. Deviation		15.74464	
		Minimum		40.00	
		Maximum		100.00	
		Range		60.00	
		Interquartile Range		25.00	
		Skewness		-.188	.216
		Kurtosis		-1.016	.428
	Tim	Mean		79.7664	.93017
		95% Confidence Interval for Mean	Lower Bound	77.9328	
			Upper Bound	81.5999	
		5% Trimmed Mean		80.5374	
		Median		80.0000	
		Variance		185.156	
		Std. Deviation		13.60722	
		Minimum		20.00	
		Maximum		100.00	
		Range		80.00	
		Interquartile Range		20.00	
		Skewness		-.907	.166
		Kurtosis		2.393	.331
NASA_PD	Abby	Mean		27.4603	1.95809
		95% Confidence Interval for Mean	Lower Bound	23.5850	
			Upper Bound	31.3356	
		5% Trimmed Mean		26.4462	
		Median		15.0000	
		Variance		483.098	
		Std. Deviation		21.97950	
		Minimum		5.00	

	Tim	Maximum		75.00		
		Range		70.00		
		Interquartile Range		45.00		
		Skewness		.792	.216	
		Kurtosis		-1.068	.428	
		Mean		21.8692	1.30016	
		95% Confidence Interval for Mean	Lower Bound	19.3063		
			Upper Bound	24.4320		
		5% Trimmed Mean		20.1765		
		Median		15.0000		
		Variance		361.748		
		Std. Deviation		19.01968		
		Minimum		5.00		
		Maximum		70.00		
		Range		65.00		
		Interquartile Range		15.00		
		Skewness		1.372	.166	
		Kurtosis		.592	.331	
		NASA_TD	Abby	Mean		47.9365
	95% Confidence Interval for Mean			Lower Bound	43.4994	
Upper Bound				52.3736		
5% Trimmed Mean				47.3986		
Median				45.0000		
Variance				633.308		
Std. Deviation				25.16561		
Minimum				5.00		
Maximum				100.00		
Range				95.00		
Interquartile Range				30.00		
Skewness				.413	.216	
Kurtosis				-.692	.428	
Tim	Mean		43.1075	1.85299		
	95% Confidence Interval for Mean		Lower Bound	39.4549		
			Upper Bound	46.7600		
	5% Trimmed Mean		42.0119			
	Median		30.0000			
	Variance		734.782			
	Std. Deviation		27.10686			
	Minimum		5.00			
	Maximum		100.00			
	Range		95.00			
	Interquartile Range		35.00			
	Skewness		.784	.166		
	Kurtosis		-.519	.331		
NASA_Performance	Abby	Mean		55.7143	2.48597	
		95% Confidence Interval for Mean	Lower Bound	50.7942		
			Upper Bound	60.6343		
		5% Trimmed Mean		56.0714		
		Median		60.0000		
		Variance		778.686		
		Std. Deviation		27.90494		
		Minimum		5.00		
		Maximum		100.00		

	Tim	Range		95.00	
		Interquartile Range		45.00	
		Skewness		-.251	.216
		Kurtosis		-1.098	.428
		Mean		42.6168	2.19884
		95% Confidence Interval for Mean	Lower Bound	38.2825	
			Upper Bound	46.9511	
		5% Trimmed Mean		41.4927	
		Median		45.0000	
		Variance		1034.669	
		Std. Deviation		32.16628	
		Minimum		5.00	
		Maximum		105.00	
		Range		100.00	
		Interquartile Range		55.00	
		Skewness		.391	.166
		Kurtosis		-1.118	.331
NASA_Effort	Abby	Mean		68.9286	1.62677
		95% Confidence Interval for Mean	Lower Bound	65.7090	
			Upper Bound	72.1481	
		5% Trimmed Mean		69.1314	
		Median		70.0000	
		Variance		333.443	
		Std. Deviation		18.26042	
		Minimum		30.00	
		Maximum		105.00	
		Range		75.00	
		Interquartile Range		30.00	
		Skewness		-.161	.216
		Kurtosis		-.755	.428
	Tim	Mean		73.9486	1.00117
		95% Confidence Interval for Mean	Lower Bound	71.9751	
			Upper Bound	75.9221	
		5% Trimmed Mean		74.5950	
		Median		75.0000	
		Variance		214.500	
		Std. Deviation		14.64581	
		Minimum		30.00	
		Maximum		100.00	
		Range		70.00	
NASA_Frustration	Abby	Mean		65.9524	2.10420
		95% Confidence Interval for Mean	Lower Bound	61.7879	
			Upper Bound	70.1169	
		5% Trimmed Mean		67.2443	
		Median		65.0000	
		Variance		557.886	
		Std. Deviation		23.61960	
		Minimum		5.00	
		Maximum		100.00	
		Range		95.00	

		Interquartile Range		35.00	
		Skewness		-.712	.216
		Kurtosis		.165	.428
	Tim	Mean		55.7710	1.90258
		95% Confidence Interval for Mean	Lower Bound	52.0207	
			Upper Bound	59.5213	
		5% Trimmed Mean		56.1345	
		Median		55.0000	
		Variance		774.637	
		Std. Deviation		27.83231	
		Minimum		5.00	
		Maximum		100.00	
		Range		95.00	
		Interquartile Range		45.00	
		Skewness		-.035	.166
		Kurtosis		-.880	.331
NASA_Score	Abby	Mean		62.5149	1.51167
		95% Confidence Interval for Mean	Lower Bound	59.5231	
			Upper Bound	65.5067	
		5% Trimmed Mean		62.2072	
		Median		60.7517	
		Variance		287.930	
		Std. Deviation		16.96850	
		Minimum		29.00	
		Maximum		100.00	
		Range		71.00	
		Interquartile Range		25.00	
		Skewness		.241	.216
		Kurtosis		-.509	.428
	Tim	Mean		57.4567	1.33037
		95% Confidence Interval for Mean	Lower Bound	54.8343	
			Upper Bound	60.0791	
		5% Trimmed Mean		56.6011	
		Median		51.3300	
		Variance		378.756	
		Std. Deviation		19.46166	
		Minimum		23.67	
		Maximum		100.00	
		Range		76.33	
		Interquartile Range		27.17	
		Skewness		.788	.166
		Kurtosis		-.351	.331