The current `table.js` implementation uses the `xlsx` library. However, this library provides many more features than are used in PRSM, and requires the data in a format that needs translation back and forth between the PRSM format and its format. It would be better to stop having this dependency and code our own. As a first step, I have outlined what the current version shows the user, below. Please use this and the code in `table.js` to refine the specification and devise a plan for implementing it. The plan should show how the cystoscope data is incorporated.

PRSM has two views of a map: a graphical one and a tabular one. This spec concerns the tabular view. The table consists of two tabs, one for Factors and one for Links. The Factors tab shows a table (similar to a spreadsheet) with one row for each factor. There are also two heading rows and a footer row. The top header row has labels for groups of columns: a group for Factor formats, one for Statistics and one for Notes. The second header row shows the titles of each column. The columns contain and are labelled:

- *Select – the column contains check boxes. When checked this row is selected
- Label – the Factor's label
- Modified – the date and time the Factor was last modified

The next set of columns are grouped under 'Format'

- Style – one of the style names, or '—' if no style assigned to this factor
- *Shape – the name of the Factor shape
- *Hidden – checkbox, checked if the Factor is hidden
- *Locked – checkbox, checked if the Factor is locked
- *Relative size - a number or '—' if not set
- *Fill colour – a colour swatch
- *Border width - a number
- *Border colour – a colour swatch
- *Border style – Solid, Dashed, Dotted or None
- *Font colour – a colour swatch
- *Font size - a number

The next set of columns are groups under 'Statistics'

- In-degree - a number
- Out-degree - a number
- Total degree - a number
- Leverage - a number

- Betweenness - a number
- ‘Thumbs up’ (an icon) - a number
- ‘Thumbs down’ (an icon) - a number

The last column is under the group ‘Notes’

- *Notes – text (cut off with ellipsis after 30 characters

The footer contains aggregate statistics for some columns:

Label: A count of the number of factors

Hidden: a count of the number of hidden factors

Locked: a count of the number of locked factors

In-degree, Out-degree, Total degree: An average of the row values

Betweenness: The maximum value of betweenness among the factors

The Links tab is arranged similarly. The groups are Style and LinkNotes. The columns are:

- From – the label of the source factor
- To – the label of the target factor
- Modified

The Style group of columns is:

- Style – the name of the style for the link, or ‘—' if none
- *Hidden
- *Arrow – the name of the arrow style
- *Colour
- *Width
- *Line style – Solid, Dashed or Dotted
- *Font size (not in the current version, but it should be)
- *Font colour

And lastly, in the LinkNotes group

- *Notes – text

Every column (in both the Factor and the Link tabs) has a sort arrow (a triangle). When clicked, the rows are sorted in ascending or descending order according to the values in the column.

It is possible to edit the values in the tables in most columns. Those columns that are editable are marked with a '*' in the list above and have a darker heading font in the tables. Editing is done by clicking on a cell (for a given factor and column) and then either typing in a new value for numeric values, selecting from a dropdown menu or selecting from a colour widget, as appropriate for the type of value. Editing Notes is different: when you click on a Notes cell, a dialog opens giving you an edit box to edit the note (the whole text, not just the shortened version in the table cell).