
Interpretation Guide

AI-in-One dashboard v2.0.0

How to read every page and number, and turn what you see into a useful conversation.



Microsoft Copilot Analytics Team
October 2026

Microsoft

Read the report with confidence

Start with a question, keep the same people and dates, and read each number for what it is.

01 Start with a question

Who is using Copilot? Is it becoming a habit? Which agents need attention? Each page answers one question; the page guides tell you which.

02 Choose people and dates

Open Org filters to pick a company, division, department, reporting team, user or license. Your choices follow you to every page.

03 Read numbers in context

People, prompts and sessions measure different things. Groups overlap. Habit cards use one month. The definitions pages explain each one.

04 Turn it into a conversation

The report shows recorded activity. The people doing the work can explain it. Agree one change, then look again next month.

EDITIONS The pages, definitions and navigation are the same in the SharePoint, Local CSV and Fabric OneLake editions. Only the data connection differs.

What's in this guide

Read the foundations first, then use the page guides as a reference.

FOUNDATIONS

- Getting around the report 04
- Privacy and Minimum Group Size 05
- The core numbers 06
- Trends and habits 07
- Licenses and experiences 08

PAGE GUIDES

- Copilot Usage Explorer 09
- Copilot overall (3 pages) 10
- Agents (6 pages) 13
- M365 Copilot (3 pages) 19
- Copilot Chat (3 pages) 22
- Metric Glossary & Guide 25


PUTTING IT TO WORK

- Common questions 26
- From numbers to conversations 27
- What the report doesn't measure 28

TIP In each page guide, the numbered outlines on the screenshot match the numbered explanations beside it.

Getting around the report

These controls work the same way on every analytical page.



1 Org filters

Opens company, division, department, reporting team, user, license and Include system agents. Close keeps your choices across pages.

2 Reporting team

Search for a manager at any level to include everyone who reports to them, directly or indirectly. The manager's own row isn't counted as their report.

3 Date slider

Drag the handles or type exact dates. Dates follow you across pages. Habit pages also name a separate habit month.

4 Clear filters

Resets selections, table drill-downs and Include system agents to No without leaving the page. In Desktop, Ctrl+click report buttons.

5 Activity status

Shows active users next to the people in scope, and explains when a group is too small to show or has no recorded activity.

6 Active filters

Lists up to three selected values per filter, then N selected. It includes choices made on other pages.

TIP Every report page also has a definitions page: open Metric Glossary & Guide and choose the page you're reading.

Privacy and Minimum Group Size

Two controls decide what each viewer sees: a group-size rule and row-level security roles.

MINIMUM GROUP SIZE

The smallest number of eligible people a group must have before the report shows its results.

3

Default

Team-level reporting. Groups need at least three eligible people. Individual activity stays hidden.

1

Approved detail

Individual views, such as By user and employee rows. Use only when approved.

Any

Your threshold

Any whole number of 1 or more. For example, 10 shows only groups of ten or more people.

It counts people in scope, not active users. A qualifying team of 20 can still show only two active users. Change the setting in Power BI Desktop: Home > Transform data > Manage parameters > Minimum Group Size, then Close & Apply and Clear filters.

ROW-LEVEL SECURITY ROLES

Reporting hierarchy

Viewers see themselves and descendants, matched by sign-in. A blank PAX Manager_UserKey means root, without UPN fallback. Legacy UPNs still resolve; any unresolved manager becomes a root.

All data viewers

All-data viewers see every user. Any unresolved-manager diagnostic belongs only to the affected person, not their descendants.

Viewers see no data until they're assigned a role. Group size is a display rule, not anonymization; it doesn't replace access permissions.

CHECKLIST Confirm the approved Minimum Group Size and assign each viewer the right role in the Power BI service.

The core numbers

These names mean the same thing on every page.

People in scope

Everyone in the selected team, organization and license choice. Minimum Group Size uses this count.

Active users

People with recorded activity in the selected dates and experience. One person can be active in several experiences.

Prompts

Distinct audited requests, not agent responses. Purview coverage is not guaranteed to match Viva Insights or Microsoft 365 admin center.

Sessions

Conversations: one per person per conversation thread. A thread used on several days counts once in the period total.

Prompts per session

Prompts divided by sessions. More depth can mean useful work, retries or a hard task. It isn't productivity.

Active days per user

The average number of different days each active user had activity. It isn't time spent.

Repeat users

The share of active users with at least two sessions in the selected period. It isn't next-month retention.

Weekly prompts and sessions per user

Each user's distinct prompts or sessions divided by their active weeks, then averaged. Quiet weeks aren't counted.

Trends and habits

How the report shows change over time.

Daily lines and 7-day averages

Thin lines are daily counts; bold lines average seven days, with quiet days as zero. Explorer's month-start dots sit on the bold trends.

Month-over-month change

Compares prompts and sessions with the previous month for your selected dates. Read the dates; it isn't a target.

Habit month

The calendar month before the end of your selected dates, printed on each habit page. Dates ending 30 September give August.

Habit groups

Light: 1–5 active days in the habit month. Moderate: 6–10. Frequent: 11–15. Daily: 16 or more; it doesn't mean every day.

Habit shares

The share of active users in each group for the habit month. Don't add shares or monthly users across months.

Habit cards versus tables

Cards and previous-month bars describe the habit month. Department and agent tables cover the whole selected period.

Licenses and experiences

Snapshots describe current licensing; observed history adds as-of context. Experience groups can overlap.

License status follows supplied history

History Off uses the current Users snapshot. Observed history adds recorded as-of states; First seen is observation, not assignment. Unknown stays Unknown.

Unknown isn't unlicensed

When license information is missing, the person shows as Unknown. They aren't counted in unlicensed results.

Licensed chat

Recognized chat activity from people with a Microsoft 365 Copilot license. Agent activity is reported separately.

Copilot Chat (unlicensed)

Recognized chat from people without a license. Agents, Cowork, other products and unclassified activity are excluded.

Agent users


People with recorded agent activity, whatever their license. Agent adoption divides them by all active users.

Groups overlap

One person can use M365 Copilot, Copilot Chat and agents. Compare these groups side by side; don't add them up.

Copilot Usage Explorer

How is my team, a manager's organization or one agent using Copilot right now?



1 Six headline numbers

Active users, prompts, sessions, prompts per session, active days per user and repeat users for your selection.

2 Daily prompts and sessions

Thin daily lines and bold 7-day trends. Matching dots mark month starts on the trends, not weekend daily dips.

3 Activity by experience

Switch sessions or prompts for M365 Copilot, agents, Copilot Chat, other AI, unclassified activity and Cowork. People can overlap.

4 Agent usage

Every agent your selection used, with users, prompts, sessions, organizations, type and last activity.


5 Inferred usage patterns

Likely tasks inferred from records, not outcomes. Not enough activity to infer explains insufficient evidence without inventing a category.

TRY THIS Open Org filters > Reporting team, search for a manager, then right-click an agent name and choose Drill through > Agent drillthrough.

License Prioritization

Which groups show usage patterns that could support a licensing conversation?



1 Paid and free activity counts

Paid/free directory and activity counts stay distinct. Their independent activity choices reset with Clear filters.

2 Unlicensed usage leaderboard

Compare Departments or People & chart. Individual ranks and person search require approved detail.

3 License priority patterns

Choose Sessions or Prompts; median, scale and priority-score units follow the metric.

4 How the score works

Unlicensed peers under one manager share dense ranks by Copilot Chat activity. 1 leads; ties share ranks. Blank totals have no pink fill.


! Read it carefully

Score: 60/30/10 weights, with 10/5/5 benchmarks. Sessions is default; Prompts swaps volume units. Uncapped heuristic.

TRY THIS Pick two departments near the High Priority corner and ask their leads which tasks would benefit from licensed features.

Copilot Overall: Combined Trends

How do M365 Copilot, Copilot Chat and agents compare over time?



1 Users by experience

Agent users, Unlicensed Chat Users, active and inactive licensed users, plus licensed directory headcount. Dividers separate the groups.

2 Sessions per user over time

Weekly patterns or Monthly comparison: totals, distinct active people and per-active-person ratios.

3 Active users by department

With observed history, paid/free populations may overlap. Distinct totals count each person once.

4 Frequency and intensity

Departments by how often and how much they use Copilot. Tabs switch between the three experiences.


! Read it carefully

Don't add users across experiences, and don't assume people moved from one to another.

TRY THIS Compare one department across the three tabs of the bubble chart, then ask what explains the difference.

Copilot Overall: Combined Leaderboard

Which departments use each experience, and how many chat users also use agents?



1 Headline comparison

Users, prompts, prompts per session and weekly comparisons, with group dividers and explicit per-user units.

2 Licensed usage

Users, Copilot sessions per user and agent comparisons by department. Agent prompt cells also need this licensed row to meet the minimum.

3 Unlicensed usage

Chat users, sessions per user and agent comparisons. Agent prompt cells also need this unlicensed row to meet the minimum.


! Read it carefully

Each percentage answers one question: of this table's chat users, how many also used agents? Unknown license status isn't counted as unlicensed.

TRY THIS Find a department with high chat use but a low agent share, and ask whether an existing agent could help them.

Agents: Usage Trends

How many people try agents, and how many come back?



1 Most users and most organizations

Most users and organizations describe reach and show ties. Top builder stays stable when an individual agent is selected.

2 Headline numbers

Active agents, agent users, adoption, weekly prompts/sessions, their month-over-month changes and repeat users.

3 Users and sessions over time

Whether agent use is growing across the selected dates.

4 Top 5 agents by sessions

Hover over a Top 5 agent for its gated description and type. Select an agent to filter the page.


5 Weekly usage rank and focus filters

Paired bars compare agent sessions and prompts per active week by usage rank. Return, review, type, name and recency filters remain.

TRY THIS Compare reach with repeat use over several weeks, then open Agent Details for the agent that surprises you.

Agents: Habit Formation

How often do people use agents in a month?



1 Habit month

The month before the end of your selected dates. Cards and bars describe this month.

2 Four habit groups

Light 1–5, Moderate 6–10, Frequent 11–15 and Daily 16+ active days, with users and share of users.

3 Previous-month active days

Bars that compare the four groups directly for the habit month.

4 Activity tables

Agent user activity by department and by agent, for your whole selected period.


5 Active days over time

How the mix of habit groups changes month by month.

TRY THIS Set your dates to end on the last day of a month, then compare the Daily share with the month before.

Agents: Leaderboard

Which agents, and which people, lead on sessions and prompts?



1 Headline numbers

Catalog IDs differ from active agents. Active = matched + activity-only + ambiguous; system agents are excluded by default.

2 By agent or By user

By agent is the default. By user ranks people only with approved Minimum Group Size 1.

3 Agent user leaderboard

Most used agent: sessions, then name. Agents used: distinct count in that row. Manager/employee detail needs approved 1.

4 Agents leaderboard

Creator includes matching catalog agents with no usage, without exposing protected activity. Scroll right for metadata and Features.


5 Agent features

Features are restored to the Leaderboard. Scroll right to match the supported surfaces to the legend.

TRY THIS Select an agent, then Agent Details for scoped drillthrough. Its note and Open Agent Details button lead to the full agent list.

Agents: Health Check

Which agents should we keep, and which should we review with their owners?



1 Every agent with a review label

Build platform and catalog status are separate. Store agents identify a publisher, not a tenant creator.

2 Review labels

Dormant: previously used, last active over 60 days before the end date. No usage/Never Used is different; review labels are heuristics.

3 Agents by review status

Counts use resolved IDs and the same selected dates, scope and access.


! Read it carefully

High impact uses 100 users and 10 organizations for Microsoft agents, 30 and 3 for Agent Builder, and 50 and 5 for others. These are rules of thumb, not decisions.

TRY THIS Org filters can include system agents; they are not review targets. Security Copilot shows Usage not tracked here. Discuss other labels with owners.

Agents: Use Cases

What might each agent be used for?



1 Top 10 agents by engagement

At least MAX(Minimum Group Size, 5) users in scope.

2 What are agents being used for?

Score components: return rate, sessions/user and prompts/session. Inferred activities remain clues; insufficient evidence is labeled.

3 Agents leaderboard

Hover: users, sessions, prompts and prompts/session.


! How the score works

Average the three peer percentiles equally. Ties share a percentile; a sole eligible agent scores 100%.

TRY THIS Score ties: sessions descending, then name ascending. A percentile is the share of eligible peers below this value; not business value.

Agent Details

Who uses this agent, how much, where, and do they come back?



1 Agent picker

Tab: all agents. Drillthrough: the clicked agent.

2 Six headline numbers

Users, prompts, agent sessions, prompts per session, organizations and repeat users.

3 Daily prompts and sessions

Daily lines with bold 7-day averages.

4 Usage by organization

Which departments use the agent most.


5 Usage detail

Departments, and people when approved, with prompts, sessions, active days and last activity.

TRY THIS Leaderboard button or right-click > Agent drillthrough keeps the selected agent. Open Agent Details browses freely; Back returns.

M365 Copilot: Usage Trends

How is licensed Microsoft 365 Copilot use trending?



1 Headline numbers

Active and inactive licensed users, sessions, weekly prompts/sessions, prompt/session month-over-month change and weekly active days.

2 Usage trend

Active users and sessions per user, week by week.

3 Weekly prompts and sessions by department

Compare departments of different sizes.

4 Prompts and sessions by usage rank

Prompts and sessions per active week by dynamic band, from Top 10% to Bottom 25%; dates and population determine the bands.


5 Top 5 apps

Friendly app names identify products, including M365 Copilot Chat. Hover for raw AppHost.

TRY THIS Look at users, sessions and apps together, and ask the team what explains a change before drawing conclusions.

M365 Copilot: Habit Formation

Is licensed Copilot becoming a monthly habit?



1 Habit month

The month before the end of your selected dates.

2 User activity by department

Users and prompts per user for your whole selected period.

3 Four habit groups

Light, Moderate, Frequent and Daily, with users and share of users.

4 Previous-month active days

Bars comparing the four groups.


5 Active days over time

The habit mix month by month.

TRY THIS Track the Light group month by month. A shrinking Light share with a growing Frequent share suggests a forming habit.

M365 Copilot: Leaderboard

Which departments and apps lead in licensed Copilot use?



1 Headline numbers

Active and inactive licensed users, sessions, weekly prompts/sessions, changes and weekly active days.

2 Usage leaderboard by department

Users, prompts, sessions and matching weekly ratios.

3 Usage by application

Expand an app to see its departments, and people when approved.


4 Rank filter

Focus on your most or least active users.

TRY THIS Expand a friendly app name, then a department. Hover for raw AppHost; unknown values pass through.

Copilot Chat: Usage Trends

How often do people without a Copilot license use Copilot Chat?



1 Headline numbers

Chat users, weekly prompts and sessions per user, prompt/session month-over-month change and weekly active days.

2 Usage trend

Active users and weekly sessions per user over time.

3 Weekly chat sessions by department

Compare departments of different sizes.

4 Prompts and sessions by usage rank

Weekly prompts and sessions by dynamic usage band.


5 Same-day repeat use

Share of that day's active users with more than one session. 50% means half of them, not half the company.

TRY THIS Read the repeat-use line with the weekly trend. A spike can mean useful work, retries or a hard task, so ask the team.

Copilot Chat: Habit Formation

Is Copilot Chat becoming a regular habit?



1 Habit month

The month before the end of your selected dates.

2 User activity by department

Users, prompts, sessions and weekly ratios for the period.

3 Four habit groups

Light, Moderate, Frequent and Daily, with users and share of users.

4 Previous-month active days

Bars comparing the four groups.


5 Active days over time

The habit mix month by month.

TRY THIS Compare this page with M365 Copilot: Habit Formation for the same team and month to see how habits differ.

Copilot Chat: Leaderboard

Which departments lead in Copilot Chat use, and how engaged are they?



Department	Users	Sessions	Sessions / active week	Weekly prompts per user	Prompts	Prompts / session
Customer Success	67	402	1.5	3.3	871	2.2
Engineering	670	6,164	1.5	4.4	19,497	3.2
Finance	536	7,035	2.0	7.9	22,713	3.2
Human Resources	402	2,010	1.2	3.4	5,762	2.9
IT Operations	268	2,546	1.7	3.8	6,231	2.4
Legal & Compliance	268	21,373	9.3	29.3	67,804	3.2
Marketing	268	3,015	2.0	5.5	8,643	2.9
Operations	469	25,192	4.8	15.4	80,936	3.2
Research & Development	134	9,246	8.1	27.8	28,207	3.1
Sales	134	13,668	9.6	25.6	36,314	2.7
Total	**3,216**	**90,651**	**3.4**	**10.4**	**276,978**	**3.1**

Department	Prompts	Chat sessions	Prompts / session	Sessions / active week	Weekly prompts per user	Last activity
Customer Success	871	402	2.2	1.5	3.3	16 Sep 2026
Engineering	19,497	6,164	3.2	1.5	4.4	18 Sep 2026
Finance	22,713	7,035	3.2	2.0	7.9	18 Sep 2026
Human Resources	5,762	2,010	2.9	1.2	3.4	17 Sep 2026
IT Operations	6,231	2,546	2.4	1.7	3.8	17 Sep 2026
Legal & Compliance	67,804	21,373	3.2	9.3	29.3	18 Sep 2026
Marketing	8,643	3,015	2.9	2.0	5.5	18 Sep 2026
Operations	80,936	25,192	3.2	4.8	15.4	18 Sep 2026
Research & Development	28,207	9,246	3.1	8.1	27.8	18 Sep 2026
Sales	36,314	13,668	2.7	9.6	25.6	18 Sep 2026
Total	**276,978**	**90,651**	**3.1**	**3.4**	**10.4**	**18 Sep 2026**

1 Headline numbers

Chat users, weekly prompts and sessions per user, prompt/session month-over-month change and weekly active days.

2 Usage leaderboard by department

Users, prompts, sessions, prompts per session and weekly comparisons.

3 Current chat engagement

Prompts, sessions, prompts per session, sessions per active week and last activity.

! Read it carefully

These pages count recorded chat only, not agents, Cowork or unclassified activity. People appear only with an approved setting.

TRY THIS Read people, prompts and sessions separately. More prompts can come from more users, longer conversations or retries.

Metric Glossary & Guide

What does this number mean, and how should I read it?

Find definitions by page

Choose among the 17 existing report pages. The glossary opens on Copilot Usage Explorer; no extra report page is needed for history.

User License Timeline

One-line state: First seen timeline. Existing person-row tooltips follow the individual-detail and person-identity rules; dates are observations, not assignments.

Setup reminders

Set team size at load or later; Close & Apply, Clear filters and access permissions remain separate.

Read it carefully

Use headline help and prompt-count coverage links for context. Shared metric names are consistent; report heuristics are not validated targets.

TRY THIS Keep this page open in a second tab while you present, so you can answer "what does this mean?" on the spot.

Common questions

Quick answers to what people ask most when reading the report.

Why don't the user counts add up?

One person can use several experiences, and daily distinct counts don't add up to a period total. Compare side by side.

Why is a group hidden?

It has fewer eligible people than the Minimum Group Size. A group that qualifies but has no records shows no recorded activity.

Why don't the habit cards match the tables?

The cards use the habit month. The tables use your whole selected period.

Why is a licensed person shown as unlicensed?

History Off uses the snapshot. With history, activity follows the recorded event-time license, not today's license.

Why is an agent's platform or metadata missing?

Check Catalog status: activity-only or ambiguous matches lack reliable catalog details. Store developers are publishers; unknown platforms are labeled explicitly.

Why can't I see By user or employee rows?

Individual detail appears only when the report owner has approved Minimum Group Size 1.

From numbers to conversations

The report shows the pattern. The team can explain it. Agree one change, then look again.

If you see...	Where	Ask the team...
Many licensed users are inactive	M365 Copilot: Usage Trends	What gets in the way: time, training or the type of work?
Frequent chat use without a license	License Prioritization	Would licensed features help this team's regular work?
People try an agent but don't return	Agents: Usage Trends	Does it answer the questions people actually ask?
An agent is labeled Review	Agents: Health Check	Is it still needed, or does it need updating or retiring?
Habits stay Light for months	Habit Formation pages	Which task could become a weekly routine?
Long conversations with an agent	Agents: Leaderboard	Is it doing deep work, or are people retrying?

THEN Agree one change, keep the same team and comparable dates, and ask whether it helped their work, not just whether numbers rose.

What the report doesn't measure

It describes recorded activity. Use it alongside what people tell you.

NOT MEASURED

- × Time saved or productivity
- × Answer quality or accuracy
- × Revenue or return on investment
- × Employee performance
- × Session length or hours of use
- × Agent responses or voice use

KEEP YOUR DATA CURRENT

Refresh on a schedule

PAX or the Fabric notebooks can add each new day. Schedule refresh in the Power BI service to run after that job.

Check a real refresh

Confirm that a scheduled refresh brings in new days. Opening the report on a laptop doesn't prove online refresh works.

Expect some variation

Prompt counts can differ from other Copilot reports because of coverage and timing.

REMEMBER Activity can start a conversation about training, access or agents. Evidence of value needs more than usage totals.

KEEP LEARNING

Clear numbers, better conversations.

Storyboard

A ready-to-present walkthrough for leadership reviews and adoption councils.

Screenshot tour

All 17 pages, in order, with what each one shows.

Metric Glossary & Guide

Definitions for every number, inside the report.

GET THE DASHBOARD

aka.ms/AI-in-One

More free Copilot analytics reports: aka.ms/Analytics-Hub

Synthetic screenshots use Minimum Group Size 1 to illustrate optional detail. Templates default to 3; real individual views require approval. Values are not benchmarks.

Prioritization and monthly comparisons

Use the view that matches the question; the score supports a conversation, not a decision.

Choose a prioritization view

Paid/free counts, independent activity choices, Departments and protected person search work together. Clear filters resets the selections.

Choose Sessions or Prompts


Sessions is the default. Prompts uses the same 10/5/5 benchmarks and 60/30/10 weights in prompt units. The score is uncapped, not a percentage or productivity measure.

Compare months

Combined Trends compares monthly totals, distinct active people and per-active-person ratios in temporal paid/free cohorts. Weekly-only rank controls do not change totals.

Allow overlap

With observed history, a person may belong to paid and free populations in one period. Distinct totals can be smaller than their sum.



Population	Free (unlicensed)					Paid (licensed)				
Month	Sessions	Prompts	Active users	Sessions / active user	Prompts / active user	Sessions	Prompts	Active users	Sessions / active user	Prompts / active user
Jun 2026	1,675	5,628	402	4.2	14.0	2,814	9,983	938	3.0	10.6
Jul 2026	23,115	69,211	2,345	9.9	29.5	65,526	200,062	4,623	14.2	43.3
Aug 2026	48,240	146,529	3,082	15.7	47.5	131,521	387,997	5,829	22.6	66.6
Sep 2026	31,490	92,661	2,747	11.5	33.7	95,475	290,043	5,896	16.2	49.2

Monthly comparison using the unchanged synthetic snapshot.

Example data is illustrative, not a benchmark. Minimum Group Size defaults to 3.

Read observed history responsibly

Collection history adds context; it does not reconstruct every entitlement change.

History across the existing report

All 17 pages count people by stable person key, not state UserKey. Organization follows the latest person record; activity uses event-time licensing. History Off and one-state inputs keep snapshots.

License Population in Period

Distinct authorized people with a recorded state in effect during the period. Paid/free periods can overlap; the earliest dated state covers earlier events. Unknown stays Unknown.

Keep existing definitions

Habit bands stay 1–5, 6–10, 11–15 and 16+ active days in the displayed month. Prompt-only messages do not support a responses-per-prompt metric.

Use patterns, not claimed outcomes

Stored behavior labels use resource/action/context/plugin/app-host evidence and sometimes agent-name keywords. Leading patterns use agent sessions with alphabetical ties; no prompt-text AI inference is implied.

Recognize the example

The unchanged sample has 7,973 agent users: 5,829 paid + 2,144 free with no overlap. That sample fact is not a universal rule for observed history.

Fabric keeps both source choices explicit

Default Graph collectors remain current snapshots. Paired processed-PAX CSV inputs preserve already-exported states, dates and event attribution; preparation validates the publication contract.

Example data is illustrative, not a benchmark. Minimum Group Size defaults to 3.