




See what's new. Understand the difference.

AI-in-One Dashboard v2.0.0

Microsoft Copilot Analytics Team
October 4, 2026





One dashboard, clearer ways to explore

Match the numbered pictures with the Before and Now explanations. Open the report to explore the detailed tables.

01 CHOOSE AND RESET

Choose your team, department and dates. These choices follow you between pages. Clear filters resets your selections, but never changes who you are allowed to see.

02 TEAM SIZE AND PEOPLE

Minimum Group Size defaults to 3: show team results for groups of at least three people. The report owner must approve changing it to 1 for individual activity.

03 KNOW WHAT YOU ARE SEEING

Active filters lists up to three names, then shows how many you selected. Activity status explains when there are no records or a group is too small to show.

04 UNDERSTAND THE NUMBERS

The report now separates chat from agent activity more clearly. Agent percentages, types and review labels have clearer meanings.

THE REPORT IS SHARED; CONNECTION SETUP VARIES

The pages, metrics and navigation described here apply across editions using this dashboard version. Follow the separate connection instructions for your data location.



Set Minimum Group Size

Choose the reporting detail before the first load. You can change the same setting later.

FIRST OPEN: TEMPLATE (.PBIT)

Enter the file paths, then fill in Minimum Group Size before selecting Load.

Initial template dialog.

- 1** Individual detail included, no minimum group sizes are used.
- 3** Team reporting minimum group default size. Groups need at least three eligible people; individual activity stays hidden. To enforce a custom minimum group size, choose a value > 1.

CHANGE IT LATER IN DESKTOP

1. Home > Transform data.
2. Power Query Editor: Home > Manage parameters.
3. Select the existing Minimum Group Size and edit Current value.
4. OK > Close & Apply. Wait for processing; refresh if prompted.
5. Ctrl+click "Clear filters" in Desktop edit mode, then confirm the reporting mode.

Reopening a saved PBIX does not show the initial dialog. Do not use Modeling > New parameter.

USE IT The minimum counts eligible people in the selected group, not just active users. It does not replace access permissions.



Universal organization filters

Set your organizational scope once, then keep it as you move through the report.

Org filters

Clear filters

Organization filters

Close

Company

All

Division

All

Department

All

Reporting team

All

User

All

License

All

Selections sync across report pages.
User detail follows Minimum Group Size.

Clear filters

1 One place for organizational scope

Company, Division, Department, Reporting team, User and License are together in one panel. Duplicate controls no longer take up room on the report pages.

2 Keep your selection as you move

Selections follow you across analytical pages. Closing the panel keeps your choices. The glossary stays focused on definitions and guidance.

3 Reset filters and table drill-downs

Clear filters resets synchronized selections and returns expanded or drilled tables to their starting level without leaving the current page.

4 Individual detail stays protected


User choices require Minimum Group Size 1. Group-size rules and access permissions still apply. Date and page-specific agent controls remain separate.

USE IT Open Org filters beside Clear filters. Close keeps your choices; Clear filters resets the scope and table drill-downs.



Copilot Usage Explorer

One place to start exploring your team's Copilot use.



1 Find a team or agent

BEFORE: No single overview brought these choices together.

NOW: Search for a manager at any level, choose a reporting team, or select an agent.

2 Understand missing numbers

BEFORE: Selections and reasons for missing data were harder to see.

NOW: See your current choices and whether a group is too small or has no recorded activity.

3 See the weekly pattern

BEFORE: You needed several pages to see the overall activity picture.

NOW: Thin lines show each day. Bold 7-day averages make the wider pattern easier to follow.

4 Open agent details

BEFORE: There was no direct route from an overview to agent details.

NOW: Right-click an agent name, then choose Drill through > Agent drillthrough to open its details.


IN BRIEF The earlier report opened on Combined Trends; Explorer is new.

USE IT Find a team, choose an agent and open its details. Explore all agents lets you browse another while keeping the team and dates.



License Prioritization

Start a licensing conversation, rather than make a decision from one score.



1 Correct explanation, same score

BEFORE: The explanation said 60/40 even though the score used 60/30/10.

NOW: The explanation now matches the existing score. The scoring formula has not changed.

2 Compare the same weekly figures

BEFORE: Chart reference lines could use a different time basis.

NOW: Reference lines now use the same weekly measures as the chart.

3 Start with departments

BEFORE: The table could show individual user rankings immediately.

NOW: Department comparisons are the default; individual rankings need approval.

4 Know which results you are comparing

BEFORE: Choices made on other pages were less obvious here.

NOW: The selected team, dates and filters remain visible and can be reset.

IN BRIEF The chart and ranking idea are familiar; the explanation and comparisons are clearer.

USE IT Use the page to start a licensing discussion alongside job needs, cost and colleague feedback—not as an automatic decision.



Combined Trends

Compare Copilot experiences without adding overlapping user counts.



IN BRIEF The main comparisons were already here; the layout and grouping are clearer.

1 Compare side by side

BEFORE: Stacked bars could make different user groups look like one total.

NOW: Separate bars show each group. A person may use more than one Copilot experience.

2 Keep the whole chart visible

BEFORE: Larger department bubbles could be cut off.

NOW: Charts leave more room around the results, including larger departments.

3 Keep your selections

BEFORE: It was harder to see which choices carried between pages.

NOW: Date handles and selection summaries make it easier to follow the same team and period.

4 Compare the right activity

BEFORE: A license alone could determine which activity was counted as chat.


NOW: Chat results use recorded chat activity. Team summaries are the default.

USE IT Keep one department and date range selected while comparing the three views. One person can appear in more than one user group.



Combined Leaderboard


Compare departments using clearly defined chat-user percentages.





Agents | Usage Trends

See which agents reach people and whether people return.



IN BRIEF The main charts were already available; labels, selections and readability have improved.

1 Know what is being ranked

BEFORE: Popularity labels did not clearly say what was being compared.

NOW: Most users and Most organizations say exactly what leads, and show when there is a tie.

2 Clearer headline numbers

BEFORE: Adoption and return labels were easy to confuse.

NOW: Labels help separate how many people try agents from how many return to use them.

3 Read the charts more easily

BEFORE: Crowded charts and large labels used up space.

NOW: Aligned charts and clearer labels make changes over time easier to follow.

4 Keep agent choices consistent

BEFORE: Agent types could depend on older classification labels.


NOW: Types follow the platform used to create the agent, and selections carry into details.

USE IT Compare reach and repeat use over several weeks, then open Agent Details to understand a particular agent.



Agents | Habit Formation

See how often people use agents, with the month clearly shown.



1 Know which month you are reading

BEFORE: The month depended on the latest activity found in the data.

NOW: The page prints the month before your selected end month.

2 A compact habit summary

BEFORE: Four tall cards left less room for the tables and charts.

NOW: Light, Moderate, Frequent and Daily sit together in one row.

3 Compare people, not slices

BEFORE: A ring-shaped chart made group sizes harder to compare.

NOW: Bars show how many people fall into each active-day range.

4 More room for useful detail

BEFORE: Uneven table and chart sizes made the page difficult to read.

NOW: Two tables and two charts line up neatly below the summary.

IN BRIEF The habit groups existed before; the page now gives them a clearer month and layout.

USE IT Read the named habit month first. Compare its four cards with the matching bars, not the whole-period table.



Agents | Leaderboard

Compare agents or the people using them, with room to read the details.

3

1

4

2

Agents Leaderboard

Agent metadata matched. | Minimum headcount: 1

Date: 6/1/2026 - 9/30/2026

Activity status: 7,973 active users from 10,050 eligible people. Headcount minimum met.

Active filters: Dates: 01 Jun 2026 - 30 Sep 2026 | Other slicers: All

Org filters

Clear filters

Most users: Strategic Accounts Proposal Desk

Most organizations: Access Help Center (+133 tied)

Top builder: Javier Kness

Catalog agents: 1,206

Active Agents: 1,005

High Impact Agents: 357

Dormant Agents: -

Repeat users: 84.9%

Expand Agent > Department > Managers > Employees. By user: explore team and employee usage.

By agent

By user

Agent Details

Agent User Leaderboard

All selected departments | Manager / employee drill-down

Department	Users	Sessions	Sessions / user
Engineering	1,675	23,249	13.9
Sales	1,273	14,003	11.0
IT Operations	938	13,534	14.4
Marketing	804	12,261	15.3
Customer Success	603	9,313	15.4
Legal & Compliance	402	7,571	18.8
Operations	670	6,231	9.3
Finance	804	5,628	7.0
Human Resources	469	2,881	6.1
Total	7,973	97,418	12.2

Agent Features (Legend)
Platforms:
in Teams = Available in Microsoft Teams
in Outlook = Available in Outlook
in Office = Available across Microsoft 365 apps
SharePoint = Can access SharePoint sites and files
OneDrive = Can access OneDrive files and folders
Graph = Can extend to Microsoft Graph connectors
Files = Contains uploaded files or documents

Agents Leaderboard

All selected departments | Manager / employee drill-down

Agent	Agent type	Users	Prompts	Sessions	Prompts / session	Sessions / user	Return Rate
Strategic Accounts Proposal Desk	Copilot Studio	856	7,965	2,421	3.3	2.8	52.6%
Access Request Navigator	Agent Builder	712	5,755	1,843	3.1	2.6	56.9%
Fulfillment Status Reporter	Agent Builder	368	2,010	661	3.0	1.8	32.9%
Data Protection Risk Companion	Copilot Studio Lite	352	1,739	589	3.0	1.7	38.9%
Technical Support Resolution Gu...	Agent Builder	271	1,782	550	3.2	2.0	47.2%
Services Terms Assistant	Copilot Studio Lite	251	1,300	468	2.8	1.9	44.6%
Graduate Training Finder	Copilot Studio	245	1,163	386	3.0	1.6	37.1%
Business Finance Management S...	Copilot Studio Lite	237	1,240	417	3.0	1.8	35.4%
Management Course Advisor	Copilot Studio	237	997	340	2.9	1.4	30.4%
Total		7,973	296,140	97,418	3.0	12.2	84.9%

Prompt counts may differ in Viva/MAC (coverage/timing). [Why counts differ](#)

1 By agent or By user

BEFORE: The main table listed agents, with people shown separately.

NOW: Start By agent. An approved individual-detail setting also enables By user.

2 More useful activity detail

BEFORE: The table focused mainly on users, sessions and return visits.

NOW: Prompts and prompts per session add context to conversation counts.

3 Clearer agent types

BEFORE: Some Agent Builder agents could receive the wrong type label.

NOW: Types follow the platform used to create the agent; missing information is identified.

4 Open details without losing your place

BEFORE: There was no dedicated Agent Details page.

NOW: Open an agent's details, or expand a department while keeping the numbers readable.

IN BRIEF The earlier agent list had fewer activity details and no dedicated details page.

USE IT Start By agent. When individual detail is approved, By user offers another view; compact expansion leaves room for names and numbers.



Agents | Health Check

Use current activity to decide which agents deserve a closer look.

1

2

3

4

Agents Health Check

Date

6/1/2026

9/30/2026

↶

?

Activity status

7,973 active users from 10,050 eligible people. Headcount minimum met.

Active filters

Dates: 01 Jun 2026 - 30 Sep 2026 | Other slicers: All

Org filters

Clear filters

Most users: Strategic Accounts Proposal Desk

Most organizations: Access Help Center (+133 tied)

Top builder: Javier Kness

Total Agents

1206

Active Agents

1,005

High Impact Agents

357

Dormant Agents

-

Repeat users

84.9%

Agent Name	Agent type	Users	Orgs	Activity recency	Return Rate	Review
Strategic Accounts Proposal Desk	Copilot Studio	856	11	2. Recent (Last 30 days)	52.6%	High impact
Access Request Navigator	Agent Builder	712	11	2. Recent (Last 30 days)	56.9%	High impact
Fulfillment Status Reporter	Agent Builder	368	10	2. Recent (Last 30 days)	32.9%	High impact
Data Protection Risk Companion	Copilot Studio Lite	352	11	2. Recent (Last 30 days)	38.9%	High impact
Technical Support Resolution Guide	Agent Builder	271	11	2. Recent (Last 30 days)	47.2%	High impact
Services Terms Assistant	Copilot Studio Lite	251	9	2. Recent (Last 30 days)	44.6%	High impact
Graduate Training Finder	Copilot Studio	245	10	2. Recent (Last 30 days)	37.1%	High impact
Business Finance Management Su...	Copilot Studio Lite	237	10	2. Recent (Last 30 days)	35.4%	High impact
Management Course Advisor	Copilot Studio	237	10	2. Recent (Last 30 days)	30.4%	High impact
Application Reference Library	Agent Builder	230	10	2. Recent (Last 30 days)	48.3%	High impact
Data Protection Obligation Finder	Copilot Studio Lite	226	11	2. Recent (Last 30 days)	37.6%	High impact
Workplace Technology Request N...	Agent Builder	225	11	2. Recent (Last 30 days)	53.8%	High impact
Network Knowledge Desk	Agent Builder	222	11	2. Recent (Last 30 days)	60.4%	High impact
Cost Management Forecast Comp...	Copilot Studio Lite	218	10	2. Recent (Last 30 days)	37.2%	High impact
Competitive Insights Scout	Copilot Studio	212	9	2. Recent (Last 30 days)	47.6%	High impact
Technical Support Case Navigator	Agent Builder	212	11	2. Recent (Last 30 days)	44.3%	High impact

Agent review uses the selected scope and dates. High impact: user and organization reach thresholds are met. Keep: recorded use without a current review condition. Review: last recorded activity is more than 60 days before the selected end. No usage: no recorded activity in this selection. These are adoption indicators, not measured business value.

Agent User Activity

Review

Agents

High impact

357

Keep

648

No usage

201

Agents by review status

500

0

High im...

Keep

No usage

Agent Return Rate

All

Review

All

Agent Type

All

Agent Name

All

Activity recency

All

Agent User Rank

All

Agent Detail (select agent)

Select one agent to view its description.

IN BRIEF Review labels existed before, but some figures did not follow the selected team and dates.

1 Results follow your choices

BEFORE: Some review figures reflected the last data update, not your selections.

NOW: User counts, reach and return visits now respond to your team and dates.

2 Clearer review labels

BEFORE: Several labels overlapped or were difficult to interpret.

NOW: High impact, Keep, Review and No usage provide a simpler starting point.

3 Understand recent use

BEFORE: Last Activity looked like it would show an exact date.

NOW: Activity recency clearly groups agents by how recently they were used.

4 Keep the explanation in view

BEFORE: Long notes and cramped panels were hard to read.

NOW: Shorter explanations and clearer panels help you interpret the labels.

USE IT Choose a department and period, read the review explanation, then discuss any surprising label with the agent's owner.


Microsoft

12 / 22



Agents | Use Cases

See possible uses for agents, then discuss them with the people doing the work.



1 A useful table instead of an empty summary

BEFORE: The automatic written summary was sometimes unavailable.

NOW: A table shows agents, possible activity categories and conversation counts.

2 Keep the conversation breakdown

BEFORE: The page already compared session totals by agent.

NOW: That chart remains and follows your team and date choices.

3 Clearer agent information

BEFORE: Older type labels and crowded details were harder to understand.

NOW: The larger table includes agent types, prompts and listed capabilities.

4 Know the limits of the evidence

BEFORE: It was harder to see why information was missing.

NOW: Your selections and activity messages help explain what is and is not shown.


IN BRIEF The automatic written summary has been replaced; the main chart and table remain.

USE IT Choose an agent you know and discuss its suggested activity with the people who use it. Treat the category as a clue, not a measured outcome.



Agent Details

Start with all agents, then choose the one you want to understand.



1 Useful before you choose an agent

BEFORE: There was no dedicated page for agent details.

NOW: Open the tab to browse freely. With no agent selected, it starts with all agents; choose one or several.

2 One clear activity summary

BEFORE: There was no six-number summary for agent activity.

NOW: See people, prompts, conversations, departments and repeat use together.

3 See the weekly pattern

BEFORE: There was no dedicated daily chart on an agent details page.

NOW: Thin daily lines and bold 7-day averages show short-term changes and the wider pattern.

4 Department detail in context

BEFORE: No table on a dedicated Agent Details page.

NOW: See departments and, when approved, people alongside Last activity, with the same team and dates.


IN BRIEF Agent Details is a new page, with a separate route for opening a chosen agent.

USE IT Browse from all agents to one agent, or open details from another page. Back and Explore all agents offer clear ways to continue.



M365 Copilot | Usage Trends

Understand licensed Copilot use without treating activity as proof of value.



IN BRIEF The activity and application views remain; their presentation and grouping are improved.

1 Easier comparisons

BEFORE: Weekly averages appeared as slices of a ring-shaped chart.

NOW: Bars and clear number labels make the averages easier to compare.

2 More readable charts

BEFORE: Crowded labels and uneven spacing made comparisons difficult.

NOW: The trend and department charts line up and keep their own units.

3 Keep the application view

BEFORE: The application breakdown was already useful.

NOW: It remains, showing where licensed Copilot sessions were recorded.

4 Consistent team-size setting

BEFORE: There was no single grouping setting across every page.


NOW: Headline numbers and details now follow the same team-size setting and selections.

USE IT Look at users, weekly conversations and applications together. Ask the team what explains a change before drawing conclusions about value.



M365 Copilot | Habit Formation

Read monthly habits separately from activity over the whole selected period.




IN BRIEF The habit cards remain; the monthly chart, labels and group comparison are clearer.

USE IT Keep the named habit month separate from the selected-period Prompts / user table. The monthly chart shows how the pattern changes over time.

M365 Copilot | Leaderboard

Compare departments, then explore the applications people use.



IN BRIEF The department and application tables remain, with clearer grouping and more detail.

- 1 Department results first**

BEFORE: The table could expand directly to individual identifiers.

NOW: Team results are the default. Individual activity requires approval.
 - 2 Open application details**

BEFORE: The application table stopped at application totals.

NOW: Expand an application into departments and, when approved, individual people.
 - 3 Keep licensed chat separate**

BEFORE: License information could bring other activity into the totals.

NOW: The chat figures use recorded chat activity from licensed users.
 - 4 See your selections here too**

BEFORE: Choices made elsewhere were less visible on this page.


NOW: Selection summaries and Clear filters help you keep track of the comparison.

USE IT Open an application, then a department. Individual detail, when approved, adds people without taking over the table's columns.



Copilot Chat | Usage Trends

See how often people use chat and whether they return during the day.



IN BRIEF Bars replace the old averages chart; daily repeat use replaces the location breakdown.

1 Compare averages with bars

BEFORE: A ring-shaped chart made averages look like pieces of one total.

NOW: Bars make weekly session averages easier to compare.

2 See same-day repeat use

BEFORE: The lower-right chart showed where chat sessions took place.

NOW: A daily line shows the share of active users who had more than one session.

3 Keep the weekly picture

BEFORE: Weekly activity and department comparisons were already here.

NOW: Those comparisons remain, with more consistent spacing and clearer labels.

4 Understand what is included

BEFORE: Selections and reasons for hidden figures were harder to find.


NOW: The page shows your choices and explains when a group is too small.

USE IT Read same-day repeat use alongside the weekly pattern. More conversations can reflect useful work, retries or a difficult task.



Copilot Chat | Habit Formation

See whether chat is becoming a regular habit.



1 A clearly named month

BEFORE: The latest recorded activity decided the month behind the figures.

NOW: The page shows the month before your selected end month.

2 The same four ranges everywhere

BEFORE: Group labels and calculations were easier to misread.

NOW: Cards and charts use 1-5, 6-10, 11-15 and 16 or more active days.

3 Compare group sizes directly

BEFORE: A ring-shaped chart showed the habit groups as slices.

NOW: Bars show the number of people in each group.

4 Separate month and period

BEFORE: A dense layout made the different time periods less obvious.

NOW: Monthly habit charts sit together; the table still covers your selected period.


IN BRIEF The habit groups remain, with a clearer month, simpler charts and better spacing.

USE IT Compare the cards and bars for the printed month, then use the wider-period table to understand the broader activity pattern.



Copilot Chat | Leaderboard

Understand Copilot Chat use among people recorded without a paid license.





Metric Glossary & Guide

Find explanations for the numbers and controls you are looking at.

4

1

2

3

Metric Glossary

Select a page for current metric definitions and report guidance.

Filter by Page (to populate glossary)

Page

Copilot Usage Explorer

License Prioritization

Copilot Overall - Combined ...

Copilot Overall - Combined ...

Agents - Usage Trends

Agents - Habit Formation

Agents - Leaderboard

Agents - Health Check

Agents - Use Cases

Agent Details

M365 Copilot - Usage Trends

M365 Copilot - Habit Forma..

M365 Copilot - Leaderboard

Chat (Web) - Usage Trends

Chat (Web) - Habit Formation

Chat (Web) - Leaderboard

Metric Glossary & Guide

Headcount and navigation

3: aggregate; 1: individual detail.

Search teams at any depth.

Set before Load or Manage parameters.

Close & Apply, then Clear filters.

RLS/export permissions stay separate.

Metric	Description
Scope and dates	Activity follows the selected dates and experience. Minimum grouping uses eligible directory headcount after reporting-team, organization, license and access filters; agent/application/date activity does not shrink membership to active users.
Active users	Distinct people with recorded activity in the applicable experience and selected period. A user can belong to several experience populations; those counts are not additive.
People in scope	Distinct authorized directory users in the selected reporting-team, organization and license scope. This eligible headcount controls grouping. Twenty eligible people can legitimately show only two active users.
Prompts	Distinct nonblank recorded Message_Id values in prompt-only rollups. Repeated resource rows do not multiply prompts. These are user prompts, not agent responses.
Sessions	Distinct user/thread combinations in the current context. A thread revisited on several dates can count in several daily points but once in a selected-period total.
Prompts / session	Recorded distinct prompts divided by sessions in the same scope. Greater depth can reflect useful work, retries or difficulty; it is not measured productivity.
Active days / user	Average distinct recorded activity dates per active user in the applicable context. This is not time spent or an elapsed-calendar-day average.
Repeat users	Share of active users with at least two recorded sessions in the selected context. This is within-period repeat use, not previous-month user retention.
Last activity	Most recent recorded activity date in the current scope and dates. Available in agent and usage-detail tables; the standalone Explorer header card is removed.
Daily trends	Daily values are not cumulative totals. Daily distinct counts need not add to the period total. Missing or privacy-suppressed points are not converted to zero.
7-day averages	Bold solid lines show the trailing seven-calendar-day averages of the thin faint daily prompt/session lines. There are no point markers or dashes. Quiet days count as zero within recorded coverage. The first window can be partial; no extrapolation follows the last recorded activity.
Inferred activity	Categories inferred from audit context and matched agent metadata. They are not measured outcomes, generated response counts, time saved or revenue.
Minimum Group Size	Default 3: aggregate-only; hide groups with fewer than three eligible directory people, not fewer than three active contributors. A qualifying team can show zero, one or two active users. Values above 1 keep individual activity hidden; 1 enables authorized detail.
Activity status	Shows active users alongside eligible directory headcount. A population below the headcount minimum is hidden; a qualifying population with no matching records shows no recorded activity, not a contributor-suppression warning.
Active filters	Each filter lists up to three selected values; four or more show N selected. Contiguous dates stay a range; noncontiguous dates follow the same three-value rule. Hidden synchronized filters are included, and aggregate mode withholds person names.
Clear filters	Resets report slicers, including hidden synchronized selections, without leaving the page. Preserves page/filter-pane rules, drillthrough context, disclosure and RLS. Ctrl+click in Desktop edit mode; normal click for readers.

1

Current pages, not old ones

BEFORE:

The guide opened on a page that was no longer part of the report.

NOW:

It opens on Explorer and covers all 17 current report pages.

2

Useful explanations

BEFORE:

Some definitions used old assumptions or general targets.

NOW:

Read what each number counts: prompts are requests; sessions are conversations.

3

Two ways to set team size

BEFORE:

The report did not explain when to change the setting.

NOW:

It covers choosing the setting at first load or changing it later.

4

Team size is not access permission

BEFORE:

The difference between grouping and access was not clear.

NOW:

The guide separates what a page displays from who is allowed to see the data.

IN BRIEF The old glossary had 97 entries and included guidance for a retired page.

USE IT Look up a number or control in its page's glossary entries. Use the Dashboard guide for a fuller explanation of everyday report use.

Microsoft

21 / 22



From a clearer picture to a useful conversation.

01

FIND THE RIGHT VIEW

Start in Explorer, choose a team and period, then open the page that answers your question. Browse agents, compare departments or look at monthly habits.

02

READ THE RIGHT NUMBERS

People, prompts and conversations describe different things. Check the selected dates and the printed habit month before comparing results.

03

SHARE RESPONSIBLY

Keep the agreed team-size setting and access permissions. Activity can guide a conversation; it does not rate employees or prove business value.

ONE GUIDE ACROSS EDITIONS

The report pages, definitions and navigation are shared across data connections.

The screenshots use synthetic example data. Use the live report for detailed values and your organization's own results. Visit aka.ms/Analytics-Hub to download the live report, and to browse other free reports and tools available from the Microsoft Copilot Analytics team.