Tool Build Version: 1.2305.01

2023-04-25 01:10:19 - Validation Report

Role-type Support for Azure Stack HCI:

Management - Fail

Storage - Fail

Compute (Standard) - Fail

Compute (SDN) - Fail

Role-Type Test Result List:

For a more detailed log, please refer to the next section below

Management - Fail

Feature	VLAN		
Result	Fail		
LogSubject	VLAN Mismatch		
Feature	DHCP - Relay Agent IP		
Result	Pass		
LogSubject			
Feature	LLDP - Port VLAN ID (Subtype = 1)		
Result	Pass		
LogSubject			
Feature	LLDP - Link Aggregation (Subtype = 7)		
Result	Pass		
LogSubject			

Storage - Fail

Fail

Result

Feature	VLAN	
Result	Fail	
LogSubject	VLAN Mismatch	
Feature	LLDP - VLAN Name (Subtype = 3)	

LogSubject	LLDP Subtype 3 Mismatch, please check switch VLAN configuration
Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Fail
LogSubject	LLDP Subtype 4 Mismatch, please check switch MTU configuration
Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	
Feature	LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9)
Result	Fail
LogSubject	ETS Maximum Number of Traffic Classes Mismatch
Feature	LLDP - ETS Class Bandwidth Configuration (Subtype = 9)
Result	Fail
LogSubject	Priority 0~7 Mismatch
Feature	LLDP - PFC Maximum Number of Traffic Classes (Subtype = B)
Result	Fail
LogSubject	PFC Maximum Number of Traffic Classes Mismatch
Feature	LLDP - PFC Priority Class Enabled (Subtype = B)
Result	Pass
LogSubject	

Compute (Standard) - Fail

Feature	VLAN
Result	Fail
LogSubject	VLAN Mismatch
Feature	LLDP - VLAN Name (Subtype = 3)
Result	Fail
LogSubject	LLDP Subtype 3 Mismatch, please check switch VLAN configuration
Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Fail
LogSubject	LLDP Subtype 4 Mismatch, please check switch MTU configuration
Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	

Compute (SDN) - Fail

Feature	BGP
Result	Pass
LogSubject	
Feature	VLAN
Result	Fail
LogSubject	VLAN Mismatch
Feature	LLDP - VLAN Name (Subtype = 3)
Result	Fail
LogSubject	LLDP Subtype 3 Mismatch, please check switch VLAN configuration
Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Fail
LogSubject	LLDP Subtype 4 Mismatch, please check switch MTU configuration
Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	

ALL Detail Logs

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

TestDate: 2023-04-25T01:10:19.56808Z ToolBuildVersion: 1.2305.01 RoleResultList: - rolename: Management rolepass: Fail featuresbyrole: - featurename: VLAN featurepass: Fail featurelogsubject: VLAN Mismatch featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]' featureroles: - Management - Compute (Standard) - Compute (SDN) - Storage - featurename: DHCP - Relay Agent IP featurepass: Pass featurelogsubject: "" featurelogdetail: "' featureroles: - Management - featurename: LLDP - Port VLAN ID (Subtype = 1) featurepass: Pass featurelogsubject: "" featurelogdetail: "" featureroles: - Management - featurename: LLDP - Link Aggregation (Subtype = 7) featurepass: Pass featurelogsubject: "" featurelogdetail: "" featureroles: - Management - Compute (Standard) - Compute (SDN) - Storage - rolename: Storage rolepass: Fail featuresbyrole: - featurename: VLAN featurepass: Fail featurelogsubject: VLAN Mismatch featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]' featureroles: - Management - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - VLAN Name (Subtype = 3)

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]' featureroles: - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - Maximum Frame Size (Subtype = 4) featurepass: Fail featurelogsubject: LLDP Subtype 4 Mismatch, please check switch MTU configuration featurelogdetail: 'Detect: 9198, but Input: 9214' featureroles: - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - Link Aggregation (Subtype = 7) featurepass: Pass featurelogsubject: "" featurelogdetail: "" featureroles: - Management - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9) featurepass: Fail featurelogsubject: ETS Maximum Number of Traffic Classes Mismatch featurelogdetail: 'Detect: 3, but Input: 8' featureroles: - Storage - featurename: LLDP - ETS Class Bandwidth Configuration (Subtype = 9) featurepass: Fail featurelogsubject: Priority 0~7 Mismatch featurelogdetail: Detect 0:48,1:50,2:2,3:0,4:0,5:0,6:0,7:0, but should be 0:48,1:0,2:0,3:50,4:0,5:2,6:0,7:0 featureroles: - Storage - featurename: LLDP - PFC Maximum Number of Traffic Classes (Subtype = B) featurepass: Fail featurelogsubject: PFC Maximum Number of Traffic Classes Mismatch featurelogdetail: 'Detect: 7, but Input: 8' featureroles: - Storage - featurename: LLDP - PFC Priority Class Enabled (Subtype = B) featurepass: Pass featurelogsubject: "" featurelogdetail: "" featureroles: - Storage - rolename: Compute (Standard) rolepass: Fail featuresbyrole: - featurename: VLAN featurepass: Fail featurelogsubject: VLAN Mismatch

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]'

featureroles: - Management - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - VLAN Name (Subtype = 3) featurepass: Fail featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]' featureroles: - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - Maximum Frame Size (Subtype = 4) featurepass: Fail featurelogsubject: LLDP Subtype 4 Mismatch, please check switch MTU configuration featurelogdetail: 'Detect: 9198, but Input: 9214' featureroles: - Compute (Standard) - Compute (SDN) - Storage - featurename: LLDP - Link Aggregation (Subtype = 7) featurepass: Pass featurelogsubject: "" featurelogdetail: "" featureroles: - Management - Compute (Standard) - Compute (SDN) - Storage - rolename: Compute (SDN) rolepass: Fail featuresbyrole: - featurename: BGP featurepass: Pass featurelogsubject: "" featurelogdetail: "" featureroles: - Compute (SDN) - featurename: VLAN featurepass: Fail featurelogsubject: VLAN Mismatch featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]' featureroles: - Management - Compute (Standard) - Compute (SDN)

- Storage
- featurename: LLDP VLAN Name (Subtype = 3)

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719 720]'

featureroles:

```
- Compute (Standard)
       - Compute (SDN)
       - Storage
     - featurename: LLDP - Maximum Frame Size (Subtype = 4)
      featurepass: Fail
      featurelogsubject: LLDP Subtype 4 Mismatch, please check switch MTU configuration
      featurelogdetail: 'Detect: 9198, but Input: 9214'
      featureroles:
       - Compute (Standard)
       - Compute (SDN)
       - Storage
    - featurename: LLDP - Link Aggregation (Subtype = 7)
      featurepass: Pass
      featurelogsubject: ""
     featurelogdetail: ""
      featureroles:
       - Management
       - Compute (Standard)
       - Compute (SDN)
       - Storage
VLANResult:
  nativevlanid: 710
  allvlanids:
    - 1
    - 710
    - 711
    - 712
    - 713
    - 714
    - 715
    - 717
    - 718
    - 719
LLDPResult:
  sysdes: Aruba JL635A GL.10.11.1010
  portname: 1/1/4
  chasisid: 9020c2bc6900
  chasisidtype: MAC Address
  subtype1_portvlanid: 710
  subtype3_vlanlist:
    - 1
    - 710
    - 711
    - 712
    - 713
    - 714
    - 715
    - 717
    - 718
    - 719
  subtype4_maxframesize: 9198
  subtype7_linkaggcap: true
```

subtype9_ets:

etstotalpg: 3 etsbwbypgid: 0: 48 1: 50 2: 2 3: 0 4: 0 5: 0 6: 0 7: 0 subtypeb_pfc: pfcmaxclasses: 7 pfcconfig: 0: 0 1: 0 2: 0 3: 1 4: 0 5: 0 6: 0 7: 0 DHCPResult: dhcppacketdetected: true

relayagentip: 10.10.12.1 BGPResult:

bgptcppacketdetected: true switchinterfaceip: 10.10.10.1

switchinterfacemac: 90:20:c2:bc:69:00

hostinterfaceip: 10.10.10.11

hostinterfacemac: 00:50:56:96:9e:3b

Input Variables

interfacename: eth0 interfacealias: "" interfaceindex: 0 nativevlanid: 710

allvlanids:

- 710
- 711
- 712
- 713
- 714
- 715
- 716
- 717
- 718
- 719
- 720

mtusize: 9214 etsmaxclass: 8

etsbwbypg: 0:48,1:0,2:0,3:50,4:0,5:2,6:0,7:0

pfcmaxclass: 8

pfcpriorityenabled: 0:0,1:0,2:0,3:1,4:0,5:0,6:0,7:0