

2023-04-25 01:10:19 - Validation Report

Role-type Support for Azure Stack HCI:

Management - Fail

Storage - Fail

Compute (Standard) - Fail

Compute (SDN) - Fail

Role-Type Test Result List:

For a more detailed log, please refer to the next section below

Management - Fail

| | |
|------------|---------------|
| Feature | VLAN |
| Result | Fail |
| LogSubject | VLAN Mismatch |

| | |
|------------|-----------------------|
| Feature | DHCP - Relay Agent IP |
| Result | Pass |
| LogSubject | |

| | |
|------------|-----------------------------------|
| Feature | LLDP - Port VLAN ID (Subtype = 1) |
| Result | Pass |
| LogSubject | |

| | |
|------------|---------------------------------------|
| Feature | LLDP - Link Aggregation (Subtype = 7) |
| Result | Pass |
| LogSubject | |

Storage - Fail

| | |
|------------|---------------|
| Feature | VLAN |
| Result | Fail |
| LogSubject | VLAN Mismatch |

| | |
|---------|--------------------------------|
| Feature | LLDP - VLAN Name (Subtype = 3) |
| Result | Fail |

| | |
|------------|---|
| LogSubject | LLDP Subtype 3 Mismatch, please check switch VLAN configuration |
| Feature | LLDP - Maximum Frame Size (Subtype = 4) |
| Result | Fail |
| LogSubject | LLDP Subtype 4 Mismatch, please check switch MTU configuration |
| Feature | LLDP - Link Aggregation (Subtype = 7) |
| Result | Pass |
| LogSubject | |
| Feature | LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9) |
| Result | Fail |
| LogSubject | ETS Maximum Number of Traffic Classes Mismatch |
| Feature | LLDP - ETS Class Bandwidth Configuration (Subtype = 9) |
| Result | Fail |
| LogSubject | Priority 0~7 Mismatch |
| Feature | LLDP - PFC Maximum Number of Traffic Classes (Subtype = B) |
| Result | Fail |
| LogSubject | PFC Maximum Number of Traffic Classes Mismatch |
| Feature | LLDP - PFC Priority Class Enabled (Subtype = B) |
| Result | Pass |
| LogSubject | |

Compute (Standard) - Fail

| | |
|------------|---|
| Feature | VLAN |
| Result | Fail |
| LogSubject | VLAN Mismatch |
| Feature | LLDP - VLAN Name (Subtype = 3) |
| Result | Fail |
| LogSubject | LLDP Subtype 3 Mismatch, please check switch VLAN configuration |
| Feature | LLDP - Maximum Frame Size (Subtype = 4) |
| Result | Fail |
| LogSubject | LLDP Subtype 4 Mismatch, please check switch MTU configuration |
| Feature | LLDP - Link Aggregation (Subtype = 7) |
| Result | Pass |
| LogSubject | |

Compute (SDN) - Fail

| | |
|------------|------|
| Feature | BGP |
| Result | Pass |
| LogSubject | |

| | |
|------------|---------------|
| Feature | VLAN |
| Result | Fail |
| LogSubject | VLAN Mismatch |

| | |
|------------|---|
| Feature | LLDP - VLAN Name (Subtype = 3) |
| Result | Fail |
| LogSubject | LLDP Subtype 3 Mismatch, please check switch VLAN configuration |

| | |
|------------|--|
| Feature | LLDP - Maximum Frame Size (Subtype = 4) |
| Result | Fail |
| LogSubject | LLDP Subtype 4 Mismatch, please check switch MTU configuration |

| | |
|------------|---------------------------------------|
| Feature | LLDP - Link Aggregation (Subtype = 7) |
| Result | Pass |
| LogSubject | |

ALL Detail Logs

TestDate: 2023-04-25T01:10:19.56808Z

ToolBuildVersion: 1.2305.01

RoleResultList:

- rolename: Management
 - rolepass: Fail
 - featuresbyrole:
 - featurename: VLAN
 - featurepass: Fail
 - featurelogsubject: VLAN Mismatch
 - featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'
 - featurerole:
 - Management
 - Compute (Standard)
 - Compute (SDN)
 - Storage
 - featurename: DHCP - Relay Agent IP
 - featurepass: Pass
 - featurelogsubject: ""
 - featurelogdetail: ""
 - featurerole:
 - Management
 - featurename: LLDP - Port VLAN ID (Subtype = 1)
 - featurepass: Pass
 - featurelogsubject: ""
 - featurelogdetail: ""
 - featurerole:
 - Management
 - featurename: LLDP - Link Aggregation (Subtype = 7)
 - featurepass: Pass
 - featurelogsubject: ""
 - featurelogdetail: ""
 - featurerole:
 - Management
 - Compute (Standard)
 - Compute (SDN)
 - Storage
 - rolename: Storage
 - rolepass: Fail
 - featuresbyrole:
 - featurename: VLAN
 - featurepass: Fail
 - featurelogsubject: VLAN Mismatch
 - featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'
 - featurerole:
 - Management
 - Compute (Standard)
 - Compute (SDN)
 - Storage
 - featurename: LLDP - VLAN Name (Subtype = 3)
 - featurepass: Fail
 - featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'

featureroles:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Maximum Frame Size (Subtype = 4)

featurepass: Fail

featurelogsubject: LLDP Subtype 4 Mismatch, please check switch MTU configuration

featurelogdetail: 'Detect: 9198, but Input: 9214'

featureroles:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Link Aggregation (Subtype = 7)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featureroles:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9)

featurepass: Fail

featurelogsubject: ETS Maximum Number of Traffic Classes Mismatch

featurelogdetail: 'Detect: 3, but Input: 8'

featureroles:

- Storage

- featurename: LLDP - ETS Class Bandwidth Configuration (Subtype = 9)

featurepass: Fail

featurelogsubject: Priority 0~7 Mismatch

featurelogdetail: Detect 0:48,1:50,2:2,3:0,4:0,5:0,6:0,7:0, but should be 0:48,1:0,2:0,3:50,4:0,5:2,6:0,7:0

featureroles:

- Storage

- featurename: LLDP - PFC Maximum Number of Traffic Classes (Subtype = B)

featurepass: Fail

featurelogsubject: PFC Maximum Number of Traffic Classes Mismatch

featurelogdetail: 'Detect: 7, but Input: 8'

featureroles:

- Storage

- featurename: LLDP - PFC Priority Class Enabled (Subtype = B)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featureroles:

- Storage

- rolename: Compute (Standard)

rolepass: Fail

featuresbyrole:

- featurename: VLAN

featurepass: Fail

featurelogsubject: VLAN Mismatch

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'

featurerole:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - VLAN Name (Subtype = 3)

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'

featurerole:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Maximum Frame Size (Subtype = 4)

featurepass: Fail

featurelogsubject: LLDP Subtype 4 Mismatch, please check switch MTU configuration

featurelogdetail: 'Detect: 9198, but Input: 9214'

featurerole:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Link Aggregation (Subtype = 7)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featurerole:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- rolename: Compute (SDN)

rolepass: Fail

featuresbyrole:

- featurename: BGP

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featurerole:

- Compute (SDN)

- featurename: VLAN

featurepass: Fail

featurelogsubject: VLAN Mismatch

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'

featurerole:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - VLAN Name (Subtype = 3)

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712 713 714 715 716 717 718 719], but Input: [710 711 712 713 714 715 716 717 718 719]'

featurerole:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Maximum Frame Size (Subtype = 4)

featurepass: Fail

featurelogsubject: LLDP Subtype 4 Mismatch, please check switch MTU configuration

featurelogdetail: 'Detect: 9198, but Input: 9214'

featureroles:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Link Aggregation (Subtype = 7)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featureroles:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

VLANResult:

nativevlanid: 710

allvlanids:

- 1
- 710
- 711
- 712
- 713
- 714
- 715
- 716
- 717
- 718
- 719

LLDPResult:

sysdes: Aruba JL635A GL.10.11.1010

portname: 1/1/4

chasisid: 9020c2bc6900

chasisidtype: MAC Address

subtype1_portvlanid: 710

subtype3_vlanlist:

- 1
- 710
- 711
- 712
- 713
- 714
- 715
- 716
- 717
- 718
- 719

subtype4_maxframesize: 9198

subtype7_linkagcap: true

subtype9_ets:

etstotalpg: 3

etsbwbypgid:

0: 48

1: 50

2: 2

3: 0

4: 0

5: 0

6: 0

7: 0

subtypeb_pfc:

pfcmaxclasses: 7

pfcconfig:

0: 0

1: 0

2: 0

3: 1

4: 0

5: 0

6: 0

7: 0

DHCPResult:

dhcppacketdetected: true

relayagentip: 10.10.12.1

BGPResult:

bgptcppacketdetected: true

switchinterfaceip: 10.10.10.1

switchinterfacemac: 90:20:c2:bc:69:00

hostinterfaceip: 10.10.10.11

hostinterfacemac: 00:50:56:96:9e:3b

Input Variables

interfacename: eth0

interfacealias: ""

interfaceindex: 0

nativevlanid: 710

allvlanids:

- 710

- 711

- 712

- 713

- 714

- 715

- 716

- 717

- 718

- 719

mtusize: 9214

etsmaxclass: 8

etsbwbypg: 0:48,1:0,2:0,3:50,4:0,5:2,6:0,7:0

pfcmaxclass: 8

pfcpriorityenabled: 0:0,1:0,2:0,3:1,4:0,5:0,6:0,7:0