2022-11-06 05:22:06 - Validation Report

Supported Role-Types:

Storage - Pass

Management - Fail

Compute (Basic) - Pass

Compute (SDN) - Fail

Feature Test Result List:

Feature	BGP
Result	Fail
Log	TCP 179 Packet Not Detected from switch, please check switch BGP configuration.
RoleType	Compute (SDN)
Feature	VLAN
Result	Pass
Log	
RoleType	Management, Compute (Basic), Compute (SDN), Storage
Feature	DHCP - Relay Agent IP
Result	Fail
Log	DHCP Relay Agent IP Not Detected from switch, please check switch dhcp configuration.
RoleType	Management
Feature	LLDP - Port VLAN ID (Subtype = 1)
Result	Fail
Log	LLDP Subtype1 Mismatch, please check switch VLAN configuration - Detect: 1, but Input: 710
RoleType	Management
Feature	LLDP - VLAN Name (Subtype = 3)
Result	Pass
Log	
RoleType	Compute (Basic), Compute (SDN), Storage
Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Pass
Log	

RoleType	Compute (Basic), Compute (SDN), Storage
Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
Log	
RoleType	Management, Compute (Basic), Compute (SDN), Storage
Feature	LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9)
Result	Pass
Log	
RoleType	Storage
Feature	LLDP - ETS Class Bandwidth Configuration (Subtype = 9)
Result	Pass
Log	
RoleType	Storage
Feature	LLDP - PFC Maximum Number of Traffic Classes (Subtype = B)
Result	Pass
Log	
RoleType	Storage
Feature	LLDP - PFC Priority Class Enabled (Subtype = B)
Result	Pass
Log	
RoleType	Storage

ALL Detail Logs

```
TestDate: 2022-11-06T05:22:06.701322Z
RoleSummary:
  Compute (Basic): Pass
  Compute (SDN): Fail
  Management: Fail
  Storage: Pass
FeatureSummary:
  - featurename: BGP
   featurepass: Fail
   featurelog: TCP 179 Packet Not Detected from switch, please check switch BGP configuration.
   featureroles:
    - Compute (SDN)
  - featurename: VLAN
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Management
    - Compute (Basic)
    - Compute (SDN)
    - Storage
  - featurename: DHCP - Relay Agent IP
   featurepass: Fail
   featurelog: DHCP Relay Agent IP Not Detected from switch, please check switch dhcp configuration.
   featureroles:
     - Management
  - featurename: LLDP - Port VLAN ID (Subtype = 1)
   featurepass: Fail
   featurelog: 'LLDP Subtype1 Mismatch, please check switch VLAN configuration - Detect: 1, but Input: 710'
   featureroles:
    - Management
  - featurename: LLDP - VLAN Name (Subtype = 3)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Compute (Basic)
    - Compute (SDN)
    - Storage
  - featurename: LLDP - Maximum Frame Size (Subtype = 4)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Compute (Basic)
    - Compute (SDN)
    - Storage
  - featurename: LLDP - Link Aggregation (Subtype = 7)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Management
    - Compute (Basic)
    - Compute (SDN)
```

```
- Storage
  - featurename: LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Storage
  - featurename: LLDP - ETS Class Bandwidth Configuration (Subtype = 9)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Storage
  - featurename: LLDP - PFC Maximum Number of Traffic Classes (Subtype = B)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Storage
  - featurename: LLDP - PFC Priority Class Enabled (Subtype = B)
   featurepass: Pass
   featurelog: ""
   featureroles:
    - Storage
VLANResult:
  nativevlanid: 1
  allvlanids:
    - 1
    - 710
    - 711
    - 712
LLDPResult:
  sysdes: Cumulus Linux version 5.2.1 running on Mellanox Technologies Ltd. MSN2100
  portname: swp1
  chasisid: 98039b5cbb20
  chasisidtype: MAC Address
  subtype1_portvlanid: 1
  subtype3_vlanlist:
    - 1
    - 710
    - 711
    - 712
  subtype4_maxframesize: 9214
  subtype7_linkaggcap: true
  subtype9_ets:
    etstotalpg: 8
    etsbwbypgid:
       0: 48
       1: 0
       2: 0
       3: 50
       4: 0
       5: 2
       6: 0
       7:0
  subtypeb_pfc:
```

pfcmaxclasses: 8 pfcconfig: 0: 0 1: 0 2: 0 3: 1 4: 0 5: 0 6: 0 7: 0 DHCPResult: dhcppacketdetected: true relayagentip: "" BGPResult: bgptcppacketdetected: false switchinterfaceip: "" switchinterfacemac: "" hostinterfaceip: "" hostinterfacemac: ""

Input Variables

interfacename: ""
interfaceguid: ""
interfacealias: ""
nativevlanid: 0
allvlanids: []
mtusize: 0
etsmaxclass: 0
etsbwbypg: ""
pfcmaxclass: 0
pfcpriorityenabled: ""