

2022-11-06 05:22:06 - Validation Report

Role-type Support for Azure Stack HCI:

Management - Fail

Storage - Fail

Compute (Standard) - Fail

Compute (SDN) - Fail

Role-Type Test Result List:

For a more detailed log, please refer to the next section below

Management - Fail

Feature	VLAN
Result	Fail
LogSubject	Minimum of 10 VLANs need to be input and configured

Feature	DHCP - Relay Agent IP
Result	Fail
LogSubject	DHCP Relay Agent IP Not Detected from switch, please check switch dhcp configuration.

Feature	LLDP - Port VLAN ID (Subtype = 1)
Result	Fail
LogSubject	LLDP Subtype 1 Mismatch, please check switch VLAN configuration

Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	

Storage - Fail

Feature	VLAN
Result	Fail
LogSubject	Minimum of 10 VLANs need to be input and configured

Feature	LLDP - VLAN Name (Subtype = 3)
Result	Fail
LogSubject	LLDP Subtype 3 Mismatch, please check switch VLAN configuration

Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Pass
LogSubject	

Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	

Feature	LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9)
Result	Pass
LogSubject	

Feature	LLDP - ETS Class Bandwidth Configuration (Subtype = 9)
Result	Pass
LogSubject	

Feature	LLDP - PFC Maximum Number of Traffic Classes (Subtype = B)
Result	Pass
LogSubject	

Feature	LLDP - PFC Priority Class Enabled (Subtype = B)
Result	Pass
LogSubject	

Compute (Standard) - Fail

Feature	VLAN
Result	Fail
LogSubject	Minimum of 10 VLANs need to be input and configured

Feature	LLDP - VLAN Name (Subtype = 3)
Result	Fail
LogSubject	LLDP Subtype 3 Mismatch, please check switch VLAN configuration

Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Pass
LogSubject	

Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	

Compute (SDN) - Fail

Feature	BGP
Result	Fail
LogSubject	TCP 179 Packet Not Detected from switch, please check switch BGP configuration.

Feature	VLAN
Result	Fail
LogSubject	Minimum of 10 VLANs need to be input and configured

Feature	LLDP - VLAN Name (Subtype = 3)
Result	Fail
LogSubject	LLDP Subtype 3 Mismatch, please check switch VLAN configuration

Feature	LLDP - Maximum Frame Size (Subtype = 4)
Result	Pass
LogSubject	

Feature	LLDP - Link Aggregation (Subtype = 7)
Result	Pass
LogSubject	

ALL Detail Logs

TestDate: 2022-11-06T05:22:06.701322Z

RoleResultList:

- rolename: Management

rolepass: Fail

featuresbyrole:

- featurename: VLAN

featurepass: Fail

featurelogsubject: Minimum of 10 VLANs need to be input and configured

featurelogdetail: 'Detect: [1 710 711 712]'

featureroles:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: DHCP - Relay Agent IP

featurepass: Fail

featurelogsubject: DHCP Relay Agent IP Not Detected from switch, please check switch dhcp configuration.

featurelogdetail: ""

featureroles:

- Management

- featurename: LLDP - Port VLAN ID (Subtype = 1)

featurepass: Fail

featurelogsubject: LLDP Subtype 1 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: 1, but Input: 710'

featureroles:

- Management

- featurename: LLDP - Link Aggregation (Subtype = 7)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featureroles:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- rolename: Storage

rolepass: Fail

featuresbyrole:

- featurename: VLAN

featurepass: Fail

featurelogsubject: Minimum of 10 VLANs need to be input and configured

featurelogdetail: 'Detect: [1 710 711 712]'

featureroles:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - VLAN Name (Subtype = 3)

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712], but Input: [710 711 712 713 714 715 716 717 718 719 720]'

featureroles:
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Maximum Frame Size (Subtype = 4)
featurepass: Pass
featurelogsubject: ""
featurelogdetail: ""
featureroles:
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Link Aggregation (Subtype = 7)
featurepass: Pass
featurelogsubject: ""
featurelogdetail: ""
featureroles:
- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - ETS Maximum Number of Traffic Classes (Subtype = 9)
featurepass: Pass
featurelogsubject: ""
featurelogdetail: ""
featureroles:
- Storage

- featurename: LLDP - ETS Class Bandwidth Configuration (Subtype = 9)
featurepass: Pass
featurelogsubject: ""
featurelogdetail: ""
featureroles:
- Storage

- featurename: LLDP - PFC Maximum Number of Traffic Classes (Subtype = B)
featurepass: Pass
featurelogsubject: ""
featurelogdetail: ""
featureroles:
- Storage

- featurename: LLDP - PFC Priority Class Enabled (Subtype = B)
featurepass: Pass
featurelogsubject: ""
featurelogdetail: ""
featureroles:
- Storage

- rolename: Compute (Standard)
rolepass: Fail
featuresbyrole:
- featurename: VLAN
featurepass: Fail
featurelogsubject: Minimum of 10 VLANs need to be input and configured
featurelogdetail: 'Detect: [1 710 711 712]'
featureroles:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - VLAN Name (Subtype = 3)

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712], but Input: [710 711 712 713 714 715 716 717 718 719 720]'

featurerole:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Maximum Frame Size (Subtype = 4)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featurerole:

- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - Link Aggregation (Subtype = 7)

featurepass: Pass

featurelogsubject: ""

featurelogdetail: ""

featurerole:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- rolename: Compute (SDN)

rolepass: Fail

featuresbyrole:

- featurename: BGP

featurepass: Fail

featurelogsubject: TCP 179 Packet Not Detected from switch, please check switch BGP configuration.

featurelogdetail: ""

featurerole:

- Compute (SDN)

- featurename: VLAN

featurepass: Fail

featurelogsubject: Minimum of 10 VLANs need to be input and configured

featurelogdetail: 'Detect: [1 710 711 712]'

featurerole:

- Management
- Compute (Standard)
- Compute (SDN)
- Storage

- featurename: LLDP - VLAN Name (Subtype = 3)

featurepass: Fail

featurelogsubject: LLDP Subtype 3 Mismatch, please check switch VLAN configuration

featurelogdetail: 'Detect: [1 710 711 712], but Input: [710 711 712 713 714 715 716 717 718 719 720]'

featurerole:

- Compute (Standard)

- Compute (SDN)
 - Storage
- featurename: LLDP - Maximum Frame Size (Subtype = 4)
- featurepass: Pass
- featurelogsubject: ""
- featurelogdetail: ""
- featureroles:
- Compute (Standard)
 - Compute (SDN)
 - Storage
- featurename: LLDP - Link Aggregation (Subtype = 7)
- featurepass: Pass
- featurelogsubject: ""
- featurelogdetail: ""
- featureroles:
- Management
 - Compute (Standard)
 - Compute (SDN)
 - Storage

VLANResult:

nativevlanid: 1

allvlanids:

- 1
- 710
- 711
- 712

LLDPResult:

sysdes: Cumulus Linux version 5.2.1 running on Mellanox Technologies Ltd. MSN2100

portname: swp1

chasisid: 98039b5cbb20

chasisidtype: MAC Address

subtype1_portvlanid: 1

subtype3_vlanlist:

- 1
- 710
- 711
- 712

subtype4_maxframesize: 9214

subtype7_linkaggrcap: true

subtype9_ets:

etstotalpg: 8

etsbwbypgid:

- 0: 48
- 1: 0
- 2: 0
- 3: 50
- 4: 0
- 5: 2
- 6: 0
- 7: 0

subtypeb_pfc:

pfcmaxclasses: 8

pfcconfig:

0: 0
1: 0
2: 0
3: 1
4: 0
5: 0
6: 0
7: 0

DHCPResult:

dhcppacketdetected: true
relayagentip: ""

BGPResult:

bgptcppacketdetected: false
switchinterfaceip: ""
switchinterfacemac: ""
hostinterfaceip: ""
hostinterfacemac: ""

Input Variables

interfacename: eth0
interfaceguid: \Device\NPF_{0217D729-CED0-4D06-9C66-592E032A37A8}
interfacealias: Ethernet
nativevlanid: 710
allvlanids:
- 710
- 711
- 712
- 713
- 714
- 715
- 716
- 717
- 718
- 719
- 720
mtusize: 9214
etsmaxclass: 8
etsbwbypg: 0:48,1:0,2:0,3:50,4:0,5:2,6:0,7:0
pfcmaxclass: 8
pfcpriorityenabled: 0:0,1:0,2:0,3:1,4:0,5:0,6:0,7:0